1568

Section **A** for the entry o
AIR MINISTI

COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.

FORM 1090.

REGIS

1568
WAREHAM, HOLME
1931 — 40
780304

1931 .

Kept at Holme
in the County of Do

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19				·3	·23	·3			1
2	·16	·4		42				·2	·64	·1		·20	2
3	·19		·76				·2	·6	·13		·59	·29	3
4	·2		·6			·2	·33	·19	·22	·3	·19		4
5		·17		·8		·21					·17	·9	5
6		·15		·14	·13	·16				·50	·15	·10	6
7					·20	·18	3	·89		·7	·23	·3	7
8		·19		15		·33		·6			17	·12	8
9		·24				·15	·3				·98		9
10		·2			2	·18	·2	·3	·10		·38		10
11	·16	·35				·5	·5		·3		·29		11
12		·5					·10						12
13			·1				·2	·4					13
14		·8				·27	1·10	·6			·1		14
15		·7		·5	·12			·18				·3	15
16		·6		·4	·16	·32		·2	·6				16
17	·2	·13		·7			·45		·14				17
18	·4		·3	·6		·9		1·18			·71		18
19	·9			·6		·23	·1	·16	·9				19
20		·19	·23					·25		·3	·3	·3	20
21	·11				·24						·5		21
22	·41		·7	·1									22
23	·29			·15	·75			·7			·31		23
24	·4			·43	·15	·65	·55	·84					24
25	·19			·38	·20						24		25
26		·4		·15			·44				·37		26
27	·29	·47			1·21		·2						27
28	·2	·11	·4		·4							·9	28
29	·8	X	·9		·3		·12	·6		·2	·11		29
30		X						·9	·4		·2		30
31	57	X		X	·15	X	·2	·4	X		X	·9	31
TOTAL	2·68	2·35	1·29	2·38	3·40	2·84	3·21	3·27	1·68	·69	5·0	1·07	YEAR'S TOTAL 29·87
*Days with ·01 in. or more.	16	16	8	15	13	13	16	19	10	7	18	10	161
*Days with ·04 in. or more.	13	15	7	14	11	12	8	15	9	2	15	7	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Lenna S. Bond

P.T.O

1568

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Holmes

in the County of Dorset

Diameter of Funnel of Gauge 3½ in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19				·3	·23	·3			1
2	·16	·4		42				·2	·64	·1		·20	2
3	·19		·76				·2	·6	·13		·59	·29	3
4	·2		·6			·2	·33	·19	·22	·3	·19		4
5		·17		·8		·21					·17	·9	5
6		·15		·14	·13	·16				·50	·15	·10	6
7					·20	·18	3	·89		·7	·23	·3	7
8		·19		15		·33		·6			17	·12	8
9		·24				·15	·3				·98		9
10		·2			2	·18	·2	·3	·10		·38		10
11	·16	·35				·5	·5		·3		·29		11
12		·5					·10						12
13			·1				·2	·4					13
14		·8				·27	1·10	·6			·1		14
15		·7		·5	·12			·18				·3	15
16		·6		·4	·16	·32		·2	·6				16
17	·2	·13		·7			·45		·14				17
18	·4		·3	·6		·9		1·18			·71		18
19	·9			·6		·23	·1	·16	·9				19
20		·19	·23					·25		·3	·3	·3	20
21	·11				·24						·5		21
22	·41		·7	·1									22
23	·29			·15	·75			·7			·31		23
24	·4			·43	·15	·65	·55	·84					24
25	·19			·38	·20						24		25
26		·4		·15			·44				·37		26
27	·29	·47			1·21		·2						27
28	·2	·11	·4		·4							·9	28
29	·8	×	·9		·3		·12	·6		·2	·11		29
30		×						·9	·4		·2		30
31	57	×		×	·15	×	·2	·4	×		×	·9	31
TOTAL	2·68	2·35	1·29	2·38	3·40	2·84	3·21	3·27	1·68	·69	5·0	1·07	YEAR'S TOTAL 29·87
*Days with ·01 in. or more.	16	16	8	15	13	13	16	19	10	7	18	10	161
*Days with ·04 in. or more.	13	15	7	14	11	12	8	15	9	2	15	7	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Leonora S. Bond

P.T.O.

1568

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Holme

in the County of Dorset

Diameter of Funnel of Gauge 3½ in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 23 ft.

Station number 1568

File number 760360/27

June + " flow

June corr for Auto

DI sent 10/5/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11			·19	·31			·03			·4		1
2				·18	·04			·02			·01	·55	2
3						·60	·01		·36	·4		·05	3
4						·33					·02		4
5	·55								·21				5
6	·52		·05	·34			·14		·26				6
7	·04		·05	·12					·13	·24			7
8			·65	·04	·22				·40	·12			8
9	·21			·16	·21					·2	·10		9
10	·18			·30	·05	·03				·15	·14		10
11	·06			·03	·03		·23	·02	·02	·13		·06	11
12	·71				·09					·9		·03	12
13	·05			·18	·07		·11			·89		·05	13
14	·07			·03	·10					·2	·40		14
15	·11			·05	·32					·5	·03	·02	15
16	·13			·14		·03	·58						16
17	·05			·06						·6			17
18	·08				·12				·02		·21		18
19		·04		·03					·05	·52			19
20				·04	·43		·02	·40		1·45	·19	·01	20
21			·18		·32					43	·02	·12	21
22			·02		·04			·10	·65	·30	·41		22
23	·01				·14		·36		·08	·84	·11	·19	23
24		·04			·04		·67		08	·12			24
25				·01			·41		·03	·31	·04		25
26			·17	·08			·03			·6	·01	·03	26
27			·25	·68	·23	·10	·01			·22		·15	27
28			·7	·15	·04							·07	28
29			·62	·02	·13	·44		·35	·71	·39	·31	·15	29
30		×	·23	·32	·03	1·25			·55		·73	·32	30
31		×	·03	×		×			×	·2	×	·18	31
TOTAL	2·88	·08	2·32	3·15	2·96	2·78	3·03	·92	3·55	6·47	2·77	1·98	YEAR'S TOTAL 32·89
*Days with ·01 in. or more.	15	2	11	21	20	7	14	6	14	22	16	15	163
*Days with ·04 in. or more.	14	2	9	16	18	5	9	3	11	19	11	11	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Leonora S. Bond

P.T.O.

1568

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~1568~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Holme Wareham Dorset

in the County of

Diameter of Funnel of Gauge 3½ in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·78	·10									·16	1
2	·45		·74		·21								2
3	·01	·12	·37										3
4	·16	·09			·22								4
5	·10		·34		·02								5
6		·34			·16					·19	·06		6
7	·09	·03			·05					·31			7
8			·03		·04		·40						8
9					·24		·37	·01		·14			9
10		·02					·25	·62		·09	·02		10
11	·20					·39	·01	·20					11
12				·07	·03		·05		·86			·07	12
13	·03				·06	·02	·58	·01		·13	·03		13
14								·04		·21	·60		14
15	·55		·36					·20		·22			15
16			·87			·06	·01		·05	·03			16
17		·16	·35			·02		·11	·13		·01		17
18	·15		·15			·06							18
19	·06		·10	·01		·02		·03	·15		·08	·04	19
20		·05	·02			·01			·01				20
21					·06			·14		·11	·01		21
22						·11		·15	·30	·04			22
23		·24		·50		·08			·34	·14			23
24		2·31		·35		·03							24
25		·51		·38					·32			·24	25
26		·45		·19	·16							·01	26
27					·21		·09		·02	·28		·67	27
28				·32			·38			·01		·01	28
29	·20		·11						·02				29
30	·03	×	·08				·03		·24			·14	30
31	·24	×		×		×			×		×		31
TOTAL	2·64	5·10	3·62	1·82	1·46	·80	2·17	·91	2·44	1·90	·81	1·34	YEAR'S TOTAL 25·01
*Days with ·01 in. or more.	14	12	13	7	12	10	10	10	11	13	7	8	127
*Days with ·04 in. or more.	11	10	11	6	10	5	7	6	7	11	3	6	93

40-9999

*See Instruction 2 (*f*) on other side,

D

(Signed) Leonora S. Bond

F.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** Station No. 1568

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Holme

in the County of Dorset

Diameter of Funnel of Gauge 3½ in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·75		·08	·07	1·12		1
2	·44		·13		·01	·02			1·13	·16	·06	·53		2
3	·09									·28		·40		3
4	·09		·26		·18					·10		·26		4
5			·03		·02			·93		·03		·50		5
6	·03		·40	·03	·18			·03		·40	·33	·60		6
7	·04			·01	·18			·15		·11		·45		7
8					·26				·01		·85	·05		8
9	·02		·20						·02		·50	·25		9
10	·13	·01	·25	·29				·03			·09	·02		10
11	·62		·53	·27			·03	·08				·56		11
12	·01						·06	·14				·37		12
13	·30		·08	·14							·19	·34		13
14	·15		·36	·01						·02	·03	·45		14
15	·02			·02	·04					·07	·12	·45		15
16	·30		·42		·04							·15		16
17	·18		·03	·19					·08	·03		·45		17
18	·03		·43	·18					·14			·68		18
19			·25	·01		·02		·05	·08			·16		19
20			·07	·16			·07		·11	·02				20
21			·02	·08		·16		·22	·02	·17		·09		21
22			·03				·07	·40	·34	·07		·18		22
23				·30		·52			·09			·09		23
24		·06	·03	·18			·01	·27	·20			·06		24
25	·44			·08						·07		1·02		25
26	·03			·01		·34			·13	·02	·02	·06		26
27						·05						·47		27
28						·35		·75	·03			·60		28
29								·16	·37	·02		·02		29
30	·04	×							·26	·01		·20		30
31		×		×		×		·02	×		×			31
TOTAL	2·96	·07	3·52	1·96	·91	1·46	·24	3·98	3·01	1·66	2·26	10·58	Year's Total 32·61	
*Days with ·01 in. or more.	18	2	17	16	8	7	5	14	15	17	10	29	158	
*Days with ·04 in. or more.	12	1	11	10	6	5	3	11	11	10	8	27	115	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Leonora S. Bond

P.T.O.

COPY FOR OFFICIAL USE.

Station No. 1568

Section A for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Holme Wareham

in the County of Dorset

Diameter of Funnel of Gauge 3½ in. ? 5

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·43		·03	·15	·10		·19	·24	·19	·23		1
2						·03				·51	·10	·02		2
3			·15		·07	·09			·20	2·04	·25			3
4	·01	·27		·12		·04			·15	·22	·19	·05		4
5		·32	·03	·02		·07			·34	·01	·06	·04		5
6		·01		·38		1·52					·24			6
7				·46		·05				·20	·48	·14		7
8				·35					·09	·43	·80	·06		8
9	·15			·42		·68				·77	·60			9
10	·22		·31	·14		·06					·22	·03		10
11	·27	·01	·08			·30					·60			11
12	·12	·03				·28		·04	·20		·48			12
13	·10	·11		·25		·24			·01	·01	·07			13
14		·01		·15	·01	·12			·05	·03	·47	·38		14
15		·10		·66	·34	·05			·16	·02	·30	·16		15
16		·01	·09	·05		·01			·35		2·10			16
17				·03	·41	·29		·06	·05		10			17
18				·39		01			·65	·03		·01		18
19				·09	·19	05	·17		·15		·41			19
20		·58		·12		·02	·01		·04		·34			20
21		·57		·11			·02			·02				21
22		02						·19	·07					22
23		·04	·08		·04			·39		·35		·33		23
24	·03	·84			·20			1·02	·72	·21		·29		24
25	·14	·01		·09	·02	·03						·44		25
26		·32			·02			·24	·07			·95		26
27		·62						·03	·25	·01	·09	·75		27
28		·08			·60			·08	·19			·19		28
29					·08			·11	·27			·49		29
30		×		·07	·05			1·24	·01	·30	·32	·62		30
31		×		×		×		·03	×	1·20	×	·33		31
													Year's Total	
TOTAL	1·04	3·95	1·17	3·90	2·06	4·09	·30	3·43	4·21	6·60	8·41	5·51	44·67	
*Days with ·01 in. or more.	8	18	7	18	13	20	4	11	21	18	21	19	178	
*Days with ·04 in. or more.	6	11	6	16	9	15	2	9	19	11	21	15	140	

† Spare column, no entries required.

(*Signed*) Leonora S. Bond

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1568

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Holme Wareham

in the County of Dorset

Diameter of Funnel of Gauge 3½ in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·06	·08	·36		·11	·19				·04			1
2	·12			·05		·05	·13	·06						2
3				·47			·11		·68		·51			3
4			·20						·20		·22	·05		4
5	·36		·03		·10			·04	·16			·04		5
6	·25		·01			·02		·01	·17		·37			6
7	·13		·23				·25				·21	·03		7
8	·42		·24				·43				·52	·03		8
9	·34		·30				·58		·16		·01			9
10	·01	·24					·36				·06			10
11	·31	·22				·02	·04		·11		1·30			11
12				·05	·23	·34	·52	·01	·16		·08			12
13	·03					·02	·04			·03	·15	·57		13
14		·06		·03		·06	·45			·01		·57		14
15		·06									·10	·47		15
16	·10	·24			·09	·01	·10		·17		·13	·30		16
17		·88					·05		·02	·14	·12	·69		17
18	·23	·19				·30	·30					·32		18
19	·44	·05	·04	·05		·16		·06						19
20	·28	·25	·30	·19		·24	·06		·88					20
21		·30	·04	·35		·06			·03					21
22	·19	·40	·62				·18		01	·01		·06		22
23	·13		·08	·18	·08		·13			·12				23
24	·35		·08		·08		·04		·01	·30				24
25	·08		·39	·17			·01		·07	·28				25
26	·19	·15	·22			·34			·02	·07				26
27	·43	·45	·16				·18		·09	·17				27
28	·85	·10	·47				·31					·23		28
29	·17	·06	·03			·03	·06			·07	·04			29
30		✕				·15				·15				30
31	·10	✕	·49	✕	·04	✕	·16		✕	52	✕	·84	Year's Total	31
TOTAL	5·73	3·71	4·01	1·90	·62	1·51	4·68	·18	2·94	1·87	3·86	4·20	35·21	✓
* Days with .01 in. or more.	23	16	19	10	6	15	23	5	16	12	15	13	173	✓
* Days with .04 in. or more.	21	16	17	9	6	10	22	3	11	9	14	11	149	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Leonora S. Bond [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1568

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Holme

in the County of Dorset

Diameter of Funnel of Gauge 3½ in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·40	·09		·24							·26	1·45		1
2		1·06	·02	·08					·07			·40		2
3	·02	·31	·01	·04										3
4	·10	·86						·03				·26		4
5	·16	·02	·03				·22							5
6	·09	·45	·35	·21	·06		·20							6
7		·94		·03						·04		·38		7
8											·26	·06		8
9			·37	·27		·08	·15		·61			·03		9
10	·09		·74	·17	·42	·34						·44		10
11	·05			·08	·50		·40							11
12	·58	·31	·17	·15	·56	·06	·06	·82	·24			·34		12
13	·10	·01	·78	·20	·02			·71	·21			·15		13
14				·01				·02	·13			·03		14
15	·47	·29	·05	·43			1·51		·09			·03		15
16	·01	·15	·44	·11			·02	·35	1·60		·05			16
17	·70	·04	·30				·07		·11		·34			17
18	·14	·08							·03		·15	·15		18
19	·14	·03	·01	·37		·04					·03	·15		19
20	·35		·29	·26								·41		20
21	·41	·34	·08	·01	·14		·04				·30	·12		21
22	·39		·11		·20		·14		·05	1·76	·33	·11		22
23	·23	·22			·49		·07			·28	·13	·03		23
24	·40	·69			·03				·02	·81		·07		24
25	·80	·31	·43		1·17				·08	·13		·11		25
26		·25	·04		·23					·07		·04		26
27	·05	·21		·09						·64				27
28	·42	·07								·19	·02			28
29	·10					·02				1·48	·03			29
30	·34	✕				·05				·04	·25			30
31	·23	✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	6·77	6·73	4·22	2·75	3·28	·59	2·88	1·93	2·24	5·68	2·21	4·76	44·04	✓
* Days with .01 in. or more.	25	21	17	17	11	6	11	5	12	11	12	20	168	✓
* Days with .04 in. or more.	23	18	13	14	9	5	10	3	10	11	9	16	141	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Leonora S. Bond [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1568

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Holme

in the County of Dorset

Diameter of Funnel of Gauge 3½ in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 23 ft. 6

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·04				·04	·20		·02	·37		·06		1
2										·22	·09	·14		2
3	·01				·14					·94	·29			3
4							·04	·93		·01		·30		4
5							·26			·33				5
6	·23						·18		·16	·11	·04	·17		6
7	·14					·02	·26		·62	·14		·13		7
8	·30					·02	·03	·05		·29		·06		8
9	·10	·10								·02		1·36		9
10	·09					·04						·44		10
11	·17										·43	·24		11
12	·62				·23					·45		·08		12
13	·39						·03			·23	·44	·67		13
14	·52				·06		·28							14
15	·21				·06		·34			·41	·07	·44		15
16	·46		·05					·03		·10	·01	·10		16
17		·19	·04		·18				·25	·33	·01	·02		17
18	·15				·12	·03		·02	·16		·38			18
19								·10	·30	·02	1·09			19
20									·03		·47			20
21	·04							·01	·12		·11	·04 x		21
22	·04							·30			·67	·05 x		22
23									37		·06			23
24			·23					·62	·19		·35			24
25	·12	·25	·02		·16		·02	·10		·04	1·27			25
26	·31	·32			·25	·01				·05		·27		26
27	·10				·10	·33	·43	·16		·03	·40			27
28	·06	·11			·08	·10		·50	·22		·06	·04		28
29					·32				·23	·25	·36	·05		29
30	·02				·05				·43	·03	·18	·02		30
31	·21				·22					·34		·38		31
													Year's Total	
TOTAL	4·29	1·01	·34	–	1·95	·50	2·07	2·31	3·04	4·71	5·78	5·06	31·15	✓
* Days with .01 in. or more.	21	6	4	–	13	8	11	11	13	21	20	21	149	✓
* Days with .04 in. or more.	19	6	3	–	13	4	8	7	11	16	18	19	124	✓

40-9999.

* See Instruction 2 (f) on other side.

x Snow

† Spare column, no entries required.

(*Signed*) Leonora S. Bond [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1568

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Holme

in the County of Dorset

Diameter of Funnel of Gauge 3½ in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 23 ft. 6 in.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·07	·09	·10		·05		·21		·01	·12		1
2				·36				·46	1·26		·06	·11		2
3	·68			·68				·07			·17	·27		3
4			67	·18	·38		·55	·27		·36	·06	·07		4
5			·03	·15	·34		·22	·61		·35	·76	·01		5
6	·70		·10				·75	·04		·01	·24			6
7		·47					·01				·35	1·00		7
8	·02	·12	07				·05			·73	·21	·25		8
9	·04		·04					·20		·16	·39	·25		9
10	·42		·03			·01		·30	·14	·20		01		10
11		·02	·16							·33	·01			11
12	·01	·05				·03				·01	·09			12
13				·08		·03	·35		·01	1·71				13
14	·85				·01	·02	·12			·22	·54	·14		14
15	·24				·13	1·13	·15			·18	·44	·03		15
16	·35			·14	·04	·05	·04			·07	·32			16
17	·33	·15			·16	·01	·11			·16	·07			17
18	·12		·01		·07	·09	·60				·54	·02		18
19	·57						·05	·12				·08		19
20	·52					·30	·14	·72				·05		20
21	·24	·43	·04			·12	·42		·02					21
22	·38	·24	·05			·70	·24		·03		·46			22
23				·13		·02	·09				1·84	·01		23
24	·64					·42	·18	·12						24
25	64	·20		03			·02			·09	·55			25
26		·01		·34				·02		·12	·25			26
27		·24	·03	·02			·02				·14			27
28		·35	·01				·23				·46	·16		28
29				·03		·02	·61			·22	·01			29
30		×		·42		·05		·23		·53	·01			30
31		×		×		×		·14	×	·61	×			31
													Year's Total	
TOTAL	6·75	2·28	1·31	2·65	1·23	3·00	5·00	2·70	1·67	6·26	7·98	2·58	43·41	✓
* Days with .01 in. or more.	17	11	13	13	8	15	22	13	6	18	24	16	176	✓
* Days with .04 in. or more.	15	9	8	10	7	8	18	11	3	16	20	10	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Leonora S. Bond

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1568

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Holme Wareham

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 23 ft. 6

~~July~~ Sept. Nov. & annual totals corr. for B.A.
July 10 corr'd by ref to nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·27							·18			1
2		·35									·37			2
3	·03	·66								·25	·76	·24		3
4	·01	·10					·16			·41	·72	·02		4
5		·08					·02			·01	·86	·31		5
6	·57	55					·04			·56	·04	·09		6
7	·06									·07				7
8				·01			·14			·47	·14	·25		8
9							·65		·01	·23	·68	·19		9
10							(1·14)			·09	·10	·10		10
11				·01							1·35	·02		11
12			·19				·22		·48		·04			12
13			·77	·03			·18		·02	·22	1·41			13
14			·14	·04	·06		·11		·27	·30	·02	·88		14
15		·05	·02		38		·44		·17	·32	·45			15
16		1·08	·44	·08	·03		·03		·05	·91	1·20	·05		16
17			·61				·04				1·30			17
18	·12	45	·50	·18					·01	·17		·05		18
19		·05	·04	·24			·04		·53		·40			19
20				·02					·01	·24	·04	·01		20
21					·34				·04		·51			21
22		·02	04	·08		·20			·17	·01	·01			22
23			·39	·07			·01		·01		·05			23
24							·44							24
25	·04		·30	·06	·01									25
26	1·50	·61			·10		·15				01			26
27	·54	·26			·30		·04			·03				27
28	·55	·08			·07									28
29	·39	·53	·24	·65						·02		·30		29
30	·17	×	·02	·05						·37		·10		30
31	·04	×		×		×			×	54	×	39		31
TOTAL	4·02	4·87	3·70	1·79	1·29	·20	3·25	– –	~~1·17~~ 1·77	5·16	10·03	3·00	Year's Total ~~37·98~~	39·18
* Days with .01 in. or more.	12	14	13	14	8	1	17	–	12	19	22	15	147	
* Days with .04 in. or more.	10	13	11	10	6	1	14	–	7	15	19	12	118	

3.23

† Spare column, no entries required.

(Signed) Leonora S. Bond [P.T.O.

* See Instruction 3 (f) on other side.

1569

Section **A** for the entry

AIR MINISTI

FORM 1090. **REGIS**

Kept at The King's Barr

in the County of Do

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

1569
WAREHAM
THE KINGS BARROW
1931 — 40

780304

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

93/.

days

DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·30			trace	·03	·66	·03			1
2	·11	·5		·46				·03	·38	·01		·25	2
3	·42		·68				·03	·08	·21		·67	·20	3
4	·01		·06		·04	·07	·29	·19	·14	·02	·03		4
5		·15		·08		·28		·01		·01	·28	·10	5
6		·14		·22	·14	·26		·02		·55	·15	·14	6
7		·4			·22	·19	·03	·67		·06	·28	·04	7
8		·20		·15	·02	·33		·05			·18	·16	8
9	·04	·25				·17	·04	·01			·88		9
10				·01	·01	·17		·06	·28	trace	·59		10
11	·13	·35			trace	·06	·02		·03		·34		11
12	·01	·4			trace	·01	·14			·01			12
13			·01				·06	·04					13
14		·5	·01		·04	·21	1·38	·14	·01		·01		14
15		·8		·06	·09			·17				·06	15
16		·6		·05	·17	·33		·02					16
17		·10		·05			·50		·05				17
18	·04		·02	·07		·07	·06	·97	·13		·66		18
19	·09		·01	·06		·12	·11	·15	·02	·01		·01	19
20	·01		·19					·25		·01	·02		20
21	·10				·33					·01	·06		21
22	·40		·15	·06	·06			·01					22
23	·21			·13	·79	·25		·14					23
24	·05			·48	·09	·16	·55	·92			·34		24
25	·18			·24	·24		·20				·23		25
26	·25			·15			·48				·44		26
27		·48			1·65		·01			·01		trace	27
28	·02	·8	·03								·01	·09	28
29	·06		·07		·03		·12	·07		·01	·11		29
30	·10	×	·05					·05	·04		·01		30
31	·40	×		×	·09	×	·01		×		×	·14	31
TOTAL	2·63	2·07	1·28	2·57	4·01	2·68	4·03	4·08	1·95	·74	5·29	1·19	YEAR'S TOTAL 32·52
*Days with ·01 in. or more.	~~4~~19	—14	~~5~~11	16	~~8~~16	15	17 ~~5~~	22 ~~7~~	11 ~~3~~	12 ~~10~~	~~5~~19	10	~~45~~ 182
*Days with ·04 in. or more.	15	14	6	15	13	14	12	15	8	2	14	9	137

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

1569

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The King's Barrow. Wareham

in the County of Dorsetshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 15 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·30			trace	·03	·66	·03			1
2	·11	·5		·46				·03	·38	·01		·25	2
3	·42		·68				·03	·08	·21		·67	·20	3
4	·01		·06		·04	·07	·29	·19	·14	·02	·03		4
5		·15		·08		·28		·01		·01	·28	·10	5
6		·14		·22	·14	·26		·02		·55	·15	·14	6
7		·4			·22	·19	·03	·67		·06	·28	·04	7
8		·20		·15	·02	·33		·05			·18	·16	8
9	·04	·25				·17	·04	·01			·88		9
10				·01	·01	·17		·06	·28	trace	·59		10
11	·13	·35			trace	·06	·02		·03		·34		11
12	·01	·4			trace	·01	·14			·01			12
13			·01				·06	·04					13
14		·5	·01		·04	·21	1·38	·14	·01		·01		14
15		·8		·06	·09			·17				·06	15
16		·6		·05	·17	·33		·02					16
17		·10		·05			·50		·05				17
18	·04		·02	·07		·07	·06	·97	·13		·66		18
19	·09		·01	·06		·12	·11	·15	·02	·01		·01	19
20	·01		·19					·25		·01	·02		20
21	·10				·33					·01	·06		21
22	·40		·15	·06	·06			·01					22
23	·21			·13	·79	·25		·14					23
24	·05			·48	·09	·16	·55	·92			·34		24
25	·18			·24	·24		·20				·23		25
26	·25			·15			·48				·44		26
27		·48			1·65		·01			·01		trace	27
28	·02	·8	·03								·01	·09	28
29	·06		·07		·03		·12	·07		·01	·11		29
30	·10	X	·05					·05	·04		·01		30
31	·40	X		X	·09	X	·01		X		X	·14	31
TOTAL	2·63	2·07	1·28	2·57	4·01	2·68	4·03	4·08	1·95	·74	5·29	1·19	YEAR'S TOTAL 32·52
*Days with ·01 in. or more.	~~4~~ 19	— 14	~~5~~ 11	16	~~8~~ 16	15	17 ~~5~~	22 ~~7~~	11 ~~3~~	12 ~~10~~	~~5~~ 19	10	~~45~~ 182
*Days with ·04 in. or more.	15	14	6	15	13	14	12	15	8	2	14	9	137

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) .... [P.T.O.

1569

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1569.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

days

Kept at The King's Barrow Wareham

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·20	·33			·04			·03	·01	1
2				·20	·03			·02	·15	·05	·02	·65	2
3				·03		·75	·01		·26			·01	3
4	·01					·24	·01				·02	Trace	4
5	·54								·25			·01	5
6	·50		·01	·35			·03		·22			·01	6
7	·04		·05	·09				Trace	·35	·22			7
8			·62	·05	·25				·30	·14			8
9	·24	Trace	·01	·26	·14			·01		·04	·10		9
10	·34	·01	·05	·22			·31	·01		·15	·18	·02	10
11	·07			·04	·03	·02	·03	·01		·13		·06	11
12	·67			·01	·08		·01		·02	·10		·02	12
13	·05			·18	·09		·09			·83	Trace	·06	13
14	·07			·05	·12					·02	·34	·01	14
15	·12			·05	·36					·05	·02	·04	15
16	·10			·12		·16	·93						16
17	·07			·06					·01	·06			17
18	·09				·16				·02		·25		18
19				·05					·02	·56			19
20	·01		·02	·06	·54		·01	·44		1·47	·22	·01	20
21			·16	·01	·34		·01	·01	·28	·47	·06	·11	21
22			·01	·01	·04		·01	·11	·46	·50	·42		22
23	·01	Trace			·21		·38		·10	·85	·13	·13	23
24		·05			·05		1·09		·09	·10	·01	·02	24
25			·01				·12		·02	·34	·05	·02	25
26			·16	·08			·02			·06	·02		26
27			·31	·66	·29	·11	·34			·26		·17	27
28			·05	·11	·03							·05	28
29			·65	·02	·15	·49	·04	·35	·72	·47	·28	·18	29
30	·01	×	·23	·30	·02	1·25	·11		·48		·83	·29	30
31		×	·01	×	·01	×	Trace		×	·02	×	·20	31
TOTAL	2·97	·06	2·35	3·21	3·27	3·02	3·55	1·00	3·75	6·89	2·98	2·08	YEAR'S TOTAL 35·13
*Days with ·01 in. or more.	~~X~~ 18	X 2	~~6~~ 15	~~X~~ 24	~~X~~ 20	X 7	~~X~~ 18	~~5~~ 9	17 ~~5~~	22 ~~8~~	~~6~~ 17	~~X~~ 21	190 ~~130~~
*Days with .04 in. or more.	13	1	9	19	15	6	9	4	12	20	11	11	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ramsay Tilden

P.T.O.

1569

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1569

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The King's Barrow. Wareham

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·34	·87	·12								·02			1
2	·42		·77	·07	·24							·17		2
3	·02	·11	·37		·01									3
4	·18	·12			·26									4
5	·10	·01	·39		·06					·26				5
6	·01	·32	·01		·17		trace			·10	·03			6
7	·10	·03		·01	·06					·20		·01		7
8	·02		·03		·05		·38	·01						8
9	·01				·22		·35			·07	·02			9
10		·01					·22	·02			·01			10
11	·21				·02	·37		·05						11
12	·02			·06	·07		·34		·80					12
13	·01				·02	·03	·28	·01		·27	·05	·05		13
14	·02						·02	·05			·64			14
15	·50		·34				·01	·15		·27	·04			15
16	·01		·79			·07		·03	·05	·05				16
17		·15	·42			·03		·08	·15		·01			17
18	·18	·01				·08			·02		·01			18
19	·02	·01	·10	·01		·02		·02	·35		·07	·03		19
20		·05	·02	·01		·02			·02			·01		20
21		·05			·08			·10		·12	·01			21
22				·01		·09		·15	·36	·06				22
23		·27		·46		·09			·26	·14				23
24		2·18		·41		·02	·01		·01		·03			24
25		·57		·29					·36			·18		25
26		·36		·21	·26					·02		·02		26
27		·01			·09		·06			·25	·02	·73		27
28				·25			·41			·02		·02		28
29	·19		·13	·01	·27				·02			·03		29
30	·01	×					·03		·10			·09		30
31	·26	×		×		×			×		×			31
TOTAL	2·63	5·13	3·49	1·80	1·88	·82	2·11	·67	2·50	1·83	·96	1·34	Year's Total 25·16	
*Days with ·01 in. or more.	20	17	12	12	15	10	11	11	12	13	13	11	15[illegible]	
*Days with ·04 in. or more.	10	11	9	7	12	5	7	6	8	11	4	5	95	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Ramsay Fielden

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1569.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The King's Barrow, Wareham.
in the County of Dorset.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
,, Ground ,, Sea Level 15 ft.

Dap

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01							·66	·01	·10	·11	1·28		1
2	·47		·10			·02			1·06	·14	·05	·31		2
3	·09	·02								·32		·48		3
4	·10		·28	·03	·02					·65		·14		4
5	·01		·08		·16			·91		·06	·02	·61		5
6	·03		·39	·01	·21			·04		·36	·33	·59		6
7	·04							·15		·14	·01	·40		7
8					·30			·02	·03		1·16	·04		8
9	·02		·24						·04		·43	·36		9
10	·18		·21	·35				·06			·13	·05		10
11	·38	·01	·51	·25			·27	·07				·55		11
12	·02	·01	·01				·06	·13			·01	·33		12
13	·25	·01	·06	·14							·17	·13		13
14	·19		·35	·01						·01	·03	·54		14
15	·02			·02	·05					·02	·12	·45		15
16	·27		·43		·06							·15		16
17	·20		·01	·22					·09	·01		·45		17
18	·02		·33	·15		·02			·15			·63		18
19			·13	·01				·05	·08			·14		19
20	·01		·06	·19			·03		·10	·02				20
21			·02	·05		·16		·15	·02	·15		·06		21
22			·02				·06	·59	·35	·06		·20		22
23		·01		·40		·72			·21			·06		23
24	·01	·03	·03	·11			·01	·24	·02	·01		·07		24
25	·55			·08						·06		·96		25
26	·01			·01		·34			·12	·01	·02	·17		26
27	·02					·05				·01		·46		27
28				·01		·30		·80	·14			·58		28
29								·16	·23	·02	·01	·02		29
30	·04	×					·01	·01	·25		·01	·23		30
31		×		×		×			×	·02	×	·01		31
TOTAL	2·94	·09	3·26	2·04	·80	1·61	·44	4·04	2·90	1·57	2·61	10·45	Year's Total. 32·75	
* Days with .01 in. or more.	23	6	18	17	6	27	6	15	16	19	15	30	~~52~~	178
* Days with .04 in. or more.	12	0	13	10	5	5	3	13	12	10	8	28	119	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Ramsay Fielden.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1569.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Days.

Kept at The King's Barrow, Wareham

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" Ground " Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			'42			'17	'15		'49		'16	'18		1
2										'54	'08	'02		2
3			'19		'07	'09			'18	2·25	'27			3
4	'01	'25	'01	'11		'04			'15	'30	'14	'07		4
5	'01	'28	'03	'02		'09			'31	'02	'10	'04		5
6				'34		1·46					'20	'01		6
7				'53		'03				'45	'55	'15		7
8				'44			'02		'09	'20	'81	'04		8
9	'18			'36		1·16			'02	'70	'73	'02		9
10	'15		'33	'12		'04					'13			10
11	'24	'01	'07			'37			'01		'52			11
12	'14	'08				'28		'04	'16		'61			12
13	'09	'11		'21	'02	'22				'01	'08			13
14		'03		'18	'03	'09			'08	'03	'39	'40		14
15		'06		'64	'34	'04			'15	'02	'36	'19		15
16		'03	'09	'06		'02					2·30			16
17				'03	'31	'35		'07	'04		'06			17
18		'01		'43		'02			'65	'04		'01		18
19				'14	'16	'08	'15		'18	'02	'39			19
20		'49		'07	'01	'02	'01				'38			20
21		'43	'01	'09		'01	'02			'01	'01			21
22		'02						'26	'06					22
23		'05	'08		'04			'36		'32		'38		23
24	'04	'72			'20			'93	'62	'25		'20		24
25	'12	'03		'09	'01	'04			'04		'02	'57		25
26		'31			'02	'02		'24	'25			'84		26
27		'31	'01					'06	'19	'01	'08	'77		27
28		'10			'39			'03	'28			'15		28
29					'08			'05		'01	'02	'46		29
30	'01	×		'09	'05			1·15	'25	'28	'34	'71		30
31		×		×		×		'03	×	1·23	×	'32		31
TOTAL	'99	3·32	1·24	3·95	1·73	4·64	'35	3·32	4·20	6·69	8·73	5·47	Year's Total 44·63	
* Days with ·01 in. or more.	~~3~~ 10	~~6~~ 18	~~4~~ 10	~~2~~ 18	~~5~~ 14	~~6~~ 21	~~3~~ 5	2 11	~~2~~ 20	~~8~~ 19	~~3~~ 24	~~4~~ 20	~~48~~	190 ✓
* Days with .04 in. or more.	7 ✓	12 ✓	6 ✓	16 ✓	9 ✓	15 ✓	2 ✓	9 ✓	18 ✓	11 ✓	21 ✓	16 ✓	142	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ramsay Frilden

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1569.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Dorset

Kept at The Kings Barrow. Wareham.

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·07	·09	·40		·08	·07				·04			1
2	·01	·01		·05		·04	·16	·06			·09			2
3		·01		·45			·16		·57		·50	·02		3
4			·21				·21		·33		·18	·07		4
5	·39		·04		·09		·08	·04	·08		·57			5
6	·36		·01			·03		·02	·14					6
7	·16		·22				·24				·26	·04		7
8	·38		·30				·86				·62	·04		8
9	·36		·27				·32		·18		·01			9
10		·26					·23		·18		·14			10
11	·36	·16					·04		·06		1·01			11
12				·02	·09		·48	·02			·13			12
13	·04					·03	·06			·04	·08	·57		13
14		·11		·05		·36	·56		·02			·57		14
15	·01	·05				·03	·01				·11	·45		15
16	·04	·24	·01		·10	·05	·13		·28		·17	·24		16
17	·11	·86			·04		·06			·13	·08	·55		17
18	·22	·19					·30		·10			·29		18
19	·42	·02	·03	·20			·01	·07				·01		19
20	·27	·22	·17	·06		·57	·06		1·07					20
21		·55	·06	·36		·08								21
22	·22	·21	·60		·06	·28	·21			·04		·08		22
23	·11		·11	·18	·06	·06	·14			·15		·01		23
24	·35	·05	·08		·04		·04		·02	·30				24
25	·08		·41	·18					·10	·26				25
26	·35	·12	·26	·65					·02	·06				26
27	·27	·58	·18				·15			·18				27
28	·87	·02	·55			·16	·07					·22		28
29	·01	·10	·04				·08			·08	·05	·01		29
30	·18	✕					·05			·19				30
31	·11	✕	·44	✕	·01	✕	·14		✕	·50	✕	·85		31
TOTAL	5·96	3·83	4·08	2·00	·49	1·76	4·91	·21	3·15	1·93	4·04	4·02	Year's Total 36·38	✓
* Days with .01 in. or more.	3 25	4 19	3 20	X 11	X 8	3 12	2 27	2 5	3 14	– 11	X 16	4 16	~~27~~	184 ✓
* Days with .04 in. or more.	22	15	17	10	7	9	25	3	11	11	15	12	187	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ramsay Filden. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1569.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The King's Barrow. Wareham

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 15 ft.

Days 17

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·39	·03	·01	·22							·28	2·11		1
2	·02	·94	·02	·07					·07		·02	·11		2
3	·05	·30	·03	·03			·02							3
4	·09	·83						·03				·29		4
5	·18		·03	·02			·23							5
6	·07	·51	·38	·21	·05		·17			·02				6
7	·01	·88		·01								·42		7
8					·63		·05				·22	·05		8
9			·05	·28	·12	·06	·08		·62			·06		9
10	·08		1·02	·21	·51	·39						·46		10
11	·01		·10	·07	·53		·39							11
12	·54	·34	·19	·25	·52	·07	·06	·85				·28		12
13	·18	·02	·80	·13	·03			·52	·25			·19		13
14	·01	·01	·11	·07			·07		·19			·06		14
15	·47	·29	·15	·52			1·13		·12			·02		15
16		·06	·39	·06			·06	·36	2·85		·06			16
17	·87	·07	·24				·01		·10		·34			17
18	·03	·09							·07		·15	·20		18
19	·27	·03	·05	·36		·01					·05	·11		19
20	·25		·30	·24								·30		20
21	·40	·35	·06	·01	·18		·03		·01	·01	·29	·12		21
22	·34		·06		·18		·15		·05	1·36	·39	·10		22
23	·13	·31			·63					·33	·11	·02		23
24	·34	·57			·05				·05	·99				24
25	·73	·40	·40		1·26				·08	·15		·14		25
26		·19	·04		·16					·11	·02	·04		26
27	·06	·27		·10						·61				27
28	·10	·05				·01				·21	·02			28
29	·02					·02				1·07	·05			29
30	·63	✕				·04				·15	·23			30
31	·29	✕		✕		✕			✕	·23	✕			31
TOTAL	6·56	6·53	4·43	2·86	4·85	·60	2·35	1·76	4·46	5·24	2·23	5·08	Year's Total 46·95	
* Days with .01 in. or more.	~~8~~ 27	~~4~~ 21	~~4~~ 20	~~4~~ 18	13	~~3~~ 7	~~3~~ 13	4	12	~~2~~ 12	~~3~~ 14	~~2~~ 19	~~34~~	180
* Days with .04 in. or more.	21	17	16	14	12	4	10	3	11	10	11	17	146	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Ramsay Fielden

[P.T.O.

COPY FOR OFFICIAL USE

Section | **A** | for the entry of Daily Observations

Station No. 1569.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Kings Barrow . Wareham

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 15 ft.

Day

w.J.B.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·05				·02	·09			·41		·04		1
2	·02									·21	·10			2
3					·13		·01			·96	·30			3
4			·01				·04	·83		·08		·32		4
5						·01	·27			·31	·02			5
6	·23						·40		·33	·15	·06	·02		6
7	·14					·06	·14		·60	·09		·44		7
8	·26						·03	·03		·28	·01	·03		8
9	·17	·09								·03		1·32		9
10	·05					·02	·04					·27		10
11	·19						·01				·45	·30		11
12	·56				·24					·57				12
13	·41									·13	·45	·76		13
14	·48				·09		·52				~~·42~~	·02		14
15	·25	·01			·04		·14	·02		·41	·02	·42		15
16	·39	·03	·05							·09	·02	·16		16
17		·18	·04		·21				·29	·36	~~·39~~ ·01			17
18	·13				·12			·09	·14	·04	~~·21~~ ·39			18
19									·27		1·12			19
20											·46			20
21	·05								·10		·13			21
22	·04							·28			·59	·09		22
23					·01				·27		·05			23
24			·21		·07			·14	·26		·42			24
25	·12	·24	·02		·10		·02			·04	1·25			25
26	·34	·24			·12	·03				·03		·27		26
27	·10				·13	·30	·36	·16		·02	·37			27
28	·06	·12			·11	·09		·57	·17		·06	·03		28
29					·37				·24	·23	·28	·06		29
30		✕			·05				·57		·19	·04		30
31	·18	✕		✕	·27	✕			✕	·31	✕	·35		31
TOTAL	4·17	·96	·33	nil	2·06	·55	2·07	2·12	3·24	4·75	6·79	4·78	Year's Total 31·82	✓
* Days with .01 in. or more.	20	×8	×5	—	×15	~~4~~ 7	×13	×8	—11	×20	×22	×18	~~28~~	147 ✓
* Days with .04 in. or more.	19	6	3	—	14	3	9	6	11	17	18	~~15~~ 14	120	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ramsay Filden .... T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1569.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at The King's Barrow, Wareham

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 15 ft.

Days.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·03	·08	·10		·05	·01	·49		·02	·12		1
2	·02			·33				·64	1·25		·22	·10		2
3	·69			·71			·03	·08	·02		·20	·38		3
4	·02		·60	·08	·47		·41	·26		·51	·07	·08		4
5			·03	·15	·18		·24	·05		·24	·72			5
6	·61		·10				·77	·05		·03	·20			6
7	·02	·41					·02				·37	·92		7
8	·02	·11	·02				·05			·72	·22	·16		8
9	·04		·11					·36		·20	·10	·25		9
10	·44							·12	·16	·30	·04			10
11	·01	·04	·20							·68				11
12	·03	·04		·03		·01				·03	·05			12
13	·01					·03	·40		·01	1·59	·01	·18		13
14	·80			·10	·03	·02	·11			·34	·48	·05		14
15	·26				·14	1·18	·23			·06	·72	·04		15
16	·33			·13	·03	·01	·03			·11	·08			16
17	·30	·13			·15		·32			·09	·06			17
18	·09	·01			·02	·09	·37				·55	·03		18
19	·55						·01	·24				·08		19
20	·50					·07	·69	·48				·04		20
21	·02	·39				·10	·14		·03					21
22	·37	·24	·04			·66	·24		·02		·48			22
23			·03	·11		·01	·12				1·65			23
24	·74		·02	·05		·41	·10	·02						24
25	·50	·21	·01	·30			·02			·09	·51			25
26		·01						·03		·10	·25			26
27		·42	·02				·03				·12			27
28		·08	·02			·02	·28				·43	·18		28
29	·02			·03		·02	·65			·20	·02			29
30		✕		·40				·29		·64	·02			30
31		✕		✕		✕		·30	✕	·52	✕			31
TOTAL	6·39	2·09	1·23	2·60	1·12	2·63	5·31	2·93	1·98	6·45	7·59	2·61	Year's Total 42·83	
* Days with .01 in. or more.	23	12	13	13	8	13	23	14	7	18	25	14	~~54~~ 183	
* Days with .04 in. or more.	14	10	5	11	5	7	17	11	3	16	21	13	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ramsay Fielden.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1559.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at The King's Barrow, Wareham.

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 15 ft.

Annual totals card for with

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2		·38		·22							·08			2
1·06 3		·68								·32	·24	·30		3
4	·03						·14			·45	·82	·03		4
5	·02	·10					·01				·18	·25		5
6		·58					·01			·53	·72	·08		6
7	·50									·15	·05			7
8	·05	·02		·06			·18			·43	·28	·37		8
9							·37			·30	·63	·07		9
10							·85			·10	·08	·11		10
11											1·28	·03		11
12			·30				·18		·52		·05			12
13			·76	·04			·08			·36	1·29	·12		13
14			·10	·03	·10		·26		·30	·16	·02	·63		14
15					·35		·37		·18	·06	·48			15
16		1·00	·44	·06			·04		·02	1·33	1·10	·05		16
17			·58				·05				1·26			17
18		·45	·60	·16					·04	·15	·02	·06		18
19		·04	·05	·25			·02		~~·53~~		·44			19
20									·53	·22	·05			20
21					·34				·03		·54			21
22			·03	·02		·19			·14		·02			22
23		·03	·40	·06						·03	·05	·02		23
24							·37							24
25	·15		·32	·08			·01							25
26	1·60	·72			·11	·02	·28							26
27	·54	·22			·32		·01							27
3·36 28	·62	·15			·01									28
29		·38	·26	·42						·04		·26		29
30		✕	·02							·30		·22		30
31	·45	✕		✕		✕			✕	·56	✕	·35		31
TOTAL	3·96	4·75	3·86	1·40	1·23	·21	3·28	—	1·76	5·49	9·68	2·95	Year's Total ~~38·77~~	38·57
* Days with .01 in. or more.	~~2~~ 9	~~2~~ 13	~~2~~ 12	~~2~~ 11	6	~~1~~ 2	~~5~~ 17	—	~~2~~ 8	17	~~3~~ 22	~~3~~ 16	~~24~~	133
* Days with .04 in. or more.	7	11	10	9	5	1	12	—	6	16	19	13	109	✓

† Spare column, no entries required.

(*Signed*) Ramsay Fildes. [P.T.O.

* See Instruction 3 (f) on other side.

1570

Section **A** for the entry of Dai

AIR MINISTRY.—

COPY FOR OFFICIAL USE.

L ORGANIZATION.

FORM 1090.

REGISTE

1570

WAREHAM
BINNEGAR HALL
1931—40

780304

Kept at Bimgar Hall

in the County of Dorse

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASURE AY.

An observer who does not conform to this rule should insert the reading made on e *following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·19	—	—	—	·02	·25	·02	—	—	1
2	·31	·02	—	·36	—	—	—	·01	·58	·01	—	·20	2
3	·14	—	·78	·01	—	—	·01	·02	·12	—	·71	·21	3
4	·02	—	·05	—	—	·02	·37	·27	·23	·01	·17	—	4
5	—	·15	—	·07	—	·22	—	—	—	·44	·19	·08	5
6	—	·16	—	·17	·11	·13	—	·01	—	·14	·12	·07	6
7	—	—	—	—	·19	·16	·18	·68	—	—	·24	·04	7
8	·03	·20	—	·15	—	·35	—	·01	—	—	12	·09	8
9	—	·25	—	—	—	·10	·03	—	—	—	1·10	—	9
10	—	·01	—	—	·01	·12	·01	·05	·20	—	·28	—	10
11	·14	·36	—	—	—	·03	·03	—	·62	—	·27	—	11
12	·01	·04	—	—	—	—	·17	—	·05	—	—	—	12
13	—	—	—	—	·01	—	·04	·11	—	·02	—	—	13
14	—	·08	—	—	·01	·24	1·10	·09	—	—	·01	—	14
15	—	—	—	·04	·14	—	·01	·08	—	—	—	·04	15
16	—	·04	—	·04	·14	·28	—	—	·05	—	—	—	16
17	·01	·13	—	·07	—	—	·41	—	·15	—	—	—	17
18	·05	—	·03	·06	—	·06	·05	1·05	—	—	·72	—	18
19	·09	—	—	·04	—	·09	·02	·15	·10	—	—	—	19
20	—	·17	·23	—	—	—	—	·25	—	·02	·04	—	20
21	·14	—	—	—	·23	—	—	—	—	·01	·01	—	21
22	·46	·01	·05	—	—	—	—	·03	—	—	—	—	22
23	·29	—	—	·17	·71	—	—	·01	—	—	·33	—	23
24	·05	—	—	·51	·20	·53	·54	·69	—	—	—	—	24
25	·17	·01	—	·27	·19	—	·16	—	—	—	·31	—	25
26	—	·01	—	·14	—	—	·44	—	—	—	·30	—	26
27	·24	·48	—	—	1·15	—	·03	—	—	—	·02	·01	27
28	·01	·13	·03	·01	·04	—	—	—	—	—	—	·10	28
29	·06	—	·11	—	·02	—	·08	·05	—	—	·13	—	29
30	—	×	·02	—	—	—	—	·09	·03	—	·02	—	30
31	·54	×	—	×	·18	×	·01	·01	×	—	×	·06	31
TOTAL	2·76	2·26	30 1·28	2·30	3·33	2·33	3·74	3·58	1·78	·67	5·09	·90	YEAR'S TOTAL 4 30·03
*Days with ·01 in. or more.	18	18	8	16	15	13	19	20	11	9	19	10	176
*Days with ·04 in. or more.	13	12	5	14	11	11	12	11	9	2	15	9	124

40-9999

(Signed) I. Hayward

[P.T.O.

*See Instruction 2 (*f*) on other side.

1570

Section **A** for the entry of Dai … OPY FOR OFFICIAL USE.
AIR MINISTRY.—METEOROLOGICAL … L ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

~~B~~ BH 1

Kept at Bingar Hall. Wareham
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ... in.
,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	+	·01	—	·19	—	—	—	·02	·25	·02	—	—	1
2	·31	·02	—	·36	—	—	—	·01	·58	·01	—	·20	2
3	·14	—	·78	·01	—	—	·01	·02	·12	—	·71	·21	3
4	·02	—	·05	—	—	·02	·37	·27	·23	·01	·17	—	4
5	—	·15	—	·07	—	·22	—	—	—	·44	·19	·08	5
6	—	·16	—	·17	·11	·13	—	·01	—	·14	·12	·07	6
7	—	—	—	—	·19	·16	·18	·68	—	—	·24	·04	7
8	·03	·20	—	·15	—	·35	—	·01	—	—	12	·09	8
9	—	·25	—	—	—	·10	·03	—	—	—	1·10	—	9
10	—	·01	—	—	·01	·12	·01	·05	·20	—	·28	—	10
11	·14	·36	—	—	—	·03	·03	—	·62	—	·27	—	11
12	·01	·04	—	—	—	—	·17	—	·05	—	—	—	12
13	—	—	—	—	·01	—	·04	·11	—	·02	—	—	13
14	—	·08	—	—	·01	·24	1·10	·09	—	—	·01	—	14
15	—	—	—	·04	·14	—	·01	·08	—	—	—	·04	15
16	—	·04	—	·04	·14	·28	—	—	·05	—	—	—	16
17	·01	·13	—	·07	—	—	·41	—	·15	—	—	—	17
18	·05	—	·03	·06	—	·06	·05	1·05	—	—	·72	—	18
19	·09	—	—	·04	—	·09	·02	·15	·10	—	—	—	19
20	—	·17	·23	—	—	—	—	·25	—	·02	·04	—	20
21	·14	—	—	—	·23	—	—	—	—	·01	·01	—	21
22	·46	·01	·05	—	—	—	—	·03	—	—	—	—	22
23	·29	—	—	·17	·71	—	—	·01	—	—	·33	—	23
24	·05	—	—	·51	·20	·53	·54	·69	—	—	—	—	24
25	·17	·01	—	·27	·19	—	·16	—	—	—	·31	—	25
26	—	·01	—	·14	—	—	·44	—	—	—	·30	—	26
27	·24	·48	—	—	1·15	—	·03	—	—	—	·02	·01	27
28	·01	·13	·03	·01	·04	—	—	—	—	—	—	·10	28
29	·06	—	·11	—	·02	—	·08	·05	—	—	·13	—	29
30	—	×	·02	—	—	—	—	·09	·03	—	·02	—	30
31	·54	×	—	×	18	×	·01	·01	×	—	×	·06	31
TOTAL	2·76	2·26	1·~~29~~ 30	2·30	3·33	2·33	3·74	3·58	1·78	·67	5·09	·90	YEAR'S TOTAL 30·0~~3~~ 4
*Days with ·01 in. or more.	18	18	8	16	15	13	19	20	11	9	19	10	176
*Days with ·04 in. or more.	13	12	5	14	11	11	12	11	9	2	15	9	124

40-9999

(Signed) I. Hayward

*See Instruction 2 (*f*) on other side.

[P.T.O.

1570

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 1570

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Binnegar Hall Wareham

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	—	·16	·29	—	—	·03	—	—	·01	—	1
2	—	—	—	·17	·05	—	—	·04	·05	—	·01	·42	2
3	—	—	—	·03	—	·66	·01	—	·33	·04	—	·03	3
4	·01	—	—	—	—	·35	—	—	—	—	·03	—	4
5	·45	—	—	—	—	—	—	—	·21	—	—	—	5
6	·42	—	—	·36	—	—	—	—	·28	—	—	—	6
7	·01	—	·04	·09	—	—	—	·01	·14	·24	—	—	7
8	—	—	·58	·03	·21	—	—	·01	·42	·17	—	—	8
9	·23	—	—	·09	·22	—	—	—	—	·63	·11	—	9
10	·14	·05	—	·31	·04	·03	—	·01	—	·16	·12	—	10
11	·04	—	—	·04	·02	—	·23	—	—	·13	—	·05	11
12	·68	—	—	·01	·10	—	—	—	—	·09	—	·03	12
13	·03	—	—	·16	·06	—	·09	—	—	·78	—	·04	13
14	·05	—	—	·04	·10	—	—	—	—	·02	·42	—	14
15	·10	—	—	·07	·31	—	—	—	—	·04	·03	·03	15
16	·11	—	—	·13	—	—	·05	—	—	—	—	—	16
17	·04	—	—	·05	—	—	—	—	—	·05	—	—	17
18	·05	—	—	—	·06	—	—	—	·02	—	·20	—	18
19	—	—	—	·04	·01	—	—	—	·06	·44	—	—	19
20	—	—	·02	·01	·44	—	·01	·32	—	1·38	·23	—	20
21	—	—	·19	·05	·28	—	—	—	—	·41	·03	·09	21
22	—	—	·01	—	·04	—	—	·09	·64	·33	·42	—	22
23	—	—	—	·02	·02	—	·27	—	·66	·92	·12	·12	23
24	—	·03	—	—	·03	—	·71	—	·08	·10	—	·01	24
25	—	—	—	—	—	—	·41	—	·01	·30	·05	·01	25
26	—	—	·17	·08	—	—	·02	—	—	·04	—	—	26
27	—	—	·27	·68	·25	·10	·04	—	—	·21	—	·09	27
28	—	—	·08	·13	·05	—	·29	—	—	—	—	·05	28
29	—		·53	·03	·21	·42	—	·43	·69	·47	·35	·15	29
30	—	×	·11	·28	·02	1·24	·07	—	·60	·01	·92	·29	30
31	—	×	·01	×	·01	×	·01	—	×	·02	×	·25	31
TOTAL	2·44	·08	2·01	3·06	2·82	2·80	2·21	·94	3·59	6·38	3·15	1·66	YEAR'S TOTAL 31·14
*Days with ·01 in. or more.	15	2	11	24	22	6	13	8	13	23	15	15	167
*Days with .04 in. or more.	12	1	8	18	16	5	9	4	12	19	10	10	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. W. Hayward

P.T.O.

1570

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1570

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Binnegar Hall Wareham

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·45	·77	·11	—	—	—	—	—	—	—	·03	·15		1
2	·43	—	·77	—	·25	—	—	—	—	—	—	—		2
3	·02	·11	·34	—	—	—	—	—	—	—	—	—		3
4	·18	·07	—	—	·18	—	—	—	—	—	—	—		4
5	·09	—	·41	—	·04	—	—	—	—	—	—	—		5
6	—	·36	·01	—	·15	—	—	—	—	·33	·08	—		6
7	·11	·03	—	—	·06	—	—	—	—	·36	—	—		7
8	·01	—	·03	—	·02	—	·44	—	—	—	—	—		8
9	—	—	—	—	·24	—	·33	·01	—	·09	—	—		9
10	—	·04	—	—	—	—	·21	·01	—	·11	·01	—		10
11	·19	—	—	—	—	·38	—	·49	—	—	—	—		11
12	—	—	—	·08	·02	—	·06	—	·88	—	—	·06		12
13	·04	—	—	—	·05	—	·69	·05	—	·23	·05	—		13
14	·01	—	—	—	—	—	—	·04	—	·18	·61	—		14
15	·48	—	·35	—	—	—	·01	·18	—	·21	·01	—		15
16	—	—	·88	—	—	·06	—	—	·04	·04	—	—		16
17	—	·17	·34	—	—	·03	—	·10	·21	—	—	—		17
18	·19	—	·14	—	—	·06	—	—	—	—	·01	—		18
19	·01	·01	·08	—	—	—	—	·02	·14	—	·07	·05		19
20	—	·02	·03	—	—	—	—	—	·01	—	—	—		20
21	—	·04	—	—	·05	—	—	·22	—	·15	·01	—		21
22	—	—	—	—	·18	·20	—	·19	·29	·02	—	—		22
23	—	·22	—	·48	—	·06	—	—	·32	·14	—	—		23
24	—	2·16	—	·32	—	·02	—	—	·01	—	—	—		24
25	—	·55	—	·34	—	—	—	—	·23	—	—	·22		25
26	—	·44	—	·18	·19	—	—	—	—	—	—	—		26
27	—	—	—	—	—	—	·07	—	·01	·25	·02	·69		27
28	—	—	—	·37	—	—	·48	—	—	·01	—	·02		28
29	·19	—	—	—	—	—	—	—	·01	—	—	·01		29
30	·01	×	·10	—	—	—	·03	—	·18	—	—	·12		30
31	·32	×	·09	×	—	×	—	—	×	—	×	—		31
TOTAL	2.73	4·99	3.68	1.77	1.43	·81	2·32	1.31	2.33	2.13	·90	1.32	Year's Total 25·72	
*Days with ·01 in. or more.	16	14	14	6	12	7	9	10	12	13	10	8	131	
*Days with .04 in. or more.	11	11	11	6	10	5	7	7	8	11	4	6	97	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. W. Hayward

[P.T.O.

1570

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1470~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Binnegar Hall. Wareham
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in. 57	in.	in.	in.	in.	†	
1	·02	—	—	—	—	—	—	·57	—	·04	·11	1.13		1
2	·48	—	·12	—	—	·01	—	·01	1.31	·23	·06	·35		2
3	·06	·01	—	—	—	—	—	—	—	·41	—	·41		3
4	·11	—	·26	·02	·22	—	—	—	—	·16	—	·31		4
5	·04	—	·01	—	—	—	—	·88	—	·02	—	·49		5
6	·06	—	·40	·01	·17	—	—	·01	—	·38	·28	·62		6
7	·03	—	—	·01	—	—	—	·16	—	·12	—	·47		7
8	—	—	—	—	·27	—	—	·01	·02	—	·83	·05		8
9	·02	—	·18	—	—	—	—	—	·01	—	·50	·24		9
10	·14	·01	·21	·32	—	—	—	—	—	—	·07	·01		10
11	·61	·01	·62	·28	—	—	·05	·05	—	—	—	·54		11
12	·02	—	·01	—	—	—	·12	·12	—	—	—	·21		12
13	·31	—	·08	·17	—	—	—	—	—	—	·16	·28		13
14	·17	—	·41	·02	—	—	—	—	—	·03	·04	·38		14
15	·04	—	·01	·01	·03	—	—	—	—	·08	·12	·58		15
16	·24	—	·45	—	—	—	—	—	—	—	—	·14		16
17	·16	—	—	·17	·01	—	—	—	·05	·04	—	·44		17
18	·05	—	·32	·14	—	—	—	—	·06	—	—	·46		18
19	—	—	·15	·03	—	·01	—	·05	·07	—	—	·15		19
20	—	—	·05	·18	—	—	·05	—	·06	·02	—	—		20
21	—	—	·01	·06	—	·19	—	·12	·03	·19	—	·12		21
22	—	—	·02	—	—	—	·07	·56	·35	·03	—	·17		22
23	—	·02	—	·34	—	·51	—	—	·08	·01	—	·07		23
24	—	·03	·02	·08	—	·01	·01	·47	·20	—	—	·05		24
25	·45	—	—	·07	—	—	—	—	—	·07	—	·90		25
26	·03	—	—	·02	—	·31	—	—	·14	—	·02	·08		26
27	—	—	—	—	—	·07	—	—	—	—	—	·52		27
28	—	—	—	—	—	·35	—	·75	·03	—	—	[illegible]		28
29	—	—	—	—	—	—	—	·16	·42	·03	—	·02		29
30	·03	×	—	—	—	—	—	—	·27	·01	·01	·28		30
31	—	×	—	×	—	×	—	·04	×	—	×	·01		31
TOTAL	3.07 ✓	·08 ✓	3.33 ✓	1.93 ✓	·70 ✓	1.46 ✓	·30 ✓	3.9~~7~~6	3.10 ✓	1.87 ✓	2.20 ✓	10.21	Year's Total 32.21	
*Days with ·01 in. or more.	20	5	18	17	5	8	5	15	15	17	11	30	166	
*Days with ·04 in. or more.	14	—	12	10	3	5	4	12	11	9	9	27	116	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) L Hayward

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1570

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Binnegar Hall Wareham

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	.38	–	.02	.17	.11	–	.15	.22	.23	.20		1
2	–	–	–	–	–	–	–	–	.03	.52	.09	.02		2
3	–	–	.15	–	.06	.06	–	–	.07	1.93	.23	–		3
4	.02	.24	–	.10	–	.07	–	–	.17	.26	.22	.07		4
5	–	.32	.03	.02	–	.08	–	–	.35	.01	.05	.03		5
6	–	.01	–	.36	–	1.83	–	–	–	–	.14	.01		6
7	–	–	–	.52	–	.03	–	–	–	.28	.40	.13		7
8	–	–	–	.37	–	–	–	–	.09	.39	.67	.05		8
9	.12	–	–	.45	–	.49	–	–	–	.87	.63	–		9
10	.15	–	.11	.16	–	.06	–	–	–	–	.24	.03		10
11	.23	–	.35	–	–	.32	–	–	–	–	.64	–		11
12	.12	.04	–	–	–	.31	–	.03	.17	–	.47	–		12
13	.10	.15	–	.28	–	.25	–	–	–	–	.06	–		13
14	–	.01	–	.16	.01	.12	–	–	.04	.02	.65	.35		14
15	–	.05	–	.65	.33	.09	–	–	–	.02	.34	.20		15
16	–	.03	.06	.06	–	.03	–	–	.47	–	2.05	–		16
17	–	–	–	.03	.37	.28	–	.07	.06	–	.07	–		17
18	–	–	–	.44	–	.02	–	–	.65	.04	–	.02		18
19	–	.01	–	.08	.20	.05	.22	–	.17	.02	.45	–		19
20	–	.56	–	.13	.02	.02	.03	–	.04	–	.37	–		20
21	–	.62	–	.12	–	–	.01	–	–	–	–	–		21
22	–	.02	.01	–	–	–	–	.18	.07	–	–	–		22
23	–	.06	.09	–	.03	–	–	.37	–	.33	–	.30		23
24	.03	.63	–	–	.18	–	–	1.04	.61	.16	–	.25		24
25	.24	.02	–	.08	–	.02	–	–	–	–	.03	.41		25
26	–	.32	–	–	–	–	–	.26	.07	–	–	.84		26
27	–	.35	–	–	–	–	–	.03	.19	.01	.09	.89		27
28	–	.03	–	–	.24	–	–	.05	.15	–	–	.17		28
29	–	–	–	–	.07	–	–	.12	.27	–	.01	.48		29
30	–	×	–	.06	.14	–	–	1.15	.02	.36	.30	.65		30
31	–	×	–	×	–	×	–	.02	×	1.22	×	.32		31
													Year's Total.	
TOTAL	1.01	3.47	1.18	4.07	1.70	4.30	.37	3.32	3.84	6.66	8.43	5.42	43.~~41~~	77
* Days with .01 in. or more.	8	18	8	18	12	19	4	11	20	14	23	20	178	
* Days with .04 in. or more.	6	11	6	16	8	14	2	8	18	12	21	15	137	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. W. Hayward

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1570

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Binnegar Hall, Wareham

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·31

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·08	·08	·37	—	·13	·13	—	—	—	·03	·01		1
2	·02	·01	—	·04	—	—	·21	—	—	—	·04	—		2
3	—	—	—	·47	—	—	·12	—	·74	—	·55	·01		3
4	—	—	·20	—	—	—	·01	—	·25	—	·17	·03		4
5	·46	—	·08	—	·11	—	—	·03	·16	—	—	·04		5
6	·17	—	·02	—	—	·01	—	·01	·17	—	·41	—		6
7	·12	—	·24	—	—	—	·24	—	—	—	·23	·03		7
8	·52	—	·26	—	—	—	·53	—	—	—	·47	·03		8
9	·38	—	·34	—	—	—	·38	—	·26	—	·03	—		9
10	·01	·14	—	—	—	—	·12	—	—	—	·04	—		10
11	·35	·24	—	—	—	·01	·04	—	·09	—	1·43	—		11
12	—	—	—	·14	·14	·32	·53	—	·16	—	·10	—		12
13	·03	—	—	—	—	·03	·11	—	—	·03	·13	·58		13
14	—	·07	—	·01	—	·05	·51	—	·01	·01	·01	·45		14
15	—	·05	—	—	—	—	·01	—	·01	—	·09	·46		15
16	·11	·21	—	—	·08	—	·11	—	·17	—	·11	·21		16
17	—	·87	—	—	—	·01	·06	—	·01	·08	·06	·72		17
18	·24	·21	—	—	—	·30	·32	—	—	—	—	·23		18
19	·42	·05	·04	·06	—	·18	·01	·05	—	—	—	—		19
20	·23	·23	·22	·17	—	·22	·08	—	·74	—	—	—		20
21	—	·30	·03	·33	—	·06	·06	—	·01	—	—	—		21
22	·21	·37	·67	—	—	—	·19	—	·01	·01	—	·05		22
23	·10	—	·09	·18	·07	—	·18	—	—	·11	—	—		23
24	·35	·04	·05	—	·08	—	·02	—	—	·32	—	—		24
25	·08	—	·84	·20	—	—	·02	—	·07	·37	—	—		25
26	·22	·11	·26	·01	—	·24	—	—	·02	·08	—	—		26
27	·37	·46	·18	—	—	—	·25	—	·07	·17	—	—		27
28	1·01	·09	·54	—	—	—	·59	—	—	—	—	·22		28
29	·01	·02	·03	—	—	·02	·03	—	—	·06	·04	·01		29
30	·19	✕	—	—	—	·17	—	—	—	·17	—	—		30
31	·11	✕	·48	✕	—	✕	·17	—	✕	·56	✕	·76		31
TOTAL	5·88	3.55	4.15	1·98	·48	1.75	5.03	·09	2.95	1·97	3·94	3.84	Year's Total 35.61 ✓	
* Days with .01 in. or more.	24	18	19	11	5	14	27	3	17	12	17	16	183 ✓	
* Days with .04 in. or more.	20	16	16	9	5	9	21	1	11	9	14	10	141 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. W. Hayward. [P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1570

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Binnegar Hall, Wareham

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·34	·19	—	·26	—	—	—	·02	—	—	·25	1·22		1
2	·01	1·02	·01	·07	—	—	—	—	·11	—	·01	·32		2
3	·01	·36	—	·03	—	—	—	—	—	—	—	—		3
4	·08	·85	—	—	—	—	—	—	—	—	—	·25		4
5	·14	·01	·02	·01	—	—	·22	—	—	—	—	—		5
6	·07	·42	·31	·20	·07	—	·18	—	—	·05	—	—		6
7	—	·87	·06	·02	—	—	—	—	—	—	—	·33		7
8	—	—	—	—	·64	—	—	—	—	—	·22	·05		8
9	—	—	—	·22	·10	—	·16	—	·62	—	—	·03		9
10	·14	—	1·22	·15	·52	·06	—	—	—	—	—	·48		10
11	·02	—	·02	·07	·40	·34	·39	—	—	—	—	—		11
12	·58	·29	·16	·15	·58	·04	·04	·76	·24	—	—	·29		12
13	·13	·02	·78	·20	·05	—	—	·79	·26	—	—	·22		13
14	·07	·01	·11	·03	—	—	—	·02	·08	—	—	·02		14
15	·46	·18	·07	·47	—	—	1·37	—	·05	—	—	—		15
16	·03	·11	·48	·08	—	—	·02	·33	1·60	—	·05	—		16
17	·69	·05	·34	—	—	—	·06	—	·11	—	·34	—		17
18	·12	·07	—	—	—	·02	—	—	·04	—	·15	·19		18
19	·18	·03	·02	·26	·01	—	—	—	—	—	·01	·12		19
20	·25	·01	·22	·21	—	—	—	—	—	—	—	·36		20
21	·37	·29	·09	·01	·18	—	·01	—	·01	—	·25	·12		21
22	·32	—	·06	—	·22	—	·15	—	·08	1·76	·34	·11		22
23	·20	·20	·02	—	·36	—	·04	—	—	·45	·08	·02		23
24	·45	·64	—	—	·03	—	—	—	·01	·72	—	·06		24
25	·87	·34	·39	—	·87	—	—	—	·66	·15	—	·08		25
26	—	·24	·04	—	·23	—	—	—	—	·12	—	·03		26
27	·05	·20	—	·08	—	—	—	—	—	·52	—	—		27
28	·47	·09	—	—	—	·02	—	—	—	·19	·02	—		28
29	·12	—	—	—	—	·01	—	—	—	1·24	·03	—		29
30	·35	×	—	—	—	·03	—	—	—	·01	·30	—		30
31	·20	×	—	×	—	×	—	—	×	·25	×	—		31
TOTAL	6·62	6·39	4·52	2·52	4·29	·52	2·64	1·92	3·27	5·48	2·05	4·30	Year's Total 44·$\overset{5}{4}$2	✓ ✓
*Days with ·01 in. or more.	27	23	19	18	14	7	11	5	13	11	13	19	180	✓ ✓
*Days with ·04 in. or more.	23	18	14	13	12	3	9	3	11	10	9	15	140	✓ ✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. Hayward

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1570

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Binnegar Hall, Wareham

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·05	—	—	—	·06	·17	—	·01	·43	—	·10		1
2	·02	—	—	—	—	—	—	—	—	·22	·07	·12		2
3	—	—	—	—	·14	—	—	—	—	·91	·32	—		3
4	—	—	·01	—	—	—	·05	1.10	—	·05	—	·28		4
5	—	—	·01	—	—	—	·20	—	—	·31	·02	—		5
6	·16	—	—	—	—	·01	·17	—	·17	·09	·05	·14		6
7	·19	—	—	—	—	·03	·32	—	·56	·18	·02	·15		7
8	·24	—	—	—	—	·05	·03	·04	—	·33	—	·04		8
9	·13	·06	—	—	—	—	—	—	—	·02	—	1.25		9
10	·07	—	—	—	—	·04	·03	—	—	—	—	·36		10
11	·16	—	—	—	—	—	—	—	—	—	·42	·23		11
12	·54	—	—	—	·19	—	—	—	—	·44	—	·01		12
13	·35	—	—	—	—	—	—	—	—	·20	·35	·62		13
14	·59	—	—	—	·06	—	·23	—	—	—	—	·01		14
15	·24	—	—	—	·04	—	·34	—	—	·37	·05	·35		15
16	·43	·01	·05	—	—	—	—	·02	—	·06	·03	·25		16
17	·21	·16	·03	—	·04	—	—	—	·29	·20	·01	·02		17
18	·11	·01	—	—	·14	·03	—	·02	·06	·02	·44	—		18
19	—	—	—	—	—	—	—	·10	·33	—	1.09	—		19
20	—	—	—	—	—	—	—	—	—	—	·58	—		20
21	·05	—	—	—	—	—	—	—	·11	—	·11	—		21
22	·03	—	—	—	—	—	—	·23	—	—	·54	·08		22
23	—	—	—	—	—	—	—	—	·34	—	·03	—		23
24	—	—	·18	—	—	—	—	·03	·19	—	·26	—		24
25	·11	·22	—	—	·19	—	·02	·10	—	·03	1.24	—		25
26	·32	·33	—	—	·24	—	—	—	—	·03	—	·27		26
27	·08	—	—	—	·08	·31	·37	·15	—	·02	·37	—		27
28	·07	·11	—	—	·09	·09	—	·59	·18	—	—	·04		28
29	·02	—	—	—	·29	—	—	—	·12	·20	·37	·04		29
30	—	✕	—	—	·10	—	—	—	·39	·02	·14	·02		30
31	·22	✕	—	✕	·21	✕	—	—	✕	·30	✕	·35		31
TOTAL	4·34	·95	·28		1.81	·62	1.93	2.38	2.75	4·38	6.51	4.73	Year's Total 30.68	✓
* Days with .01 in. or more.	22	8	5		13	8	11	10	12	21	21	21	152	✓
* Days with .04 in. or more.	19	6	2		13	5	8	7	11	15	16	17	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. W. Hayward

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1570

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Binnegar Hall Wareham

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 65 ft.

Annual total corrected for arithmetic.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	—	·09	·12	·10	—	·07	—	·14	—	·01	·11		1
2	—	—	—	·31	—	—	—	·41	1·12	—	·08	·07		2
3	·74	—	—	·64	—	—	—	·07	—	—	·18	·27		3
4	—	—	·65	·18	·35	—	·56	·25	·01	·30	·05	·07		4
5	—	—	·03	·14	·24	—	·21	·07	—	·45	·63	·01		5
6	·52	—	·09	—	—	—	·77	·05	—	—	·32	—		6
7	·01	·38	—	—	—	—	·01	—	—	—	·33	·94		7
8	·02	·12	·06	—	—	—	·05	·02	—	·67	·18	·23		8
9	·03	—	·04	—	—	—	—	·17	—	·16	·53	·24		9
10	·38	—	·02	—	—	—	—	·27	·12	·20	·03	·01		10
11	—	·02	·15	—	—	—	—	—	—	·48	·01	—		11
12	·02	·01	—	—	—	·03	—	—	—	·04	·17	—		12
13	—	—	—	·08	—	·02	·31	—	·02	1·72	·03	·03		13
14	·85	—	—	—	·01	·01	·10	—	—	·23	·54	·11		14
15	·26	—	—	—	·15	1·14	·15	—	—	·20	·36	·02		15
16	·34	—	—	·11	·04	·02	·04	—	—	·08	·21	—		16
17	·35	·10	—	—	·17	·02	·12	—	—	·16	·06	—		17
18	·14	—	·02	—	·03	·08	·68	—	—	—	·54	·02		18
19	·54	—	—	—	—	—	·05	·41	—	—	—	·03		19
20	·52	—	—	—	—	·43	·33	·55	—	—	—	·03		20
21	·02	·42	·04	—	—	·11	·50	—	—	—	—	—		21
22	·41	·23	·05	—	—	·52	·22	—	·02	—	·40	—		22
23	—	—	—	·12	—	·02	·06	—	—	—	1·54	—		23
24	·58	—	—	·05	—	·47	·12	·04	—	—	—	—		24
25	·64	·18	·01	·31	—	—	·05	—	—	·08	·43	·02		25
26	—	·01	—	—	—	—	—	·03	—	·11	·24	—		26
27	—	·19	·02	·04	—	—	·02	—	—	—	·11	—		27
28	—	·40	·01	—	—	·02	·29	—	—	—	·39	·16		28
29	—	—	—	·03	—	—	·49	—	—	·26	·01	—		29
30	—	✕	—	·46	—	·04	·07	·22	—	·44	·01	—		30
31	—	✕	—	✕	—	✕	—	·12	✕	·58	✕	—		31
TOTAL	6·39	2·06	1·28	2·59	1·09	2·92	5·21	2·68	1·43	6·16	7·39	2·37	Year's Total ~~40·58~~	41·57
* Days with .01 in. or more.	19	11	14	13	8	14	23	14	6	17	26	17	206	
* Days with .04 in. or more.	13	8	8	12	6	7	20	12	3	17	20	9	135	

† Spare column, no entries required.

(*Signed*) J. W. Hayward

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1570

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Binnegar Hall. Wareham
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 65 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
	1	–	–	–	–	·02	–	–	–	–	–	·22	–		1
	2	–	·33	–	·24	–	–	–	–	–	–	·35	·02		2
10]	3	·02	·62	–	–	–	–	–	–	–	·27	·78	·17		3
	4	–	·12	–	–	–	–	·17	–	–	·36	·41	·02		4
	5	–	·06	–	–	–	–	·01	–	–	·01	·53	·28		5
	6	·51	·57	–	–	–	–	·02	–	–	·45	·05	·09		6
	7	·04	·02	–	–	–	–	–	–	–	·13	–	–		7
	8	–	–	–	·01	–	–	·01	–	–	·43	·13	·28		8
	9	–	–	–	–	–	–	·72	–	–	·24	·73	·12		9
	10	–	–	–	–	–	–	1·02	–	–	·01	·07	·09		10
	11	–	–	–	·01	–	–	–	–	–	–	1·31	–		11
	12	–	·01	·11	–	–	–	·16	–	·56	–	·04	–		12
	13	–	–	·68	–	–	–	·14	–	·02	·27	1·39	–		13
	14	–	–	·14	·05	·10	–	·11	–	·38	·45	·04	·99		14
	15	–	·03	–	–	·45	–	·32	–	·16	·31	·45	–		15
	16	–	·45	·40	·07	·03	–	·02	–	·05	·92	1·22	–		16
	17	–	–	·60	–	–	–	·05	–	–	–	1·34	–		17
	18	·12	·88	·44	·17	–	–	–	–	·05	·14	–	·12		18
	19	–	·05	·04	·21	–	–	·07	–	·53	–	·46	–		19
	20	–	–	–	·01	–	–	–	–	·01	·22	·05	–		20
	21	–	–	–	–	·34	–	–	–	·02	–	·52	–		21
	22	–	·01	·05	·06	–	·24	–	–	·21	–	·01	–		22
	23	–	·02	·39	·07	–	–	–	–	·01	–	·04	–		23
	24	–	–	–	–	–	–	·34	–	–	–	–	–		24
	25	·05	–	·30	·05	·01	–	–	–	–	–	–	–		25
	26	1·40	·66	–	·04	·13	–	·09	–	–	–	–	–		26
	27	·52	·30	–	–	·25	–	–	–	–	–	–	–		27
3-32	28	·53	·11	–	–	·04	–	–	–	–	·01	–	–		28
	29	·42	·40	·25	·63	–	–	–	–	–	~~·2~~	–	·23		29
	30	·10	×	·02	·04	–	–	–	–	–	·33	–	·15		30
	31	·11	×	–	×	–	×	–	–	×	·57	×	·26		31
	TOTAL	3·82	4·70	3.42	1·66	1·37	·24	3·25		2·00	5·12	10·14	2·82	Year's Total 38·54	✓
	* Days with .01 in. or more.	11	17	12	14	9	1	15		11	17	21	13	155	✓
	* Days with .04 in. or more.	10	12	11	11	6	1	11		7	14	20	11	114	✓

† Spare column, no entries required.

(*Signed*) L. W. Hayward [P.T.O.

* See Instruction 3 (f) on other side.

1571

Section **A** for the entry of D
AIR MINISTRY.-

COPY FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.

REGIST

/ .

1571
STOCKFORD
1931 —— 40

780304

Kept at STOCKFORD
in the County of DORSET

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Leve

THE MORNING MEASURE
Y.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·18				·02	·24	·03			1
2	·18	·03		·37				·02	·60	·02		·23	2
3	·22		·62				·02	·02	·17		·73	·23	3
4	·03		·04		·01	·05	·42	·20	·15	·03	·17		4
5		·16		·09		·27			·01		·34	·10	5
6		·15		·14	·10	·10				·45	·11	·07	6
7		·01			·18	·18	·79	·68		·12	·29		7
8		·23		·13	·06	·39		·03			·12	·13	8
9	·03	·27				·12	·03				1·10	·01	9
10	·01	·01			·01	·18	·02	·03	·23		·28	·01	10
11	·14	·39				·04	·03		·03		·29		11
12	·02	·05			·01		·35		·02				12
13							·06	·01		·03			13
14	·01	·09	·01			·32	·95	·09			·02		14
15		·08		·05	·17		·01	·10					15
16		·06		·04	·13	·25			·01				16
17	·02	·13		·10			·47		·26		·01		17
18	·04		·04	·07		·06	·04	1·05		·01	·73	·06	18
19	·10		·01	·04		·06	·02	·10			·01		19
20		·18	·27				·01	·29	·07	·01	·04		20
21	·18				·20						·01		21
22	·50	·02	·06					·12			·01		22
23	·26			·17	·72			·01			·33		23
24	·05			·48	·19	·64	·59	·71					24
25	·17	·02			·18		·22				·31	·02	25
26		·01		·34			·39				·36		26
27	·30	·44		·11	1·18		·04				·04		27
28	·02	·13	·03		·06						·01	·09	28
29	·07		·10		·02		·08	·05			·15		29
30		×	·01					·09	·03		·02		30
31	·56	×		×	·19	×	·02	·02	×		×	·09	31
TOTAL	2·91	2·49	1·19	2·31	3·41	2·66	4·56	3·64	1·82	·70	5·48	1·04	YEAR'S TOTAL 32·21
*Days with ·01 in. or more.	20	20	10	14	16	13	20	19	12	8	23	11	186
*Days with ·04 in. or more.	13	13	6	14	12	13	12	11	7	2	16	8	127

40-9999

(*Signed*) Walter Bond

P.T.O.

*See Instruction 2 (*f*) on other side.

1571

Section **A** for the entry of D[redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at STOCKFORD

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·18				·02	·24	·03			1
2	·18	·03		·37				·02	·60	·02		·23	2
3	·22		·62				·02	·02	·17		·73	·23	3
4	·03		·04		·01	·05	·42	·20	·15	·03	·17		4
5		·16		·09		·27			·01		·34	·10	5
6		·15		·14	·10	·10				·45	·11	·07	6
7		·01			·18	·18	·79	·68		·12	·29		7
8		·23		·13	·06	·39		·03			·12	·13	8
9	·03	·27				·12	·03				1·10	·01	9
10	·01	·01			·01	·18	·02	·03	·23		·28	·01	10
11	·14	·39				·04	·03		·03		·29		11
12	·02	·05			·01		·35		·02				12
13							·06	·01		·03			13
14	·01	·09	·01			·32	·95	·09			·02		14
15		·08		·05	·17		·01	·10					15
16		·06		·04	·13	·25			·01				16
17	·02	·13		·10			·47		·26		·01		17
18	·04		·04	·07		·06	·04	1·05		·01	·73	·06	18
19	·10		·01	·04		·06	·02	·10			·01		19
20		·18	·27				·01	·29	·07	·01	·04		20
21	·18				·20						·01		21
22	·50	·02	·06					·12			·01		22
23	·26			·17	·72			·01			·33		23
24	·05			·48	·19	·64	·59	·71					24
25	·17	·02			·18		·22				·31	·02	25
26		·01		·34			·39				·36		26
27	·30	·44		·11	1·18		·04				·04		27
28	·02	·13	·03		·06						·01	·09	28
29	·07		·10		·02		·08	·05			·15		29
30		×	·01					·09	·03		·02		30
31	·56	×		×	·19	×	·02	·02	×		×	·09	31
TOTAL	2·91	2·49	1·19	2·31	3·41	2·66	4·56	3·64	1·82	·70	5·48	1·04	YEAR'S TOTAL 32·21
*Days with ·01 in. or more.	20	20	10	14	16	13	20	19	12	8	23	11	186
*Days with ·04 in. or more.	13	13	6	14	12	13	12	11	7	2	16	8	127

40-9999

(Signed) Walter Bond

P.T.O.

*See Instruction 2 (*f*) on other side.

1571

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No 1571

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at STOCKFORD

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09			·18	·28			·03			·02	·01	1
2	·01			·15	·06	·01		·02	·04		·02	·47	2
3	·02			·03		·66			·35	·07		·04	3
4	·01					·29					·03		4
5	·52								·22				5
6	·46		·01	·40					·32				6
7	·02		·05	·11	·02				·15	·24			7
8			·60	·03	·22				·39	·19			8
9	·26	·02		·17	·18					·03	·11		9
10	·12			·30	·05	·04		·01		·14	·10		10
11	·05			·03	·03	·02	·19	·01	·01	·14		·04	11
12	·69			·01						·14		·03	12
13	·05			·17	·07		·11			·81		·05	13
14	·08			·03	·08					·02	·34	·01	14
15	·15			·08	·29					·04	·04	·04	15
16	·15				·02		·04					·01	16
17	·05			·17						·08			17
18	·07				·20				·03		·16	·01	18
19				·05					·05	·47		·01	19
20	·01		·01	·01	·49		·03	·29		1·35	·22	·01	20
21	·01		·17	·02	·23					·42	·03	·01	21
22			·02		·05		·01	·10	·56	·47	·44		22
23				·03	·06		·36		·08	·87	·11	·12	23
24		·02			·04		·75		·09	·10	·01	·01	24
25							·44			·31	·03	·02	25
26			·16	·07			·02			·06	·03		26
27			·26	·74	·23	·16	·06			·23			27
28			·05	·13	·05		·28			·01		·09	28
29			·56	·14	·20	·44		·38	·63	·45	·33	·17	29
30		×	·06	·22	·01	1·13	·07		·55	·03	·78	·24	30
31		×	·01	×	·01	×	·02		×	·03	×	·27	31
													YEAR'S TOTAL
TOTAL	2·82	·04	1·96	3·27	2·87	2·75	2·38	·84	3·47	6·70	2·80	1·66	31·56
*Days with ·01 in. or more.	19	2	12	23	22	8	13	7	14	24	17	20	181
*Days with ·04 in. or more.	13	–	8	15	17	6	9	3	12	19	10	10	122

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Walter Board

P.T.O.

1571

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1571

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at STOCKFORD

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground . ft 11 in.

" Ground " Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	·68	·11		·03						·05	·17		1
2	·39		·76		·20									2
3	·04	·11	·29		·01									3
4	·18	·06			·15									4
5	·10		·41		·08									5
6		·35	·01		·18					·29	·03			6
7	·10	·03	·01		·08		·01			·42		·02		7
8	·01		·03		·05		·44							8
9					·27		·34	·01		·13	·02			9
10		·05					·22	·01		·11	·02			10
11	·20					·34	·01	·36		·01				11
12				·06	·03		·08		·85			·05		12
13	·03				·05	·03	·55	·03		·20	·05			13
14	·02							·04		·16	·59			14
15	·49		·34				·04	·16		·24	·01			15
16			·86			·05		·01	·04	·03				16
17			·32			·03		·09	·15		·01			17
18		·14	·13			·07			·01	·04				18
19	·03	·01	·08					·03	·13		·13	·05		19
20		·04	·02			·01			·10		·01			20
21		·04			·03			·24		·08	·02			21
22						·15		·17	·29	·03				22
23		·20		·45		·07			·23	·14				23
24		2·00		·32		·02	·01			·02				24
25		·54		·33		·03			·26			·20		25
26		·40		·18	·19					·01		·02		26
27					·15		·07			·28		·64		27
28				·42			·51			·02		·03		28
29	·17								·01			·02		29
30	·03	×	·10				·03		·12			·11		30
31	·26	×	·12	×		×			×	·01	×	·01		31
													Year's Total	
TOTAL	2·42	4·65	3·59	1·76	1·50	·80	2·31	1·15	2·19	2·22	·94	1·32	24·85	
*Days with ·01 in. or more.	15	14	15	6	14	10	12	11	11	18	11	11	148	
*Days with ·04 in. or more.	10	12	11	6	10	5	8	6	9	11	4	6	98	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Walter Bond

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1571

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at STOCKFORD

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04							·52	·01	·03	·07	1·09		1
2	·44		·12			·02		·02	1·25	·21	·05	·29		2
3	·07	·02								·34		·37		3
4	·09		·28	·07	·19					·09		·28		4
5	·02		·08		·02			·93		·02	·02	·47		5
6	·04		·34	·03	·17			·01		·38	·27	·62		6
7	·03							·15		·10		·46		7
8					·26			·02	·04		·82	·07		8
9	·04		·18								·54	·27		9
10	·15		·25	·30				·01			·06	·03		10
11	·57		·61	·21			·07	·05				·49		11
12	·02		·02				·17	·14				·31		12
13	·33		·06	·16							·13	·25		13
14	·17		·34	·02						·01	·05	·36		14
15	·02		·02	·01	·03					·10	·11	·52		15
16	·24		·42		·03							·15		16
17	·16			·22					·05	·04		·42		17
18	·08		·32	·10					·05			·42		18
19			·14			·02		·03	·06	·03		·11		19
20			·05	·17			·03		·11	·01		·01		20
21			·03	·04		·17		·08	·03	·18		·15		21
22			·03					·47	·31	·05		·16		22
23				·28		·52	·06		·06	·01		·06		23
24		·09	·04	·04		·02	·02	·96	·23			·06		24
25	·44			·08					·09	·07		·92		25
26	·04			·01		·32			·05	·02	·03	·13		26
27	~~·01~~					·07				·01		·47		27
28	·01					·46		·74				·66		28
29								·15	·48	·03		·03		29
30	·04	X							·24	·01	·03	·20		30
31		X		X		X		·02	X	·01	X	·02	Year's Total	31
TOTAL	3·04	·11	3·33	1·74	·70	1·60	·35	4·30	3·06	1·75	2·18	9·85	32·01 ✓	
*Days with ·01 in. or more.	21	2	18	15	6	8	5	16	15	21	12	31	170	
*Days with ·04 in. or more.	16	1	14	11	3	5	3	10	13	10	9	27	122	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Walter Bond

[P.T.O.

COPY FOR OFFICIAL USE.

Station No. 1571

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at STOCKFORD

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground - ft. 11 in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·41		·02	·17	·11		·22	·29	·21	·21		1
2			·01			·02			·02	·54	·10	·03		2
3	·03		·10		·06	·07			·08	1·83	·26	·01		3
4	·01	·24		·14		·03			·15	·21	·24	·10		4
5		·35	·05	·03		·04			·31	·10	·04	·04		5
6				·36		1·43					·22	·02		6
7	·02			·48		·02				·25	·54	·14		7
8				·40					·09	·35	·65	·07		8
9	·09			·36		·48			·01	·63	·44			9
10	·10		·30	·09		·05					·33	·02		10
11	·24	·02	·05			·29					·69			11
12	·10	·06				·26		·03	·25		·47			12
13	·09	·15		·26		·23			·01	·02	·11			13
14		·03		·15		·13			·05	·03	·63	·37		14
15		·05		·67	·28	·05			·16	·02	·33	·15		15
16		·02	·08	·11		·04			·34	·01	1·82			16
17			·03	·04	·54	·29		·08	·07		·06	·03		17
18		·02		·33		·03			·50	·03	·01			18
19		·01		·10	·26	·03	·26		·15	·02	·39			19
20		·48		·09	·02	·01			·03		·34			20
21		·54		·05		·01	·04			·02				21
22		·04	·02					·21	·08		·01			22
23		·03	·07		·04			·35		·29		·37		23
24	·03	·69			·18			·99	·55	·10		·18		24
25	·15	·02		·09	·01	·03					·02	·46		25
26		·31			·02			·18	·06			·77		26
27		·30							·13	·02	·08	·74		27
28		·03			·14			·26	·14			·19		28
29					·07			·22	·22	·01	·02	·44		29
30		✕		·05	·58			1·06	·02	·28	·30	·67		30
31		✕		✕		✕		·04	✕	1·21	✕	·31		31
													Year's Total	
TOTAL	·86	3·39	1·12	3·80	2·22	3·71	·41	3·42	3·64	6·26	8·31	5·32	42·46	
* Days with .01 in. or more.	10	19	10	18	13	21	3	10	23	21	25	21	194	
* Days with .04 in. or more.	6	11	7	17	9	13	3	9	18	12	21	16	142	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Walter Bond

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 1571

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at STOCKFORD
in the County of DORSET
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ft. 11 in.
,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·08	·08	·33		·11	·11				·05	·02		1
2	·03	·03		·05		·02	·17	·04			·04			2
3	·01			·49			·10	·02	·75		·47			3
4			·19				·01		·24		·15	·08		4
5	·42		·03		·10			·04	·07		·43	·03		5
6	·16		·02			·02	·02	·02	·15		·29			6
7	·12		·28				·19				·44	·03		7
8	·43		·26				·85				·03			8
9	·43		·34				·32		·24		·05			9
10	·02	·31					·28				1·14			10
11	·32	·06				·04	·05		·06		·13			11
12				·16	·18	·32	·42		·13		·11			12
13	·03					·05	·06			·03	·02	·53		13
14		·08		·02		·06	·49			·01	·07	·46		14
15		·04					·02		·04		·13	·39		15
16	·09	·22			·07		·11		·19		·06	·24		16
17	·02	·85			·02	·04	·07		·02	·08		·57		17
18	·20	·16				·43				·01		·22		18
19	·48	·04	·03	·12		·08	·28	·03				·02		19
20	·23	·20	·20	·11		·26	·07		·76					20
21		·33	·14	·34		·05	·03							21
22	·19	·31	·62				·18			·02		·05		22
23	·13	·01	·07	·18	·10		·09			·08				23
24	·30	·05	·07	·01					·03	·26		·02		24
25	·08		·38	·19					·04	·31				25
26	·26	·10	·27			·15				·09				26
27	·30	·54	·16				·41		·13	·16		·20		27
28	·97	·10	·60				·65					·01		28
29	·01	·03	·03			·07	·03			·06	·04			29
30	·19	×				·13				·16				30
31	·10	×	·49	×	·02	×	·16		×	·44	×	·74		31
													Year's Total	
TOTAL	5·70	3·54	4·26	2·00	·49	1·83	5·17	·15	2·85	1·71	3·65	3·61	34·96	✓
* Days with .01 in. or more.	26	19	19	11	6	15	25	5	14	13	17	16	186	✓
* Days with .04 in. or more.	20	16	15	9	4	13	20	2	12	9	15	10	145	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Walter Bond [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1571

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at STOCKFORD EAST STOKE
in the County of DORSET
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground - ft. 11 in.
,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·20	·01	·21							·23	1·50		1
2	·02	·93	·03	·07					·08		·01	·23		2
3	·46	·34		·03			·02				·01			3
4	·10	·85						·02				·46		4
5	·16	·01	·04				·19			·07				5
6	·08	·44	·33	·22	·08		·13			·01				6
7		·88	·02	·02								·40		7
8					·55						·23	·05		8
9			·43	·22	·10	·06	·15		·60					9
10	·15		·72	·17	·52	·31						·44		10
11	·02		·06	·07	·38	·01	·40							11
12	·53	·28	·14	·13	·78	·08	·05	·73	·23			·29		12
13	·15	·02	·80	·22	·02			·68	·22			·22		13
14	·05	·02	·13	·03				·02	·10			·03		14
15	·40	·25	·10	·53			·98		·11			·03		15
16	·03	·05	·43	·08		·01	·04	·32	1·47		·04			16
17	·65	·05	·39			·01	·07		·02		·35			17
18	·09	·05	·02						·03		·26	·19		18
19	·18	·02	·02	·28	·02	·04			·01		·01			19
20	·22	·02	·23	·22	·01							·40		20
21	·24	·30	·10	·02	·25		·03		·01		·31	·09		21
22	·34	·02	·09		·14		·12		·07	1·46	·34	·07		22
23	·13	·24	·01		·25		·03			·60	·09	·02		23
24	·55	·58			·03				·02	·71		·05		24
25	·87	·46	·40		·82				·07	·13		·09		25
26	·01	·20	·04		·23					·10		·02		26
27	·05	·10		·07						·56				27
28	·38	·03				·02				·19	·03	·01		28
29	·10									1·04	·03			29
30	·38	✕				·04				·02	·28			30
31	·22	✕		✕		✕			✕	·22	✕	·01		31
													Year's Total	
TOTAL	6·84	6·34	4·54	2·59	4·18	·58	2·21	1·77	3·04	5·11	2·22	4·60	44·02	✓
* Days with .01 in. or more.	28	24	22	17	15	9	12	5	14	12	14	20	192	✓
* Days with .04 in. or more.	24	17	16	13	11	5	9	3	9	10	9	14	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1571

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at STOCKFORD. EAST STOKE

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 65 ft.

prune ~~trees~~ & write re exposure

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07			·01	·08	·03		·02	·41		·11		1
2										·18	·09	·11		2
3					·13	·01				·77	·23	·01		3
4	·01				·01		·05	·77		·05		·21		4
5							·19		·14	·33	·01	·01		5
6	·15					·01	·17		·54	·07	·04	·13		6
7	·19					·04	·27			·07	·02	·16		7
8	·26						·05	·03		·20		·02		8
9	·17	·05						·06		·02		1·08		9
10	·03					·06	·03					·27		10
11	·13						·02				·38	·25		11
12	·42	·01			·18					·42		·01		12
13	·35				·01		·01			·09	·32	·58		13
14	·44				·05		·26					·02		14
15	·22		·02		·03		·37	·03		·34	·07	·33		15
16	·28	·02	·02					·01		·05	·07	·20		16
17	·01	·18	·02		·06				·25	·15	·02	·02		17
18	·24				·12	·03		·02	·06	·02	·43			18
19	·01							·07	·32		1·10			19
20									·01		·48			20
21	·04								·10	·01	·11			21
22	·02							·22			·54	·10		22
23				·01					·18		·02			23
24			·18		·01			·02	·18		·25			24
25	·10	·19	·02		·20		·03	·04		·04	1·00	·06		25
26	·30	·27			·30	·01	·02			·05	·01	·18		26
27	·07				·07	·23	·38	·15		·03	·27			27
28	·05	·10			·07	·04		·54	·20		·04	·05		28
29	·01				·29				·11	·23	·34	·05		29
30		✕			·09		·02		·43		·12	·02		30
31	·15	✕		✕	·18	✕			✕	·27	✕	·29		31
TOTAL	3·65	·89	·26	·01	1·81	·51	1·90	1·96	2·54	3·80	5·96	4·27	Year's Total 27·56	✓
* Days with .01 in. or more.	23	8	5	1	17	9	15	12	13	21	23	24	171	✓
* Days with .04 in. or more.	17	6	1	-	12	5	8	7	11	17	18	17	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Walter Bond

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1571

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at STOCKFORD, EAST STOKE

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·07	·10	·10		·05		·09		·01	·08		1
2				·34				·38	·85		·07	·06		2
3	·76			·65			·02	·07			·17	·30		3
4		·02	·58	·19	·41		·46	·35	·03	·38	·07	·06		4
5			·02	·15	·27		·22	·37		·37	·65	·01		5
6	·50	·02	·10				·65	·06			·33			6
7	·02	·39					·01			·01	·34	·95		7
8	·02	·10	·07				·03			·67	·35	·17		8
9	·37	·01	·04					·13		·17	·36	·21		9
10			·02			·02		·22	·12	·16	·01	·02		10
11			·15							·43	·02			11
12	·02					·07	·37			·02	·13			12
13		·04		·08		·04	·05		·03	1·76	·03	·05		13
14	·83			·02	·03	·02	·14			·22	·52	·12		14
15	·27				·14	1·16	·03			·19	·45	·02		15
16				·10	·04		·04			·05	·17			16
17	·32	·12			·25	·02	·30			·14	·02			17
18	·10		·02		·03	·06	·43				·53	·02		18
19	·50	·01					·02	·12			·01	·06		19
20	·53	·01				·35	·28	1·20						20
21	·02	·41	·03			·12	·46	·01						21
22	·40	·22	·04			·52	·22		·02		·46			22
23				·15		·02	·07			·02	1·46			23
24	·58			·04		·46	·24	·03			·02			24
25	·55	·16		·16			·04			·06	·38			25
26	·02	·02						·02		·12	·18			26
27		·31	·03	·03			·02			·02	·09			27
28		·25	·02			·02	·25				·38	·17		28
29		×		·04		·02	·39			·27	·01			29
30		✕		·46		·08	·02			·52	·02			30
31		✕		✕		✕		·14	✕	·61	✕			31
TOTAL	5·84	2·09	1·19	2·51	1·27	2·98	4·81	3·10	1·14	6·19	7·24	2·30	Year's Total 40·66	
* Days with .01 in. or more.	18	15	13	14	8	15	25	13	6	20	28	15	190	
* Days with .04 in. or more.	12	9	7	12	6	9	18	10	8	16	19	11	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. [illegible] Reed

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations**

Station No. 1571

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at STOCKFORD, EAST STOKE

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 65 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07			·02						·20			1
2		·32		·26							·33	·04		2
3	·02	·71					·12			·23	·78 ✓	·16		3
4		·14					·02			·35	·19	·02		4
5		·04								·02	·70	·24		5
6	·49	·61								·36	·06	·09		6
7	·04	·02								·14				7
8				·05			·03			·47	·17	·29		8
9							·15	·01	·02	·22	·70	·14		9
10							1·03			·06	·09	·09		10
11				·02			·01				1·08 ✓	·04		11
12			·14	·04			·16		·56	·04	·05			12
13			·70	·08			·15		·02	·23	1·45	·02		13
14			·14		·26		·24		·28	·58	·04	·95		14
15		·05		·19	·55		·30		·15	·34	·57	·01		15
16		·75	·40		·05		·03		·03	·97	1·38	·04		16
17		·02	·55				·05		·02		1·35			17
18	·13	·42	·40	·18			·01		·02	·10	·01	·06		18
19		·05	·05				·05		·55	·01	·42			19
20				·02					·02	·16	·03	·02		20
21		·02			·30				·06	·01	·55			21
22		·02	·05	·09		·25			·14	·02	·02			22
23		·02	·33	·07					·02		·06			23
24							·27				·01			24
25	·06		·32	·03	·03		·01							25
26	1·52	·69		·05	·15		·12							26
27	·47	·28			·21		·03							27
28	·55	·13												28
29	·40	·54	·23	·77						·03		·20		29
30	·12	✕	·03	·04						·33		·13		30
31	·07	✕		✕		✕			✕	·55	✕	·48		31
TOTAL	3·87	4·90	3·34	1·89	1·57	·25	2·78	·01	1·89	5·22	10·24	3·02	Year's Total 38·98	✓
* Days with .01 in. or more.	11	20	12	14	8	1	18	1	13	21	23	18	160	✓
* Days with .04 in. or more.	10	14	11	11	6	1	11	–	6	16	19	14	119	✓

† Spare column, no entries required.

(*Signed*) Walter Bond

* See Instruction 3 (f) on other side.

[P.T.O.

Section **A** for the entry

AIR MINIS

FORM 1090

REG

1571/5
WAREHAM (SENIOR SCH)
1940

780304

Station No. ~~1571/5~~

AINFALL ORGANIZATION

19~~3~~40

f 923510/39

Kept at Wareham

in the County of Dorset

Diameter of Funnel of Gauge...

Height of top of Gauge above

,, Ground ,,

14–16 estd fr. nearby stns – Nov cord for arith – nearby stns for snow

THE MORNING MEASU ... EVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·01	–	–	–	–	–	–	–	–	–	·01		1
2	–	×	–	·24	–	–	Trace	–	–	–		–		2
3	– ✓	~~2·02~~	–	–	–	–	–	–	–	·26	1·25	·19		3
4	– ✓	(1·12) ×	–	–	–	–	·15	–	–			·01		4
5	(·60)	·05	–	–	–	–		–	–	·97		·26		5
6	– ✓	·57	–	–	–	–		–						6
7	– ×	·02	–	Trace	–	–	·18	–	–	·10		·40		7
8	–	–	–	·08	–	–		–	Trace	·51	1·9			8
9	–	–	–	–	–	–	·10	–	·01	·21		·08		9
10	–	–	–	–	–	–	1·07	–	–	·08		·11		10
11	–	–	–	–	–	–	–	–	–		1·27	·02		11
12	–	Trace	·20	–	–	Trace		–	·49		·02	–		12
13	–	Trace	·78	–		–	·33	–		·67	1·35	–		13
14	–	–	·13	·03	·40	–		–	·40		Trace			14
15	–	·03		Trace			·49	–		·28	2·96	(1·00) ~~·10~~		15
16	–	1·48		·07	·03	·01	Trace	–	·02	·97	~~2·46~~			16
17	–	~~1·48~~	1·55	·03	–	Trace	·03	–	Trace	Trace		–		17
18	·09			·16	–	–	–	–	·03	–	Trace	·03		18
19	–	·03	·03		–	–	–	–	–	–	·52	·03		19
20	–	–		·22	–	–	–	–		·33	·04			20
21	–	–			·33	–	–	–	·47	–	·55			21
22	–	–		·02	–	·17	·15	–		–				22
23	–			·05	–		–	Trace	·03	·01	·06			23
24	–	·01		–	–	–	Trace	–	–	–				24
25	~~·02~~			·06	–	Trace	·45	–	–	–	–			25
26		·69	1·01			–	·09	–	Trace	–	Trace	·23		26
27	~~2·47~~	·22		·01	·31	–		–	–	–	–			27
~~2·79~~ 28	3·29					–	–	–	–	·03	–			28
29	× ·24	·52		·34	–	–	–	–	–	·02	–			29
30	~~(·60)~~ × ~~·04~~	✕		·05	–	–	–	–	–	(·37) ~~·04~~	–	·47		30 Part
31	× ~~·05~~	✕		✕	–	✕	–	–	✕	·60	✕			31 WH
TOTAL	3·98 ~~2·88~~	4·78 ~~3·38~~	3·70	1·36	1·07	·18	3·04	—	1·45	5·41 ~~5·11~~	9·92 ~~8·92~~	2·84 ~~1·94~~	Year's Total ~~35·0~~	37·73
* Days with .01 in. or more.														"d"
* Days with .04 in. or more.														

† Spare column, no entries required.

N.

(Signed) J. T. Armstrong

* See Instruction 3 (f) on other side.

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. —1571/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Wareham (Senior School)
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 50 ft.

Query sent 22/5/41

923510/39

Oct 30 Nov 15-17 Dec 14-16 estd fr. nearby stns - Nov cord for another

Jan. + Feb. estd from nearby stns for snow.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·01	–	–	–	–	–	–	–	–		·01		1
2	–	✗	–	·24	–	–	Trace	–	–	–		–		2
3	– ✓	~~2·02~~ ✗	–	–	–	–	–	–	–	·26	1·25	·19		3
4	– ✓	(1·12) ✗	–	–	–	–	·15	–	–			·01		4
5	(·60)	·05	–	–	–	–		–	–	·97		·26		5
6	– ✗	·57	–	–	–	–		–	–					6
7	– ✗	·02	–	Trace	–	–	·18	–	–	·10		·40		7
8	–	–	–	·08	–	–		–	Trace	·51	1·9			8
9	–	–	–	–	–	–	·10	–	·01	·21		·08		9
10	–	–	–	–	–	–	1·07	–	–	·08		·11		10
11	–	–	–	–	–	–	–	–	–		1·27	·02		11
12	–	Trace	·20	–	–	Trace		–	·49		·02	–		12
13	–	Trace	·78	–		–	·33	–		·67	1·35	–		13
14	–	–	·13	·03	·40	–		–	·40		Trace			14
15	–	·03		Trace			·49	–		·28	2·96	(1·00) ~~·10~~		15
16	–	1·48		·07	·03	·01	Trace	–	·02	·97	~~2·46~~			16
17	–	~~1·48~~	1·55	·03	–	Trace	·03	–	Trace	Trace		–		17
18	·09			·16	–	–	–	–	·03	–	Trace	·03		18
19	–	·03	·03		–	–	–	–	–	–	·52	·03		19
20	–	–		·22	–	–	–	–		·33	·04			20
21	–	–			·33	–	–	–	·47	–	·55			21
22	–	–		·02	–	·17	·15	–		–				22
23	–			·05	–		–	Trace	·03	·01	·06			23
24	–	·01		–	–	–	Trace	–	–	–				24
25	~~·02~~			·06	–	Trace	·45	–	–	–	–			25
26		·69	1·01		–	–	·09	–	Trace	–	Trace	·23		26
27	~~2·17~~	·25		·01	·31	–		–	–	–	–			27
28	3·29	·52			–	–	–	–	–	·03	–			28
29	✗ ·24			·34	–	–	–	–	–	·02	–			29
30	~~(·60)~~ ✗ ·04	✗		·05	–	–	–	–	–	(·37) ~~·07~~	–	·47		30
31	✗ ·05	✗		✗	–	✗	–	–	✗	·60	✗			31
TOTAL	3·98 ~~2·88~~	4·78 ~~5·38~~	3·70	1·36	1·07	·18	3·04	—	1·45	5·41 ~~5·11~~	9·92 ~~8·92~~	2·84 ~~1·94~~	Year's Total ~~35·[illegible]~~	37·73
* Days with .01 in. or more.														
* Days with .04 in. or more.														

~~2·79~~

Part wH

“d”

† Spare column, no entries required.

(Signed) J. F. Armstrong [P.T.O.

*See Instruction 3 (f) on other side.

N

1572

Section **A** for the entry of D

AIR MINISTRY.-

RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST N 193 .

1572

TRIGON

1931-40

780304

Kept at Trigo

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE IOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02	–	·23	–	·01	tr	·02	·34		–	–	1
2	·29	·04	–	·39	–	·01	–	·02	·47	·03	·01	·01	2
3	·15	–	·73	·01	–	–	·12	·02	·11	–	·73	[illegible]	3
4	·02	–	·04	–	·01	·05	·35	·36	·20	·02	·16	·25	4
5	–	·13	tr snow		–	·23	–	·01	–	–	·21	·09	5
6	–	·14	„	·30	·08	–	–	·02	–	·40	·12	·12	6
7	–	–	„	–	·18	·21	·31	·63	–	·16	·24	·04	7
8	·04	·22	–	·13	–	·35	·02	·02	–	·01	·10	·01	8
9	–	·25	–	–	–	–	–	–	–	–	1·10	–	9
10	tr	·02	–	·03	·01	·13	·05	·04	·07	–	·23	–	10
11	·15	·38	–	–	–	·04	·02	–	·02	–	·21	–	11
12	·01	·05	–	–	·01	–	·23	–	·05	·03	·01	–	12
13	–	–	·01	–	·02	·02		·02	–	–	–	–	13
14	–	·08	·02	–	–	·35	1·06	·08	–	–	·02	–	14
15	–	·04	–	–		·23	–	·09	–	–	–	·03	15
16	–	·05	–	·08	·25	–	tr	–	·07	–	–	–	16
17	–	·10	–	·07	–	–	·49	–	·15	–	–	–	17
18	·05	–	·03	·05	–	·09	·06	1·02	–	–	·68	–	18
19	·10	·12	·01	·04	–	·20	–	·08	·04	–	·01	·01	19
20	–	·01	·23	–	–	–	–	·25	–	·01	·02	–	20
21	·12	·03	·01	–	·28	–	–	–	–	·01	·01	–	21
22	·52	–	·05	·02	tr	–	–	·07	–	–	·01	–	22
23	·29	·01	–	·15	·72	–	–	·02	–	–	·33	–	23
24	·06	tr	–	·47	·11	·64	·53	·61	–	–	·01	–	24
25	–	·01	–	·28	·19	–	·20	–	–	–	·30	–	25
26	–	–	–	·14	–	–	·41	–	–	–	·29	–	26
27	·25	·40	–	–	1·05	–	·08	–	–	·02	·10	–	27
28	·08	snow ·11	·03	·01	·04	–	–	–	–	–	·01	hail & snow ·09	28
29	·03	×	–	–	·02	–	·06	·05	–	tr	·12	–	29
30	–	×	·13	–	·01	–	–	·09	·03	–	·01	–	30
31	·55	×	–	×	·15	×	·02	·01	×	–	×	·08	31
TOTAL	2·71	2·21	1·29	2·40	3·13	2·56	4·01	3·53	1·55	·69	5·04	·73	YEAR'S TOTAL 29·85
*Days with ·01 in. or more.	16	20	11	16	16	14	16	21	11	9	27	10	187
*Days with ·04 in. or more.	13	14	5	12	10	11	13	12	8	2	15	6	121

40-9999

(Signed) Emil P. Sturdy

P.T.O.

*See Instruction 2 (*f*) on other side.

1572

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Trigon Wareham

in the County of Dorset

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02	—	·23	—	·01	tr	·02	·34		—	—	1
2	·29	·04	—	·39	—	·01	—	·02	·47	·03	·01	·01	2
3	·15	—	·73	·01	—	—	·12	·02	·11	—	·73	[illegible]	3
4	·02	—	·04	—	·01	·05	·35	·36	·20	·02	·16	·25 ~~·09~~	4
5	—	·13	tr snow		—	·23	—	·01	—	—	·21	·09	5
6	—	·14	"	·30	·08	—	—	·02	—	·40	·12	·12	6
7	—	—	"	—	·18	·21	·31	·63	—	·16	·24	·04	7
8	·04	·22	—	·13	—	·35	·02	·02	—	·01	·10	·01	8
9	—	·25	—	—	—	—	—	—	—	—	1·10	—	9
10	tr	·02	—	·03	·01	·13	·05	·04	·07	—	·23	—	10
11	·15	·38	—	—	—	·04	·02	—	·02	—	·21	—	11
12	·01	·05	—	—	·01	—	·23	—	·05	·03	·01	—	12
13	—	—	·01	—	·02	·02		·02	—	—	—	—	13
14	—	·08	·02	—	—	·35	1·06	·08	—	—	·02	—	14
15	—	·04	—	—		·23	—	·09	—	—	—	·03	15
16	—	·05	—	·08	·25	—	tr	—	·07	—	—	—	16
17	—	·10	—	·07	—	—	·49	—	·15	—	—	—	17
18	·05	—	·03	·05	—	·09	·06	1·02	—	—	·68	—	18
19	·10	·12	·01	·04	—	·20	—	·08	·04	—	·01	·01	19
20	—	·01	·23	—	—	—	—	·25	—	·01	·02	—	20
21	·12	·03	·01	—	·28	—	—	—	—	·01	·01	—	21
22	·52	—	·05	·02	tr	—	—	·07	—	—	·01	—	22
23	·29	·01	—	·15	·72	—	—	·02	—	—	·33	—	23
24	·06	tr	—	·47	·11	·64	·53	·61	—	—	·01	—	24
25	—	·01	—	·28	·19	—	·20	—	—	—	·30	—	25
26	—	—	—	·14	—	—	·41	—	—	—	·29	—	26
27	·25	·40	—	—	1·05	—	·08	—	—	·02	·10	—	27
28	·08	snow ·11	·03	·01	·04	—	—	—	—	—	·01	hail & snow ·09	28
29	·03	×	—	—	·02	—	·06	·05	—	tr	·12	—	29
30	—	×	·13	—	·01	—	—	·09	·03	—	·01	—	30
31	·55	×	—	×	·15	×	·02	·01	×	—	×	·08	31
TOTAL	2·71	2·21	1·29	2·40	3·13	2·56	4·01	3·53	1·55	·69	5·04	·73	YEAR'S TOTAL 29·85
*Days with ·01 in. or more.	16	20	11	16	16	14	16	21	11	9	27	10	187
*Days with ·04 in. or more.	13	14	5	12	10	11	13	12	8	2	15	6	121

40-9999

(Signed) Emil P. Sturdy

P.T.O.

*See Instruction 2 (*f*) on other side.

1572

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1572

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Trigon Wareham

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	–	–		·29	–	–	·02	–	–	·01	·01	1
2	·02	–	–	·30	·06	·03	–	·02			·02	·37	2
3	–	–	–	–	–	·60	–	–	·40	·06	–	·03	3
4		–	–	–	–	–	–	tr	–	–	–	·01	4
5	·50	–	–	–	–	–	tr	–	·16	–	–	–	5
6	·41	–	–	·40	–	–	tr	–	·28	–	–	–	6
7	·01	–	·04	·10	–	–	–	–	·21	·27	–	·02	7
8	·01	–	·56	–	·21	–	–	–	·38	·15	–	–	8
9	·24	·01	–		·11	–	–	–	·01	·01	·12	–	9
10	·11	·04	–	·49	·03	·02	–	–	tr	·14	·11	tr	10
11	·03	·02	–	–	·02	·01	·19	–	–	–	–	·05	11
12	·73	–	–	·04	·12	–	–	–	·01	·28	·01	·03	12
13	–	–	–	·14	·07	–	·08	–	–	·75	–	·04	13
14	·07	–	–	·08	·08	–	–	–	–	·02	·34	tr	14
15	·10	–	–	·04	·32	–	–	–	–	–	·02	–	15
16	·20	–	–	·11	–	–	·03	–	–	–	–	–	16
17	·03	–	–	·04	–	–	–	–	–	·01	–	–	17
18	·03	–	–	–	·19	–	–	–	·03	–	·17	–	18
19	–	–	–	·04	·01	–	–	–	·05	·39	–	–	19
20	–	–	·01	·02	·44	–	–	·35	–	1·28	·29	·01	20
21	·01	–	·27	·02	·29	–	–	·07	·04	·36	·02	–	21
22	·01	–	·02	–	·04	–	·02	–	·57	·47	37 ~~·3~~	–	22
23	·01	tr	–	·02	·02	–	·35	–	–	·81	~~·3~~	·18	23
24	–	·02	–	·01	–	–	·96	–	·15	·10	–	·02	24
25	–	–	–	·05	–	–	·20	–	–	·29	·15	·01	25
26	–	–	·14	–		–	–	–	–	·05	–	–	26
27	–	–	·30	·60	·25	·09	–	–	–	·28	–	·10	27
28	–	–		·11	·02	–	·29	–	–	–	–	–	28
29	–	–	·55	·02	·22	·38	–	·34	·72	·43	·29	·05	29
30	–	×	·08	·28	·05	1·23	·09	–	·63	–	·80	·10	30
31	–	×	·02	×	–	×	–	–	×	–	×	·65	31
TOTAL	2·60	·09	1·99	2·91	2·84	2·36	2·21	·80	3·64	6·15	2·72	1·68	YEAR'S TOTAL 29·99
*Days with ·01 in. or more.	18	4	10	20	20	7	9	5	14	19	14	16	161
*Days with .04 in. or more.	9	1	7	15	16	4	7	3	11	16	9	8	112

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Emily P. Sturdy

P.T.O.

1572

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. ~~1572~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Trigon Wareham
in the County of Dorset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 4 in.
,, Ground ,, Sea Level 60 ft.

File number 85-4739/28
Circ F. sent 23:2:34
Observer agrees 13/3/34 J.W.R.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·41	·63	·10	–	–	–	–	–	–	–	·03	·15		1
2	·42	–	·71	–	·23	–	–	–	–	–	–	–		2
3	·17	·10	·29	–	–	–	–	–	–	–	–	–		3
4	·05	·04	·06	–	·16	–	–	–	–	–	–	–		4
5	–	–	·44	–	·04	–	–	–	–	–	–	–		5
6	–	·02	·36	–	·15	–	–	–	–	·27	–	–		6
7	–	·37	·03	tr	·08	–	·01	–	–	·26	–	–		7
8	·08	–	–	·11	·02	–	·40	–	–	·01	–	–		8
9	·01	·01	–	–	·17	–	·31	tr	–	·11	·01	tr		9
10	–	·11	–	–	–	–	·15	tr	–	}	·01	–		10
11	·18	–	–	–	–	·30	·01	·39	–	·11 }	–	–		11
12	·01	–	–	·07	·03	–	·09	–	·84	–	–	·03		12
13	–	–	–	–	·03	–	·48	·04	–	·17	·06	–		13
14	·02	–	–	–	–	–	tr	·04	–	·09	·57	–		14
15	·49	–	·30	–	–	–	·02	·13	–	·21	–	+		15
16	–	–	·86	–	–	·02	–	·03	·05	–	–	–		16
17	tr	·15	·29	–	–	·05	–	·06	·14	–	–	–		17
18	·20	·01	·12	–	–	·08	–	tr	–	–	–	–		18
19	·02	·03	·06	–	–	–	–	·03	·17	–	·01	·05		19
20	–	–	·01	·01	–	·02	–	}	·02	–	·09	·01		20
21	–	·05	–	–	·04	–	–	·22 }	–	·09	·01	–		21
22	–	–	–	tr	–	·31	–	–	·37	·04	–	–		22
23	–	}	–	·43	–	·07	–	–	·23	·13	–	tr		23
24	–	2·25 }	–	·24	–	·02	–	–	·01	·01	–	–		24
25	–	·49	–	–	–	·03	–	–	·21	–	–	·15		25
26	–	·47	–	·42	·21	–	–	–	–	}	–	·01		26
27	–	–	–	–	·09	–	·05	–	·02	·24 }	·01	·50		27
28	–	–	–	·41	–	–	·46	–	–	tr	–	·01		28
29	·17	–	–	–	–	–	–	–	·01	–	–	–		29
30	·07	×	·08	–	–	–	·25	–	·08	–	–	·10		30
31	·25	×	·11	×	–	×	–	–	×	·01	×	–		31
TOTAL	2·5~~8~~5	4·73	3·82	1·69	1·25	·90	2·23	·94	2·15	1·75	·80	1·01	Year's Total ~~22·85~~ 23·82	
*Days with ·01 in. or more.	15	15	15	7	12	9	11	9	12	16	9	9	138	
*Days with .04 in. or more.	11	13	13	6	9	5	8	7	8	11	3	5	99	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) Emily P. Sturdy
(Mrs Leonard Sturdy)

[P.T.O.

Station 1572

File No 854789/28

AIR MINISTRY.

Form 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~2~~34

Kept at Trigon Wareham

in the County of Dorset

by Mr Leonard Sturdy

Lat. ______ Long. ______

Time of Observation 9 am

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	-	.	-	-	.	-	·53	1·22	·04	·06	·95	1
2	·42	.	·10	-	.	·02	-	-	·04	-	·05	·30	2
3	·04	·02	tr	-	-	-	-	-	-	·57	-	·35	3
4	·08	-	·20	·02	·22	.	-	.	-	·04	-	·30	4
5	-	-	·02	-	·02	-	-	·80	-	·02	·01	·45	5
6	·03	-	·37	·02	·19	.	-	-	-	·33	·29	·60	6
7	·03	-	-	tr	-	-	-	·18	-	·09	-	·48	7
8	-	-	·14	-	·26	-	-	·02	·03	-	·80	·06	8
9	·03	-	·14	.	-	-	-	-	-	-	·47	·25	9
10	·17	-	·21	·29	-	-	-	·01	-	-	·07	·02	10
11	·60	-	·60	·26	.	.	·04	·09	-	-	-	·52	11
12	·33	-	·01	-	-	-	·10	·10	-	-	·01	·24	12
13	·33	-	·08	·17	-	-	-	-	-	-	·15	·35	13
14	·19	-	·33	·01	-	-	-	-	-	·02	·03	·41	14
15	·02	-	.	·01	·04	-	-	-	-	·07	·07	·51	15
16	·20	·01	·43	-	·02	-	-	-	-	-	-	·15	16
17	·15	-	-	·15	-	-	-	.	·04	·02	-	·43	17
18	·13	-	·27	·10	-	-	.	-	·04	-	-	·36	18
19	-	-	·16	·02	-	·01	-	·04	·08	·02	-	·15	19
20	-	·01	·06	·12	-	-	·04	-	·01	·01	-	-	20
21	-	-	·02	·05	-	·16	-	·08	·02	·18	-	·10	21
22	-	-	·02	-	-	-	·39	·50	·29	·05	-	·18	22
23	-	·01	-	·26	-	·46	-	-	·19	·02	-	·29	23
24	-	·02	-		-	-	-	·26	·09	-	-	·04	24
25	·39	-	-	·22	-	·01	-	-	-	·07	-	·86	25
26	·03	.	-	·02	-	·28	-	-	·10	tr	·02	·12	26
27	·01	-	.	-	-	·67	-	-	-	·08	-	·49	27
28	-	.	-	.	-	·38	-	·69	·13	-	-	·65	28
29	-	×	-	-	-	-	-	·17	·31	·02	·62	·03	29
30	·03	X	-	-	-	-	-	-	·22	-	·01	·20	30
31	tr	X	.	X	-	X	-	·04	X	·01	X	·01	31
TOTAL	3·23	·07	3·16	1·72	·75	1·39	·57	3·57	2·81	1·66	2·06	9·85	YEAR'S TOTAL 30·78
Days with ·01 in. or more	20	5	18	16	6	8	4	14	15	18	14	30	168
Days with ·04 in. or more	10	0	13	9	4	5	4	12	12	10	8	27	114

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1572

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Trigon Wareham

in the County of Dorset

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 60 ft.

File number 854739/28

ack

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·34	–	–	·14	·12	–	·16	·17	·20	·23		1
2	–	–	–	–	–	·02	–	–	–	·47	·09	·02		2
3	–	–	·12	–	·06	·06	–	–	·07	1·67	·24	–		3
4	·01	x	–	·14	–	·05	–	–	·17	·32	·23	·05		4
5	–	·50 x	·03	·63	–	·06	–	–	·27	·02	·03	·02		5
6	–	·01	tr	·33	–	1·60	–	–	–	–	·16	·01		6
7	–	–	–	·40	–	·01	–	–	–	·22	·53	·16		7
8	–	–	–	·32	–	–	·01	–	·07	·42	·63	·64		8
9	·12	–	–	·44	–	·45	–	–	·01	·69	·53	–		9
10	–	–	snow 30	·07	–	·05	–	–	–	–	·27	·02		10
11	·29	tr	sleet 05	–	–	·31	–	–	–	–	·70	–		11
12	·11	·01	–	–	–	·27	–	·02	·13	–	·40	tr		12
13	–	·11	–	·37	·01	·23	–	–	–	tr	·10	tr		13
14	·09	·01	–	·12	·01	·15	–	–	·02	·02	·58	·30		14
15	–	·04	–	·74	·30	·06	–	–	·16	·03	·36	·17		15
16	·	–	·06	·13	–	·01	–	–	·37	–	1·93	–		16
17	–	·02	–	–	·18	·25	–	·09	·05	·02	·08	–		17
18	–	·01	–	·31	–	·01	·26	–	·55	–	tr	–		18
19	–	·01	–	·08	·26	·03	–	–	·19	–	·35	·02		19
20	–	·50	–	·09	·02	·02	–	–	·01	–	·34	–		20
21	–	·58	–	·08	–	tr	·02	–	–	–	·01	–		21
22	–	·04	tr	–	–	–	–	·24	·09	tr	–	–		22
23	–	·03	·08	–	·03	–	–	·29	·02	·32	·01	·29		23
24	·03	·68	tr	–	·14	–	–	1·02	·58	·16	–	·19		24
25	·11	·02	–	–	·01	·02	–	·16	–	–	·02	·41		25
26	–	·35	–	–	·03	–	–	·02	·04	–	–	·85		26
27	–	·23	–	–	–	–	–	–	·14	·02	·07	·80		27
28	–	·02	–	–	·13	–	–	·01	·15	tr	–	·19		28
29	–	–	–	–	·09	–	–	·15	·26	·01	·02	·46		29
30	·01	×	–	·68	·12	–	–	1·06	·03	·32	·33	·68		30
31	–	×	–	×	–	×	–	·62	×	1·19	×	·28		31
TOTAL	·77	3·17	·98	3·73	1·39	3·80	·41	3·68	3·54	6·07	8·21	5·19	Year's Total. 40·94	
* Days with .01 in. or more.	8	19 ✓	7	16	14	20	4	11	22	17	25	20	183	
* Days with .04 in. or more.	3	~~8~~ 10	6	15	8	12	2	8	17	11	19	15	12~~4~~6	

40-9999

† Spare column, no entries required.

(*Signed*) Emily P. Sturdy

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1572

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at TRIGON, WAREHAM

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

„ Ground „ Sea Level 60 ft.

854739/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14												·46		14
15												·46		15
16												·24		16
17												·64		17
18												·22		18
19												Tr		19
20												–		20
21												–		21
22												·04		22
23												–		23
24												–		24
25												–		25
26												Tr		26
27												–		27
28												·21		28
29												–		29
30		×										·01		30
31		×		×		×			×		×	·71		31
TOTAL												~~2·99~~	Year's Total	
* Days with .01 in. or more.												~~7~~		
* Days with .04 in. or more.												~~8~~		

Record lost as sheet got thrown on the fire

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Emily P. Sturdy

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1572

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at TRIGON WAREHAM

in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 60 ft.

1936 map

854739/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·11	·01	·21	—	—	—	—	—	—	·25	1·14		1
2	—	1·01	—	·06	—	—	—	—	·09	—	·01	·27		2
3	Tr.	·32	—	·02	—	—	—	—	—	—	—	—		3
4	·10	·82	·01	—	—	—	·01	·02	—	—	Tr.	·21		4
5	·16	·01	·01	—	—	—	·21	—	—	—	—	Tr.		5
6	·06	·34	Snow ·29	·19	·04	—	·10	—	—	·06	—	snow ·01		6
7	—	·89	snow ·01	—		—	—	—	—	·01	Tr.	snow ·36		7
8	—	·01	—	—	·62	—	·02	—	—	—	·26	·02		8
9	—	—	Snow ·17	·22	·10	·07	·10	—	·56	—	—	—		9
10	·13	—	·93	·16	·43	·32	·35	—	—	—	—	·44		10
11	·02	·32	·05	·07	·37	—	·04	—	—	—	—	—		11
12	·59	—	·15	·15	·49	·03	—	·65	·28	—	—	·30		12
13	·13	·02	·73	·21	·02	—	—	·76	·24	—	—	—		13
14	·08	·01	·11	·02	—	—	—	Tr.	·08	—	—			14
15	·41	·20	·08	·46	—	—	1·31	·35	·11	—	—	·04		15
16	·02	·11	·47	·10	—	—	·03	·31	1·42	—	·05	—		16
17	·68	·05	·37	—	—	Tr.	·02	—	·06	—	·33	—		17
18	·13	·05	—	·09	—	—	—	—	·06	—	·15	·20		18
19	·18	·03	·02	·23	—	·02	·02	—	Tr.	—	·01	·09		19
20	·27	·03	·19	·19	—	—	—	—	—	—	—	·35		20
21	·35	·30	·07	·01	·22	—	·02	—	·02	—	·20	·11		21
22	·31	—	Snow ·07	—	·17	—	·13	—	·05	1·67	·32	·09		22
23	·21	·18	—	—	·35	—	—	—	·01	·46	·07	·02		23
24	·46	·56	—	—	·03	—	—	—	·06	·73	—	·05		24
25	·74	·36	·36	—	·84	—	—	—	—	·13	—	·10		25
26	—	·25	·04	—	·19	—	—	—	—	·08	—	·02		26
27	·04	·17	—	—	—	—	—	—	—	·54	—	Tr.		27
28	·43	·01	—	·08	—	·02	—	—	—	·18	—	—		28
29	snow ·09	T.	—	—	—	—	—	—	—	1·10	·02	—		29
30	·34	×	—	—	—	·04	—	—	—	·02	·29	sleet Tr.		30
31	·18	×	—	×	—	×	—	—	×	·21	×	sleet Tr.		31
TOTAL	6·41	6·16	4·16	2·47	3·87	·50	2·36	2·09	3·04	5·19	1·96	3·82	Year's Total 42·03	✓
* Days with .01 in. or more.	25	24	20	17	14	6	13	5	13	12	12	19	180	✓
* Days with .04 in. or more.	23	17	15	14	12	3	7	4	11	10	9	13	138	✓

amty? print.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Wm Leonard Sturdy

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1572

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at TRIGON WAREHAM

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 60 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·05	–	–	·01	·06	·10	–	–	·41	–	·12		1
2	–	–	–	tr	–	–	–	–	–	·17	·04	·08		2
3	–	–	–	–	·11	–	–	–	–	·92	·26	–		3
4	–	–	·01	–	–	–	}	1·02	–	·15	tr	·23		4
5	–	–	–	–	–	–	·12 }	–	–	·29	·01	–		5
6	·13	–	–	–	–	·02	·23	–	·13	·08	·04	·12		6
7	·17	–	–	–	–	–	·24	–	·49	·10	·02	·12		7
8	·21	–	–	–	–	·06	·04	·03	–	–	–	·06		8
9	·11	·03	–	–	–	–	–	–	–	·25	–	1·20		9
10	·05	–	–	–	–	·03	·04	–	–	·02	–	·32		10
11	·14	–	–	–	–	–	·01	–	–	–	·44	·25		11
12	·48	–	–	–	·19	–	–	–	–	·30	·01	·01		12
13	·36	–	–	–	tr	–	–	–	–	·15	·33	·58		13
14	·47	snow tr	–	–	·06	–	·28	–	–	–	–	·01		14
15	·26	sleet tr	–	–	·04	–	·27	·01	–	·31	·06	·36		15
16	·38	sleet ·01	·02	–	–	–	–	–	–	·05	·02	·20		16
17	·35	sleet ·17	·03	–	·22	–	–	–	·27	·16	·03	·01		17
18	·18	tr	–	–	·11	·02	–	·04	·10	·01	·45	–		18
19	tr	tr	–	–	–	–	–	·07	·33	–	1·01	snow tr		19
20	tr	–	–	–	–	–	–	–	–	–	·61	snow tr		20
21	·04	–	–	–	–	–	–	tr	·10	–	·10	snow ·03		21
22	·05	–	–	tr	–	–	–	·21	–	–	·49	snow ·03		22
23	–	–	–	tr	tr	–	–	–	·28	–	·02	–		23
24	–	–	·15	–	·03	–	–	·05	·19	–	·28	–		24
25	–	·20	·02	–	·15	–	·02	·03	–	·03	1·16	snow ·06		25
26	·30	·33	–	–	·26	·01	·02	–	–	·02	·01	·22		26
27	·08	–	–	–	·12	·23	·36	·14	–	·02	·29	–		27
28	·06	·11	–	–	·09	·06	–	·59	·19	–	·08	·04		28
29	–	X	–	–	·27	·10	–	–	·13	·17	·38	·04		29
30	·01	×	–	–	·16	–	tr	–	·40	·01	·12	·03		30
31	·23	×	–	×	·18	×	–	–	×	·15	×	·35		31
TOTAL	4·06	·90	·23	–	2·00	·59	1·73	2·19	2·61	3·77	6·26	4·47	Year's Total 28·81	
* Days with .01 in. or more.	20	7	5	–	15	9	13	10	11	21	24	23	158	
* Days with .04 in. or more.	19	5	1	–	13	5	10	7	11	15	17	17	120	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 1572

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at TRIGON WAREHAM

in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 60 ft.

ace

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	·07	·11	·08	–	·05	– ✓	·07	–	·02	·09		1
2	–	–	–	·26	–	–	–	– ✓	1·18	–	·09	·07		2
3	·71	–	–	·56	–	–	·47	– ✓	–	–	·16	·24		3
4	·01	–	·60	·19	·32	–	·26	– ✓	–	·33	·07	·07		4
5	[illegible]	–	·03	·13	·25	–	·20	·78 ✓	–	·36	·64	·02		5
6	·41	–	·08	TR	–	–	·70	·04	–	–	·30	TR		6
7	–	·35	–	–	–	–	TR	–	–	–	·29	·82		7
8	TR	·11	·06	–	–	–	·04	TR	–	·63	·40	·23		8
9	·03	·01	·03	–	–	–	–	·12	–	·15	·30	·25		9
10	·41	–	·02	–	–	·01	–	·21	·10	·12	TR	·01		10
11	–	·01	·16	–	–	–	–	–	–	·50	·01	–		11
Hail 12	·02	·01	TR	TR	–	·03	–	–	·03	·15	·12	–		12
13	TR	–	–	·06	–	·02	·36	–	–	1·80	·04	·05		13
14	·87	–	–	·05	·05	·01	·05	–	–	·31	·46	·10		14
15	·26	–	–	–	·14	1·12	·17	–	–	·12	·45	·02		15
16	·31	–	–	·10	·03	–	·03	–	–	·04	·08	–		16
17	·36	·08	–	–	·24	–	·22	–	–	·19	·06	–		17
18	·12	–	·02	–	·07	·06	·48	–	–	–	·50	–		18
19	·47	·01	–	–	–	–	·04	·32	–	–	–	·06		19
20	·45	–	–	–	–	·22	·32	·48	–	–	–	·03		20
21	·02	·40	·08	–	–	·14	·52	–	–	–	–	–		21
22	·38	·24	·04	–	–	·62	·21	–	–	TR	·33	TR		22
23	–	–	–	·15	–	·01	·06	–	–	–	1·38	"		23
24	·57	–	–	·10	–	·50	–	·10	–	–	·36	–		24
Sleet 25	·67	·18	·01	·36	–	–	·25	–	–	·08	·25	·01		25
26	·01	·03	–	–	–	–	–	·04	–	·10	·09	–		26
27	–	·19	·01	·03	–	–	TR	–	–	–	·31	TR snow		27
28	–	·38	·02	–	–	–	·28	–	–	–	–	–		28
29	–	×	–	·03	–	·01	·43	–	–	·18	·01	–		29
30	·01	×	–	·39	–	·05	TR	·42	–	·50	·01	–		30
31	–	×	–	×	–	×	–	·09	×	·53	×	–		31
													Year's Total	
TOTAL	6·10	2·00	1·23	2·52	1·18	2·80	5·14	2·60	1·38	6·09	6·73	2·07	39·84	
* Days with .01 in. or more.	20	13	14	14	8	13	20	14 ✓	4	17	25	15	177	
* Days with .04 in. or more.	13	8	7	12	7	7	19	14 ✓	3	17	21	10	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations File number 854739/28 Station No. 1572

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at TRIGON WAREHAM

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" Ground " Sea Level 60 ft.

Query sent 8th april '41, our estim. adopted

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	·19	—		1
2	—	·45	—	·23	—	—	—	—	—	—	·38	—		2
3	·01	·58	—	—	—	—	·04	—	—	·22	·75	·17		3
4	·03	·16	—	—	—	—	—	—	—	·33	·44	—		4
5	·45	·05	—	—	—	—	·02	—	—	·02	·46	·31		5
6	·04	·56	—	—	—	—	TR	—	—	·37	—	·13		6
7	—	·03	—	—	—	—	TR	—	—	·12	·14	—		7
8	—	—	—	—	—	—	·04	—	TR	·45	·25	·34		8
9	—	—	—	—	—	—	·15	TR	·02	·22	·69	·12		9
10	—	—	—	·01	—	—	·96	TR	—	·06	·08	·15		10
11	—	—	—	—	—	—	TR	—	—	—	1·16	·02		11
12	—	TR	·14	—	—	—	·15	—	·60	TR	✓	—		12
13	—	—	·66	·03	—	—	·09	—	—	·29	1·60	·10		13
14	—	—	·10	TR	·10	—	·15	—	·25	·68	·05	·90		14
15	—	snow ·04	—	TR	·38	—	·25	—	·13	—	·44	·01		15
16	—	sleet ·89	·50	·12	·15	·01	·03	—	·03	1·17	1·08	·04		16
17	—	·04	·53	—	—	—	·07	—	·01	TR	1·12	·06		17
18	snow ·11	·35	·45	·17	—	—	TR	—	—	·12	TR	—		18
19	—	·05	·02	·19	—	—	·05	—	(·55)	TR	·69	—		19
20	—	TR	·01	·01	—	—	—	—	TR	·22	✓	—		20
21	—	·01	—	—	·33	—	—	—	·07	—	·53	—		21
22	—	·02	·04	·05	—	·23	—	—	·15	·01	·03	—		22
23	—	—	·33	—	—	—	—	—	—	—	·06	—		23
24	—	—	—	·06	—	—	·28	—	—	—	·01	—		24
25	·03	—	✓	—	·01	—	—	—	—	—	·06	—		25
26	1·40	·67	·40	·05	·13	—	·09	—	—	TR	—	—		26
27	·52	·30	—	—	·29	—	·01	—	—	—	—	·01		27
28	·60	·08	—	—	—	—	—	—	—	·02	—	—		28
29	snow ·46	·49	·23	·50	—	—	—	—	—	·02	—	·16		29
30	·11	✕	—	—	—	—	—	—	—	·34	—	·21		30
31	·06	✕	·01	✕	—	✕	—	—	✕	·55	✕	snow ·42		31
TOTAL	3·82	4·77	3·42	1·42	1·39	0·24	2·38	—	1·81 ~~1·26~~	5·21	10·21	3·15	Year's Total ~~37·27~~	37·82 ~~37·27~~
* Days with .01 in. or more.	12	17	14	11	7	2	15	—	~~8~~ 9	18	23	16	~~143~~	144
* Days with .04 in. or more.	9	14	10	8	6	1	12	—	~~5~~ 6	14	~~19~~ 21	13	~~113~~ 114	114

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) E. P. Sturdy

[P.T.O.

DORCHESTER (LITT

1573

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGIST

931.

1573

DORCHESTER
(LITTLEMAYNE)
1931 —— 40

Kept at Lewell Lodge

erly known as Lewell Lodge

in the County of Dor

832/26

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

~~530~~

THE MORNING MEASU 780304 **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		3		32					14				1
2	27	3		55		1			55	1		20	2
3	9		65				1	1	18		107	7	3
4	2		4		5		54	6	15	19	7		4
5		24		8		62				1	40	8	5
6		13		5	9	15			1	31	17	17	6
7					23	17	2	57		3	26	7	7
8	1	34		10		40		5			20	15	8
9		29				10	1				97		9
10		1			1	7	3	3	12		17		10
11	19	34				6			1		24		11
12		1			1		26			4			12
13			1				20	17					13
14		5			3	89	111	2					14
15		5		2	18			27				3	15
16		7		3	6	40		15					16
17		10		14			55		3				17
18	2		3	11		29	3	149	Ⓐ		45		18
19	8			1		5	3	3			3		19
20		33	31					23			2		20
21	14		4		15						2		21
22	48		5					1					22
23	32	3		10	83						37		23
24	4			69	22	8	59	51					24
25	18			37	3		9				26		25
26				19			43				41		26
27	30	49			207		11				5		27
28	1	4	2		9							2	28
29	2		10		1		8	5			9		29
30		×	4					13					30
31	54	×		×	9	×	1		×		×	17	31
TOTAL	2·71	2·58	1·29	2·76	4·15	3·29	4·10	3·78	1·19	·59	5·25	·96	YEAR'S TOTAL 32·65
*Days with ·01 in. or more.	16	17	10	14	16	13	17	16	8	6	18	9	160
*Days with ·04 in. or more.	11	12	7	11	11	12	10	11	6	2	15	7	115

40-9999.

Ⓐ Gauge moved

(Signed) E. R. Sykes

[P.T.O.

*See Instruction 2 (*f*) on other side.

DORCHESTER (LITT

1573.

Section A for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Lewell Lodge & Littlemayne

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 200 ft.

Footnote:- Formerly known as Lewell Lodge

File Ref. 694 832/26

~~Stn. 1530~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		3		32					14				1
2	27	3		55		1			55	1		20	2
3	9		65				1	1	18		107	7	3
4	2		4		5		54	6	15	19	7		4
5		24		8		62				1	40	8	5
6		13		5	9	15			1	31	17	17	6
7					23	17	2	57		3	26	7	7
8	1	34		10		40		5			20	15	8
9		29				10	1				97		9
10		1			1	7	3	3	12		17		10
11	19	34				6			1		24		11
12		1			1		26			4			12
13			1				20	17					13
14		5			3	89	111	2					14
15		5		2	18			27				3	15
16		7		3	6	40		15					16
17		10		14			55		3				17
18	2		3	11		29	3	149	Ⓐ		45		18
19	8			1		5	3	3			3		19
20		33	31					23			2		20
21	14		4		15						2		21
22	48		5					1					22
23	32	3		10	83						37		23
24	4			69	22	8	59	51					24
25	18			37	3		9				26		25
26				19			43				41		26
27	30	49			207		11				5		27
28	1	4	2		9							2	28
29	2		10		1		8	5			9		29
30		×	4					13					30
31	54	×		×	9	×	1		×		×	17	31
TOTAL	2·71	2·58	1·29	2·76	4·15	3·29	4.10	3·78	1·19	·59	5·25	·96	YEAR'S TOTAL 32·65
*Days with ·01 in. or more.	16	17	10	14	16	13	17	16	8	6	18	9	160
*Days with ·04 in. or more.	11	12	7	11	11	12	10	11	6	2	15	7	115

40-9999.

*See Instruction 2 (*f*) on other side.

Ⓐ Gauge moved

(Signed) E. R. Sykes

P.T.O.

1573

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 1573

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932. File no. 694832/26

Kept at Littlemayne, Dorchester
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5			11	10			44			6		1
2	1			8	9			2	1		2	55	2
3						59	1		18	4			3
4	1					33		2			7		4
5	38								38				5
6	45			43			1		47	1			6
7	1		1	17					19	46			7
8			52	7	22				37	50			8
9	38	2		24	3				1	1	13		9
10	18			32	3	5				11	1		10
11	2			1	2	6	5		2	15		2	11
12	76				18				1	17		3	12
13	1			14	3		13			73		4	13
14	{18}			9	4			1			36		14
15				2	29					5	1	4	15
16	13			12			10			3			16
17	4			5					1				17
18	16				25				4		9		18
19					1				3	89			19
20				1	57		1	15		131	29	1	20
21	2		14	3	2			2	3	49	7	7	21
22			3		6		1	4	75	31	55		22
23				2			39		3	73	4	5	23
24							84		17	18			24
25			2				11			41	2	1	25
26			10	10			2			15	1		26
27			28	76	27	4	11			43		3	27
28			2	13			37					3	28
29			49	3	19	64		38	55	48	43	12	29
30		×	4	10		110	7		32	17	72	13	30
31		×	1	×	1	×	1		×	1	×	37	31
TOTAL	2·79	2	1·66	3·03	2·41	2·81	2·24	1·08	3·57	7·82	2·88	1·50	YEAR'S TOTAL 31·81
*Days with ·01 in. or more.	16	1	11	21	18	7	15	8	18	23	16	14	168
*Days with .04 in. or more.	10	0	6	15	11	7	9	4	10	19	11	8	110

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) E R Sykes

P.T.O.

1573

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1573

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Littlemayne nr Dorchester
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	22	96	3								3	20	1
2	69		73		15								2
3	3	13	32		3								3
4	14	4	3		30								4
5	4		45		3								5
6		30			28		13			11	1		6
7	3	2			4					41			7
8			1		3		64						8
9					17		58			2			9
10		10				3	25			34	3		10
11	12						2	2					11
12				9	1		11	25	69			4	12
13	1				3		34			24	3		13
14							3	2		13	44		14
15	48		41				7	7		24	11		15
16			99			9			4	7			16
17		6	43					9	19				17
18	25		13			9							18
19	2		5					3	16		16	3	19
20		2							1				20
21					10			16		3	1		21
22				1				23	31	5			22
23				80		18			8	9			23
all over 4 · 24		2.91		58		1			1	4			24
25				36					32			27	25
26				25	11							1	26
27					33		3		1	19		57	27
28				48			53			3		4	28
29	12											1	29
30	1	✕	1				5		20			4	30
31	22	✕	7	✕	3	✕			✕		✕		31
TOTAL	2·38	4·54	3·66	2·57	1·64	·40	2·78	·87	2·02	1·99	·82	1·21	YEAR'S TOTAL 24·88
*Days with ·01 in. or more.	14	11	13	7	14	5	12	8	11	14	8	9	126
*Days with .04 in. or more.	9	9	9	6	8	3	9	5	8	11	3	6	86

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) E R, SYKES

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1573

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Littlemayne, Dorchester

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2							48	4	1	5	119		1
2	62		16						105	10	2	51		2
3	14									43		49		3
4	11	1	35	1	23			10		6		26		4
5			1		1			101		3		57		5
6	8		38	4	20					75	18	64		6
7	2							1		20	1	47		7
8					25			12	11	2	98	10		8
9	3		17							1	68	16		9
10	16		22	29							3	3		10
11	54		45	24			12	2				52		11
12	2							28			1	17		12
13	34		12	14							25	71		13
14	24		27	1						1	3	49		14
15	2		1	2	6					18	12	37		15
16	25		41		3							25		16
17	14			20					22	3		42		17
18	11		28	10		1			4			54		18
19			8	7		2		4	12			13		19
20			7	26					6	1				20
21			1	5		28		15	2	28		18		21
22			3					19	48			42		22
23		1		40		28			12			6		23
24		3	3	1			5	28	19	3		11		24
25	49			13				1		13		102		25
26	2			3		34			16		3	27		26
27						5						55		27
28						8		74	5			54		28
29								11	46	3		3		29
30		×							33	1	2	30		30
31		×		×		×		5	×		×			31
TOTAL	3·35	·65	3·05	2·00	·78	1·06	·17	3·59	3·45	2·32	2·41	11·50	Year's Total. 33·73	
* Days with .01 in. or more.	18	3	17	16	6	7	2	15	15	18	13	29	159	
* Days with .04 in. or more.	12	0	12	11	4	5	2	12	14	8	6	27	113	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1573

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Littlemayne, nr Dorchester

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			58			31	11		50	9	15	13		1
2			1			7			3	61	5	3		2
3			4		7	16			7	101	31			3
4		21		12		2			16	5	11	12		4
5	1	{4	3	1		11			36	2	2	4		5
6		35x}		29		129					22	5		6
7				49						25	30	14		7
8				40					10	38	63	17		8
9	1		20	51		32			1	78	53			9
10	5		10	3		3					3	2		10
11	32	5				35			1		69			11
12	12	6				34		1	12		63			12
13	8	14		12		28			1	2	12			13
14		5		19	1	3			10	4	84	60		14
15		14		69	21	5			33	2	61	11		15
16		2	8	3		4			{✓ 44		174			16
17				1	87	46		8	x}		4			17
18		4		37		4	1		60	4		11		18
19		1		6	40	12	15		30	14	43			19
20		50		10	14	5	4				33			20
21		69	1	7		2	2		2	1				21
22		2	2					18	8		1			22
23		11	12		2			22		53		34		23
24	3	49			11			83	80	17		31		24
25	17	7		9		2		1	10			54		25
26		33				4		22				82		26
27		35						1	15	3	17	78		27
28		4			2			29	14		1	17		28
29								8	14	2	2	54		29
30	3	×		2	1			144		29	34	72		30
31		×		×		×		7	×	118	×	23		31
TOTAL	·82	3·71	1·19	3·60	1·86	4·15	·33	3·44	4·57	5·68	8·33	5·97	Year's Total: 43·65	
* Days with .01 in. or more.	9	20 ✓	10	18	10	21	5	12	23 ✓	20	24	20	192 ✓	
* Days with .04 in. or more.	5	17 ✓	6	13	6	16	3	9	18 ✓	14	19	18	144 ✓	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

COPY FOR ~~OFFICIAL~~ USE.

Station No. 1573

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Littlemayne

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	53	6		24		10	20				5	2		1
2	1			5			3	7			3			2
3				41			10	3	38		48			3
4	4		32				3		40		14	5		4
5	28		2		2			8	12			4		5
6	3		1			3	2	3	19		67			6
7	5		46				46				38	2		7
8	46		63				47				40	2		8
9	30		46				15		30		2			9
10	10	20					22		2		10			10
11	30	16				4	2		5		115			11
12				12		35	57		6		20	1		12
13	5					5	4			3	23	57		13
14		7				10	49		1			74		14
15	1	3					1		5		14	29		15
16	2	27			32		18		1		19	22		16
17	4	100			3		13			6	4	41		17
18	15	13				3	30			2		17		18
19	51	7	6	13		27	3	2						19
20	19	19	16	10		10	8		120					20
21		33	11	35		3			1					21
22	25	35	63				22		1	3		2		22
23	5		4	18	8		12			6				23
24		4	5	3	15				3	32				24
25	{50}		35	25					4	32				25
26		23	21	5						20				26
27	28	50	17				20		2	19				27
28	80	10	74				36		1			21		28
29	1	3	3			5	2			16	3	4		29
30	20	✕				9				9				30
31	7	✕	62	✕	5	✕	11		✕	31	✕	69		31
TOTAL	5·23	3·76	5·07	1·91	·65	1·24	4·56	·23	2·91	1·79	4·25	3·52	Year's Total 35·12	✓
* Days with .01 in. or more.	25	17	16	11	6	12	25	5	18	12	16	16	181	✓
* Days with .04 in. or more.	20	15	15	10	4	9	18	2	10	9	13	11	136	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. R. Sykes [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1573

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Littlemayne

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 200 ft.

File number: 694832/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	19	9		30					2		8	73		1
2	3	78	2	10					12			33		2
3	4	31	6	5	4									3
4	11	65						3				24		4
5	18		2				21							5
6	10	49	22	20	11		32			7				6
7		95	2	1							·1	18		7
8		1			56		3				13	5		8
9			{82}	11	15		17		67			5		9
10	15			11	3	30						29		10
11	3		29	7	37		54					32		11
12	55	20	5	10	8	25	7	50	22			3		12
13	12	5	76	14				48	45					13
14	4	2	19					5	12			7		14
15	28	25	11	54			258		10			13		15
16	5	6	42	7			18	33	91		3			16
17	53	6	66				4		16		35			17
18	11	8	2						2		16	25		18
19	17	5	4	35	3						3	14		19
20	29	11	12	24								49		20
21	26	45	13	4	22		4		1		83	17		21
22	22		6		30	2	44		13	50	65	11		22
23	19	25			10		2			30	6	2		23
24	25	71					1		3	68		10		24
25	44	37	36		60				10	30		5		25
26		27	2		44					12		4		26
27	3	15		3						57				27
28	26	16								24	1			28
29		×				1				80	6			29
30	48	×				4				13	36			30
31	16	×		×		×			×	22	×			31
TOTAL	5·26	6·52	4·39	2·46	3·03	·62	4·65	1·39	3·06	3·93	2·76	3·79	Year's Total 41·86	✓
* Days with .01 in. or more.	26	23	21	16	13	5	13	5	14	11	13	20	180	✓
* Days with .04 in. or more.	23	21	16	14	11	3	10	4	10	11	10	18	151	✓

† Spare column, no entries required.

(*Signed*) E. R. Sykes [P.T.O.

* See Instruction 3 (f) on other side.

[redacted]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1573

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Littlemayne, nr Dorchester

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 200 ft.

File No: 694 832/26

Annual Total corr. for arithmetic. UK

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		5				10	2		1	53		11		1
2										24	1	8		2
3					10					69	31			3
4							9	81		20		21		4
5							17			38	1			5
6	18						22		6	9	6	6		6
7	16					2	36	{4} 4	8	5	1	12		7
8	24					11	3			28				8
9	15	17				1				3		55		9
10	10	1				1	3					50		10
11	15						1				28	30		11
12	50				20					53	2	1		12
13	31									16	25	37		13
14	45				5		49							14
15	22				6		24			48	1	37		15
16	32		4							10	10	7		16
17	23	12	3					11	33	18	5			17
18					3	6			37		43			18
19						1		13	25		55			19
20									1		69			20
21	6								8		19	12		21
22	5			9				50			55	4		22
23	1			1						13	2			23
24			33					6	16		25			24
25	15	18	1		23		19	1			96	5		25
26	36	35			24	2				3		22		26
27	22	12			10	30	53	24		9	52			27
28	11				3	6		52	12		5	3		28
29					27				35	33	36	3		29
30	7	✕			10	1	7		39		9	2		30
31	22	✕		✕	25	✕			✕	48	✕	30		31
TOTAL	4·26	1·00	·41	·10	1·66	·71	2·45	2·42	2·21	5·00	5·77	3·56	Year's Total 5 29·85	✓
* Days with .01 in. or more.	21	7	4	2	12	11	13	9	12	19	23	20	153	✓
* Days with .04 in. or more.	20	6	2	1	10	5	9	8	10	17	17	15	120	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E R Sykes

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1573

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Littlemayne, Dorchester

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2		2	2	9		2	1	5		1	12		1
2			2	40				45	74		11	9		2
3	76		40	50			1	12			8	23		3
4	1		4	16	50		37	19	8	56	5	8		4
5		2	9	17	11		41	12		29	79	1		5
6	55						70	9		7	23			6
7		80	10				2				40	116		7
8	6	18	4				5	2		93	37	20		8
9	4		3					20		31	9	30		9
10	30		15					29	9	47	6	6		10
11		4				1				39	1	1		11
12		6		2		3				7	1			12
13				12		2	33		2	170	2	32		13
14	51			1		120	10			23	55	21		14
15	27		2		9	1	20			12	52	2		15
16	21			12	3		16			4	17			16
17	25	18			20	2	48			11	5			17
18	2		1		5	8	37				62			18
19	51	1					2	2				2		19
20	52					20	32	22				6		20
21	1	40	6			11	18					3		21
22	45	33	12			35	27				78			22
23				22		2	11				180			23
24	60	15		5		35	12			1				24
25	62	2		14			10	12		6	46			25
26	11	28						3		11	33	2		26
27		26	1				4			4	15			27
28		8	2			8	53				53	19		28
29				2		2	27			15	3			29
30		✕		38		7		8		42	5			30
31		✕		✕		✕		9	✕	81	✕			31
TOTAL	5·82	2·81	1·13	2·33	1·07	2·57	5·18	2·05	·98	6·89	8·27	3·13	Year's Total 42·23	
* Days with .01 in. or more.	19	14	15	14	7	15	23	15	5	20	26	18	191	
* Days with .04 in. or more.	15	11	8	10	6	8	19	11	4	19	21	12	144	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1573

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

File no 694832/26

Kept at Littlemayne, nr Dorchester
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					5						16			1
2		35		28							48	3		2
3	3	67								18	108	29		3
4		4					11			44	19	3		4
5		2					1			3	82	27		5
6	60	58					1			33	8	12		6
7	9	2								10				7
8										52	18	43		8
9							12		2	20	53	19		9
10							105			8	10	8		10
11		1		1							123	4		11
12			13				34		54		4			12
13			72				13		3	25	116	2		13
14			12	4	9		8		34	71	3	72		14
15		1		1	110	2	21		21	25	55			15
16		79	45	6		3	4		5	146	91	4		16
17		9	67								65			17
18	10	38	31	36			2		1	10	2	8		18
19		5	7	15			4		75		40			19
20										55	2			20
21		1			35				13	2	53			21
22		1	9	1		30			32	1				22
23		1	20	10							6	1		23
24				7			24				1			24
25	8		24			1								25
26	126	64			12		10				1			26
27	41	27			56		1	1				1		27
28	49	15			3					4		[illegible]		28
29	25	39	24	63		3				5		35		29
30	9	✕	2	9						48		14		30
31	10	✕		✕		✕			✕	62	✕	50		31
TOTAL	3·50	4·49	3·26	1·81	2·30	·39	2·51	·01	2·37	6·42	9·24	3·35	Year's Total 39·65	✓
* Days with .01 in. or more.	11	19	12	11	7	5	15	1	10	20	23	18	152	✓
* Days with .04 in. or more.	10	12	11	8	6	1	11	0	7	17	18	13	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. R.

[P.T.O.

X BURTON BRADS

1574/8
BURTON BRADSTOCK
WHITE HOUSE
1937 —— 40
780304

Section **A** for the entry
AIR MINIST
INFALL ORGANIZATION

Station No. 1574/8

FORM 1090

REG 1937

Kept at BURTON - BR

in the County of DORS

Diameter of Funnel of Gauge.....

Height of top of Gauge above G

,, Ground ,, S

THE MORNING MEASU VIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·1	·04	–	·17	–	–	–	–	·6	·01	·1	·9		1
2	·01	·38	·03	·26	–	–	–	–	·11	–	–	–		2
3	·03	·16	·1	·045	–	–	·02	–	–	–	–	–		3
4	·1	·435	–	–	–	–	–	–	–	–	–	·2		4
5	·13	–	·035	–	–	–	·3	–	–	–	–	–		5
6	·12	·37	·26	·19	·05	–	·175	–	–	·05	–	–		6
7	–	·33	·01	·03	·06	–	–	–	–	–	–	·19		7
8	–	–	–	–	·51	–	–	–	–	–	·14	·2		8
9	–	–	·055	·08	·08	–	·12	–	·6	–	–	–		9
10	·245	·025	·43	·1	–	·33	–	–	–	–	–	·11		10
11	·04	–	·235	·12	·47	–	·54	–	–	–	–	–		11
12	·61	·21	–	·09	–	·28	·06	·43	·18	–	–	·21		12
13	·04	·05	–	·21	–	–	–	·39	·21	–	–	–		13
14	–	·04	·85	–	–	Trace	–	–	·2	–	–	–		14
15	·2	·205	·12	·41	–	–	1·34	–	·4	–	–	·19		15
16	·07	·07	·10	–	–	·02	–	·24	·99	–	–	–		16
17	·42	·115	·5	–	–	–	·08	–	·48	–	·32	–		17
18	·04	·06	·1	–	–	·03	–	–	–	–	·12	·3		18
19	·075	·07	·085	·17	·15	–	–	–	–	–	–	·05		19
20	·175	·06	trace	·22	·04	–	–	–	–	–	–	·58		20
21	·43	·46	·16	·04	·18	–	·06	–	·09	–	·495	·07		21
22	·15	·01	·14	–	·375	·11	·21	–	·05	1·16	·625	·04		22
23	·195	·175	–	–	·06	–	–	–	–	·14	·13	–		23
24	·21	·57	–	–	–	–	–	–	·04	·56	–	·02		24
25	·21	·38	·37	–	·57	–	–	–	·035	·175	–	·03		25
26	–	·25	–	–	·38	–	–	–	–	·085	–	·04		26
27	–	·23	–	·03	–	–	–	–	–	·33	–	–		27
28	·3	·015	–	–	–	–	–	–	–	·18	–	–		28
29	·07	–	–	–	–	–	–	–	–	·9	·13	–		29
30	·29	✕	–	–	–	–	–	–	–	·12	·255	–		30
31	·18	✕	–	✕	–	✕	–	–	✕	·24	✕	–		31
TOTAL	4·44	4·71	3·58	2·16	2·92	·77	2·9	1·06	3·98	3·95	2·31	3·13	Year's Total 35·91	
* Days with .01 in. or more.	25	24	17	15	12	5	10	3	13	12	9	15	160	
* Days with .04 in. or more.	23	21	14	13	12	3	9	3	12	11	9	13	143	

Print

✓ G.B.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

N

(*Signed*) J. M. Wratislaw . Major [P.T.O.

X MAJOR J. M. WRATISLAW X

X BURTON BRAD

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1574/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at BURTON - BRADSTOCK

in the County of DORSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 50 yards.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·1	·04	–	·17	–	–	–	–	·6	·01	·1	·9		1
2	·01	·38	·03	·26	–	–	–	–	·11	–	–	–		2
3	·03	·16	·1	·045	–	–	·02	–	–	–	–	–		3
4	·1	·435	–	–	–	–	–	–	–	–	–	·2		4
5	·13	–	·035	–	–	–	·3	–	–	–	–	–		5
6	·12	·37	·26	·19	·05	–	·175	–	–	·05	–	–		6
7	–	·33	·01	·03	·06	–	–	–	–	–	–	·19		7
8	–	–	–	–	·51	–	–	–	–	–	·14	·2		8
9	–	–	·055	·08	·08	–	·12	–	·6	–	–	–		9
10	·245	·025	·43	·1	–	·33	–	–	–	–	–	·11		10
11	·04	–	·235	·12	·47	–	·54	–	–	–	–	–		11
12	·61	·21	–	·09	–	·28	·06	·43	·18	–	–	·21		12
13	·04	·05	–	·21	–	–	–	·39	·21	–	–	–		13
14	–	·04	·85	–	–	Trace	–	–	·2	–	–	–		14
15	·2	·205	·12	·41	–	–	1·34	–	·4	–	–	·19		15
16	·07	·07	·10	–	–	·02	–	·24	·99	–	–	–		16
17	·42	·115	·5	–	–	–	·08	–	·48	–	·32	–		17
18	·04	·06	·1	–	–	·03	–	–	–	–	·12	·3		18
19	·075	·07	·085	·17	·15	–	–	–	–	–	–	·05		19
20	·175	·06	trace	·22	·04	–	–	–	–	–	–	·58		20
21	·43	·46	·16	·04	·18	–	·06	–	·09	–	·495	·07		21
22	·15	·01	·14	–	·375	·11	·21	–	·05	1·16	·625	·04		22
23	·195	·175	–	–	·06	–	–	–	–	·14	·13	–		23
24	·21	·57	–	–	–	–	–	–	·04	·56	–	·02		24
25	·21	·38	·37	–	·57	–	–	–	·035	·175	–	·03		25
26	–	·25	–	–	·38	–	–	–	–	·085	–	·04		26
27	–	·23	–	·03	–	–	–	–	–	·33	–	–		27
28	·3	·015	–	–	–	–	–	–	–	·18	–	–		28
29	·07	–	–	–	–	–	–	–	–	·9	·13	–		29
30	·29	×	–	–	–	–	–	–	–	·12	·255	–		30
31	·18	×	–	×	–	×	–	–	×	·24	×	–		31 Print
TOTAL	4·44	4·71	3·58	2·16	2·92	·77	2·9	1·06	3·98	3·95	2·31	3·13	Year's Total 35·91	✓ GB
* Days with .01 in. or more.	25	24	17	15	12	5	10	3	13	12	9	15	160	✓
* Days with .04 in. or more.	23	21	14	13	12	3	9	3	12	11	9	13	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N (Signed) J. M. Wratislaw. Major [P.T.O.

X MAJOR J. M. WRATISLAW X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1574/18

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Burton Bradstock

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. · in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·04	—	—	—	·1	—	—	—	·48	—	·03		1
2	—	—	—	—	·09	—	·03	—	—	·14	—	·12		2
3	—	—	—	—	Trace	—	·02	—	—	·475	—	Trace		3
4	—	—	Trace	—	—	·01	·09	·74	—	·24	} ·19	·08		4
5	—	—	—	—	—	·01	·14	—	—	—	·03	—		5
6	·06	—	—	—	—	·06	·32	—	·11	·07	·09	·03		6
7	·06	—	—	—	—	·06	·36	—	·02	·03	·03	·06		7
8	·16	·07	—	—	—	·07	·02	·04	—	·08	Trace	—		8
9	·17	·08	—	—	—	—	—	—	—	—	—	·71		9
10	·075	·02	—	—	—	—	·05	—	—	—	—	·375		10
11	·1	Trace	—	—	—	—	·03	·08	—	—	·34	·37		11
12	·3	—	—	—	·095	—	·03	—	—	·23	·03	—		12
13	·27	—	—	—	Trace	—	·02	—	—	—	·24	22		13
14	·46	—	—	—	·04	—	·66	—	—	—	Trace	Trace		14
15	·16	·02	—	—	·04	—	·35	·04	—	—	·02	·315		15
16	·13	·02	Trace	—	—	—	—	·01	—	·335	·12	·03		16
17	—	·15	·03	—	·04	—	—	—	·165	·14	—	—		17
18	·14	—	—	—	·14	·095	Trace	—	·265	·03	·28	—		18
19	Trace	—	—	—	—	—	—	·08	·22	—	·75	—		19
20	—	—	—	—	—	—	—	·03	·055	—	·245	—		20
21	·03	—	—	Trace	—	Trace	—	·11	·03	—	·37	Snow ·155		21
22	·02	—	—	·095	—	·05	—	·43	Trace	·02	·395	Snow ·095		22
23	·025	—	—	Trace	—	—	—	—	·03	—	·03	—		23
24	Trace	—	·2	—	—	—	Trace	·01	·04	·03	·415	—		24
25	·09	·22	·04	—	·29	—	·31	—	Trace	—	1·36	—		25
26	·26	·3	·03	—	·32	Trace	—	—	—	·03	·02	Snow+rain ·15		26
27	·07	Trace	—	—	·04	·125	·53	·33	—	·15	—	Trace		27
28	·08	·12	Trace	—	·085	Trace	Trace	·74	·08	—	Trace	·02		28
29	·06	—	Trace	—	·23	—	—	—	·49	·22	·28	·05		29
30	·09		—	—	·04	—	·03	—	·44	—	·125	·03		30
31	·14		—		—		—	—		·26		·18		31
TOTAL	2·95	1·04	·30	·095	1·45	·58	2·99	2·64	5 1·945	2·96	5·36	3·02	Year's Total 25·33 ✓	
* Days with .01 in. or more.	24	10	4	1	12	9	16	12	12	17	20	18	~~165~~	155 ✓
* Days with .04 in. or more.	19	7	2	1	12	7	9	9	9	12	14	13	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. H. Waterlaw Major

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1574/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at White House · Burton Bradstock

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·05	—	·035	—	—	·21	·215	—	·045	·04		1
2	—	—	—	·2	T	—	·1	·45	·63	—	·18	·11		2
3	·43	—	·08	·45	—	—	T	·1	—	—	·13	·3		3
4	·03	—	·34	·22	·28	—	·21	·065	—	·7	·06	·185		4
5	·375	·02	·045	—	T	—	·2	·03	—	·39	·85	—		5
6	·01	T	·08	·02	—	—	·37	·15	—	·02	·42	—		6
7	·01	·82	—	—	—	—	·03	·05	—	T	·395	·47		7
8	—	·125	·07	—	·05	—	·07	—	—	1·04	·23	—		8
9	·075	·02	·035	—	—	—	—	·045	—	·205	·09	·07		9
10	·19	—	—	—	—	·025	—	·245	·06	·27	T	—		10
11	·015	·03	·11	—	—	T	—	—	—	·63	·03	—		11
12	T	·035	—	—	—	—	—	—	—	·02	·025	·02		12
13	·545	—	—	·07	—	·06	·23	—	·17	1·21	·04	·04		13
14	—	—	—	·04	—	·07	·175	—	T	·21	·29	—		14
15	·29	T	—	T	—	1·07	·27	—	—	·12	·48	·06		15
16	·16	·02	T	·13	·14	—	·03	—	—	—	·04	—		16
17	·29	·04	—	—	·03	·07	·44	—	—	T	—	—		17
18	T	—	·03	—	—	—	·235	—	—	T	·8	—		18
19	·26	—	—	—	—	—	·03	·025	—	—	—	—		19
20	·345	T	—	—	—	—	·2	·435	—	—	—	—		20
21	·02	·17	·04	—	—	·17	·13	·035	—	—	—	—		21
22	·37	·15	·07	T	—	·29	·17	—	—	—	·7	—		22
23	—	T	·15	·17	—	—	·09	—	—	—	·99	—		23
24	·46	—	—	·03	—	·475	·44	—	—	—	—	—		24
25	·88	·1	·03	·025	—	—	—	·04	—	·135	—	—		25
26	·05	T	·045	·04	—	—	—	·03	—	·125	·21	·025		26
27	—	·275	—	T	—	—	—	·03	—	·065	·1	—		27
28	—	·04	—	·18	—	—	·36	—	—	—	·33	·22		28
29	—	—	·015	·09	—	·03	·16	—	—	·155	·02	—		29
30	—	✕	·025	·235	—	·165	—	·06	—	·155	·03	—		30
31	—	✕	—	✕	—	✕	—	·07	✕	·55	✕	—		31
TOTAL	4·83	1·845	1·215	1·90	·535	2·425	3·94	2·07	1·075	6·00	6·485	1·54	Year's Total 33·86	✓
* Days with .01 in. or more.	20	13	16	14	5	10	20	17	4	17	23	11	170	✓
* Days with .04 in. or more.	14	8	11	11	3	8	17	12	4	15	19	9	131	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) J. Whitelaw . Major

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1574/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at White House, Burton Bradstock

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 50 ft.

Jan 25th–31st est'd for snow
Snow enc sent 6.5.41

Rcfs

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	T	–	–	–	–	–	–	–	–	–	·09		1
2	–	·11	–	·18	–	–	~~T~~ ·03	–	–	~~·15~~	~~·77~~	–	–	2
3	·05	·6	–	–	–	–	T	–	–	·15	·77	–		3
4	·01	–	–	–	–	–	–	–	–		·19	·15		4
5	T	·04	–	–	–	–	–	–	–	·25	·44	·085		5
6	·24	·54	–	–	–	–	–	–	–	·15	·075	·15		6
7	·125	–	–	·02	–	–	·11	–	–	–	–	·035		7
8	–	–	–	–	–	–	–	–	T	·34	·165	·235		8
9	–	–	–	–	–	–	·3	–	·03	·095	·41	–		9
10	–	–	–	–	–	–	·68	–	T	·02	·115	·32		10
11	–	–	–	·03	–	–	·11	–	–	–	·74	–		11
12	–	–	·14	–	–	–	·18	–	·58	–	–	–		12
13	–	–	·68	–	–	–	–	T	·05	·255	1·48	·11		13
14	–	–	·085	–	·96	–	T	–	·155	·125	–	·38		14
15	–	·04	–	–	·23	–	·12	–	·21	–	·76	·02		15
16	–	·8	1·35	·17	–	–	·1	–	·04	·93	·61	·03		16
17	–	·12		–	–	–	·04	–	–	–	–	–		17
18	–	·18	·185	·36	–	–	–	–	–	–	·4	·03		18
19	–	·05	·09	·13	–	–	·265	–	·76	–	·16	–		19
20	–	·02	T	·015	–	–	–	–	–	·11	·02	–		20
21	–	T	·02	–	·14	–	–	–	·04	–	·35	–		21
22	–	T	·15	T	–	·32	–	–	·065	–	–	–		22
23	–	–	–	·17	–	–	T	–	–	–	–	–		23
24	–	–	·16	–	–	–	·25	–	–	–	–	–		24
25	–	–	·13	–	–	–	–	–	·06	–	–	–		25
26	–	·47	–	T	·14	–	–	–	–	T	–	–		26
27		·06	–	·04	·41	–	–	–	–	–	–	–		27
28	2·89 ~~1·59~~	–	–	–	–	–	–	–	–	–	–	T		28
29	–	–	·19	·37	·03	T	–	–	–	·09	–	·2		29
30	–	✕	T	T	–	–	–	–	–	·24	–	·3		30
31	–	✕	·04	✕	–	✕	–	–	✕	·41	✕	·26		31
TOTAL	3·315 ~~2·015~~	3·03	3·22	1·485	1·91	·32	2·185	–	1·98	3·155	6·685	2·395 ~~28·38~~	Year's Total ~~28·38~~	29·68
* Days with .01 in. or more.	~~5~~ 11	12	12	10	6	1	11	–	10	~~13~~ 15	15	18 ~~108~~ 13	108	121 d
* Days with .04 in. or more.	~~4~~ 10	11	11	7	5	1	10	–	9	~~12~~ 13	14	8 ~~7~~ ~~92~~ 13	92	104

† Spare column, no entries required.

(*Signed*) Jh. Whitelaw . Major

P.T.O.

* See Instruction 3 (f) on other side.

1575

Section **A** for the entry of

AIR MINISTR

FALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIS 931.

1575
DORCHESTER
KINGSCOTE
1931 —— 37

780304

Kept at Kingscote D

in the County of Dor

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.07	–	.39	–	–	–	.03	.22	–	–	–	1
2	.26	.03	–	.48	–	–	–	–	.54	.02	–	.18	2
3	.11	–	.65	–	–	–	.06	–	.27	–	.94	.04	3
4	–	–	.06	–	.06	.02	.50	–	.21	.10	.14	–	4
5	–	.38	–	.09	–	.46	.02	.13	–	.01	.51	.11	5
6	–	.12	–	.04	.15	.14	–	.01	.05	.30	.22	.34	6
7	–	–	–	–	.27	.20	–	.62	–	.05	.49	.10	7
8	.03	.32	–	.12	–	.40	.03	.03	–	–	.22	.21	8
9	–	.24	–	–	–	.08	.03	.01	–	–	.94	–	9
10	–	–	–	–	.02	.15	.04	.10	.69	–	.52	–	10
11	.22	.35	–	–	–	.09	.09	–	–	–	.23	–	11
12	–	.03	–	–	–	.02	.28	–	.04	.05	–	–	12
13	–	–	.02	–	–	–	.13	.14	.08	–	–	–	13
14	–	.07	.01	–	.07	.50	1.15	–	.02	–	.03	–	14
15	–	.08	–	.04	.24	–	–	.65	–	–	–	.03	15
16	–	.11	–	.05	.07	.50	–	.01	.08	–	–	–	16
17	.02	–	–	.15	–	.03	.52	–	.16	–	–	–	17
18	.04	–	.04	.10	–	.46	.05	1.35	–	–	.55	–	18
19	.10	–	–	.04	–	.04	.07	.02	–	–	.02	–	19
20	.01	.35	.26	.01	–	–	–	.22	–	–	.02	–	20
21	.20	–	.02	–	.20	}	–	–	Z	–	–	–	21
22	.39	.03	.11	.04	.01		–	–		–	.01	–	22
23	.30	.03	–	.10	.84	.02	–	–	–	–	.42	–	23
24	.08	–	–	.65	.20	.22	.59	.57	–	–	.01	–	24
25	.19	.01	–	.43	–	–	.12	–	–	–	.34	–	25
26	–	–	–	.20	–	–	.38	–	.04	–	.43	–	26
27	.33	.48	–	–	1.57	–	.14	–	–	–	.06	–	27
28	.03	.06	.04	.01	.08	–	–	–	–	–	–	.05	28
29	.04	–	.14	–	.02	–	.10	.08	–	.02	.09	–	29
30	.01	✕	.03	–	–	–	–	.10	.04	–	–	–	30
31	.58	✕	–	✕	.02	✕	–	–	✕	–	✕	.23	31
													YEAR'S TOTAL
TOTAL	2.94	2.88	1.38	2.94	3.82	3.33	3.30	4.03	2.46	.55	6.19	1.29	35.11
*Days with ·01 in. or more.	18	16	11	17	15	16	18	16	13	7	20	9	176
*Days with ·04 in. or more.	13	12	7	14	11	12	15	12	12	4	15	8	135

40-9999

Jany 10th 1932.

(Signed) E.A. Hooks

*See Instruction 2 (*f*) on other side.

P.T.O.

1575

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Kingscote Dorchester

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 226.4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.07	–	.39	–	–	–	.03	.22	–	–	–	1
2	.26	.03	–	.48	–	–	–	–	.54	.02	–	.18	2
3	.11	–	.65	–	–	–	.06	–	.27	–	.94	.04	3
4	–	–	.06	–	.06	.02	.50	–	.21	.10	.14	–	4
5	–	.38	–	.09	–	.46	.02	.13	–	.01	.51	.11	5
6	–	.12	–	.04	.15	.14	–	.01	.05	.30	.22	.34	6
7	–	–	–	–	.27	.20	–	.62	–	.05	.49	.10	7
8	.03	.32	–	.12	–	.40	.03	.03	–	–	.22	.21	8
9	–	.24	–	–	–	.08	.03	.01	–	–	.94	–	9
10	–	–	–	–	.02	.15	.04	.10	.69	–	.52	–	10
11	.22	.35	–	–	–	.09	.09	–	–	–	.23	–	11
12	–	.03	–	–	–	.02	.28	–	.04	.05	–	–	12
13	–	–	.02	–	–	–	.13	.14	.08	–	–	–	13
14	–	.07	.01	–	.07	.50	1.15	–	.02	–	.03	–	14
15	–	.08	–	.04	.24	–	–	.65	–	–	–	.03	15
16	–	.11	–	.05	.07	.50	–	.01	.08	–	–	–	16
17	.02	–	–	.15	–	.03	.52	–	.18	–	–	–	17
18	.04	–	.04	.10	–	.46	.05	1.35	–	–	.55	–	18
19	.10	–	–	.04	–	.04	.07	.02	–	–	.02	–	19
20	.01	.35	.26	.01	–	–	–	.22	–	–	.02	–	20
21	.20	–	.02	–	.20	}	–	–	Z	–	–	–	21
22	.39	.03	.11	.04	.01		–	–		–	.81	–	22
23	.30	.03	–	.10	.84	.02	–	–	–	–	.42	–	23
24	.08	–	–	.65	.20	.22	.59	.51	–	–	.01	–	24
25	.19	.01	–	.43	–	–	.12	–	–	–	.34	–	25
26	–	–	–	.20	–	–	.38	–	.04	–	.43	–	26
27	.33	.48	–	–	1.57	–	.14	–	–	–	.06	–	27
28	.03	.06	.04	.01	.08	–	–	–	–	–	–	.05	28
29	.04	–	.14	–	.02	–	.10	.08	–	.02	.09	–	29
30	.01	×	.03	–	–	–	–	.10	.04	–	–	–	30
31	.58	×	–	×	.02	×	–	–	×	–	×	.23	31
													YEAR'S TOTAL
TOTAL	2.94	2.88	1.38	2.94	3.82	3.33	3.30	4.03	2.46	.55	6.19	1.29	35.11
*Days with ·01 in. or more.	18	16	11	17	15	16	18	16	13	7	20	9	176
*Days with ·04 in. or more.	13	12	7	14	11	12	15	12	12	4	15	8	135

40-9999

*See Instruction 2 (*f*) on other side.

Jany 10th 1932.

(*Signed*) E.A. Hooks

P.T.O.

1575

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at "Kingsnate," Dorchester.

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 310 ft.

Nov 1" low

Nov corr for Au[illegible]

D1 ~~sent~~ 15/5/33

Observer agrees.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	—	·29	—	—	·11	—	—	·04	—	1
2	—	—	—	·11	·15	—	—	·03	·09	—	·02	·49	2
3	—	—	—	—	—	·73	—	—	·42	·09	—	—	3
4	·05	—	—	—	—	·38	—	·04	—	—	·14	—	4
5	·35	—	—	—	—	/	—	—	·34	—	—	—	5
6	·40	—	—	·39	—	/	/	—	·46	—	—	—	6
7	—	—	—	·20	—	/	/	/	·21	·55	—	—	7
8	—	—	—	·10	·21	/	/	/	·44	·65	—	—	8
9	·21	·04	·78	·25	·03	/	/	/	·23	·02	·09	—	9
10	·26	—	—	·42	·05	/	/	/	—	·15	·02	—	10
11	·04	—	—	—	·04	·10	·05	/	·03	·15	—	·08	11
12	·69	—	—	—	·29	—	—	/	·01	·12	—	·06	12
13	·06	—	—	·15	·04	—	·16	/	—	·69	—	·06	13
14	·06	—	—	·05	·09	—	—	/	—	—	·40	·02	14
15	·06	—	—	·03	·33	—	—	/	—	·05	·02	·04	15
16	·10	—	—	·12	—	—	—	/	—	—	—	—	16
17	·07	—	—	·03	—	—	—	/	·02	·07	—	—	17
18	·17	—	—	—	·28	—	—	/	—	—	·09	—	18
19	—	—	—	—	·44	—	—	/	·18	·81	—	—	19
20	—	—	—	—	·88	—	—	·18	—	1·13	·31	·04	20
21	·05	—	·14	—	—	—	—	·11	·02	·42	—	—	21
22	—	—	·05	·11	·09	—	—	·22	·94	·27	·50	·09	22
23	—	—	—	·06	·11	—	·40	—	·04	·67	·14	—	23
24	—	—	—	—	07	—	·61	/	·16	·22	—	—	24
25	—	—	·09	—	—	—	·11	/	—	·36	·03	—	25
26	—	—	·26	·07	—	—	·03	/	—	·15	—	L	26
27	—	—	·28	1·00	·24	—	·10	/	—	·51	—	·13	27
28	—	—	·06	·21	[illegible]	—	·27	/	—	—	—	·06	28
29	—	—	·51	·06	·43	·59	·02	·46	·55	·42	·22	·15	29
30	—	×	·10	—	—	1·31	·07	—	·43	·12	·58	·19	d 30
31	—	×	·20	×	·02	×	—	—	×	·02	×	·46	36·52 31
TOTAL	3·80	·04	2·47	3·36	4·08	3·11	1·82	1·15	4·57	7·65	~~1·85~~ 2·60	1·87	YEAR'S TOTAL ~~35·97~~
*Days with ·01 in. or more.	~~15~~	~~1~~	~~10~~	~~17~~	~~19~~	~~5~~	~~10~~	~~7~~	~~17~~	~~22~~	~~14~~	~~13~~	~~150~~
*Days with ·04 in. or more.	14	1	10	15	17	5	8	6	13	20	10	12	131

40-9999

(*Signed*) Mrs Ffooks

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1575~~ 1575

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kingscote, Dorchester

in the County of Dorset

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level .... ft.

g. kept by new gardener who "seems to understand it all right" (quoted from letter)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·83	·9	-	-	·07	-	-	-	-	·06	·24	1
2	·54	-	·86	-	·21	-	-	-	-	-	-	-	2
3	·05	·21}	·26	-	·03	-	-	-	-	-	-	-	3
4	·20		-	-	·23	-	-	-	-	-	-	-	4
5	·09	·01	·43	-	·05	-	-	-	-	-	-	·01	5
6	-	·37	·01	-	·25	-	·04	-	-	·21	·02	-	6
7	·06}	·04	-	-	·09	-	·01	-	-	·30	·01	-	7
8		·01	·03	-	·06	-	·66	-	-	·01	-	-	8
9	-	·02	-	-	·22	-	·64	·02	-	·05	·01	-	9
10	-	·19	-	-	-	-	·18	-	-	·32	·04	-	10
11	·12	-	-	-	-	·02	·05	·02	-	·02	-	-	11
12	-	-	-	·09	·03	-	·13	-	·85	-	-	-	12
13	·02	-	-	-	·05	-	·37	·11	-	·22	·05	-	13
14	·02	-	-	-	-	-	·15	-	-	·19	·50	·03	14
15	·71	-	·34	-	-	·41	·10	·16	·01	·16	·02	-	15
16	-	-	·81	-	-	·02	·01	-	·05	·12	-	-	16
17	-	·07	·32	-	-	-	-	·12	·17	-	-	-	17
18	·12	-	·14	-	-	·01	-	-	-	-	-	-	18
19	·03	-	·13	-	-	-	-	·05	·51	-	·18	·03	19
20	-	·05	-	·03	-	·02	-	-	·11	-	·02	·02	20
21	-	-	-	-	·15	-	-	·11	·01	·05	·01	-	21
22	-	-	-	·01	-	·04	-	·26	·26	-	-	-	22
23	-	·27	-	·80	-	·13	-	-	·13	·21	-	-	23
24	-	1·73	-	·55	-	·02	-	-	·10	·05	-	-	24
25	-	·57	-	·37	-	·03	-	-	·33	-	-	·26	25
26	-	·34	-	·25	·10	-	-	-	·16	·01	-	·01	26
27	-	-	-	-	·71	-	·08	-	·02	·24	-	·61	27
28	-	-	-	·43	-	-	·57	-	-	·05	-	·03	28
29	·10	-	-	-	-	-	-	-	-	-	-	·03	29
30	-	×	-	-	-	-	·07	-	·21	-	-	·05	30
31	·22	×	·18	×	-	×	-	-	×	-	×	-	31
TOTAL	2·56	4·71	3·60	2·53	2·18	·56	3·06	·85	2·92	2·21	·92	1·32	YEAR'S TOTAL 27·42
*Days with ·01 in. or more.	15	14	12	8	13	10	14	8	14	16	11	11	146
*Days with .04 in. or more.	11	11	10	6	11	3	12	6	11	13	5	4	103

40-9999

*See Instruction 2 (*f*) on other side, D

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1575

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kingscote, Queens Avenue,

in the County of Dorset,

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level — ft.

Est days

Feb 1st. No rain appears to have fallen in this area on this day.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	Gauge overturned	-	-	-	-	-	·73	-	-	·05	1·47		1
2	·34	-	·15	-	-	-	-	-	1·51	·05	-	·49		2
3	·16	·01	-	-	-	-	-	-	·01	·63	-	·48		3
4	·13	-	·35	·04	·25	-	-	-	-	·03	-	·32		4
5	-	-	·04	-	·24}	-	-	1·02	-	·02	-	·60		5
6	·09	-	·34	·09		-	-	·01	-	·70	·16	·65		6
7	·05	-	-	-	-	-	-	·12	-	·18	-	-		7
8	-	-	-	-	·27	-	-	·01	·05	-	-	-		8
9	·03	-	·20	-	-	-	-	-	-	·01	·86	-		9
10	·20	-	·28	·32	-	-	-	·01	-	·01	·37	-		10
11	·43	-	·41	·28	-	-	-	·04	-	-	·10	-		11
12	·06	·01	·10}	-	-	-	-	·25	-	-	-	·51		12
13	·36	-		·20	-	-	-	-	-	-	-	·73		13
14	·24	-	·36	·03	-	-	-	-	-	-	·31	·36		14
15	·03	-	·03	-	·16	-	-	-	-	-	·10	·44		15
16	·28	-	·35	-	-	-	-	-	-	-	·14	·22		16
17	·14	-	~~·20~~	·21	-	-	-	-	·07	-	-	·40		17
18	·09	-	·28	·12	-	-	·10	-	·07	-	-	·48		18
19	-	-	·15	·05	-	·04	·01	·05	·26}	-	-	·13		19
20	-	-	·10	·23	-	-	-	-		-	-	-		20
21	-	-	·03	·04	-	·25	-	·04	·02	·27	-	·17		21
22	-	-	·06	-	-	-	-	·38	·43	-	-	·54		22
23	-	·09}	·02	·39	-	·32	-	-	·12	·10	-	·05		23
24	-		·06	-	-	·02	·08	·08	·19	·02	-	·08		24
25	·38	-	-	·21	-	-	-	-	-	·15	-	·15		25
26	·01}	-	-	·10	-	·28	-	-	·16	-	-	·45		26
27		-	-	-	-	·05	-	-	-	-	-	·64		27
28	-	-	-	-	-	·16	-	·67	·03	-	-	·67		28
29	-	-	-	-	-	-	-	·21	·49	·01	-	·03		29
30	-	×	-	-	-	-	·01	-	·35	-	-	·42		30
31	·01	×	-	×	-	×	-	·05	×	-	×	·01		31
TOTAL	3·10	·11	3·31	2·31	·92	1·12	·20	3·67	3·76	2·18	2·09	10·49	Year's Total. 33·26	
* Days with .01 in. or more.	19	~~3~~ 4	18	14	4	7	4	15	~~14~~ 15	13	8	25	~~144~~	146
* Days with .04 in. or more.	15	1	15	13	4	6	2	12	~~11~~ 12	7	8	23	~~117~~	148.

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1575.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

July
Sept–Nov.
adjusted
[illegible]
[illegible] 7/36
letter

Kept at Kingscote, Dorchester
in the County of Dorset
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground - ft. 9 in.
" Ground " Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·55	-	-	·32	-	-	·33	-	·16	·14		1
2	-	-	-	-	-	·02	-	-	·03	·57	x	·04		2
3	-	-	·05	-	·05	·18	-	-	·09	1·38	·31 x	·04		3
4	-	x ·59	-	·13	-	·07	-	-	·15	·13	·12	-		4
5	-	x	·05	·02	-	·24	-	-	·35	·04	·01	·05		5
6	·02	-	-	·34	-	1·47	-	-	-	-	·17	·08		6
7	-	·	-	·47	-	·02	-	-	-	·14	·25	·01		7
8	-	·	-	·39	-	-	-	-	·11	·22	·65	·21		8
9	·02	-	-	·72	-	·18	-	-	-	·86	·89	-		9
10	·04	-	-	·02	-	-	-	-	-	-	-	·02		10
11	·30	·04	-	-	-	·48	-	-	·03	-	·72	-		11
12	·01	·06	-	-	-	·33	-	-	·17	-	·78	-		12
13	·19	·13	-	·40	·02	·28	-	-	·03	-	·15	-		13
14	-	·01	-	·25	·01	·04	-	-	x	·05	·74	·62		14
15	-	·04	-	x ·90	·15	-	-	-	·35 x	·02	·67	-		15
16	-	·01	·09	x	-	·05	-	-	- x	-	x (1·19)	-		16
17	-	-	-	·03	1·02	·34	-	-	- x	-	x	-		17
18	-	-	-	·54	-	·14	-	-	- x	-	-	·13		18
19	-	·04	-	·09	-	·13	-	-	- x	-	·49	-		19
20	-	·38	-	·14	·12	·03	-	-	- x	-	·39	-		20
21	-	·57	-	-	-	·01	-	-	- x	·02	-	-		21
22	-	·04	·05	-	-	-	-	·24	-	-	-	-		22
23	-	·04	·15	·03	·02	-	-	·17	·05	·60	-	·34		23
24	·05	·54	-	-	·14	-	-	·81	·24	·25	-	·30		24
25	·17	·13	-	·06	-	·01	-	-	-	-	-	·61		25
26	-	·39	-	-	-	·03	-	·33	- x	·01	-	·94		26
27	-	·38	-	-	-	-	-	·07	- x	·04	·24	·82		27
28	-	·04	-	·18	-	-	-	·30	- x	·01	·05	·10		28
29	-	-	-	-	-	-	-	·18	- x	·03	·60	·52		29
30	·03	✕	-	-	-	-	-	1·43	- ✓	·31	·35	·82		30
31	-	✕	-	✕	-	✕	-	·05	✕	1·12	✕	·32		31
TOTAL	·83	3·43	·94	4·41	1·53	4·37	(·40) -	3·58	(3·93) ~~1·93~~	5·80	(8·93) ~~7·93~~	6·11	Year's Total ~~4419~~ (4459)	
* Days with .01 in. or more.	9	17	6	18	8	20	(4)	9	(24) ~~13~~	18	22	19	~~159~~ (174)	
* Days with .04 in. or more.	5	15	6	14	5	14	(2)	9	(19) ~~9~~	13	19	17	~~126~~ (138)	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Maud Hooks [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1575

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Kingscote, Dorchester
in the County of Dorset
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground – ft. 9 in.
,, Ground ,, Sea Level 200 ft.

Circ D sent re Oct 31 & Dec 13. 4/2/37 KJ
Observer agrees 6.2.37 KJ

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·76	·02	–	·35	–	·37	·20	–	–	–	·06	·05		1
2	–	–	–	·06	–	·10	·06	·07	·02	–	·04	–		2
3	–	–	–	·42	·	~~·0~~ –	·15	·02	·32	–	·46	–		3
4	·04	–	·38	–	·	·03	·05	–	·44	–	·02	·08		4
5	·27	–	·03	–	–	–	–	·07	x	–	–	–		5
6	·15	–	·03	–	·03	·01	·07	·02	·35 x	–	·82	–		6
7	·09	–	·71	–	–	–	·41	–		–	x	·09		7
8	·52	–	·89	–	–	–	·35	–		–	·72 x	–		8
9	·28	–	·52	–	–	–	·20	–	·31	–	·08	–		9
10	·56	·30	–	–	–	–	·17	–	·03	–	x	–		10
11	·31	–	–	·11	–	·09	·08	–	·07	–	1·22 x	–		11
12	·01	–	–	–	–	·62	·77	–	·05	–	·09			12
13	·05	–	–	–	–	·12	·11	–	–	–	–	Gauge blown over (·60)		13
14	–	·09	–	–	–	–	·45	–	·03	·05	·22	·78		14
15	·01	·08	–	–	–	–	·67	–	·15	–	·15	·30		15
16	·02	·31	–	–	·32	–	·21	–	·12	–	·22	·24		16
17	·01	1·02	–	·05	–	–	–	–	·01	·01	·07	·52		17
18	·17	·18	–	–	–	·06	x	–	–	–	–	·21		18
19	·60	·08	·05	·16	–	·31	·62 x	–	–	·04	–	–		19
20	·04	·25	·13	·26	–	x	·12	–	·66	–	–	·02		20
21	·02	·31	·18	·38	–	·12 x	·09	–	–	–	–	–		21
22	·24	x ·37	·77	–	–	–	·30	–	–	·06	–	·03		22
23	·04	–	–	·16	·10	–	·05	–	–	·06	–	–		23
24	·23	·05	·08	·01	·12	–	–	–	·05	·38	–	–		24
25	·08	–	·39	·24	–	–	–	·05	–	·42	–	–		25
26	·30	·18	·20	·05	–	–	–	–	·08	·20	–	–		26
27	·46	·68	·18	–	–	–	·25	–	–	·17	–	–		27
28	·98	·07	·77	–	–	–	·58	–	–	–	–	·31		28
29	·03	·05	·07	–	–	·05	–	–	·08	·12	·05	·03		29
30	·28	X	·01	–	·02	·08	·05	–	–	·13	–	–		30
31	·10	X	·60	X	·13	X	·15	–	X	Gauge blown over (·40)	X	·73	Year's Total	31
TOTAL	6·65	4·04	5·99	2·25	·72	1·96	5·56	·23	2·77	~~1·64~~ (2·04)	4·02	9 (3·~~3~~9)	~~39·22~~	40·22 ✓
* Days with .01 in. or more.	28	17	18	12	6	13	25	5	17	~~11~~ 12	16	~~13~~ 14	~~181~~ 183	✓
* Days with .04 in. or more.	22	15	15	11	4	10	24	3	12	~~10~~ 11	13	~~10~~ 11	~~149~~ 151	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Ward Hooke

[P.T.O.

9

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1575

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Kingscote

in the County of Dorset

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 200 ft.

a/c ✓ adjusted by surr. stns KJ

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22	.05	.02	.22	—	—	—	—	.05	.03	.01	1.41		1
2	.08	.85	—	.21	—	—	—	—	.11	—	—	.39		2
3	—	.36	.07	.07	.03	—	—	—	—	—	—	—		3
4	.21	.67	—	—	—	—	—	.03	—	—	—	.3		4
5	.15	—	.03	.02	—	—	.27	—	—	—	—	—		5
6	.14	1.45	.29	.25	.03	—	.33	—	—	.09	—	—		6
7	—		.03	—	—	—	—	—	—	—	—	—		7
8	—	.01	—	—	.80	—	.02	—	—	—	.37	.25		8
9	—	—	.30	.07		.01	—	—	.63	—	.37	.1		9
10	.15	.01	.79	.22	.31	.43	.02	—	—	—	—	.38		10
11	.13	—	.50		.42	—	.56	—	—	—	—	—		11
12	.61	—	.15	.05	.07	.28	.07	.60	.20	—	—	.27		12
13	.20	.20	1.05	.21	—	—	—	.42	.40	—	—	.05		13
14	.04	.05		.01	—	—	—	—	.17	—	—	.05		14
15	—	.33	.08	.60	—	—	2.82	.28	—	—	—	.12		15
16	—	.08	.72	.12	—	.01	—	—	1.12	—	.04	—		16
17	—	.07	.62	—	—	—	—	—	.06	—	.4	—		17
18	.12	.09	.03	—	—	—	—	—	—	—	.18	—		18
19	.17	.05	.04	.40	.12	—	—	—	—	—	—	.28		19
20	.25	.58	.22	.32	.03	—	—	—	—	—	—	.11		20
21	.26				.27	—	—	—	.04	—	.88	.18		21
22	.22	.01	.08	—	.42	.03	—	—	—	.94	.67	.25		22
23	.63	.27	.01	—	.10	—	—	—	—	.33	.06	.18		23
24		.81	—	—	—	—	—	—	.04		—	.03		24
25	.20	.41	.31	—	.74	—	—	—	.08	.08	—	.08		25
26	—	.33	.02	—	.56	—	—	—	—	—	—	.04		26
27	—	.35	—	—	—	—	—	—	—	.59	—	.04		27
28	.40		—	—	—	—	—	—	—	.29	—	—		28
29	.07	✕	—	—	—	.02	—	—	—	.95	.09	—		29
30	.59	✕	—	—	—	.06	—	—	—	.22	.4	—		30
31	.22	✕	—	✕	—	✕	—	—	✕	.31	✕	—		31
TOTAL	5.06	7.03	4.36	2.77	3.90	.84	4.09	1.33	2.90	4.83	2.75	4.15	Year's Total 44.01	✓
* Days with .01 in. or more.	22 ~~21~~	23 ~~21~~	22 ~~20~~	16 ~~14~~	14 ~~13~~	7	7	4	11	11 ~~10~~	11	19	~~158~~	167 ✓
* Days with .04 in. or more.	22 ~~21~~	20 ~~14~~	16 ~~14~~	13 ~~12~~	11 ~~10~~	3	5	3	11	10 ~~9~~	10	16	~~128~~	140 ✓

Please return to:— W. A. STIBY,

BEAMINSTER, DORSET.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. Maud Foote [P.T.O.

1575/3

FORM 1090. **B** Mont
Sum

1573/3

DORCHESTER
QUEENS AVE.
1938. 39 780304

*** The following register of monthly
&c., is NOT required if daily or
values are given on the other s

...ion and also the space for

...his register should be sent :—

....

...hester..........................

RAINFALL IN 193...

A (Queen's Avenue) Dor

In the County of ......Dorse

.......in Summer.................

Direction from
...nce.................gauge............

Rain Gauge
Diameter of Funnel.........................in.
Height of Top above Ground.........*ft*.............*in.*
Height of Ground above Sea Level..................*ft.*

Nearest Parish Church at................................ Distance..................Direction from gauge............

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
	Inches	Inches	Date	·01 in. or more *	·04 in. or more *
JAN.	4·41				
FEB.	1·05				
MAR.	·45				
APRIL	·11				
MAY	1·73				
JUNE	·76				
JULY	2·03				
AUG.	3·77				
SEPT.	2·20				
OCT.	5·13				
NOV.	6·51				
DEC.	3·98				
TOTAL	32·13				

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature ....

Copied from Proceedings of the Dorset Natural History Society

18 JULY 1940

* See Instruction 3 *(f)* below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

1575/3

FORM 1090.

B Mont Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

A (Queen's Avenue) Dorchester

In the County of Dorset

Rain Gauge
Diameter of Funnel........................in.
Height of Top above Ground.........ft............in.
Height of Ground above Sea Level..................ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·41				
FEB.	1·05				
MAR.	·45				
APRIL	·11				
MAY	1·73				
JUNE	·76				
JULY	2·03				
AUG.	3·77				
SEPT.	2·20				
OCT.	5·13				
NOV.	6·51				
DEC.	3·98				
TOTAL	32·13				

Signature ....

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Miss M. H. G. Bond

1 Queens Avenue Dorchester

Hour of observation by the clock—in Winter..................in Summer..................

Nearest Railway Station.............................. Distance.................Direction from gauge............

Nearest Parish Church at.............................. Distance.................Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction...........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from Proceedings of the Dorset Natural History Society

18 JULY 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005 ; *this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this* ·005 *mark or between this* ·005 *and the* ·01 *mark are to be entered as* ·01 *even though they may be nearer to the* ·005 *mark than the* ·01 *mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations f502 84 2/36 Station No. 1575/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at No. 1. Queen's Avenue, Dorchester
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·09	·02	·08	—	—	·03	·10	—	·02	·09		1
2	—	—	·01	·42	—	—	—	·41	·66	—	·20	·10		2
3	·70	—	·02	·50	—	—	THUNDER —	THUNDER 11	·66	—	·08	·34		3
4	·03	—	·46	·19	·54	—	·14	43	·02	·68	THUNDER HAIL ·07	·11		4
5	—	—	·04	·17	·08	—	·39	·05	·[illegible]	·42	·80	·02		5
6	·53	—	·09	—	—	—	GALE ·96	·12	—	·01	·51	SHARP FROST —		6
7	·01	·73	—	—	—	—	·03	·01	—	—	·43	1·16		7
8	·04	·19	·14	—	—	—	·03	·03	—	·86	·20	·21		8
9	·07	·01	·05	—	—	—	—	·25	—	·36	·04	·26		9
10	·29	—	·04	—	—	·02	—	·40	·07	·34	·01	·08		10
11	SHARP FROSTS —	·03	·17	—	—	—	—	—	—	·62	·02	·02		11
12	—	·04	—	·02	—	·02	—	—	—	·05	·06	—		12
13	—	—	—	·12	—	·04	·42	-	·04	1·88	·03	·24		13
14	·76	—	·02	·04	·17	·03	·18	-	·09	·19	·61	·17		14
15	·25	·02	—	—	—	1·70	·30	-	·01	·12	·44	·03		15
16	·20	—	—	·11	—	·01	·22	AWAY FROM HOME x 8.0	—	·05	·24	—		16
17		·15	—	—	—	—	·34		—	·20	·08	—		17
18		·01	—	—	—	·18	·49		—	—	·57	·02		18
19	1·33	—	—	—	—	—	·02		—	—	—	·08		19
20		—	—	—	—	·16	THUNDER ·23		—	—	—	·03		20
21	·02	·40	·05	—	—	·12	15		—	—	—	—		21
22	·46	·25	·13	—	—	·43	·25	THUNDER	—	—	·86	—		22
23	—	·	—	·21	—	·03	·15		—	—	2·04	—		23
24	SNOW ·70	—	—	·06	—	·37	·18		—	·01	—	—		24
25	·68	·14	·01	—	—	—	·09		—	·08	GALE ·34	—		25
26	—	·06	—	·03	—	—	—		—	·21	·31	—		26
27	—	·32	·03	—	—	—	THUNDER ·08	—	—	·07	·10	—		27
28	—	·21	·03	—	—	·07	·38	—	—	—	·47	·22		28
29	—	X	—	·03	—	—	·32	—	—	·16	·03	—		29
30	—	✕	·02	·36	—	·05	—	·03	—	·34	·02	—		30
31	—	✕	—	✕	—	✕	—	·12	✕	·88	✕	—		31
TOTAL	6·09	2·56	1·40	2·28	·87	3·23	5·35	2·79	·99	7·53	8·58	3·18	Year's Total 44·85.	n.p.
* Days with .01 in. or more.	16 9	14	17	14	8 4	14	21	16	7	20	26	17	193	late
* Days with .04 in. or more.	12 5	10	10	10	5 4	9	18	5 11	5	18	20	12	143	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Margaret H. S. Bond. [P.T.O.

1576

1576

DORCHESTER W.W.

1931 — 40

780304

Section **A** for the entry of Da

AIR MINISTRY.—

FORM 1090.

REGISTE

COPY FOR OFFICIAL USE.

L ORGANIZATION.

Kept at Dorchester Wa

in the County of Dorset

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

" Ground " Sea Level

...ed by surrounding stations. Obsr. concurs f 660264/36.

THE MORNING MEASUREM ... PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·09	—	·36	—	—	—	—	·17	·01	—	·18	1
2	·25	·03	—	·51	—	·01	—	—	·62	·02	—	—	2
3	·11	—	—	—	—	—	—	·02	·30	—	1·05	·09	3
4	·02	—	·65	—	·05	—	·03	·03	·21	·09	·22	—	4
5	—	·35	·07	—	—	·47	·54	·39	—	·01	·39	·10	5
6	—	·13	—	·15	·14	·15	·02	—	·03	·32	·24	·33	6
7	—	—	—	—	·23	·22	—	·84	—	·03	·38	·09	7
8	—	·29	—	·13	—	·40	·06	·04	—	·01	·18	·20	8
9	·04	·26	—	—	·02	·08	·01	—	—	·01	·67	—	9
10	—	—	—	—	·02	·17	·03	·07	·62	—	·49	—	10
11	·19	·37	—	—	·01	·09	·03	—	·04	—	·25	—	11
12	·01	·02	—	—	—	—	·08	—	·11	·05	—	—	12
13	—	·01	·02	—	·01	—	·28	·19	—	—	—	—	13
14	—	·06	—	—	·04	·49	·08	·01	·02	—	·04	—	14
15	—	·07	—	·03	·24	—	1·14	·49	—	—	—	·02	15
16	·01	·08	—	·05	·07	·58	—	—	·06	—	—	—	16
17	—	·14	—	·15	—	·03	·58	—	·17	—	—	—	17
18	·04	—	·04	·08	—	·30	·05	1·32	—	—	·55	—	18
19	·09	—	·01	·04	—	·14	·05	·03	·03	—	·03	—	19
20	—	·28	·26	—	—	—	—	·26	—	—	·02	—	20
21	·20	—	·01	—	·18	—	—	—	—	—	—	—	21
22	·38	~~·4~~ ·04	·10	·03	—	—	—	—	—	—	·01	—	22
23	·34	~~·35~~ ·03	—	·11	—	·02	—	—	—	—	—	—	23
24	·07	—	—	·63	·86	·28	·64	·53	—	—	·02	—	24
25	·15	·01	—	·43	·23	—	·12	—	—	—	·33	—	25
26	—	·46	—	·21	—	—	·44	—	—	—	·38	·01	26
27	·29	·05	—	·01	1·54	—	·17	—	—	—	·04	·02	27
28	·02	—	·02	—	·08	—	—	—	—	—	—	—	28
29	·04	—	·12	—	·01	—	·11	·07	—	—	·09	—	29
30	—	✕	·02	—	—	—	—	·09	·04	—	—	—	30
31	·48	✕	—	✕	·02	✕	—	—	✕	—	✕	·17	31 ~~37~~ 35·37 YEAR'S TOTAL
TOTAL	2·73	~~2·34~~ 2·77	1·32	2·92	3·75	3·43	4·46	4·43	2·42	·55	5·38	1·21	~~39·94~~
*Days with ·01 in. or more.	18	19	11	15	17	15	19	15	13	9	19	10	180
*Days with ·04 in. or more.	14	~~15~~ 14	6	12	11	12	14	11	10	3	15	7	~~130~~ 129

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

1576

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Dorchester Waterworks.

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 315 ft.

Feb 2½ high.

Feb. adjusted by surrounding stations. Obsr. concurs

f 66a64/36.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·09	—	·36	—	—	—	—	·17	·01	—	·18	1
2	·25	·03	—	·51	—	·01	—	—	·62	·02	—	—	2
3	·11	—	—	—	—	—	—	·02	·30	—	1·05	·09	3
4	·02	—	·65	—	·05	—	·03	·03	·21	·09	·22	—	4
5	—	·35	·07	—	—	·47	·54	·39	—	·01	·39	·10	5
6	—	·13	—	·15	·14	·15	·02	—	·03	·32	·24	·33	6
7	—	—	—	—	·23	·22	—	·84	—	·03	·38	·09	7
8	—	·29	—	·13	—	·40	·06	·04	—	·01	·18	·20	8
9	·04	·26	—	—	·02	·08	·01	—	—	·01	·67	—	9
10	—	—	—	—	·02	·17	·03	·07	·62	—	·49	—	10
11	·19	·37	—	—	·01	·09	·03	—	·04	—	·25	—	11
12	·01	·02	—	—	—	—	·08	—	·11	·05	—	—	12
13	—	·01	·02	—	·01	—	·28	·19	—	—	—	—	13
14	—	~~·6~~ ·06	—	—	·04	·49	·08	·01	·02	—	·04	—	14
15	—	~~·2~~ ·07	—	·03	·24	—	1·14	·49	—	—	—	·02	15
16	·01	~~·8~~ ·08	—	·05	·07	·58	—	—	·06	—	—	—	16
17	—	·14	—	·15	—	·03	·58	—	·17	—	—	—	17
18	·04	—	·04	·08	—	·30	·05	1·37	—	—	·55	—	18
19	·09	—	·01	·04	—	·14	·05	·03	·03	—	·03	—	19
20	—	·28	·26	—	—	—	—	·26	—	—	·02	—	20
21	·20	—	·01	—	·18	—	—	—	—	—	—	—	21
22	·38	~~·4~~ ·04	·10	·03	—	—	—	—	—	—	·01	—	22
23	·34	~~·35~~ ·03	—	·11	—	·02	—	—	—	—	—	—	23
24	·07	—	—	·63	·86	·28	·64	·53	—	—	·02	—	24
25	·15	·01	—	·43	·23	—	·12	—	—	—	·33	—	25
26	—	·46	—	·21	—	—	·44	—	—	—	·38	·01	26
27	·29	·05	—	·01	1·54	—	·17	—	—	—	·04	·02	27
28	·02	—	·02	—	·08	—	—	—	—	—	—	—	28
29	·04	—	·12	—	·01	—	·11	·07	—	—	·09	—	29
30	—	✕	·02	—	—	—	—	·09	·04	—	—	—	30
31	·48	✕	—	✕	·02	✕	—	—	✕	—	✕	·17	31
TOTAL	2·73	2·77 ~~2·34~~	1·32	2·92	3·75	3·43	4·46	4·43	2·42	·55	5·38	1·21	~~37~~ 35·37 YEAR'S TOTAL ~~39·94~~
*Days with ·01 in. or more.	18	19	11	15	17	15	19	15	13	9	19	10	180
*Days with ·04 in. or more.	14	~~15~~ 14	6	12	11	12	14	11	10	3	15	7	~~130~~ 129

40-9999

(Signed) H. F. Strange. [P.T.O.

*See Instruction 2 (*f*) on other side.

1576

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1576

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dorchester Water Works

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

" Ground " Sea Level 315 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	-	-	.19	.09	-	-	.10	-	.47	.05	.01	1
2	-	.01	-	.12	.14	-	-	.03	.10	-	.02	.49	2
3	.02	-	-	-	-	.75	-	-	.46	-	-	-	3
4	.05	-	-	-	-	.34	-	.05	-	.10	.20	-	4
5	.34	-	-	-	-	-	-	-	.35	-	-	-	5
6	.38	-	-	.35	-	-	-	-	.51	-	-	-	6
7	.03	-	-	.21	-	-	-	-	.25	.55	-	-	7
8	-	-	.80	.06	.17	-	-	-	.40	.67	-	-	8
9	.43	-	-	.29	-	-	-	.01	.51	.02	.08	-	9
10	.32	.01	-	.40	.02	.01	-	-	.01	.15	.02	-	10
11	.03	-	-	.04	.05	.09	.03	.02	.01	.16	-	.04	11
12	.65	-	-	-	.03	-	-	-	-	.17	-	.06	12
13	.04	-	-	.17	.28	-	.15	-	-	.72	-	.08	13
14	.09	-	-	.06	.04	-	-	.01	-	-	-	.02	14
15	.06	-	-	.03	.09	-	-	-	-	.06	-	.06	15
16	.10	-	-	.13	.32	-	-	-	-	-	.10	.01	16
17	.07	-	-	.03	-	-	-	-	-	.04	.42	-	17
18	.14	-	-	-	.27	-	-	-	.04	-	.01	-	18
19	-	-	-	-	.05	-	-	-	.02	.80	-	.01	19
20	-	-	-	.01	.88	-	.01	.15	.04	1.17	.33	.08	20
21	.04	-	-	.10	-	-	-	.09	-	.42	.08	.08	21
22	.01	-	.15	-	.10	-	.01	.27	-	.27	.46	-	22
23	-	-	.05	.03	.09	-	.38	-	.54	.79	.16	.09	23
24	-	.01	-	-	.06	-	.65	-	.10	.19	-	-	24
25	.05	-	.08	-	-	-	.11	-	.17	.39	.04	.02	25
26	-	-	.20	.05	-	-	.07	-	-	.17	.01	.07	26
27	-	-	.30	.91	.24	-	.08	-	-	.57	-	-	27
28	-	-	.06	.21	.02	-	.29	-	-	-	-	.06	28
29	-	-	.54	.06	.21	.58	.01	.48	-	.46	.28	.15	29
30	-	×	.15	.21	-	1.27	.07	-	.56	.17	.59	.22	30
31	-	×	-	×	.02	×	.02	-	×	.02	×	.42	31
TOTAL	2.90	.03	2.33	3.66	3.17	3.04	1.88	1.21	4.07	8.53	2.85	1.97	YEAR'S TOTAL 35.64
*Days with ·01 in. or more.	19	3	9	21	20	6	13	10	16	23	16	18	174
*Days with .04 in. or more.	15	-	9	17	16	5	8	6	13	21	12	13	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H D Strange.

P.T.O.

1576.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ~~1576~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at DORCHESTER WATERWORKS.

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 315 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf. *

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	~~Sept.~~ OCT.	~~Oct.~~ SEPT	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	·25	·09	–	–	·04	–	–	–	–	·07	·25		1
2	·60	·89	·98	–	·22	–	–	–	–	–	–	–		2
3	·03	·12	·29	–	·02	–	–	–	–	–	–	–		3
4	·18	–	·05	–	·25	–	–	–	–	–	–	–		4
5	·09	·08	·45	–	·07	–	–	–	–	–	–	–		5
6	–	·38	–	–	·28	–	·02	–	·24	–	·02	–		6
7	·05	·03	·02	–	·13	–	·01	–	·31	–	–	·01		7
8	·01	·01	·02	–	·03	–	·63	–	·01	–	–	–		8
9	·01	·01	–	–	·20	–	·65	–	·08	–	·02	–		9
10	·01	·31	–	–	–	–	·19	–	·27	–	·03	–		10
11	·13	–	–	–	–	·03	·03	–	·01	–	–	–		11
12	·01	–	–	·08	·02	–	·12	–	–	·96	–	·02		12
13	–	·38	–	–	·05	–	·42	–	·23	–	·05	–		13
14	·01	–	–	–	–	–	·13	·14	·24	–	·48	–		14
15	·78	–	·34	–	–	–	·12	–	·11	–	·01	–		15
16	–	–	·96	–	–	·12	–	·12	·12	·05	–	–		16
17	–	·09	·31	–	–	·02	–	–	–	–	–	–		17
18	·10	·01	·16	–	–	·10	–	·11	–	–	–	–		18
19	·02	–	·15	–	–	–	–	–	–	·50	·20	·03		19
20	–	·04	–	–	–	·02	–	·05	–	·12	·01	–		20
21	–	·01	–	·02	·13	–	–	·11	·06	·01	–	–		21
22	–	–	–	·01	–	·04	–	·27	·02	·28	–	–		22
23	–	·24	–	·83	–	·15	–	–	·21	·12	–	–		23
24	–	1·69	–	·51	–	·04	–	–	·04	·12	–	–		24
25	–	·63	–	·39	–	–	–	–	–	·31	–	·27		25
26	–	·37	–	·29	·09	–	–	–	–	·28	–	–		26
27	–	·01	–	–	·51	–	·06	–	·21	·02	–	·60		27
28	–	–	–	·41	–	–	·63	–	·04	–	–	·03		28
29	·10	–	–	–	–	–	–	–	–	·01	–	·02		29
30	–	×	·06	–	–	–	·06	–	–	·02	–	–		30
31	–	×	·08	×	–	×	–	–	×	×	×	–		31
TOTAL	2·51	5·55	3·96	2·54	1·99	·56	3·07	·80	2·80	2·20	·89	1·23	Year's Total 28·10	
*Days with ·01 in. or more.	16	19	14	8	13	9	13	6	NOTE 13	16	9	8	142	
*Days with .04 in. or more.	9	13	12	6	10	6	10	6	9	13	4	3	100	

40-9999 * Please Note That Sept & Oct. Are Reversed

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. D. Strange

[P.T.O.

COPY FOR OFFICIAL USE.

Section ✓ **A** for the entry of Daily Observations. Station No. 1576

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Dorchester Waterworks.

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 315 ft.

Inform observer of error in annual total

Observer informed 27/4/35.

Observer confirms 29/4/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	-	-	-	-	-	-	.66	-	.01	.06	-		1
2	.34	-	.15	-	-	-	-	-	1.52	.06	-	1.40		2
3	.16	.01	-	-	-	-	-	-	-	.63	-	.50		3
4	.14	-	.36	.04	.26	-	-	-	-	.04	-	.47		4
5	.01	-	.02	-	.01	-	-	1.00	-	.01	-	.33		5
6	.09	-	.35	.09	.23	-	-	.01	-	.71	.17	.62		6
7	.05	-	-	-	-	-	-	.11	-	.20	-	.64		7
8	-	-	-	-	.27	-	-	.01	-	-	-	.65		8
9	.04	-	.22	-	-	-	-	-	.07	.01	.80	.10		9
10	.20	-	.26	.32	-	-	-	.01	-	.01	.30	.15		10
11	.48	-	.39	.28	-	-	.09	.04	-	-	.10	.03		11
12	.05	-	-	-	-	-	-	.19	-	-	-	.60		12
13	.31	-	.05	.20	-	-	-	-	-	-	-	.40		13
14	.18	-	.32	.03	-	-	-	-	-	-	.30	.80		14
15	.02	-	.02	.02	.20	-	-	-	-	.19	.09	.40		15
16	.32	-	.45	-	.02	-	-	-	-	-	.14	.48		16
17	.14	-	-	.20	-	-	-	-	.07	.03	-	.22		17
18	.11	-	.27	.11	-	.02	-	-	.10	-	-	.50		18
19	-	-	.14	.06	-	-	-	.06	.14	-	-	.41		19
20	-	-	.07	.23	-	-	-	-	.09	.03	-	.13		20
21	-	-	.01	.04	-	.24	-	.03	.01	.27	-	-		21
22	-	-	.05	-	-	-	-	.32	.41	-	-	.22		22
23	-	.01	.01	.40	-	.32	-	-	.08	.10	-	.54		23
24	-	.07	.06	.01	-	.02	.06	.04	.20	.02	-	.06		24
25	.44	-	-	.22	-	-	-	-	-	.15	-	.42		25
26	.01	-	-	.12	-	.25	-	-	.13	-	-	1.60		26
27	-	-	-	-	-	.04	-	-	-	-	-	.70		27
28	-	-	-	-	-	.14	-	.65	.03	-	-	.83		28
29	-	-	-	-	-	-	-	.22	.47	.02	-	.68		29
30	.01	×	-	-	-	-	.01	-	.34	.01	-	-		30
31	-	×	-	×	-	×	-	.03	×	-	×	.38		31
TOTAL	3.21	.09	3.20	2.37	.99	1.03	.16	3.38	3.66	2.50	1.96	14.26	Year's Total. ~~2~~36.81	✓
* Days with .01 in. or more.	20	3	18	16	6	7	3	15	14	18	8	28	156	
* Days with .04 in. or more.	16	1	14	13	4	5	2	10	12	9	7	27	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H D Strange

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1576.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dorchester Waterworks,

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 315 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.55	-	-	.36	.13	-	.45	.06	.13	.12		1
2	-	-	-	-	-	.20	-	-	.10	.58	.07	.02		2
3	-	-	.05	-	.06	.09	-	-	.80	1.18	.39	-		3
4	-	.24	-	.12	-	.21	-	-	.12	.06	.02	.10		4
5	-	.43	.05	-	-	1.61	-	-	.31	.02	.11	.01		5
6	-	-	-	.41	-	-	-	-	-	-	.20	.05		6
7	-	-	-	.45	-	-	-	-	-	.45	.15	.10		7
8	-	-	-	.36	-	.16	-	-	.12	.15	.61	.18		8
9	-	-	-	.78	-	-	-	-	.01	.78	.85	-		9
10	.03	-	-	-	-	.02	-	-	-	-	-	.02		10
11	.30	.05	-	-	-	.57	-	-	.01	-	.65	-		11
12	.13	-	-	-	-	.33	-	-	-	-	.82	-		12
13	.10	.23	-	.40	-	.29	-	-	.19	.01	.15	-		13
14	-	.04	-	.46	-	.03	-	-	.07	.02	.74	.59		14
15	-	.12	-	.84	.14	.03	-	-	.30	.01	.54	.09		15
16	-	.05	.08	.04	-	.15	-	-	.20	-	1.58	-		16
17	-	-	-	.04	.95	.57	-	.10	.01	.01	.04	-		17
18	-	-	-	.52	-	.33	-	-	.63	.02	-	.10		18
19	-	.06	-	.06	.40	.04	.24	-	.23	.13	.37	-		19
20	-	.40	-	.14	.19	.09	-	-	.03	-	.32	-		20
21	-	.60	-	.10	-	.03	.02	-	.02	-	-	-		21
22	-	.05	.05	-	-	-	-	.19	.07	-	-	-		22
23	-	.05	.15	-	.03	-	-	.18	.01	.44	-	.36		23
24	-	.50	-	-	.05	-	-	.86	.63	.23	-	.45		24
25	.20	-	-	.06	-	.01	-	-	-	-	.02	.57		25
26	-	.42	-	-	-	.03	-	.32	.08	-	-	.87		26
27	-	.41	-	-	-	-	-	.12	.20	.02	.18	.78		27
28	-	.05	-	-	.15	-	-	.12	.07	-	.01	.09		28
29	-	x	-	.03	.04	-	-	.15	.14	.01	.03	.43		29
30	-	X	-	-	-	-	-	1.37	.05	.32	.31	.84		30
31	-	X	-	X	-	X	-	.05	X	1.07	X	.29		31
TOTAL	.76	3.70	.93	4.81	2.01	5.15	.39	3.46	4.85	5.57	8.29	6.06	Year's Total 45.98	
* Days with .01 in. or more.	5	16	6	16	9	20	3	10	25	20	23	20	173	
* Days with .04 in. or more.	4	16	6	15	8	14	2	10	19	12	19	17	142	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H D Strange

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1576

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Dorchester waterworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 315 ft.

Query sent today. 24/5/37 C.R.

Dec. corrected by observer.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·36	·02	—	·32	—	·33	·20	—	—	—	·05	·02		1
2	·02	—	—	·05	—	·04	·10	·06	—	—	·03	—		2
3	—	—	—	·37	—	—	·15	—	·37	—	·46	—		3
4	·02	—	·34	—	—	·03	·50	—	·44	—	·08	·07		4
5	·28	—	·02	—	·02	—	—	·08	·07	—	—	—		5
6	·19	—	·02	—	—	—	·03	·06	·23	—	·68	·05		6
7	·09	—	·50	—	—	—	·46	—	—	—	·23	—		7
8	·49	—	·95	—	—	—	·27	—	—	—	·33	·02		8
9	·30	—	·54	—	—	—	·17	—	·31	—	—	—		9
10	·38	·16	—	—	—	—	·16	—	·06	—	·04	—		10
11	·30	—	—	—	—	·04	·07	—	—	—	·96	—		11
12	—	—	—	·07	—	·30	·72	—	·09	—	·08	—		12
13	·04	·05	—	—	—	·06	·12	—	·03	·03	·19	*·57		13
14	—	·05	—	—	—	·07	·44	—	·01	—	—	·66		14
15	·01	·34	—	—	—	·01	—	—	·19	—	·11	·23	✓	15
16	·01	·96	—	·06	·28	—	·20	—	·06	—	·18	—		16
17	·01	·17	—	—	—	—	·14	—	—	—	·06	·22	✓	17
18	·15	·07	—	—	—	·10	·41	—	—	—	—	·60	✓	18
19	·49	·26	·04	·17	—	·27	·05	·02	—	—	—	—		19
20	·05	·30	·11	·24	—	·10	·25	—	·69	—	—	—		20
21	—	·32	·14	·24	—	·03	·15	—	—	—	—	—		21
22	·25	—	·71	—	—	—	—	—	—	—	—	·01		22
23	·04	·03	—	·24	·10	—	·10	—	—	·06	—	—		23
24	·22	—	·07	—	·12	—	—	—	·05	·42	—	·01		24
25	·08	·19	·34	·25	—	—	—	—	·06	·57	—	—		25
26	·34	·56	·21	—	—	—	·01	—	—	—	—	—		26
27	·41	·04	·17	—	—	—	·24	—	·01	·15	—	—		27
28	·86	·03	·75	—	—	—	·51	—	—	—	·02	·28	✓	28
29	·03		·07	—	—	—	·06	—	—	·09	—	—		29
30	·23	✕	—	—	—	·10	—	—	—	·14	—	—		30
31	·12	✕	·60	✕	·13	✕	·14	—	✕	·40	✕	·74		31
TOTAL	5·77	3·55	5·58	2·01	·65	1·48	5·65	·22	2·67	1·86	3·50	3·48 ~~4·54~~	Year's Total ~~34·45~~	✓ 36·42
* Days with .01 in. or more.	27	16	17	10	5	13	25	4	15	8	15	13 ~~10~~	168	✓
* Days with .04 in. or more.	21	13	15	10	4	10	23	3	12	7	14	~~8~~ 9	~~136~~	✓ 141

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1576.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Dorchester Waterworks

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 315 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·02	–	·27	–	–	–	–	–	–	·10	1·47	1·93	1
2	·05	·87	·01	·19	–	–	–	–	·20	–	·01	·32	1·65	2
3	·02	·35	·05	·05	·02	–	–	–	–	–	·01	–	·50	3
4	·16	·74	–	–	–	–	–	–	–	–	–	·40	1·30	4
5	·14	–	·01	–	–	–	–	–	–	–	–	–	·15	5
6	–	·61	·25	·27	·08	–	·30	–	–	·07	–	–	1·58	6
7	–	·80	·02	·01	–	–	–	–	–	·02	–	·33	1·18	7
8	–	–	–	–	·11	–	–	–	–	–	·33	·03	·47	8
9	–	–	·19	·20	·14	–	·25	–	·60	–	–	·42	1·80	9
10	·18	–	·77	·11	–	·41	–	–	–	–	–	–	1·47	10
11	·07	–	·49	·10	·30	–	·52	–	–	–	–	–	1·48	11
12	·64	·22	·07	·05	·03	·30	·05	·63	·20	–	–	·30	2·49	12
13	·18	·05	·80	·17	–	–	–	·30	·35	–	–	·15	2·00	13
14	·02	·03	·09	–	–	–	–	·12	·20	–	–	·05	·51	14
15	·31	·30	·07	·58	–	–	2·76	–	·12	–	–	·06	4·20	15
16	·09	·07	·70	·07	–	–	–	–	1·10	–	·02	–	2·05	16
17	·66	·05	·53	–	–	–	·15	–	·05	–	·43	–	1·87	17
18	·16	·05	·03	–	–	–	–	–	–	–	·17	·27	·68	18
19	·23	·03	·04	·40	·10	–	–	–	–	–	–	·11	·91	19
20	·28	·09	·10	·27	·03	–	–	–	–	–	–	·57	1·34	20
21	·22	·42	·09	·03	·19	–	·03	–	·04	–	·78	·16	1·96	21
22	·27	–	·04	–	·45	·03	·28	–	·17	·94	–	·18	2·36	22
23	·30	·25	–	–	·06	–	·02	–	–	·44	·02	–	1·09	23
24	·10	·78	–	–	–	–	–	–	·03	·89	–	·10	1·90	24
25	·10	·44	–	–	·69	–	–	–	·07	·47	–	·07	1·84	25
26	·17	·33	·01	–	·53	–	–	–	–	·07	–	·05	1·16	26
27	–	·18	–	·01	–	–	–	–	·01	·54	–	–	·74	27
28	·03	·02	–	–	–	–	–	–	–	·25	·01	–	·31	28
29	·14		–	–	–	·01	–	–	–	1·03	·07	–	1·25	29
30	·01	✕	–	–	–	·05	–	–	–	·20	·33	–	·59	30
31	·69	✕	–	✕	–	✕	–	–	✕	·29	✕	–	·98	31
TOTAL	5·39	6·70	4·36	2·78	2·73	·80	4·36	1·05	4·14	5·21	2·28	5·04	Year's Total 44·84	✓
* Days with .01 in. or more	26	22	20	16	13	5	9	3	13	12	12	18	169	✓
* Days with .04 in. or more	22	18	15	12	9	3	7	3	11	11	7	17	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H D Strange
Boro' Surveyor
Dorchester.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1536

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1030

REGISTER OF RAINFALL IN 1938

Kept at Dorchester Waterworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 315 ft.

Aug. Nov. & Annual Totals corr. for arithmetic R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.09	-	-	-	.11	.32	-	Trace	.70	-	.05		1
2	.01	-	-	-	-	-	.01	-	-	.18	.10	.15		2
3	-	-	-	-	.09	-	-	-	-	.83	.27	-		3
4	.01	-	-	-	-	-	.09	.43	-	.30	-	.25		4
5	-	-	-	-	-	-	.14	-	-	.35	.03	-		5
6	.16	-	-	-	-	.02	.31	-	.12	.12	.10	.07		6
7	.31	-	-	-	-	.09	.29	-	.06	.05	-	.11		7
8	.33	-	-	-	-	.04	.03	.04	.02	.30	-	.03		8
9	.14	.15	-	-	-	.02	-	-	-	.01	-	.54		9
10	.07	.02	-	-	-	.02	.05	.39	-	-	-	.49		10
11	.17	-	-	-	-	-	-	.01	-	-	.33	.39		11
12	.55	-	-	-	.20	-	-	-	-	.29	-	.01		12
13	.30	-	-	-	-	-	Trace	-	-	.10	.26	.49		13
14	.54	-	-	-	.07	-	.53	-	-	-	-	.01		14
15	.29	-	.03	-	.06	-	.26	.01	-	.49	.05	.33		15
16	.37	.13	.03	-	-	-	-	.01	-	.10	.10	.08		16
17	-	-	-	-	.09	-	-	.07	.33	.18	.09	-		17
18	.22	-	-	-	.05	.04	-	.04	.63	.03	.49	-		18
19	-	-	-	-	-	-	-	.16	-	-	.60	-		19
20	-	-	-	-	-	-	-	-	.07	-	.95	-		20
21	.05	-	-	-	-	-	-	.01	-	-	.20	-		21
22	.03	-	-	.08	-	-	-	.53	-	.09	.65	.02		22
23	.01	-	-	-	-	-	-	-	-	-	.05	.03		23
24	.01	-	.25	-	-	-	-	.05	.21	-	.35	-		24
25	.17	.25	.02	-	.26	-	.20	.11	-	-	1.12	.03		25
26	.44	.36	-	-	.28	-	-	-	.01	.02	-	.34		26
27	.17	-	-	-	.04	.40	.72	.17	-	.10	.50	-		27
28	.11	.13	-	-	.03	.05	-	.77	.13	-	-	-		28
29	-	X	-	-	.47	-	-	-	.47	-	.35	-		29
30	.05	✕	-	-	.11	-	.12	-	.31	.31	.80	.36		30
31	.24	✕	-	✕	.26	✕	-	-	✕	.46	✕	.02		31
TOTAL	4.75	1.13	0.33	0.08	2.01	0.79	3.07	~~[illegible]~~2.80	2.36	5.01	7.~~5~~29	3.80	Year's Total ~~33.72~~	33.42
* Days with .01 in. or more.	24	7	4	1	13	9	13	15	11	20	20	20	157	✓
* Days with .04 in. or more.	19	6	1	1	12	6	11	11	9	17	19	13	125	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. D. Strange

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1576

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Dorchester Borough Waterworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 315 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	·35	·02	·06	-	-	·02	·20	-	-	·12		1
2	-	-	-	·43	-	-	-	·51	·62	-	·14	·08		2
3	·84	-	·02	·47	-	-	-	·10	-	-	·07	·22		3
4	·03	-	·46	·17	·48	-	·15	·33	·03	·74	·06	·11		4
5	t	-	·04	-	·08	-	·45	·05	-	·35	·87	·01		5
6	·50	-	·08	-	-	-	1·10	·13	-	-	·36	-		6
7	-	[illegible]	-	-	-	-	·03	·01	-	·03	·43	1·12		7
8	·07	·68	·09	-	-	-	·06	·03	-	1·01	·17	·18		8
9	·09	·21	·04	-	-	-	-	·21	·08	·30	·09	·25		9
10	·30	-	·04	-	-	-	-	·34	-	·31	·02	·10		10
11	-	·05	·20	-	-	Er	-	-	-	·61	·03	·01		11
12	·01	·04	-	-	-	Er	-	-	·03	·01	·05	-		12
13	-	-	-	·09	-	·03	·45	-	·08	1·75	·02	·24		13
14	·80	-	·01	·03	Er	·03	·16	-	·01	·18	·54	·22		14
15	·22	-	-	-	·09	1·72	·32	-	-	·14	·48	·02		15
16	·20	-	-	·11	·03	·01	·30	-	-	·04	·24	-		16
17	·27	·12	-	-	·04	·18	·35	-	-	·20	·04	-		17
18	·06	·01	-	-	·01	-	·50	-	-	-	·57	·05		18
19	·53	-	-	-	-	-	·02	-	-	-	-	·07		19
20	·52	·01	-	-	-	·07	·30	·68	-	-	-	·02		20
21	·02	·37	·04	-	-	·14	·19	-	-	-	-	-		21
22	·48	·25	-	-	-	·42	·20	-	-	-	·71	-		22
23	-	-	-	·21	-	·05	·10	-	-	-	1·81	-		23
24	·65	-	-	·03	-	·37	·18	·01	-	·01	·01	-		24
25	·61	·16	-	·02	-	-	·12	·06	-	·08	·44	-		25
26	-	·05	-	-	-	-	-	·14	-	·21	·45	-		26
27	-	·19	·02	-	-	-	·07	-	-	·06	·15	-		27
28	-	·07	·03	-	-	·10	·40	-	-	-	·47	·23		28
29	-	X	-	·01	-	·03	·34	-	-	·14	·03	-		29
30	-	X	-	·37	-	·05	-	·04	-	·33	·04	-		30
31	-	X	-	X	-	X	-	·14	X	·83	X	·02		31
													Year's Total	
TOTAL	6·21	2·21	1·42	1·96	0·79	3·20	5·79	2·80	1·05	7·33	8·29	3·07	44·12	
* Days with .01 in. or more.	19	13	13	12	7	13	21	16	7	20	26	18	185	
* Days with .04 in. or more.	15	11	9	7	5	9	19	12	4	17	21	13	142	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. D. Strange.
Borough Engineer & Surveyor.

P.T.O.

COPY FOR OFFICIAL USE

Station No. 1576.

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Waterworks Bridport Road, Dorchester.
in the County of Dorset.
Diameter of Funnel of Gauge 6.8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 307 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following //

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	·02	–	–	–	–	–	·11	–		1
2	–	·32	–	·32	–	–	–	–	–	–	·56	·07		2
3	–	·71	–	–	–	–	–	–	–	·18	·95	·36		3
4	–	·09	–	–	–	–	·11	–	–	·39	·11	·36		4
5	–	·01	–	–	–	–	·03	–	–	–	1·13	·10		5
6	·58	·70	–	–	–	–	–	–	–	·34	·05	–		6
7	–	–	–	–	–	–	–	–	–	·04	–	·37		7
8	·13	–	–	–	–	–	–	–	–	·54	·21	·25		8
9	–	–	–	–	–	–	·17	·01	·01	·10	·63	·07		9
10	–	–	–	–	–	–	1·46	–	–	·04	·09	·05		10
11	–	·02	–	–	–	–	·12	–	–	–	1·25	–		11
12	–	–	·28	–	–	–	·34	–	·63	–	·05	–		12
13	–	–	·72	–	–	–	·13	–	·02	·20	1·55	·110		13
14	–	–	·12	·04	·11	–	·08	–	·37	·49	–	–		14
15	–	–	–	–	1·19	–	·19	–	·18	·63	·75	·05		15
16	–	–	–	·06	–	–	–	–	·08	·63	·77	–		16
17	–	·82	·48	–	–	–	·10	–	–	1·90	·68	–		17
18	–	·42	·57	·05	–	–	·04	–	·05	–	·03	·10		18
19	–	·05	·05	·26	–	–	·10	–	1·26	·12	·52	–		19
20	–	·01	–	–	–	–	–	–	·01	–	·03	–		20
21	–	·02	–	–	·40	–	–	–	·08	·47	·55	–		21
22	–	·01	·07	–	–	·33	–	–	·09	·02	–	–		22
23	–	–	·22	·10	–	–	–	–	–	·01	·08	–		23
24	–	–	–	–	–	–	·24	–	–	–	·01	–		24
25	·14	–	·26	·05	–	–	–	–	–	–	–	–		25
26	1·39	·82	–	–	·14	–	·05	–	–	–	–	–		26
27	·44	·18	–	–	·54	–	–	–	–	–	–	–		27
28	·50	·19	–	–	·03	–	–	–	–	·02	–	–		28
29	·20	·34	·30	–	–	·02	–	–	–	·04	–	–		29
30	·14	✕	·05	·67	–	–	–	–	–	·55	–	·45		30
31	·10	✕	·03	✕	–	✕	–	–	✕	·48	✕	·19		31
TOTAL	3·62	4·71	3·15	1·55	2·43	·35	3·16	·01	2·78	7·19	10·11	2·53	Year's Total 41·59	
* Days with .01 in. or more.	9	16	12	8	7	2	14	1	11	20	21	13	134	✓
* Days with .04 in. or more.	9	11	11	8	5	1	13	0	8	17	18	13	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. D. Strange [P.T.O.

1578

Section A for the entry of Dai

AIR MINISTRY.—

FORM 1090.

REGISTE

Kept at Stinsford

in the County of Dorn

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREI

COPY FOR OFFICIAL USE.

L ORGANIZATION.

1578

STINGFORD FARM

1931 —— 40

780304

days

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·02	–	·29	–	–	–	·01	·16	·01	–	–	1
2	·24	·03	–	·57	–	·01	–	–	·56	·01	–	·26	2
3	·11	–	·50	–	–	–	–	–	·25	–	1·23	·10	3
4	·05	–	·04	·10	·04	·57	·60	·08	·10	·05	·30	–	4
5	–	·48	–	–	–	–	·02	·08	–	–	·40	·13	5
6	–	·11	–	·05	·08	·09	–	·01	–	·30	·18	·20	6
7	–	–	–	–	·23	·20	·17	·58	–	·01	·87	·10	7
8	–	·41	–	·14	–	·40	·02	·02	–	–	·20	·18	8
9	–	·33	–	–	–	·08	·02	–	[illegible]	–	·81	–	9
10	–	–	–	–	·01	·17	·03	·08	·32	–	·52	–	10
11	·13	·44	–	–	·01	·07	·07	–	·02	–	·27	–	11
12	–	·01	–	–	–	–	·33	–	·08	·04	–	–	12
13	–	–	–	–	–	–	·10	·21	·01	–	–	–	13
14	–	·06	–	–	·02	·75	·95	·01	–	–	·04	–	14
15	–	·05	–	–	·27	–	–	·63	–	–	–	·02	15
16	·01	·09	–	·09	·10	·53	–	–	·03	–	–	–	16
17	–	·08	–	·05	–	·03	·50	–	·20	–	–	–	17
18	·03	–	163	·10	–	·36	·06	1·38	–	–	·54	–	18
19	·08	–	·01	·03	–	·22	–	·02	–	–	·05	–	19
20	–	·30	132	–	–	–	–	·30	–	–	–	–	20
21	·17	–	·02	–	·19	–	–	–	–	–	–	–	21
22	·52	·02	·07	–	·01	–	–	–	–	–	–	–	22
23	·51	·01	–	·17	·73	·01	–	–	–	–	·58	–	23
24	–	–	–	·43	·21	·10	·60	·42	–	–	·01	–	24
25	·20	·04	–	40	·02	–	·23	–	–	–	·35	–	25
26	–	–	–	·22	–	–	·40	–	–	–	·35	–	26
27	·30	·46	–	–	1·73	–	·10	–	–	–	·01	–	27
28	·01	·03	·03	–	·05	–	–	–	–	–	–	·03	28
29	·03	x	·12	–	·01	–	·08	·05	·01	–	·10	–	29
30	–	✕	·04	–	–	–	·02	·08	·01	–	–	–	30
31	·74	✕	[illegible]	✕	·04	✕	–	–	✕	–	✕	·12	31
TOTAL	3·13	2·94	1·18	2·88	3·75	3·59	4·30	3·93	1·75	·42	6·31	1·14	YEAR'S TOTAL 35·32
*Days with ·01 in. or more.	15	18	10	13	17	15	18	16	12	6	18	9	167 ~~46~~
*Days with ·04 in. or more.	11	11	6	12	11	12	13	11	8	3	16	7	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Wrndham Hull

P.T.O.

1578

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stinsford

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 207 ft.

dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	—	·29	—	—	—	·01	·16	·01	—	—	1
2	·24	·03	—	·57	—	·01	—	—	·56	·01	—	·26	2
3	·11	—	50	—	—	—	—	—	·25	—	1·23	·10	3
4	·05	—	·04	·10	·04	·57	·60	·08	·10	·05	·30	—	4
5	—	·48	—	—	—	—	·02	·08	—	—	·40	·13	5
6	—	·11	—	·05	·08	·09	—	·01	—	·30	·18	·20	6
7	—	—	—	—	·23	·20	·17	·58	—	·01	·37	·10	7
8	—	·41	—	·14	—	·40	·02	·02	—	—	·20	·18	8
9	—	·33	—	—	—	·08	·02	—	~~·52~~	—	·81	—	9
10	—	—	—	—	·01	·17	·03	·08	·32	—	·52	—	10
11	·13	·44	—	—	·01	·07	·07	—	·02	—	·27	—	11
12	—	·01	—	—	—	—	·33	—	·08	·04	—	—	12
13	—	—	—	—	—	—	·10	·21	·01	—	—	—	13
14	—	·06	—	—	·02	·75	·95	·01	—	—	·04	—	14
15	—	·05	—	—	·27	—	—	·63	—	—	—	·02	15
16	·01	·09	—	·09	·10	·53	—	—	·03	—	—	—	16
17	—	08	—	·05	—	·03	·50	—	·20	—	—	—	17
18	·03	—	163	·10	—	·36	·06	1·38	—	—	·54	—	18
19	·08	—	·01	·03	—	·22	—	·02	—	—	·05	—	19
20	—	·30	132	—	—	—	—	·30	—	—	—	—	20
21	·17	—	·02	—	·19	—	—	—	—	—	—	—	21
22	·52	·02	·07	—	·01	—	—	—	—	—	—	—	22
23	·51	·01	—	·17	·73	·01	—	—	—	—	·58	—	23
24	—	—	—	·73	·21	·10	·60	·42	—	—	·01	—	24
25	·20	·07	—	40	·02	—	·23	—	—	—	·35	—	25
26	—	—	—	·22	—	—	·40	—	—	—	·35	—	26
27	·30	·46	—	—	1·73	—	·10	—	—	—	·01	—	27
28	·01	·03	·03	—	·05	—	—	—	—	—	—	·03	28
29	·03	×	·12	—	·01	—	·08	·05	·01	—	·10	—	29
30	—	✕	·08	—	—	—	·02	·08	·01	—	—	—	30
31	·74	✕	—	✕	·04	✕	—	—	✕	—	✕	·12	31
TOTAL	3·13	2·94	1·18	2·88	3·75	3·59	4·30	3·93	1·75	·42	6·31	1·14	YEAR'S TOTAL 35·32
*Days with ·01 in. or more.	15	18	10	13	17	15	18	16	12	6	18	9	167 ~~46~~
*Days with ·04 in. or more.	11	11	6	12	11	12	13	11	8	3	16	7	121

40-9999

(Signed) J. Wrudham Hull

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stinsford

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" Ground " Sea Level 207 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in	
1	.05	—	—	.20	.10	—	—	.18	—	—	.02	—	1
2	—	—	—	.10	.12	.01	—	.03	.06	—	.01	.50	2
3	.01	—	—	—	—	.65	—	—	.47	.03	—	.02	3
4	.03	—	—	—	—	.31	—	.02	—	—	.13	—	4
5	.46	—	—	—	—	—	—	—	—	—	—	—	5
6	.42	—	—	.27	—	—	—	—	.42	—	—	—	6
7	—	—	.02	.17	—	—	—	—	.25	.63	—	—	7
8	—	—	.83	.05	.18	—	—	—	.60	.64	—	—	8
9	.67	.03	—	.25	.03	—	—	—	.06	.01	.08	—	9
10	.28	—	—	.40	.04	.05	—	—	—	.13	.02	—	10
11	.05	—	—	.02	.02	.05	.06	.01	.05	.12	—	.02	11
12	1.05	—	—	—	.32	—	—	—	—	.11	.01	.04	12
13	.05	—	—	.23	.04	—	.47	—	—	.66	—	.06	13
14	.10	—	—	.11	.13	—	—	—	—	—	.50	.01	14
15	.10	—	—	.02	.30	—	—	—	—	.04	—	—	15
16	.20	—	—	.10	—	—	—	—	—	—	—	.01	16
17	.06	—	—	.03	—	—	—	—	.03	.02	—	—	17
18	.14	—	—	—	.28	—	—	—	.02	—	.06	—	18
19	.01	—	—	—	.02	—	—	—	.04	.72	—	—	19
20	—	—	—	—	.73	—	—	.18	—	1.15	.31	.02	20
21	.03	—	.14	.08	.01	—	—	.16	.01	.42	.05	.14	21
22	—	—	.05	—	.10	—	—	.05	.77	.36	.45	—	22
23	—	—	—	.03	.02	—	.33	—	.02	.70	.13	.08	23
24	—	.01	—	—	.07	—	.51	—	.13	.18	—	—	24
25	—	—	.03	—	—	—	.16	—	—	.40	.03	.02	25
26	—	—	.24	—	—	—	.10	—	—	.10	.01	—	26
27	—	—	.40	.97	.21	.01	.01	—	—	.50	—	.05	27
28	—	—	.02	.20	.02	—	.26	—	—	—	—	.04	28
29	—	—	.65	.06	.21	.64	.01	.48	.56	.45	.23	.17	29
30	—	×	.10	.42	—	1.57	.10	—	.39	.11	.80	.20	30
31	—	×	.05	×	.01	×	.01	—	×	.02	×	.46	31
TOTAL	3.71	.04	2.53	3.41	2.96	3.29	1.72	1.11	3.88	7.50	2.84	1.84	YEAR'S TOTAL 34.83
*Days with ·01 in. or more.	17	2	11	19	21	8	11	8	16	22	16	16	167
*Days with .04 in. or more.	13	0	8	15	14	6	8	5	12	18	10	10	119

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. Wyndham Hall

P.T.O.

1578

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stinsford Farm

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Sea Level 204 ft.

Days 17

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·34	·75	·07	—	—	—	—	—	—	—	·08	—		1
2	·74	—	·90	—	·11	·04	—	—	—	—	—	·20		2
3	·07	·10	·36	—	·02	—	—	—	—	—	—	—		3
4	·19	·11	·04	—	·24	—	—	—	—	—	—	—		4
5	·08	—	·60	—	·06	—	—	—	—	—	—	—		5
6	—	·43	—	—	·30	—	·10	—	—	·20	—	—		6
7	·04	·02	·03	—	·15	—	·01	—	—	·27	—	·01		7
8	·01	—	·02	—	·03	—	·65	—	—	—	—	—		8
9	—	·02	—	—	·21	—	·63	·01	—	·07	·01	—		9
10	—	·16	—	—	—	—	·18	—	—	·38	·02	—		10
11	·11	—	—	—	—	·06	·03	·01	—	—	—	—		11
12	—	—	—	·08	·02	—	·10	—	·78	—	—	·01		12
13	·01	—	—	—	·04	—	·50	·68	—	·15	·02	—		13
14	·02	—	—	—	—	—	·18	·05	—	·27	·52	—		14
15	·83	—	·34	—	—	—	·08	·10	—	·10	[illegible]	—		15
16	—	—	1·02	—	—	·08	—	—	·05	·05	—	—		16
17	—	·08	·35	—	—	·02	—	·10	·20	—	—	—		17
18	·10	—	·16	—	—	·10	—	—	—	—	—	—		18
19	·02	—	·14	—	—	—	—	·05	·62	—	·18	·02		19
20	—	·04	·01	·02	—	·01	—	—	·20	—	—	—		20
21	—	—	—	—	·07	·01	—	·10	·01	·03	—	—		21
22	—	—	—	—	—	—	—	·25	·24	·01	—	—		22
23	—	·06	—	·72	—	·14	—	—	·16	·15	—	—		23
24	—	2·10	—	·60	—	·02	—	—	·05	—	—	—		24
25	—	·60	—	·34	—	—	—	—	·24	—	—	·23		25
26	—	·44	—	·24	·10	—	—	—	·11	·01	—	·01		26
27	—	—	—	—	·27	—	·03	—	—	·22	—	·60		27
28	—	—	—	·46	—	—	·56	—	—	·02	—	·02		28
29	·08	—	—	—	—	—	—	—	—	—	—	·02		29
30	·01	×	·08	—	—	—	·10	—	·28	—	—	05		30
31	·30	×	·08	×	—	×	—	—	×	·01	×	—		31
TOTAL	2·95	4·91	4·20	2·46	1·62	·47	3·15	·75	2·94	1·94	·88	1·17	Year's Total 27·44	
*Days with ·01 in. or more.	16	13	15	7	13	9	13	9	12	15	7	10	139	
*Days with .04 in. or more.	11	11	12	6	10	5	10	7	11	10	4	4	101	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. Wyndham Hull

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Stinsford

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 204 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	–	–	–	–	·86	–	–	·04	1·40		1
2	·31	–	·12	–	–	–	–	–	1·47	·04	·06	~~2~~·44		2
3	·12	·01	–	–	–	–	–	–	–	·76	–	·47		3
4	·11	–	·33	·03	·29	–	–	–	–	·05	–	·~~47~~ 36		4
5	–	–	·03	–	·01	–	–	1·00	–	·10	–	·~~30~~ 60		5
6	·11	–	·33	·04	·20	–	–	–	–	·60	·16	·~~60~~ 71		6
7	·05	–	–	–	–	–	–	·10	–	·17	–	·77		7
8	–	–	–	–	·26	–	–	–	·05	·01	·80	·11		8
9	·04	–	·15	–	–	–	–	–	–	·01	·62	·10		9
10	·23	–	·32	·26	–	–	–	·02	–	–	·07	·08		10
11	·58	–	·44	·24	–	–	·10	·14	–	–	–	·64		11
12	·05	–	–	–	–	–	·12	·20	–	–	–	·28		12
13	·47	–	·06	·24	–	–	–	–	–	–	·14	·75		13
14	·16	–	·41	·02	–	–	–	–	–	·02	·03	·45		14
15	·03	–	·02	·01	·17	–	–	–	–	·14	·12	·42		15
16	·32	–	·48	·01	·01	–	–	–	–	–	–	·14		16
17	·13	–	–	·18	–	–	–	–	·06	·04	–	·50		17
18	·10	–	·30	·12	–	–	–	·05	·08	–	–	·50		18
19	–	–	·16	·08	–	·03	–	–	·09	–	–	·14		19
20	–	–	·04	·20	–	–	–	–	·06	·02	–	–		20
21	–	–	·02	·05	–	·22	–	·03	–	·36	–	·29		21
22	–	–	·04	–	–	–	–	–	·34	–	–	·34		22
23	–	–	·01	·36	–	·30	–	·28	·04	·11	–	·12		23
24	–	·04	·05	·01	–	–	·04	·04	·26	–	–	·06		24
25	·44	–	–	·20	–	~~·21~~	–	–	–	·20	–	1·12		25
26	·01	–	–	·06	–	·23	–	–	·20	–	·03	·45		26
27	–	–	–	–	–	·03	–	–	–	–	–	·63		27
28	–	–	–	–	–	·13	–	·64	·03	–	–	·71		28
29	–	–	–	–	–	–	–	·31	·50	–	–	·04		29
30	–	×	–	–	–	–	·01	–	·31	–	–	·35		30
31	–	×	–	×	–	×		·04	×	–	×	·01		31
TOTAL	3·29	·08	3·34	2·17	·94	·94	·27	3·68	3·54	2·69	2·07	12·95	Year's Total 35·96	
*Days with ·01 in. or more.	18	2	18	14	6	6	4	13	13	15	10	30	152	
*Days with ·04 in. or more.	15	1	14	12	4	4	3	11	12	11	8	29	124	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. Wyndham Hull

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Stinsford Farm

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 207 ft.

Corr for Arith, Obs notified 20/2/36.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–		·47		·01	·27	·10		·43	·03	·17	·21		1
2	–					·02			·03	·60	·05	·02		2
3	–		·04		·05	·20			·06	1·10	·28	·07		3
4	–	·20		·11	·01	·03			·12	·14	·14	·01		4
5	·01	·35				·10			·26	·01	·02			5
6	–		·02	·36		1·67					·24	·03		6
7	–			·44						·40	·25	·08		7
8	–			·40					·08	·27	·62	·18		8
9	–			·80		·18			·01	·85	·75			9
10	·03		·27	·02		·03						·01		10
11	·25	·01				·52			·01		·80	·01		11
12	·10	·02				·33			·17		·60			12
13	·10	·16		·39		·26			·03	·01	·15			13
14		·02		·46	·01	·05			·07	·01	·84	·45		14
15		·10		·82	·12	·04			·29	·01	·52	·10		15
16		·03	·08	·03		·25			·30		1·34			16
17				·10	·92	·31		·11			·04			17
18		·03		·50		·05	·03		·65	·02		·08		18
19		·04		·10	·27	·08	·20		·20	·15	·36			19
20		·53		·11	·17	·03			·04		·32			20
21		·70		·11			·01		·01					21
22		·02	·02	·10				·15	·05					22
23		·04	·10		·02			·20		·41		·26		23
24	·03	·60			·05			·76	·64	·17		·40		24
25	·04	·14		·06	·01	·01						·52		25
26		·42			·01	·03		·25	·08			·87		26
27		·40						·04	·18	·01	·16	·74		27
28		·03						·30	·09		·01	·11		28
29		×			·01			·02	·18	·01	·03	·59		29
30	·01	×			·03			1·35	·05	·27	·36	·91		30
31		×		×		×		·05	×	1·16	×	·43		31
TOTAL	·67	3·84	1·00	4·91	1·69	4·46	·34	3·23	4·03	5·63	8·05	6·08	Year's Total. ~~33·93~~	43·93
* Days with .01 in. or more.	8	19	7	17	14	20	4	10	24	19	22	21	185	
* Days with .04 in. or more.	4	12	5	15	6	14	2	9	19	11	19	16	132	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Wrendham Hull

[P.T.O.

1578

Circ. F./M.O.7.

Stinsford
Dorchester
Feb 26 1936

I see by my record 43.93 is correct; I am sorry if I made an error

J. W. Hull

To file this Station

COPY FOR OFFICIAL USE

Station No. 1578

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Stinsford Farm

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 207 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·40	·02	~~·40~~	·40	-	·28	·14	-	-	-	·05	·01		1
2	·04	-	~~·03~~	·03	-	·02	·07	·04	-	-	-	-		2
3	·01	-	~~·35~~	·35	-	-	·14	-	·38	-	·50	-		3
4	-	-	·28	-	-	·03	·01	-	·42	-	·10	·03		4
5	·30	-	·02	-	-	-	-	·04	·15	-	-	·05		5
6	·12	-	·01	-	-	·01	·03	·05	·25	-	·80	-		6
7	·07	-	·52	-	-	-	·50	-	-	-	·25	·02		7
8	·58	-	·84	-	-	-	·30	-	-	-	·40	·01		8
9	·35	-	·47	-	-	-	·25	-	·30	-	·02	-		9
10	·44	·20	-	-	-	-	·21	-	-	-	·10	-		10
11	·26	·08	-	-	-	·02	·05	-	·07	-	1·10	-		11
12	-	-	~~·11~~	·11	-	·32	·59	·01	·06	-	·10	-		12
13	·03	-	-	-	-	·08	·15	-	-	·02	·75	·60		13
14	-	·04	-	-	-	·05	·40	-	·05	-	·04	·78		14
15	-	·03	-	-	-	-	-	-	·08	-	·12	·36		15
16	-	·26	-	-	·30	-	·17	-	·03	-	·18	·25		16
17	-	1·10	-	-	·04	-	·27	-	-	·02	·05	·55		17
18	·11	·15	-	-	-	·33	·45	-	-	·01	-	·20		18
19	·58	·05	·03	·18	-	·18	·03	·02	-	-	-	-		19
20	·04	·22	·12	·22	-	·24	·12	-	·91	-	-	-		20
21	-	·25	·20	·32	-	·04	·01	-	-	-	-	-		21
22	·21	·28	·67	-	-	-	·34	-	-	·05	-	·01		22
23	·03	-	-	-	·06	-	·17	-	-	·05	-	-		23
24	·20	·04	·87	·25	·11	-	-	-	·04	·42	-	-		24
25	·08	-	·36	-	-	-	-	-	·03	·40	-	-		25
26	·35	·17	·16	-	-	-	-	-	·01	·17	-	-		26
27	·43	·56	·20	-	-	-	·21	-	·01	·16	-	-		27
28	·88	·04	·80	-	-	-	·41	-	-	-	-	·33		28
29	·02	·04	·10	-	-	·03	·01	-	-	·06	·02	·02		29
30	·20	✕	-	-	-	·07	-	-	-	·14	-	-		30
31	·11	✕	·56	✕	·05	✕	·13	-	✕	·40	✕	·74		31
TOTAL	5·84	3·53	5·35	1·86	·56	1·70	5·16	·16	2·79	1·90	3·98	3·96	Year's Total 35·79	✓
* Days with .01 in. or more.	24	17	17	8	5	14	25	5	15	12	16	15	173	✓
* Days with .04 in. or more.	20	15	14	7	5	9	20	3	11	9	14	9	136	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Abraham Hull [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Stinsford Farm

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 204 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·04	-	·17	-	-	-	-	·03	-	·10	·95		1
2	·01	1·12	·01	·12	-	-	-	-	·12	-	-	·36		2
3	·03	·40	·07	·05	-	-	-	-	-	-	-	-		3
4	·17	·80	-	-	-	-	-	·01	-	-	-	·25		4
5	·15	-	·01	-	-	-	·23	-	-	-	-	-		5
6	·10	·35	·22	·30	·12	-	·28	-	-	·06	-	-		6
7	-	·83	·01	·04	-	-	-	-	-	·01	-	·20		7
8	-	·01	-	-	·50	-	-	-	-	-	·20	·09		8
9	-	-	·10	·17	·18	-	·20	-	·53	-	-	·03		9
10	·10	-	·90	·09	·25	·45	-	-	-	-	-	·45		10
11	·08	-	·48	·07	·41	-	·50	-	-	-	-	-		11
12	·70	·24	·13	·04	·17	·31	·03	·57	·20	-	-	·33		12
13	·14	·03	·70	·20	-	-	-	·30	·18	-	-	·06		13
14	·05	·03	·16	·01	-	-	-	·06	·14	-	-	·05		14
15	·40	·29	·07	·59	-	-	2·93	-	·17	-	·02	·12		15
16	·08	·06	·85	·07	-	-	·04	·30	1·18	-	·38	-		16
17	·82	·04	·67	-	-	-	·07	-	·15	-	·13	-		17
18	·13	·05	·02	-	-	-	-	-	-	-	-	·21		18
19	·15	·03	·02	·40	·05	-	·02	-	-	-	-	·14		19
20	·37	·04	·14	·26	·02	-	-	-	-	-	-	·53		20
21	·35	·34	·09	·03	·22	-	·02	-	·02	-	1·14	·15		21
22	·22	-	·07	-	·45	·02	·25	-	·17	·81	·75	·17		22
23	·30	·24	-	-	·10	-	·02	-	-	·31	·04	·02		23
24	·40	·76	-	-	-	-	-	-	·02	1·03	-	·05		24
25	·30	·44	·30	-	·50	-	-	-	·06	·40	-	·02		25
26	-	·35	·02	-	·58	-	-	-	-	·05	-	·01		26
27	-	·15	-	·02	-	-	-	-	-	·18	-	-		27
28	·38	·03	-	-	-	·02	-	-	-	·22	-	-		28
29	·05		-	-	-	·01	-	-	-	·66	·06	-		29
30	·48	✕	-	-	-	·03	-	-	-	·06	·30	-		30
31	·20	✕	-	✕	-	✕	-	-	✕	·28	✕	-		31
TOTAL	6·33	6·67	5·04	2·63	3·55	·84	4·59	1·24	2·97	4·07	3·12	4·19	Year's Total 45·24	✓
* Days with .01 in. or more.	26	23	21	17	13	6	12	5	13	12	10	20	178	✓
* Days with .04 in. or more.	24	18	15	14	12	2	8	4	10	11	9	16	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 1578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Stinsford Farm
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
,, Ground ,, Sea Level 207 ft.

Write re exposure — etc

Totals

W.J.T.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·03	-	-	-	·12	·02	-	-	·50	-	·03		1
2	·01	-	-	-	-	-	-	-	-	·15	·09	-		2
3	-	-	-	-	·06	-	-	-	-	1·04	·33	·37		3
4	-	-	-	-	-	-	·06	·32	-	·15	-	-		4
5	-	-	-	-	-	-	·10	·01	-	·30	-	-		5
6	·14	-	-	-	-	·04	·27	-	·10	·13	·07	·05		6
7	·18	-	-	-	-	·11	·43	·50	·08	·06	·01	·12		7
8	·24	-	-	-	-	·04	·02	·02	-	·33	-	·04		8
9	·10	·10	-	-	-	-	-	-	-	·01	-	·67		9
10	·05	-	-	-	-	·04	·03	·02	-	-	-	·65		10
11	·14	-	-	-	-	-	·01	-	-	-	·32	·33		11
12	·30	-	-	-	·22	-	-	-	-	·30	·03	-		12
13	·25	-	-	-	-	-	-	-	-	·09	·26	·47		13
14	·58	-	-	-	·05	-	·37	-	-	-	-	-		14
15	·25	-	-	-	·04	-	·27	-	-	·44	-	·50		15
16	·37	-	·06	-	-	-	-	·05	-	·11	·07	·10		16
17	·20	·13	·02	-	·27	-	-	-	·34	·15	·06	-		17
18	-	-	-	-	·05	·05	-	·07	·46	·02	·39	-		18
19	-	-	-	-	-	-	-	·16	·24	-	·65	-		19
20	-	-	-	-	-	-	-	-	-	-	1·11	-		20
21	·04	-	-	-	-	-	-	·02	·06	-	·16	·07		21
22	·02	-	-	·02	-	-	-	·36	-	·13	·62	-		22
23	-	-	-	-	-	-	-	-	-	-	·02	-		23
24	·02	-	·20	-	·01	-	-	·07	·18	-	·36	-		24
25	·14	·26	·02	-	·24	-	·18	·08	·01	-	·90	·01		25
26	·37	·43	-	-	·35	-	-	-	-	·02	-	·30		26
27	·15	-	-	-	·05	·34	·73	·15	-	·07	·50	-		27
28	·05	·10	-	-	·05	·07	-	·76	·11	-	·01	·02		28
29	·01	-	-	-	·50	-	-	-	·42	·24	·38	·01		29
30	·03	✕	-	-	·05	-	·10	-	·24	-	·05	·02		30
31	·20	✕	-	✕	·23	✕	·01	-	✕	·36	✕	·34		31
TOTAL	3·84	1·05	·30	·02	2·17	·81	2·60	2·59	2·27	4·57	6·39	4·10	Year's Total 30·74	✓
* Days with .01 in. or more.	23	6	4	1	14	8	14	14	11	20	21	18	154	✓
* Days with .04 in. or more.	18	5	2	-	13	8	9	10	10	17	17	13	122	✓

† Spare column, no entries required.

(Signed) J. Wrenham Hull [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at STINSFORD

in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 207 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	·08	-	·06	-	·01	·01	·07	-	·02	·10		1
2	-	-	-	·44	-	-	-	·41	·69	-	·12	·07		2
3	·70	-	-	·48	-	-	-	·10	-	-	·10	·30		3
4	-	-	·55	·21	·50	-	·21	·44	·24	·63	·04	·08		4
5	-	-	·03	·18	·11	-	·36	·05	-	·34	·85	·02		5
6	·50	-	·06	-	-	-	1·05	·10	-	·02	·51	-		6
7	-	·62	-	-	-	-	·02	-	-	-	·51	1·20		7
8	·08	·21	·08	-	-	-	·05	·02	-	·83	·18	·24		8
9	·05	-	·03	-	-	-	-	·21	-	·30	·07	·28		9
10	·27	-	·02	-	-	-	-	·32	·07	·28	·02	·07		10
11	-	·03	·12	-	-	-	-	-	-	·51	·01	·01		11
12	-	·02	-	-	-	·03	-	-	-	·06	·09	-		12
13	-	-	-	·11	-	·02	·45	-	·02	1·80	·02	-		13
14	·84	-	·01	·02	-	·01	·14	-	-	·20	·55	·10		14
15	·24	-	-	·10	·06	1·50	·25	-	-	·10	·40	·18		15
16	·21	-	-	-	·01	·01	·23	-	-	·05	·20	·01		16
17	·30	·10	-	-	·02	-	·32	-	-	·20	·07	-		17
18	·07	-	-	-	·03	·15	·45	-	-	-	·60	·02		18
19	·54	-	-	-	-	-	·01	-	-	-	-	·08		19
20	·47	-	-	-	-	-	·30	·73	-	-	-	·02		20
21	·01	·47	·04	-	-	·21	·22	-	-	-	-	-		21
22	·41	·33	·04	-	-	·41	·32	-	-	-	·63	-		22
23	-	-	-	·17	-	-	·04	-	-	-	1·80	-		23
24	·58	-	-	·01	-	·38	·17	·01	-	·02	-	-		24
25	·39	·14	-	·03	-	-	-	·09	-	·05	·50	-		25
26	-	·03	-	-	-	-	·10	-	-	·15	·32	·03		26
27	-	·35	-	-	-	-	·06	-	-	·08	·11	-		27
28	-	·23	·04	-	-	·05	·34	-	-	·13	·40	·05		28
29	-	-	-	·02	-	·02	·32	-	-	-	·01	-		29
30	-	×	·01	·32	-	·03	-	·07	-	·27	·01	-		30
31	-	×	-	×	-	×	-	·10	×	·83	×	-		31
TOTAL	5·64	2·53	1·11	2·09	·79	2·82	5·42	2·66	1·09	6·85	8·14	2·86	Year's Total 42·00	
† Days with .01 in. or more.	17	11	13	12	7	12	22	14	5	20	26	18	177	
* Days with .04 in. or more.	15	8	8	8	4	6	19	11	4	18	20	12	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Stursford Farm

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft. - in.

,, Ground ,, Sea Level 207 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	-	-	-	-	-	.13	-		1
2	-	.28	.34	-	-	-	-	-	-	-	.46	.05		2
3	.15	.57	-	-	-	-	-	-	-	.15	✓.85	.28		3
4	-	.10	-	-	-	-	.08	-	-	.42	.15	.03		4
5	-	.02	-	-	-	-	.02	-	-	.06	1.06	.30		5
6	.55	.70	-	-	-	-	.09	-	-	.34	.04	.06		6
7	.11	.01	-	.01	-	-	-	-	-	.11	-	.02		7
8	-	-	-	-	-	-	.08	-	-	.61	.23	.26		8
9	-	-	-	.02	-	-	-	.03	.02	.11	.76	.22		9
10	-	-	-	-	-	-	1.26	.01	-	-	.10	.06		10
11	-	-	.02	.01	-	-	.14	-	-	-	1.17	✓.04		11
12	-	-	.26	-	-	-	.26	-	.50	-	.03	-		12
13	-	-	.70	-	-	-	.12	-	-	.22	1.16	-		13
14	-	-	.06	.04	.10		.10	-	.40	.42	-	1.04		14
15	-	.05	-	-	1.00	.01	.26	-	.15	.95	1.15	.01		15
16	-	.62	.40	.07	-	.04	.06	-	.05	1.52	.75	.03		16
17	-	.08	.65	-	-	-	.13	-	-	-	.70	-		17
18	.12	.34	.33	.25	-	-	.04	-	.08	.11	.02	.06		18
19	-	.04	.04	.25	-	-	.09	-	1.15	-	.50	.01		19
20	-	.01	.01	.02	-	-	-	-	.01	.50	.03	-		20
21	-	.01	.07	-	.37	-	-	-	.06	.04	.54	-		21
22	-	.02	-	.03	-	.37	-	-	.18	-	.01	-		22
23	-	.02	.27	.09	-		.25	-	.03	.03	.04	.01		23
24	-	-	-	-	-	-	-	-	-	-	-	-		24
25	.07	-	.23	.06	-	-	-	-	-	-	-	-		25
26	1.20	.88	-	-	.10	-	.10	-	-	-	.01	-		26
27	.37	.28	-	-	.57	-	.02	-	-	-	-	-		27
28	.36	.15	-	-	-	-	-	-	-	.04	-	-		28
29	.15	.38	.31	.70	~~.05~~	.03	-	-	-	-	-	.28		29
30	.12	✕	.02	.10	-	-	-	-	-	.62	-	.10		30
31	.10	✕	.02	✕	-	✕	-	-	✕	.78	✕	.46		31
TOTAL	3.30	4.56	3.~~59~~ 73	1.65	2.14	.45	3.09	.04	2.63	7.03	9.89	3.31	Year's Total 41.82	✓
* Days with .01 in. or more.	11	19	16	13	5	4	17	2	11	18	22	19	157	✓
* Days with .04 in. or more.	11	13	12	8	4	2	15	0	8	17	17	14	121	✓

† Spare column, no entries required.

(*Signed*) J. Wyndham Hull

[P.T.O.

* See Instruction 3 (f) on other side.

1579

Section **A** for the entry of D

AIR MINISTRY.

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGIST 31.

1579

DORCHESTER

BIRKIN HOUSE

1931—40

780304

Kept at Birkin Hou

in the County of Dors

Diameter of Funnel of snowdon Gauge

Height of top of Gauge above Ground

Ground ,, Sea Lev

THE MORNING MEASUR AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·1

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	very cold	windy						On one of these three days 6" or 8" several inches of rain fell in one hour or two, 3 miles East of this house					1
2				·59					·59			·25	2
3			·64								1·14		3
4							·51						4
5			very cold			·59							5
6										·30			6
7								·52				last day of rain	7
8													8 until 31
9											·81		9
10											·54		10
11		·44											11
12													12
13													13
14						·71	·96						14
15		snow						·62					15
16						·55				a most remarkable October, rather cold		frost and fog	16
17							·46						17
18								1·36			·54		18
19													19
20												Very dry December	20
21													21
22	·55												22
23	·53				·77						·57		23
24				·72			·69	·48					24
25				·4									25
26							·42						26
27		·46			1·73								27
28												frost and some snow	28
29													29
30		×											30
31	·72	×		×		×			×		×		31
TOTAL	3·29	2·86	1·39	3·29	3·86	3·50	4·27	4·00	1·82	·45	6·35	1·24	YEAR'S TOTAL 36·32
*Days with ·01 in. or more.	16	18	11	18	18	16	20	17	10	6	20	10	180
*Days with ·04 in. or more.	13	13	6	14	13	12	13	12	8	3	16	7	150

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W H F Weber Colonel

P.T.O.

1579.

Section **A** for the entry of [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Birkin House, Dorchester
in the County of Dorset
Diameter of Funnel of Snowdon Gauge 5 in. brass rim
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·1

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	very cold (1–15)	very cold (1–4)						On one of these three days 6" or 8" several inches of rain fell in one hour or two, 3 miles East of this house					1
2				·59					·59			·25	2
3			·64								1·14		3
4							·51						4
5			very cold (5–16)			·59							5
6										·30			6
7								·52				last day of rain	7
8													8 until 31
9											·81		9
10											·54		10
11		·44											11
12													12
13													13
14						·71	·96						14
15		Snow						·62					15
16						·55				a most remarkable October, rather cold		frost and fog (16–18)	16
17							·46						17
18								1·36			·54		18
19													19
20												very dry December	20
21													21
22	·55												22
23	·53				·77						·57		23
24				·72			·69	·48					24
25				·4									25
26							·42						26
27		·46			1·73							frost [illegible] (27–30)	27
28													28
29													29
30		×											30
31	·73	×		×		×			×		×		31
TOTAL	3·29	2·86	1·39	3·29	3·86	3·50	4·27	4·00	1·82	·45	6·35	1·24	YEAR'S TOTAL 36·32
*Days with ·01 in. or more.	16	18	11	18	18	16	20	17	10	6	20	10	180
*Days with ·04 in. or more.	13	13	6	14	13	12	13	12	8	3	16	7	150

40-9999

(Signed) W H Weber Colonel

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~3~~2

Kept at Birkin House, Stinsford

in the County of Dorset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Only falls of over 1/4 inch are recorded on this summary – except in the case of the heaviest fall of the month

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·38

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										ground frost			1
2												·50	2
3						·61			·48			COLDER	3
4						·36							4
5	·46								·25				5
6	·44			·26					·46				6
7				·37						·64			7
8			·83						·52	·65			8
9	·56	1" snow	very sharp frosts										9
10	·31												10
11													11
12	·95												12
13									great humidity	·68	·49		13
14													14
15								heat wave					15
16													16
17													17
18													18
19										·73			19
20					·80					1·18	·26		20
21										·43			21
22	abnormally high glass								·81	·29	·50		22
23							·29			·78			23
24		·05					·50						24
25										·38		white Xmas FOG	25
26													26
27			·42	·98						·48			27
28							·26						28
29			·61			·64		·48	·53	·48	1·07		29
30		×				1·57			·38				30
31		×		×		×			×		×	·46	31
TOTAL	3·61	·05	2·59	3·38	2·54	3·32	1·71	1·08	4·08	7·64	2·87	1·95	YEAR'S TOTAL 34·82
*Days with ·01 in. or more.	17	1	12	21	21	7	11	6	18	22	15	17	168
*Days with .04 in. or more.	13	1	9	16	13	7	8	5	12	18	9	11	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Frank Weber

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 1579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Birkin House, Stinsford
in the County of Dorset
Diameter of Funnel of Snowdon Gauge 5 in. brass rim
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 230 ft. approx

measurements over 1/4" only are shown here

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·04

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	·77										·25	1
2	·76		·94										2
3			·35										3
4													4
5			·56			with some thunder storms							5
6		·43			·30								6
7										·30		hard frost - hunting stopped	7
8							·66						8
9							·63						9
10			blazing sun							·36			10
11									20th day without rain				11
12									·81			snow	12
13							·50						13
14										·27	·52		14
15	·83	FROST	·34										15
16			1·02										16
17		snow	·35										17
18							second heat wave						18
19				snow					·57				19
20													20
21	FROST		blazing sunshine										21
22						very hot and dry		·26					22
23		snow		·65		·15							23
24		2·09		·59									24
25		·54		·33					·25			·30	25
26		·48											26
27					·36							·65	27
28				·46			·57						28
29													29
30		×							·27				30
31	·34	×		×		×			×		×		31
TOTAL	3·08	4·80	4·18	2·37	1·74	·45	3·19	·72	2·98	2·07	·93	1·29	YEAR'S TOTAL 27·8
*Days with ·01 in. or more.	13	13	14	7	13	7	13	9	15	16	10	6	136
*Days with .04 in. or more.	11	10	12	6	11	3	11	7	11	12	4	4	102

40-9999

*See Instruction 2 (f) on other side,

D

(Signed) W. H. F. Weber Colonel

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 1579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Birkin House, Stinsford, Dorchester.

in the County of Dorset

Diameter of Funnel of Snowdon Gauge 5 in. brass rim

Height of top of Gauge above Ground ft 9" in.

,, Ground ,, Sea Level 230 ft. approx

Figures below give
(i) measurements over 1/4"
underlined (ii) highest measurements of month
(iii) correct total measurements

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
nil
(drizzle)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								·81			some snow	1.40		1
2	·33	month							1·47			·44		2
3										·68		·47		3
4			·32		·29							·30		4
5								·99				·58		5
6			·35	some snow						·61		·70		6
7												·73		7
8		throughout			·27		<heat wave>				·77			8
9											·64			9
10			·32	·36										10
11	·55		·49	·28	<heat wave>		·10					·65		11
12		day										·26		12
13	·44											·82		13
14		every	·37									·46		14
15												·42		15
16	·33		·48											16
17		nearly										·47		17
18			·26		<no rain>							·50		18
19							< thunder about >							19
20														20
21		frost				~~·22~~						·30		21
22								·25	·35			·41		22
23				·36		·32								23
24		·06												24
25	·41											1.15		25
26												·48		26
27		white										·63		27
28								·64				·73		28
29								·34	·50					29
30		×							·36			·36		30
31		×		×		×			×		×			31
TOTAL	3·28	·07	3·38	2·26	·66	1·00	·23	3·67	3·57	2·73	2·13	13·16	Year's Total 36·14	d
*Days with ·01 in. or more.	18	2	18	16	5	6	3	12	14	16	10	29	~~149~~	
*Days with ·04 in. or more.	15	1	14	12	3	4	2	10	11	11	9	29	~~121~~	

† Spare column, no entries required.

(*Signed*) Frank Weber

40-9999

*See Instruction 2 (*f*) on other side.

P.T.O.

667565/26

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Birkin, Stinsford

in the County of Dorset

Diameter of Funnel of Gauge 5 in. brass rim

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 230 approx ft.

only measurements over 1/4 inch shown

No days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ~~·465~~

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
		× garden early ×			× cold ×									
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·490			·270			·440					1
2										·705				2
3										1·069	·299			3
4														4
5		·372 (snow)							·286					5
6				·340		1·640					·269			6
7				·439						·456 frost				7
8			snow	·361							·610			8
9				·831						·911	·881			9
10			snow											10
11	·231		·420			·545					·798			11
12						·330					·651			12
13				·293	frost	·260								13
14				·419					·300 GALE		·860	·461		14
15				·855					·260		·542			15
16	×				hail & snow						1·461			16
17					·935	·309			·631		springs broke			17
18				·486										18
19					·268		·192				·420			19
20		·571									·327			20
21	×	·680												21
22						humidity		drought broke	·652					22
23						drought begins				·450		·250		23
24		·596 (snow)						·790				·479		24
25												·535		25
26		·401						·260				·900		26
27		·396										·765		27
28														28
29												·553		29
30		×						1·380		·290	·357	·850		30
31		×		×		×			×	1·188	×	·470	"d"	31
TOTAL	·64	3·91	1·20	4·83	1·73	4·40	·33	3·24	4·11	5·90	8·48	6·24	Year's Total. 45·01	
* Days with .01 in. or more.													~~178~~	
* Days with .04 in. or more.													~~132~~	

<frost>

very cold

<frost>

A MONTH OF SEVERE DROUGHT

<in this period the fruit and young [illegible] trees dying>

A VERY WINDY MONTH

<very cold month till December 22

a [illegible] FROST >

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. H. F. Weber Colonel

P.T.O.

667565/26

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Birkin House

in the County of Dorset

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Sea Level ..... ft.

On morning of 11/2 the rain froze as it fell. I melted it with help of approx ·40 of hot water and then measured ·650.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Very cold period N.E. wind except 10 days

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
5½" snow 24/1/12	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·465	·016	·010	·383	nil	·310	·140	nil	nil	nil	·050	·010		1
2	·010	nil	(hail storm) nil	·043	nil	·037	·103	(a drop) ·047	nil	nil	·040	nil		2
3	nil	(w. frost) nil	(w. frost) nil	·444	nil	nil	·125	nil	·380	nil	·500	nil		3
4	(w.f.) drops	(8° w.f.) nil	(6° w.f.) ·271	nil	~~drops~~ nil	(scuds) ·043	nil	nil	·430	nil	·110	·040		4
5	·330	(6° w.f.) nil	·017	(spots + fr.) nil	drops	(thunder) nil	(drizzle) nil	·040	·150	nil	nil	·050		5
6	·150	nil	·013	nil	nil	drizzle	·036	·053	·280	nil	·770	nil		6
7	·047	(frost) nil	·501	(frost) nil	nil	([illegible]) drops	·490	nil	nil	nil	·260	·020		7
8	·607	(6°) nil	·851	nil	nil	nil	·282	nil	nil	nil	·410	·020		8
9	·338	(frost) nil	·420	nil	nil	nil	·238	nil	·300	nil	·030	nil		9
10	·419	(E. gale) ·250	nil	nil	nil	(drops) nil	·350	nil	·035	nil	1·00	nil		10
11	(St. Paul) ·320	(frozen) ·080	nil	nil	nil	·040	·030	nil	·080	nil	1·180	nil		11
12	(snow + fr.) drops	(frost) nil	nil	(frost) ·113	nil	·340	·580	·023	·040	nil	·090	nil		12
13	·037	(6°) nil	nil	(snow +5° fr.) nil	nil	·082	·184	nil	·040	nil	·120	·650		13
14	(drizzle) drop	(6°) ·041	nil	(frost) nil	nil	·050	·400	nil	nil	·030	·030	·850		14
15	(frost) drop	·050	nil	nil	nil	storms	nil	nil	·090	nil	·120	·430		15
16	(frost) ·010	(sleet [illegible]) ·315	nil	(frost) ·050	·333	nil	(1 storm) ·190	nil	·030	nil	·190	·250		16
17	(frost + snow) nil	1·170	(frost) nil	nil	·044	nil	·287	nil	nil	·020	·035	·650		17
18	(5° thin rain) ·100	·167	(frost) nil	(frost) nil	nil	·205	(gale) ·490	nil	nil	nil	nil	·210		18
19	frost ([illegible]) ·658	·052	·034	(frost) ·134	nil	(thunder 19) ·227	(L.M.) ·040	·035	nil	·020	nil	nil		19
20	·032	·250	·116	·251	nil	(thunder) ·211	·070	nil	1·000	nil	nil	nil		20
21	(thunder + frost) nil	(at 9 a.m.) ·265	·196	·374	nil	(thunder) ·043	·014	nil	nil	nil	nil	nil		21
22	(6°) ·217	(afternoon) ·350	·810	(N.E. gale) nil	nil	nil	·339	nil	nil	·050	nil	·015		22
23	6° (frost) ·036	nil	nil	(9° w.f.) ·229	·105	nil	·201	nil	nil	·060	nil	nil		23
24	·231	(drop) ·048	(drop) ·060	·006	·100	nil	(Term III) nil	nil	·045	·430	nil	nil		24
25	·085	nil	·410	·235	nil	nil	(Term IV) nil	nil	·040	·390	nil	nil		25
26	(frost) ·350	(6° w.f.) ·221	·150	·007	nil	nil	nil	nil	·010	·180	nil	nil		26
27	·427	·630	·204	nil	nil	nil	(2 storms) ·208	nil	·015	·140	nil	nil		27
28	·922	(snow) ·028	·870	~~nil~~	nil	nil	·503	nil	nil	nil	nil	·350		28
29	([illegible]) ·020	(5° w.f.) ·056	·057	·011 nil	(frost!) nil	·023	(thunder) ·020	nil	nil	·070	·030	·020		29
30	·240	(snow) ×	nil	nil	·010	(thunder) ·054	nil	nil	nil	·140	nil	nil		30
31	·110	×	(drop) ·601	×	·130	×	(spots) ·130	nil	×	·480	×	·750		31
TOTAL	6·161	3·989	5·591	2·280	·722	1·665	5·450	·198	2·965	2·040	3·965	4·315	Year's Total. 39	34 ✓
* Days with .01 in. or more.	24	17	18	13	6	13	24	5	16	12	14	15	180	✓
* Days with .04 in. or more.	19	15	14	10	5	11	21	3	12	9	13	10	142	✓

40-9999	10·150	15·741	18·021	18·743	20·408	25·858	26·056	29·021	31·061	35·026	39·341	

† In this column, no entries required.

* See Instruction 2 (f) on other side.

F. Hold Butler to late 6d.* Weather

[P.T.O.

667565/26

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at Birkin House.
in the County of Dorset.
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level 230 ft.

Copy.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·47	·02	·01	·38	-	·31	·14	-	-	-	·05	·01		1
2	·01	-	-	·04	-	·04	·10	·05	-	-	·04	-		2
3	-	-	-	·44	-	-	·13	-	·38	-	·50	-		3
4	-	-	·27	-	-	·04	-	-	·43	-	·11	·04		4
5	·33	-	·02	-	-	-	-	·04	·15	-	-	·05		5
6	·15	-	·01	-	-	TR	·04	·05	·28	-	·77	-		6
7	·05	-	·50	-	-	-	·49	-	-	-	·26	·02		7
8	·60	-	·85	-	-	-	·28	-	-	-	·41	·02		8
9	·34	-	·42	-	-	-	·24	-	·30	-	·03	-		9
10	·41	·25	-	-	-	-	·35	-	·03	-	·10	-		10
11	·32	·08	-	-	-	·04	·03	-	·08	-	1·18	-		11
12	-	-	-	·11	-	·34	·58	·02	·04	-	·09	-		12
13	·04	-	-	-	-	·08	·18	-	·04	-	·12	·65		13
14	-	·04	-	-	-	·05	·40	-	-	·03	·03	·85		14
15	-	·05	-	-	-	-	-	-	·09	-	·12	·43		15
16	·01	·31	-	·05	·33	-	·19	-	·03	-	·19	·25		16
17	-	1·17	-	-	·04	-	·29	-	-	·02	·03	·65		17
18	·10	·17	-	-	-	·21	·49	-	-	-	-	·21		18
19	·66	·05	·03	·13	-	·23	·04	·04	-	·02	-	-		19
20	·03	·25	·12	·25	-	·21	·07	-	1·00	-	-	-		20
21	-	·27	·20	·37	-	·04	·01	-	-	-	-	-		21
22	·21	·35	·81	-	-	-	·34	-	-	·05	-	·01		22
23	·04	-	-	·23	·11	-	·20	-	-	·06	-	-		23
24	·23	·05	·06	·01	·10	-	-	-	·05	·43	-	-		24
25	·09	-	·41	·24	-	-	-	-	·04	·39	-	-		25
26	·35	·22	·15	·01	-	-	-	-	·01	·18	-	-		26
27	·43	·63	·20	-	-	-	·21	-	·02	·17	-	-		27
28	·92	·03	·87	·01	-	-	·50	-	-	-	-	·25		28
29	·02	·05	·06	-	-	·02	·02	-	-	·07	·03	·02		29
30	·24	×	-	-	·01	·05	-	-	-	·14	-	-		30
31	·11	×	·60	×	·13	×	·13	-	×	·48	×	·75		31
													Year's Total	
TOTAL	6·16	3·99	5·59	2·27	·72	1·66	5·45	·20	2·96	2·04	4·06	4·31	39·41	
* Days with .01 in. or more.	24	17	18	13	6	13	24	5	16	12	17	15	180	
* Days with .04 in. or more.	20	15	14	10	5	12	21	4	12	9	13	10	144	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1549

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Birkin House

in the County of Dorset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Totals ok!

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·19	0·04		0·25					0·04		0·10	0·98		1
2	0·01	1·16	0·01	0·14					0·07			0·46		2
3	0·02	0·41	0·07	0·06	0·03									3
4	0·20	0·78					0·01	0·01				0·26		4
5	0·16						0·23							5
6	0·09	0·34	0·27	0·28	0·15		0·27			0·07				6
7		0·95	0·02	0·03						0·01		0·25		7
8					0·58						0·19	0·12		8
9				0·15	0·16		0·23		0·55			0·02		9
10	0·12		Snow 1·00	0·12	0·25	0·40						0·54		10
11	0·07		0·53	0·07	0·47		0·47							11
12	0·68	0·25	0·11	0·07	0·17	0·31	0·03	0·55	0·22			0·33		12
13	0·12	0·04	0·81	0·13	0·01			0·29	0·12			0·06		13
14	0·03	0·50	0·20					0·06	0·18			0·04		14
15	0·39	0·32	0·08	0·63			2·93		0·18			0·12		15
16	0·06	0·08	0·82	0·08			0·04	0·35	1·28					16
17	0·77	0·05	0·63				0·06		0·12		0·44			17
18	0·14	0·05	0·03						0·01		0·15	0·26		18
19	0·16	0·02	0·01	0·41	0·05	0·02					0·01	0·15		19
20	0·33	0·05	0·12	0·27								0·55		20
21	0·34	0·36	0·10	0·03	0·21		0·02		0·03		1·11	0·17		21
22	0·23		Snow 0·07		0·43	0·02	0·24		0·16	0·79	0·74	0·24		22
23	0·34	0·25			0·12		0·02			0·29	0·04	0·02		23
24	0·40	0·76							0·03	1·07		0·05		24
25	0·81	0·45	0·32		0·60				0·05	0·40		0·04		25
26		0·37	0·02		0·55					0·05		0·03		26
27	0·03	0·11		0·02						0·24				27
28	Snow 0·11	Snow 0·04				0·02				0·86				28
29	0·19										0·05			29
30	0·80					0·03				0·05	0·29			30
31	0·26									0·33				31
TOTAL	6·66	7·38	5·22	2·74	3·78	0·80	4·55	1·36	3·04	3·98	3·12	4·58	Year's Total 47·21	✓
* Days with .01 in. or more.	27	22	19	16	14	6	12	5	14	11	10	20	176	✓
* Days with .04 in. or more.	23	21	14	13	12	2	8	4	11	10	9	14	144	✓

40-9999. 14·04 19·26 22·00 25·78 26·58 † Spare column, no entries required.

26·58 31·13 32·49 35·53 39·51 42·63

* See Instruction 2 (f) on other side. (Signed) F. Hold : Butler [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Birkin House

in the County of Dorset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Totals
UR

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		0.03				0.11	0.02			0.50		0.04		1
2										0.16	0.16	0.14		2
3					0.09					1.04	0.43	0.31		3
4	0.03						0.06	0.36		0.20				4
5							0.08	0.11		0.32				5
6	0.13						0.29		0.13	0.15	0.09	0.05		6
7	0.26					0.14	0.44	0.36	0.09	0.08	0.02	0.10		7
8	0.23	0.01				0.04	0.03		0.02	0.36		0.06		8
9	0.10	0.09						.04		0.01		0.69		9
10	0.07	0.01				0.04	0.03	0.[illegible]				0.64		10
11	0.14										0.33	0.35		11
12	0.56				0.22					0.32	0.02			12
13	0.29									0.11	0.29	0.50		13
14	0.58				0.05		0.01							14
15	0.26				0.04		0.40			0.48	0.02	0.50		15
16	0.43		0.03				0.25	0.06		0.12	0.06	0.10		16
17		0.15			0.25				0.40	0.19	0.06			17
18	0.21				0.07	0.05		0.08	0.47	0.03	0.47			18
19								0.18	0.30		0.63			19
20											1.25			20
21	0.04								0.07		0.17			21
22	0.02			0.11				0.40		0.12	0.63	0.17		22
23	0.01							0.07	0.01		0.04			23
24			0.24						0.18		0.36			24
25	0.14	0.27	0.03		0.25		0.18	0.12		0.02	1.06			25
26	0.41	0.41			0.35	0.01				0.02	0.68	0.38		26
27	0.14	0.01			0.05	0.36	0.73	0.12		0.09				27
28	0.05	0.11			0.06	0.13		0.81	0.12			0.02		28
29					0.48				0.41	0.23	0.44	0.02		29
30	0.03				0.07	0.03			0.28	0.02	0.05	0.03		30
31	0.22				0.24		0.10			0.42		0.38		31
TOTAL	4.38	1.09	0.30	0.11	2.22	0.91	2.62	2.71	2.48	4.87	7.20	4.48	Year's Total 33.34	
* Days with .01 in. or more.	22	9	3	1	13	9	13	12	12	22	21	18	155	
* Days with .04 in. or more.	18	5	1	1	13	7	9	12	10	17	18	15	126	

4.35

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) [illegible] Butler for
4.87 Mrs Weber

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bicklin House

in the County of Dorset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Jan., May – Aug, Oct & annual totals corrected for arith.,

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02		0.09		0.04			0.02	0.11		0.01	0.12		1
2				0.45				0.50	0.41		0.14	0.08		2
3	0.73		0.01	0.47				0.10			0.10	0.33		3
4	0.01		0.55	0.22	0.46		0.21	0.56	0.45	0.63	0.05	0.11		4
5			0.03	0.19	0.15		0.38	0.06		0.33	0.85	0.04		5
6	0.52		0.07				1.14	0.11			0.54			6
7	0.06	0.67					0.03			0.02	0.48	1.20		7
8		0.22	0.12				0.05			0.92	0.22	0.28		8
9	0.05		0.04					0.24		0.29	0.07	0.31		9
10	0.30							0.31	0.09	0.32	0.02	0.07		10
11		0.04	0.11							0.54	0.01	0.02		11
12				0.01		0.05				0.06	0.09			12
13				0.11		0.03	0.44		0.08	1.92	0.02	0.12		13
14	0.87			0.02	0.03	0.01	0.17		0.02	0.19	0.60	0.11		14
15	0.26				0.07		0.26			0.11	0.35	0.02		15
16	0.24			0.12	0.02	1.35	0.20			0.05	0.24			16
17	0.31	0.12			0.04		0.33			0.21	0.08			17
18	0.08				0.02		0.48				0.61			18
19	0.55					0.17	0.03					0.09		19
20	0.46						0.29	0.42						20
21		0.31	0.06			0.12	0.28							21
22	0.46	0.45	0.05			0.12	0.32				0.66			22
23				0.17		0.43	0.06				1.94			23
24	0.62			0.04			0.18	0.01		0.02		0.04		24
25	0.62	0.15		0.03		0.40	0.10	0.02		0.06	0.49			25
26	0.01	0.06						0.10		0.17	0.36			26
27		0.35	0.03				0.06			0.19	0.41			27
28		0.24	0.03				0.35			0.14	0.12	0.20		28
29				0.03		0.10	0.31				0.01			29
30			0.05	0.35		0.08				0.30	0.03			30
31								0.15		0.90				31
TOTAL	~~6.34~~ 6.17	2.61	1.24	2.21	~~0.96~~ .86	~~3.85~~ 2.86	~~5.60~~ 5.70	~~2.93~~ 2.90	1.41	~~7.47~~ 7.37	8.53	3.14	Year's Total ~~46.30~~ 45.00	
* Days with .01 in. or more.	18	10	13	13	8	11	21	13	6	20	26	16	175	
* Days with .04 in. or more.	15	10	9	9	5	9	19	10	4	18	20	14	142	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. Hold - Butler [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations.

Station No. 1579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Birkin House

in the County of Dorset

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					002						0.13			1
2		082		032							046	004		2
3		062								016	088	028		3
4	003	008					010			042	014	002		4
5										003	1.02	031		5
6	050	040					008			038	003	005		6
7	011	002								011		001		7
8				001						060	021	026		8
9								003	002	010	043	023		9
10							1.38			004	008	004		10
11							012				1.29	004		11
12			030	003			025		054		004			12
13			074				012		001	021	1.45			13
14			0.11	004	011		008		038	042	001	002		14
15				001	1.34	001	026		0.13	1.03	1.06	1.02		15
16			043	006		003	005		004	1.54	079			16
17			064				002				069	003		17
18		163	035	029					004	011	001	006		18
19			004	023			008		1.24		053			19
20		005		002						053	003			20
21		001	0.01		036				004	001	061			21
22			006			032			016	001				22
23		002	025	004					002		004	001		23
24							023							24
25	016		025	005										25
26	1.36	083			011		004							26
27	041	024			056									27
28	049	012								005				28
29		045	030	074		003				003		024		29
30			002	008						058		008		30
31	050		002							080		033		31
TOTAL	3.56	5.12	3.51	1.90	2.50	0.39	2.81	0.03	2.68	4.19	10.23	3.13	Year's Total 43.05	
* Days with .01 in. or more.	8	13	14	13	6	4	13	1	11	20	21	18	140	
* Days with .04 in. or more.	4	10	11	9	5	1	12	0	8	15	16	13	104	

2.92

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Mrs E. M. B. WEBER

[P.T.O.

BRADFORD (PEVERELL HO.)

1579/5
BRADFORD
PEVERELL House
1935—40
780304

Section **A** for the entry of Da

AIR MINISTRY.—

L ORGANIZATION.

Station No. 1579/5

Dorset/3.

FORM 1090.

REGIST

35.

~~Kept at~~ Bradford Peverell

in the County of Dorset.

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level 370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		—	·48	—	—	·34	·16	—	·30	·06	·11	·14		1
2		—	—	—	—	·01	—	—	·10	·62	·05	·03		2
3		trace	·05	—	·03	·23	—	—	·17	·40	·42	trace		3
4		·20	trace	·11	·02	·20	—	—	·14	·09	·15	·10		4
5		·47	·04	·02	—	·24	—	—	·30	·02	·02	·01		5
6		—	—	·39	—	1·65	—	—	—	—	·14	·06		6
7		—	—	·58	—	·01	—	—	—	·45	·15	·08		7
8		—	trace	·33	—	—	—	—	·11	·16	·54	·16		8
9		trace	—	·40	—	·14	—	—	·01	·95	·44	—		9
10		trace	·26	trace	—	·10	—	trace	·01	—	·08	·02		10
11		·01	·03	·01	—	·38	—	—	·02	—	·70	trace		11
12		·05	—	—	—	·28	—	trace	·18	trace	·56	—		12
13		·18	—	·22	·17	·18	—	—	·02	·02	·15	—		13
14		·05	—	·31	·02	·10	—	—	·07	·03	1·24	·51		14
15		·10	—	·83	—	·05	—	—	·25	·01	·70	·13		15
16		·04	·11	·04	—	·07	—	—	·35	trace	1·60	—		16
17		trace	·01	·10	·93	·35	—	·11	·03	trace	·10	—		17
18		·06	—	·56	trace	·04	trace	—	·64	·04	trace	·04		18
19		·05	—	·06	·80	·11	·04	—	·29	·14	·44	trace		19
20		·47	trace	·26	·08	·02	·14	—	·01	—	·34	trace		20
21		·58	·01	·08	—	trace	trace	—	·02	} ·01 {	trace	trace		21
22		·04	·06	trace	—	—	—	·16	·11		trace	trace		22
23		·01	·17	—	·05	—	—	·19	·03	·51	trace	·28		23
24		·60	·01	—	·06	trace	—	·73	·82	·20	trace	·51		24
25		·20	trace	·06	trace	·02	—	trace	—	—	—	·56		25
26		·42	—	—	·01	·05	—	·32	·11	—	trace	·81		26
27	—	·41	·01	—	—	—	—	·05	·20	·04	·24	·88		27
28	—	·09	trace	—	·07	—	trace	·32	·06	—	·02	·19		28
29	—	×	—	—	·03	—	—	·30	·19	·02	·04	·47		29
30	·03	×	—	·03	trace	·01	—	1·33	·06	·44	·47	·90		30
31	—	×	—	×	·01	×	—	·03	×	1·26	×	·52	'd'	31
TOTAL	(·60)	4·03	1·24	4·89	2·28	4·63	0·39	3·54	4·60	5·97	9·22	6·59	Year's Total. 47·89	
* Days with .01 in. or more.		19	12	18	13	22	3	10	27	20	23	20	..	
* Days with .04 in. or more.		17	7	15	7	16	3	9	19	14	21	17	..	

Print all

40-9999

X H. F. MIDDLETON ESQ. X

† Spare column, no entries required.

(Signed) Hastings F. Middleton

* See Instruction 2 (f) on other side.

[P.T.O.

BRADFORD (PEVERELL HO.)

Section **A** for the entry of Daily Observations. Station No. 1579/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Dorset/3.

~~Kept at~~ Bradford Peverell House, Dorchester

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 370 ft.

~~Dorset~~/3

Jan [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		—	·48	—	—	·34	·16	—	·30	·06	·11	·14		1
2		—	—	—	—	·01	—	—	·10	·62	·05	·03		2
3		trace	·05	—	·03	·23	—	—	·17	·90	·42	trace		3
4		·20	trace	·11	·02	·20	—	—	·14	·09	·15	·10		4
5		·47	·04	·02	—	·24	—	—	·30	·02	·02	·01		5
6		—	—	·39	—	1·65	—	—	—	—	·14	·06		6
7		—	—	·58	—	·01	—	—	—	·45	·15	·08		7
8		—	trace	·33	—	—	—	—	·11	·16	·54	·16		8
9		trace	—	·90	—	·14	—	—	·01	·95	·94	—		9
10		trace	·26	trace	—	·10	—	trace	·01	—	·08	·02		10
11		·01	·03	·01	—	·38	—	—	·02	—	·70	trace		11
12		·05	—	—	—	·28	—	trace	·18	trace	·56	—		12
13		·18	—	·22	·17	·18	—	—	·02	·02	·15	—		13
14		·05	—	·31	·02	·10	—	—	·07	·03	1·24	·51		14
15		·10	—	·83	—	·05	—	—	·25	·01	·70	·13		15
16		·04	·11	·04	—	·07	—	—	·35	trace	1·60	—		16
17		trace	·01	·10	·93	·35	—	·11	·03	trace	·10	—		17
18		·06	—	·56	trace	·04	trace	—	·64	·04	trace	·09		18
19		·05	—	·06	·80	·11	·04	—	·29	·14	·44	trace		19
20		·47	trace	·26	·08	·02	·19	—	·01	—	·34	trace		20
21		·58	·01	·08	—	trace	trace	—	·02	·01	trace	trace		21
22		·04	·06	trace	—	—	—	·16	·11		trace	trace		22
23		·01	·17	—	·05	—	—	·19	·03	·51	trace	·28		23
24		·60	·01	—	·06	trace	—	·73	·82	·20	trace	·51		24
25		·20	trace	·06	trace	·02	—	trace	—	—	—	·56		25
26		·42	—	—	·01	·05	—	·32	·11	—	trace	·81		26
27	—	·41	·01	—	—	—	—	·05	·20	·04	·24	·88		27
28	—	·09	trace	—	·07	—	trace	·32	·06	—	·02	·19		28
29	—	×	—	—	·03	—	—	·30	·19	·02	·04	·47		29
30	·03	×	—	·03	trace	·01	—	1·33	·06	·44	·47	·90		30
31	—	×	—	×	·01	×	—	·03	×	1·26	×	·52	'd'	31
TOTAL	(·60)	4·03	1·24	4·89	2·28	4·63	0·39	3·54	4·60	5·97	9·22	6·50	Year's Total. 47·89	
* Days with .01 in. or more.		14	12	18	13	22	3	10	27	20	23	20	..	
* Days with .04 in. or more.		17	7	15	7	16	3	9	19	14	21	17	..	

Print all

40-9999 X H. F. MIDDLETON ESQ X

N

† Spare column, no entries required.

(Signed) Hastings J. Middleton

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1579/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bradford Peverell House Dorchester

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·04	·03	·45	—	·41	·20	—	trace	—	·05	·05		1
2	trace	trace	—	·05	—	·01	·20	·07	·01	—	·03	—		2
3	trace	—	trace	·42	—	trace	·13	trace	·48	—	·44	trace		3
4	·02	—	·34	—	—	·01	·11	—	·47	—	·11	·05		4
5	·44	—	·02	—	—	—	·06 }	·06	·47	—	trace	·04		5
6	·16	—	·02	—	trace	·01		·05	—	—	·85	—		6
7	·07	—	·48	—	—	—	·44	trace	—	—	·28	·03		7
8	·65	—	·40	—	—	—	·27	—	—	—	·31	·03		8
9	·40	—	·58	—	—	—	·25	—	·21	—	·03	—		9
10	·28	·24	—	—	—	trace	·16	—	trace	—	·09	—		10
11	·32	·02	—	—	—	·07	·08	—	·17	—	1·03	—		11
12	—	—	—	·06	trace	·32	·61	—	·05	—	·09	·01		12
13	·04	—	—	·08	—	·04	·40	·01	·01	·04	·24	·77		13
14	—	·04	—	—	—	·07	trace	—	·02	·01	·01	·72		14
15	·01	·05	trace	—	·01	trace	·22	trace	·17	—	·14	·42		15
16	·01	·32	—	·11	·27	—	·23	—	trace	—	·27	·25		16
17	—	·40	—	trace	·01	—	·24	—	·01	·04	·06	·72		17
18	·13	·25	·01	—	—	·08	·23	trace	trace	·04	trace	·34		18
19	·54	·10	·14	·14	—	·33	·06	·07	trace	trace	—	—		19
20	·07	·26	·04	—	—	·08	·02	—	·61	—	—	·01		20
21	—	·24	~~·03~~	·31	—	trace	·08	—	trace	—	—	—		21
22	·03	·32	·78	·34	—	—	·26	—	trace	·04	—	·03		22
23	·05	·01	trace	·25	·08	—	·25	—	trace	·04	trace	·01		23
24	·26	·02	·04	trace	·01	—	·04	trace	·04	·39	trace	trace		24
25	·08	trace	·37	·23	—	—	·06	—	·05	·43	trace	—		25
26	·40	·21	·28	trace	—	—	·22	—	·01	·27	—	—		26
27	·42	·42	·20	—	—	—	·24	—	trace	·19	trace	—		27
28	~~·49~~	·01	·85	—	—	—	·44	—	trace	trace	·01	·36		28
29	·04	·07	·07	—	—	·02	·06	—	—	·15	·02	·02		29
30	·31	×	trace	—	trace	·10	trace	—	—	·17	—	—		30
31	·15	×	·60	×	·25	×	·15	trace	×	·47	×	·72		31
TOTAL	6·42	3·52	5·76	2·44	0·72	1·60	5·71	0·26	2·68	2·33	4·06	4·63	Year's Total. 40·13	✓
* Days with .01 in. or more.	25	18	19	11	6	13	28	5	15	13	18	18	189	
* Days with .04 in. or more.	20	14	14	11	3	9	27	4	10	12	13	11	148	✓

40-9999

† Spare column, no entries required.

(*Signed*) Hastings F. Middleton [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1579/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Bradford Peverell House

in the County of Dorsetshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 370 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27	.03	Trace	.26	-	-	-	-	·04	-	·10	1·66		1
2	.04	1.22	.02	.17	-	-	-	-	·14	-	·01	·36		2
3	.02	.41	.08	.06	.01	-	·01	-		-	-	-		3
4	.22	.82	-	Trace	-	-	-	·01		-	-	·29		4
5	.15	Trace	.03	.01	-	-	·30	-		-	-	·01		5
6	.20	.35	.26	.28	.08	-	·33	-		·11	-	-		6
7	Trace	1.02	.01	.05	-	-	-	-		·01	-	·24		7
8	-	Trace	-	Trace	.73	-	·01	-		-	·24	·28		8
9	-	-	.11	.20	.24	-	·21	-	·63	-	-	·03		9
10	.21	.01	.80	.41	.27	·42	-	-		-	-	·47		10
11	.07	Trace	.40	.10	.43	-	·49	-		-	-	-		11
12	.82	.22	.13	.03	.02	·36	·04	·43	·23	-	-	-		12
13	.20	.04	.76	.20	-	-	-	·32	·30	-	-	·28		13
14	.01	.02	.18	Trace	-	·01	-	·14	·14	-	-	·05		14
15	.35	.37	.08	.68	-	-	1·89	-	·10	-	-	·19		15
16	.12	.07	.64	.14	-	·01	·09	·43	1·08	-	·01	-		16
17	.66	.05	.57	-	-	-	·05	·02	·03	-	·48	-		17
18	.12	.07	.03	-	-	-	-	-		-	·13	·38		18
19	.17	.07	.03	.40	-	-	·04	-		-	·01	·18		19
20	.20	.13	.11	.29	.20	-	-	-		-	-	·67		20
21	.36	.49	.09	.06	-	-	-	-	·08	·02	·88	·23		21
22	.17	-	.11	-	.71	·07	·38	-	·22	1·37	·36	·24		22
23	.31	.27	-	-	.10	-	-	-		·25	·05	·03		23
24	.31	.80	-	-	-	-	-	-	·03	1·19	-	·07		24
25	.12	.42	.30	-	.71	-	-	-	·07	·30	-	·04		25
26	Trace	.37	.20	-	.59	-	-	-		·07	-	·05		26
27	.02	.30	-	.01	Trace	-	-	-		·52	-	-		27
28	.35	.13	-	-	-	·03	-	-		·26	-	-		28
29	.08		-	-	-	·01	-	-		·93	·10	-		29
30	.43	X	-	-	-	·06	-	-		·10	·39	-		30
31	.23	X	-	X	-	X	-	-	X	·31	X	-		31
TOTAL	6.21	7.63	4.76	3.08	4.09	9~~8~~7	3·84	1·35	3·09	5·44	2·76	5·84	Year's Total 49·06	
* Days with .01 in. or more.	27	23	21	17	12	8	12	6	13	13	12	20	184	
* Days with .04 in. or more.	24	20	16	14	10	4	10	4	11	11	9	17	150	

† Spare column, no entries required.

(Signed) J. Middleton [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1579/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bradford-Peverell House.

in the County of Dorsetshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level 370 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·06				·18	·17	tr	–	·52	–	·04		1
2	·01						·02	–	–	·19	·10	·19		2
3					13		·02	–	–	1·02	·42	tr		3
4	·01						·10	·83	–	·18	TR	·19		4
5							·11	tr	TR	·32	·01	tr		5
6	·14					·08	·38	–	·12	·19	·09	·09		6
7	·33					·13	·33	·02	·20	·07	·01	·09		7
8	·31	·02				·06	·04	·01	TR	·45	–	·08		8
9	·17	·25					–	tr	–	·02	–	·49		9
10	·11	·01				·07	·05	·32	–	tr	TR	·39		10
11	·13						tr	·01	–	·01	·39	·35		11
12	·50				30		tr	–	TR	·31	·04	·01		12
13	·37						·01	·01	–	·12	·26	·52		13
14	·65				·04		·48	tr	–	–	·01	tr		14
15	·35				·09		·46	·01	–	·46	·05	·36		15
16	·41		·03				–	·08	–	·09	·16	·04		16
17		·14	·02		·14		–	–	·38	·18	·11	·01		17
18	·28				·08	·04	–	·03	·13	·04	·42	–		18
19	·01						–	·13	·34	tr	·77	–		19
20	·01						–	·01	·01	tr	·55	tr		20
21	·06						–	·03	·10	tr	·25	·12		21
22	·03			·09		·01	–	·50	–	·05	·64	·05		22
23	·01						–	tr	·02	tr	·03	–		23
24	·01		·31		·02		tr	·06	·20	tr	·67	–		24
25	·18	·32	·03		·30		·22	·02	TR	·01	1·25	·05		25
26	·44	·40			·40	·02	–	–	TR	·02	TR	·28		26
27	·20				·03	·29	·93	·13	TR	·12	·74	–		27
28	·11	·14			·07	·11	–	·65	·16	–	TR	·01		28
29	·01				·43		–	–	·36	·38	·52	·06		29
30	·08	✕			·08	·08	·10	–	·54	·01	·09	·04		30
31	·29	✕		✕	·28	✕	·01	–	✕	·50	✕	·35		31
TOTAL	5·21	1·34	·39	·09	2·39	·07	3·43	2·85	2·56	5·26	7·6	3·81	Year's Total 36·01	✓
* Days with .01 in. or more.	27	8	4	1	14	11	16	17	12	23	23	22	178	✓
* Days with .04 in. or more.	19	6	1	1	12	9	12	8	10	18	19	19	134	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hartney F. Middleton

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1579/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bradford Peverell House
in the County of Dorsetshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 370 ft.

Entry on 16th January adjusted to agree monthly total October corrected for arithmetic

COPY by D.K.U.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	–	·11	·02	·07	–	tr	·06	–	–	·01 ~~·008~~	·15		1
2	TR	–	–	·45	–	–	–	·56		–	·53	·10		2
3	·79	–	·04	·52	–	–	–	·06	·54	–	–	·24		3
4	·02	TR	·52	·17	·48	–	·15	·38	–	·71	·02	·21		4
5	TR	TR	·04	·20	·05	–	·70	tr.	–	·47	·91	·02		5
6	·62	–	·08	·02	–	–	1·24	·22	–	·01	·64	·05		6
7	·01	·78	tr	–	–	–	·02	tr.	–	·24	·96	·55		7
8	·07	·25	·13	TR	–	–	·09	·02	tr	·98	·50	·31		8
9	·09	TR	·05	–	–	–	–	·22	tr	·28	·14	·41		9
10	·27	–	·02	–	–	·01	–	·33	–	·21	·02	·12		10
11	TR	·05	·15	–	–	–	–	–	–	·50	·02	·02		11
12	TR	·05	·01	TR	–	tr	–	–	–	·04	·09	–		12
13	·01	–	–	·16	TR	·03	·41	–	·53	1·74	·05	tr		13
14	·93	–	–	·03	·02	·02	·20	–	·04	·22	·54	·20		14
15	·27	TR	tr	TR	·14	1·72	·27	–	·06	·05	·57	·04		15
16	·2~~7~~3	TR	–	·17	·04	tr	·41	–	–	·05	·20	tr		16
17	·35	·10	–	TR	·03	·03	·50	–	–	·14	·10	tr		17
18	·13	·01	·01	–	·02	·18	·48	–	–	tr	·68	·02		18
19	·63	·01	–	–	–	–	·05	tr.	–	–	– ~~·008~~	·06		19
20	·53	–	–	–	–	·11	·27	·70	–	–	–	·01		20
21	·01	·40	·06	TR	–	·13	·14	–	–	tr	–	–		21
22	·63	·30	·14	TR	–	·40	·25	tr.	·01	–	·10	tr		22
23	–	–	–	·27	–	·02	·07	–	–	–	1·90	–		23
24	·54	–	tr	·02	–	·41	·20	tr.	–	·02	–	·01		24
25	·70	·13	·02	TR	–	–	·02	·08	–	·08	·48	–		25
26	·02	·07	–	–	–	–	–	·18	–	·25	·56	tr		26
27	·01	·45	·05	TR	–	tr	·06	·02	–	·03	·19	–		27
28	–	·14	·03	·01	–	·06	·53	tr.	–	–	·49	·24		28
29	·01		–	·04	–	·06	·40	–	–	·15	–	tr		29
30	–		tr	·34	–	·07	–	·09	–	·15	·04	tr		30
31	–		–		–		tr	·16		·80		tr		31
													Year's Total	
TOTAL	7·00	2·74	1·46	2·42	·85	325	6·46	3·08	1·18	7·12 ~~6·58~~	9·73	2·76	48·05	✓
* Days with .01 in. or more.	23	13	16	14	8	14	21	14	5	21	24	18	191	✓
* Days with .04 in. or more.	16	11	11	9	5	9	19	12	4	18	20	12	146	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations.

Station No. 1579/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Bradford, Peverell House

in the County of Dorsetshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 370 ft.

Values sent for Jan. Oct Dec to a ~~BRITISH RAINFALL~~ ORGANIZATION.

Query

28/1/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	tr	tr	tr	·03	-	·01	-	tr	-	·07	-		1
2	-	·37	-	·41	-	-	tr	-	-	-	·56	·04		2
3	·12	·75	-	tr	-	-	-	-	tr	·25	1·00	·34		3
4	·02	·06	-	tr	-	-	-	-	-	·08	·23	-		4
5	tr	·02	-	·02	-	-	-	-	-	-	·73	-		5
6	·52	·80	-	-	-	-	-	-	-	·42	·30	·10		6
7	·22	·01	-	-	-	-	-	-	-	·16	tr	TR		7
8	·10	tr	-	-	-	-	-	-	·03	·60	·30	·48		8
9	-	-	tr	-	-	-	-	·03	-	·19	·30	-		9
10	-	-	-	tr	-	-	1·10	tr	-	·06	·40	·07		10
11	-	-	tr ✓	·01	-	-	·74	-	·71	-	1·34	·02		11
12	-	-	·41	-	-	-	·25	-	-	-	·05	TR		12
13	-	·01	·71	-	-	-	·32	-	-	·42	1·55	·05		13
14	tr	·01	·17	·02	-	-	·09	tr	·22	(1·00)	·05	·88		14
15	-	-	-	·04	·15	·02	·17	-	·02		·74	-		15
16	-	·38	·52	·07	1·00	tr	·05	-	-	1·76	·81	-		16
17	-	·24	·65	·33	-	-	·14	·07	·05	tr	·64	TR		17
18	-	·39	·25	-	-	-	-	-	1·54	·10	·04	·08		18
19	-	-	·06	·33	-	-	·26	-	-	tr	·54	TR		19
20	-	·01	·01	·01	-	-	-	tr	-	·28	·04	-		20
21	-	·01	-	·06	·39	-	-	-	-	-	·81	-		21
22	-	·01	·10	tr	-	-	-	-	-	-	·01	-		22
23	·07	·02	·35	-	TR	-	-	-	·29	-	·04	TR		23
24	-	-	tr	tr	-	-	-	-	·04	tr	·01	-		24
25	-	-	·24	·03	-	-	·13	-	-	-	tr	-		25
26	·10	·94	-	-	·13	-	·02	-	-	-	·01	TR		26
27	1·45	·24	tr	-	·33	-	·02	·01	-	-	tr	-		27
28	·93 ~~1·43~~	·16	-	tr	·33	-	-	-	-	·02	-	TR		28
29	~~·005~~	·32	·40	·58	·01	-	-	-	-	-	tr	·50		29
30	·03	✕	-	-	TR	·04	-	-	-	·69	-			30
31	·07	✕	·07	✕	-	✕	-	-	✕	·83	✕	·35		31
TOTAL	3·63 ~~4·35~~	4·75	3·94	1·91	2·37	·06	3·30	·11	2·90	6·86 ~~5·86~~	10·57	2·91 ~~2·46~~	Year's Total ~~42·32~~	43·31
* Days with .01 in. or more.	12	19	13	12	8	2	13	3	8	~~14~~	24	10	~~138~~	140
* Days with .04 in. or more.	9 ✓	11 ✓	12 ✓	7 ✓	6 ✓	1 ✓	10 ✓	1 ✓	6 ✓	15 ~~13~~ ✓	21 ✓	9	~~106~~	108

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. F. Middleton

P.T.O.

1580

1580
TINGLETON
CLYFFE House
1931 — 39
780304

Section A for the entry of … FOR OFFICIAL USE.
AIR MINISTRY … ALL ORGANIZATION.

FORM 1090.

REGIST… 31.

12 for 14th August to agree
Blunch

See August
10/2/3

Kept at CLYFFE HOUSE, TI… D…

in the County of DO…

Diameter of Funnel of Gauge SEE…

Height of top of Gauge above Groun…

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	—	·25	·01	·02	—	·03	·32	—	—	—	1
2	·33	—	—	·60	—	—	—	—	·40	·04	—	·20	2
3	·11	—	·82	—	—	—	·01	—	·13	—	·96	·21	3
4	·02	—	·04	—	·05	—	·50	·07	·26	·03	·30	—	4
5	·02	·25	—	·10	—	·58	—	1·93	—	—	·38	·08	5
6	·02	—	—	·30	·06	·13	·03	—	—	·25	·18	·38	6
7	—	—	—	—	·20	·12	—	·58	—	·13	·27	·08	7
8	—	·16	—	·17	—	·49	—	·02	—	—	·20	·15	8
9	·02	·25	—	—	—	·10	·02	—	—	—	·73	—	9
10	—	·14	—	—	—	·12	·03	·07	·26	—	·41	—	10
11	·13	·46	—	—	·01	·06	—	—	·02	—	·26	—	11
12	—	·02	—	—	—	—	·17	·01	·07	·05	—	—	12
13	—	·01	—	—	—	·03	·19	·15	—	—	—	—	13
14	—	·08	·01	—	·01	·48	1·17	*·12	·01	·02	·04	—	14
15	—	·04	—	·08	·20	·02	·02	·15	·01	—	—	·03	15
16	—	·06	—	·06	·17	·35	—	·17	·06	—	—	—	16
17	—	·32	—	·06	—	·01	·45	—	·24	—	—	·01	17
18	·06	—	·05	·28	—	·14	·07	1·47	—	—	·57	—	18
19	·09	—	—	·02	—	·19	·08	·06	·02	·02	·01	—	19
20	—	·11	·45	·01	—	—	—	·27	—	—	·01	—	20
21	·05	—	·05	—	·39	·01	—	—	—	—	·04	—	21
22	·55	·05	·06	—	—	—	—	·03	—	—	—	—	22
23	·42	—	—	·14	·88	—	—	—	—	—	·41	—	23
24	·10	—	—	·48	·20	·18	·55	·64	—	—	·01	—	24
25	·17	—	—	·44	·06	—	·28	—	—	—	·27	·01	25
26	·16	—	·01	·17	—	—	·35	·01	—	—	·31	—	26
27	·03	·05	—	—	1·52	—	·08	—	—	—	·06	—	27
28	·02	·17	·03	·01	·04	—	—	—	—	—	—	·03	28
29	·04	×	·14	—	·02	—	·06	—	—	—	·10	·05	29
30	—	×	·02	—	—	—	—	·05	—	·01	—	—	30
31	·55	×	—	×	·12	×	·02	·21	×	—	×	·09	36·21 31
TOTAL	2·89	2·25	1·68	3·17	3·94	3·03	4·08	6·04 ~~7·04~~	1·80	·55	5·46	1·32	YEAR'S TOTAL ~~27·2~~
*Days with ·01 in. or more.	19 6	16 2	11 4	16 3	16 4	17 5	18 6	19 5	12 4	8 4	20 3	12 4	~~50~~ 184
*Days with ·04 in. or more.	13	14	7	13	12	12	12	14	8	4	17	8	134

40-9999

(Signed) William Van de Wijer

*See Instruction 2 (*f*) on other side.

1580

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at CLYFFE HOUSE, TINCLETON, DORCHESTER,
in the County of DORSET.
Diameter of Funnel of Gauge SEE OVER LEAF — in. UNDER "TYPE"
Height of top of Gauge above Ground 4 ft — in.
,, Ground ,, Sea Level 200 ft.

906 sent 18/2/32 suggesting ·12 for 14th August to agree with neighbouring stations.
Observer concurs. 22/2/32.
wrote again but post
See August ✓ 10/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	—	·25	·01	·02	—	·03	·32	—	—	—	1
2	·33	—	—	·60	—	—	—	—	·40	·04	—	·20	2
3	·11	—	·82	—	—	—	·01	—	·13	—	·96	·21	3
4	·02	—	·04	—	·05	—	·50	·07	·26	·03	·30	—	4
5	·02	·25	—	·10	—	·58	—	1·93	—	—	·38	·08	5
6	·02	—	—	·30	·06	·13	·03	—	—	·25	·18	·38	6
7	—	—	—	—	·20	·12	—	·58	—	·13	·27	·08	7
8	—	·16	—	·17	—	·49	—	·02	—	—	·20	·15	8
9	·02	·25	—	—	—	·10	·02	—	—	—	·73	—	9
10	—	·14	—	—	—	·12	·03	·07	·26	—	·41	—	10
11	·13	·46	—	—	·01	·06	—	—	·02	—	·26	—	11
12	—	·02	—	—	—	—	·17	·01	·07	·05	—	—	12
13	—	·01	—	—	—	·03	·19	·15	—	—	—	—	13
14	—	·08	·01	—	·01	·48	1·17	*·12	·01	·02	·04	—	14
15	—	·04	—	·08	·20	·02	·02	·15	·01	—	—	·03	15
16	—	·06	—	·06	·17	·35	—	·17	·06	—	—	—	16
17	—	·32	—	·06	—	·01	·45	—	·24	—	—	·01	17
18	·06	—	·05	·28	—	·14	·07	1·47	—	—	·51	—	18
19	·09	—	—	·02	—	·19	·08	·06	·02	·02	·01	—	19
20	—	·11	·45	·01	—	—	—	·27	—	—	·01	—	20
21	·05	—	·05	—	·39	·01	—	—	—	—	·04	—	21
22	·55	·05	·06	—	—	—	—	·03	—	—	—	—	22
23	·42	—	—	·14	·88	—	—	—	—	—	·41	—	23
24	·10	—	—	·48	·20	·18	·55	·64	—	—	·01	—	24
25	·17	—	—	·44	·06	—	·28	—	—	—	·27	·01	25
26	·16	—	·01	·17	—	—	·35	·01	—	—	·31	—	26
27	·03	·05	—	—	1·52	—	·08	—	—	—	·06	—	27
28	·02	·17	·03	·01	·04	—	—	—	—	—	—	·03	28
29	·04	×	·14	—	·02	—	·06	—	—	—	·10	·05	29
30	—	×	·02	—	—	—	—	·05	—	·01	—	—	30
31	·55	×	—	×	·12	×	·02	·21	×	—	×	·09	31
TOTAL	2·89	2·25	1·68	3·17	3·94	3·03	4·08	~~7·04~~ 6·04	1·80	·55	5·46	1·32	YEAR'S TOTAL ~~37·21~~ 36·21
*Days with ·01 in. or more.	19 6	16 2	11 4	16 3	16 4	17 5	18 6	19 5	12 4	8 4	20 3	12 4	~~50~~ 184
*Days with ·04 in. or more.	13	14	7	13	12	12	12	14	8	4	17	8	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) William Van de Weyer

1580

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Clyffe House Tincleton Dorchester
in the County of Dorset
Diameter of Funnel of Gauge see over under Type in.
Height of top of Gauge above Ground 4 ft. in.
,, Ground ,, Sea Level 200 ft.

dafp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	—	—	·17	·21	—	—	·05	—	·01	·03	·37	1
2	—	—	—	·10	·10	—	—	·02	—	—	—	—	2
3	—	—	—	·02	—	·56	—	—	·49	·09	—	·03	3
4	—	—	—	—	—	·46	·01	—	—	—	·07	·01	4
5	·41	—	·02	—	·01	—	—	—	·13	—	—	—	5
6	·44	—	·01	·20	—	—	—	—	·28	—	—	—	6
7	—	—	·04	·10	—	—	—	—	·13	·38	—	—	7
8	—	—	·65	·02	·14	—	—	—	·46	·41	—	—	8
9	·26	—	·02	·25	·13	—	—	·01	·05	·01	—	—	9
10	·17	·01	·01	·34	·01	·01	—	—	—	·14	·13	—	10
11	·07	—	—	·04	·02	·01	·17	—	·01	·17	—	·05	11
12	·64	—	—	·07	·25	—	—	—	·01	·14	·01	·05	12
13	·07	—	—	·15	·05	—	·13	—	—	·98	—	·07	13
14	·07	—	—	·15	·07	—	—	—	—	—	·47	·01	14
15	·03	—	—	·08	·31	—	—	—	—	·03	·02	—	15
16	·13	—	—	·10	·06	—	—	—	·01	—	—	·02	16
17	—	—	—	·04	—	—	—	—	·01	·03	—	—	17
18	·02	—	—	·01	·25	—	—	—	·06	—	·10	—	18
19	—	—	—	—	—	—	—	—	·03	·42	—	—	19
20	—	—	—	—	·50	—	—	—	—	1·15	·37	—	20
21	—	—	·14	·03	·05	—	—	·21	—	·34	·03	·16	21
22	·01	—	·09	—	·05	—	·06	—	·71	·29	·34	·06	22
23	—	—	·01	·03	·04	—	·26	·17	·07	·58	·16	—	23
24	—	—	—	—	·11	—	·55	—	·10	·17	—	·01	24
25	—	—	—	—	—	—	·23	—	·02	·32	—	·02	25
26	—	—	·22	·03	—	—	·12	—	·01	·09	·01	—	26
27	—	—	·36	·62	·22	·05	·02	—	—	·40	—	·05	27
28	—	—	·03	·10	·04	—	·13	—	—	—	—	·04	28
29	—	—	·46	·01	·27	·44	·02	—	·68	·38	·26	·08	29
30	—	×	·06	·22	—	·92	·08	·57	·36	·05	·64	·17	30
31	—	×	·08	×	—	×	·01	—	×	·01	×	·32	31
TOTAL	2·43	·01	2·20	2·88	2·86	2·45	1·79	1·03	3·62	6·59	2·64	1·52	YEAR'S TOTAL 30·02
*Days with ·01 in. or more.	~~2~~ 13	1	15 ~~6~~	23 ~~7~~	21 ~~6~~	7 ~~2~~	13 ~~4~~	6 ~~2~~	19 ~~7~~	23 ~~5~~	14 ~~5~~	17 ~~6~~	171 ~~57~~
*Days with ·04 in. or more.	10	—	9	16	18	5	9	4	12	18	9	11	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE. JV

Station No. 1580

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Clyffe House Tincleton, Dorchester,
in the County of Dorset.
Diameter of Funnel of Gauge Self registering
Height of top of Gauge above Ground 4 ft. in.
" Ground " Sea Level 200 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·57	·03	—	—	—	—	—	—	·13	—	·26	1
2	·40	—	·71	—	·15	—	—	—	—	—	—	—	2
3	·03	·09	·24	—	·02	—	—	—	—	—	—	—	3
4	·16	·04	·01	—	·16	—	—	—	—	—	·01	—	4
5	·07	·02	·41	—	·08	—	—	—	—	—	—	—	5
6	—	·28	—	—	·32	—	—	—	—	—	—	—	6
7	·08	·05	·01	—	·13	—	·03	—	—	·16	·01	·02	7
8	—	—	·02	—	·06	—	·57	—	—	·14	—	—	8
9	—	—	—	—	·33	—	·41	—	—	·07	—	—	9
10	·02	·11	—	—	—	—	·17	—	—	·28	·03	—	10
11	·18	·01	—	—	—	·14	·01	·13	—	·02	·01	—	11
12	—	—	—	·06	·02	—	·05	—	·88	—	—	·07	12
13	·03	—	—	—	·04	—	·42	·18	·02	·06	·03	—	13
14	—	—	—	—	—	—	·04	—	—	·32	·41	—	14
15	·55	—	·34	—	—	—	·10	·16	—	·11	·08	—	15
16	—	·01	·87	—	—	·04	—	—	·08	·04	—	—	16
17	—	·07	·39	—	—	·07	—	·06	·11	—	—	—	17
18	·14	—	·13	—	—	·07	—	—	—	—	—	—	18
19	—	·02	·14	—	—	—	—	·07	·40	—	·16	·05	19
20	—	·04	·02	·01	—	—	—	—	·07	—	·02	—	20
21	—	·01	—	—	·05	—	—	·12	·01	·05	·01	—	21
22	—	—	—	—	—	·02	—	·24	·15	·01	—	—	22
23	—	·09	—	·40	—	·18	—	—	·37	·21	—	—	23
24	—	1·61	—	·23	—	·02	—	—	·02	—	—	—	24
25	—	·48	—	·34	—	·01	·01	—	·17	·05	—	·22	25
26	—	·49	—	·11	·12	—	·01	—	—	—	—	·01	26
27	—	—	—	—	·21	—	·05	—	—	·35	—	·62	27
28	—	—	—	·33	—	—	·58	—	·03	·01	—	—	28
29	·11	—	—	—	—	—	—	—	—	—	—	—	29
30	·04	×	·09	—	—	—	·04	—	—	—	—	·10	30
31	·28	×	·07	×	—	×	—	—	×	·04	×	—	31
TOTAL	2·37	3·99	3·48	1·48	1·69	·55	2·43	·96	2·31	2·05	·77	1·35	YEAR'S TOTAL 23·43
*Days with ·01 in. or more.	~~3~~ 14	~~5~~ 17	~~5~~ 15	~~X~~ 7	~~2~~ 13	~~3~~ 7	~~4~~ 14	~~1~~ 7	~~4~~ 12	~~3~~ 17	~~7~~ 10	2 8	~~39~~ 141
*Days with .04 in. or more.	11	12	10	6	11	4	10	7	8	14	3	6	102

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) William Van der Weyer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1580.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

FILE Nº 8422/30

Kept at CLYFFE HOUSE, TINCLETON, DORCHESTER.
in the County of DORSET.
Diameter of Funnel of Gauge SEE OVER TYPE. in.
Height of top of Gauge above Ground 4 ft 5 in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	—	—	—	—	—	·39	·01	·01	·18	·98	1
2	·45	—	·12	—	—	—	—	—	1·02	·10	·04	·25	2
3	·03	—	—	—	—	—	—	—	—	·50	—	·32	3
4	·09	·01	·17	·01	·24	—	—	·03	·01	·05	—	·25	4
5	—	—	·01	—	·01	—	—	·89	—	·02	—	·48	5
6	·04	—	·40	·04	·16	—	—	—	—	·35	·20	·58	6
7	·02	—	—	·03	—	—	—	·14	—	·09	—	·47	7
8	—	—	—	—	·26	—	—	·01	·07	—	·88	·08	8
9	·03	—	·12	—	—	—	—	—	·01	·01	·54	·08	9
10	·19	—	·28	·39	—	—	—	—	—	—	·06	·12	10
11	·44	—	·50	·18	—	—	·04	·22	·01	—	·01	·42	11
12	·06	—	·09	·01	—	—	·05	·10	—	·01	·01	·14	12
13	·34	·02	·28	·18	—	—	—	—	—	—	·13	·33	13
14	·14	—	—	—	—	—	—	—	—	·01	·02	·51	14
15	·03	·01	—	·01	·14	—	—	—	—	·16	·13	·32	15
16	·18	—	·44	—	·02	—	—	—	—	—	—	·19	16
17	·09	—	—	·17	—	—	·01	—	·16	·04	—	·34	17
18	·05	·01	·25	·05	—	—	—	—	·01	—	·01	·44	18
19	—	·01	·15	·07	—	·02	—	·04	·09	—	—	·22	19
20	·02	—	·05	·11	—	—	—	—	·01	—	—	—	20
21	—	—	·03	·06	—	·13	—	·03	·02	·20	—	·16	21
22	—	—	·04	—	—	—	—	·18	·25	—	—	·24	22
23	—	·02	—	·25	—	·63	—	—	·05	·02	—	·10	23
24	—	·04*	·04	·01	—	—	·04	·05	·16	—	—	·05	24
25	·39	—	·01	·12	—	·02	—	—	—	·09	—	·94	25
26	·01	—	—	·08	—	·22	—	—	·12	—	·04	·21	26
27	—	—	—	—	—	·01	—	—	—	—	—	·43	27
28	—	—	—	—	—	·26	—	·63	·04	·01	—	·56	28
29	·02	—	—	—	—	—	—	·14	·46	·02	—	·01	29
30	·01	×	—	—	—	—	—	—	·19	·01	·02	·23	30
31	—	×	—	×	—	×	—	·07	×	·02	×	—	31
TOTAL	2·66	·12	2·98	1·77	·83	1·29	·14	2·92	2·69	1·72	2·27	9·45	YEAR'S TOTAL 28·83
*Days with ·01 in. or more.	21	7	17	17	6	7	4	14	18	19	14	29	173
*Days with ·04 in. or more.	12	1	14	12	4	4	3	11	11	9	9	28	118

* Actually rain only fell on this Date (·24") The other amounts registered were "heavy dew"

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) William Van de Weyer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1580.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

File No 8422/30

Kept at Clyffe House Tincleton Dorchester

in the County of Dorset

Diameter of Funnel of Gauge 5 in over in.

Height of top of Gauge above Ground 4 ft 5 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	·39	—	—	·20	·25	—	·29	·20	·16	·25		1
2	—	·01	—	—	—	·07	—	—	·04	·57	·04	·06		2
3	—	—	·12	—	·02	·07	—	—	·12	·79	·32	—		3
4	·01	·22	—	·14	·02	·03	—	—	·15	·07	·10	·06		4
5	—	·39	·04	·02	—	·20	—	—	·29	·03	—	·02		5
6	—	·03	—	·29	—	1·40	—	—	—	—	·22	·01		6
7	·01	—	—	·38	—	·02	—	—	—	·29	·25	·11		7
8	—	—	—	·31	—	—	—	—	·09	·33	·42	·06		8
9	·04	—	—	·60	—	·26	—	—	—	·77	·61	—		9
10	·08	—	·07	·02	—	·03	—	—	—	—	—	·03		10
11	·24	—	·37	—	—	·38	—	—	—	—	·65	—		11
12	·09	·01	—	—	—	·39	—	·03	·12	—	·63	—		12
13	·11	·15	—	·49	·01	·26	—	—	·01	—	·08	—		13
14	·01	·01	—	·33	·03	·09	—	—	·06	—	·59	·34		14
15	—	·05	·08	·66	·19	·04	—	—	·25	·01	·44	·13		15
16	—	·04	·07	·08	·01	·12	—	—	·33	—	·45	·01		16
17	—	—	—	·02	·58	·28	—	·13	·02	—	·09	—		17
18	—	·01	—	·35	·01	·03	—	—	·46	·02	—	·02		18
19	—	·01	—	·07	·22	·04	·16	—	·30	·06	·33	·01		19
20	—	·45	·01	·10	·20	·01	·03	—	·06	—	·34	—		20
21	—	·74	—	·15	—	—	·02	—	·01	·01	—	·01		21
22	—	·05	—	·03	—	—	—	·09	·06	—	·01	—		22
23	—	·09	·11	·08	·03	—	—	·34	·01	·32	—	·30		23
24	·04	·52	—	—	·08	—	—	·84	·50	·12	·02	·35		24
25	·24	·09	—	·08	·02	·01	—	—	—	—	—	·62		25
26	—	·39	—	—	·03	·02	—	·20	·05	—	—	·83		26
27	—	·36	—	—	—	—	—	·07	·16	·01	·08	·75		27
28	—	·03	—	—	—	—	—	·19	·13	—	—	·11		28
29	—		—	—	·08	—	—	·06	·15	—	·02	·62		29
30	—	×	—	·03	·09	—	—	1·38	·04	·20	·44	·57		30
31	—	×	—	×	—	×	—	·07	×	1·04	×	·31		31
TOTAL	·87	3·63	1·19	4·23	1·59	3·95	·46	3·40	3·70	4·84	6·19	5·38	Year's Total. 39·63	
* Days with .01 in. or more.	~~8~~ 10	~~7~~ 20	~~2~~ 9	~~5~~ 20	~~9~~ 16	~~7~~ 21	~~2~~ 4	~~X~~ 11	~~4~~ 24	~~5~~ 17	~~3~~ 22	~~7~~ 23	197	✓
* Days with .04 in. or more.	7 ✓	13 ✓	7 ✓	15 ✓	7 ✓	14 ✓	2 ✓	10 ✓	20 ✓	12 ✓	19 ✓	16 ✓	142	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) William Van de Weyer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Days

Kept at CLYFFE, TINCLETON, DORCHESTER

in the County of DORSET

Diameter of Funnel of Gauge Self Registering in.

Height of top of Gauge above Ground 4 ft. — in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·04	·01	·15	—	·19	·10	—	—	—	·05	—	1
2	·04	·02	—	·05	—	·06	·22	·02	—	—	·02	—	2
3	—	—	·01	·42	—	—	·07	·02	·44	—	·54	—	3
4	—	—	·21	—	—	·04	—	—	·29	—	·10	·03	4
5	·35	—	·03	—	·04	—	—	·02	·30	—	—	·06	5
6	·04	—	—	—	—	—	·02	·03	·17	—	·56	—	6
7	·06	—	·26	—	—	—	·35	—	—	—	·48	·05	7
8	·46	—	·46	—	—	—	·27	—	—	—	·47	·02	8
9	·29	—	·38	—	—	—	·42	—	·31	·02	·03	—	9
10	·42	·09	—	—	—	—	·31	—	·03	—	·05	—	10
11	·19	·18	—	—	—	·04	·05	—	·06	—	1·06	—	11
12	—	·02	—	·11	—	·37	·29	—	·08	—	·22	—	12
13	·05	—	—	—	—	·04	·17	—	—	·04	·12	·66	13
14	—	·06	—	·01	—	·02	·55	—	·02	·01	·02	·82	14
15	—	·03	—	—	—	—	—	—	·03	·01	·09	·38	15
16	·01	·23	—	·01	·19	—	·16	—	—	—	·09	·17	16
17	·01	·99	—	—	·07	—	·10	—	·01	·05	·02	·46	17
18	·13	·14	—	—	—	·32	·33	—	—	—	·02	·15	18
19	·38	·04	·03	·05	—	·11	·04	·03	—	·01	—	—	19
20	·17	·22	·15	·14	—	·36	·12	—	·56	—	—	—	20
21	·01	·31	·16	·33	—	·04	·03	—	—	—	—	—	21
22	·17	·33	·69	—	—	—	·19	—	—	·02	—	·02	22
23	·04	—	·03	·19	·10	—	·10	—	·02	—	—	—	23
24	·22	·05	·04	—	·05	—	·01	—	·04	·34	—	—	24
25	·10	—	·41	·15	—	—	—	—	·06	·33	·01	—	25
26	·19	·14	·19	—	—	·02	—	—	·02	·13	—	—	26
27	·37	·54	·13	—	—	—	·18	—	·12	·18	—	—	27
28	·87	·02	·64	·01	—	·14	1·07	—	·01	—	·02	·20	28
29	·01	·02	·02	—	—	·05	—	—	—	·06	·03	·05	29
30	·19	×	—	—	—	—	—	—	—	·13	—	—	30
31	·08	×	·49	×	—	×	·14	—	×	·48	×	·61	31
													YEAR'S TOTAL
TOTAL	5·29	3·47	4·34	1·62	·45	1·80	5·29	·12	2·57	1·81	4·00	3·78	34·54 ✓
*Days with ·01 in. or more.	~~4~~ 26	~~5~~ 19	~~6~~ 19	~~3~~ 12	~~1~~ 5	~~2~~ 14	~~3~~ 24	~~5~~ 5	~~7~~ 18	~~5~~ 14	~~8~~ 20	~~3~~ 14	190 ✓
*Days with .04 in. or more.	22	14	13	9	5	12	2~~4~~1	—	11	9	12	11	139 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) William Van der Veer

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at CLYFFE HOUSE TINCLETON (VILLAGE) Nr. DORCHESTER
in the County of DORSET
Diameter of Funnel of Gauge Self-Registering in.
Height of top of Gauge above Ground 4 ft. — in.
,, Ground ,, Sea Level 200 ft.

Days Totals TB

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·23	·07	·07	·27	—	—	—	·05	—	—	·12	1·02		1
2	·01	·82	·01	·12	—	—	—	·13	—	—	—	·41		2
3	·01	·28	·09	·04	—	—	—	—	—	—	·02	—		3
4	·11	·65	—	—	—	—	—	·02	—	·02	—	·20		4
5	·15	—	·02	—	—	—	·15	—	—	—	—	—		5
6	·11	·31	·26	·22	·16	—	·23	—	—	·05	—	—		6
7	—	·90	·01	·01	—	—	—	—	·01	·01	—	·33		7
8	·02	—	—	—	·52	·02	—	—	—	—	·46	·03		8
9	—	—	—	·16	·15	·02	·09	—	·62	—	·02	·02		9
10	·12	—	1·09	·26	·48	·33	—	—	—	—	—	·41		10
11	·03	—	·13	·08	·49	—	·43	—	—	—	·01	—		11
12	·54	·25	·06	·11	—	·29	·04	·66	·26	—	—	·26		12
13	·14	·02	·84	·22	—	—	—	·41	·19	—	·02	·06		13
14	·10	·01	·19	—	—	—	—	·04	·09	—	·01	·04		14
15	·26	·15	·06	·43	—	—	1·83	—	·11	—	—	·07		15
16	·02	·09	·53	·08	—	·07	·01	·32	·84	—	·01	—		16
17	·57	·05	·65	—	—	—	·02	—	·20	·02	·34	—		17
18	·14	·04	—	—	—	—	—	—	·04	—	·13	·14		18
19	·15	·02	·02	·24	·03	·04	·02	—	—	—	·02	·16		19
20	·32	·02	·15	·18	—	—	—	—	—	—	—	·35		20
21	·37	·34	·10	·02	·16	—	·03	—	·01	·02	·62	·12		21
22	·25	·01	·01	—	·27	·01	·15	—	·05	1·07	·57	·08		22
23	·16	·25	·06	—	·13	—	·01	—	—	·26	·09	·01		23
24	·27	·66	·01	—	—	—	—	—	·03	·93	—	·03		24
25	·77	·32	·39	—	·52	—	—	—	·09	·09	·02	·03		25
26	—	·30	·03	—	·60	—	—	—	—	·05	—	·02		26
27	·05	·09	—	·02	—	—	—	—	—	·54	—	·01		27
28	·10	·20	—	—	—	·02	—	—	·02	·13	·01	—		28
29	—	—	—	—	—	·02	—	—	—	·75	·01	—		29
30	·85	×	—	—	—	·02	—	—	—	·05	·17	—		30
31	·23	×	—	×	—	×	—	—	×	·25	×	·01		31
TOTAL	6·08	6·85	4·72	2·46	3·57	·84	3·01	1·45	2·74	4·24	2·59	3·91	Year's Total 41·40	✓
* Days with .01 in. or more.	~~6~~ 27	~~5~~ 23	~~8~~ 22	~~3~~ 16	~~1~~ 11	~~2~~ 10	~~5~~ 12	~~1~~ 7	~~4~~ 14	~~4~~ 15	~~10~~ 18	~~8~~ 22	197	✓
* Days with .04 in. or more.	22	18	14	13	10	4	7	~~4~~ 6	~~8~~ 10	11	8	14	137	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) William Van de Weyer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1580.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Clyffe, Tincleton Dorchester.

in the County of Dorset.

Diameter of Funnel of Gauge Self-registering ~~in.~~

Height of top of Gauge above Ground 4 ft. — in.

,, Ground ,, Sea Level 200 ft.

written 9.3.39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·02

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·02	—	—	—	·12	·02	—	—	·42	—	·08		1
2	—	—	—	—	—	—	—	—	·01	·97	·07	·11		2
3	—	—	·01	—	·13	—	—	—	—	·98	·21	—		3
4	—	—	·01	—	—	·01	·10	·79	—	·19	·01	·14		4
5	—	—	—	—	—	—	·19	—	—	·31	—	—		5
6	·10	—	—	—	—	·02	·21	—	·08	·11	·03	·07		6
7	·16	—	—	—	—	·05	·37	—	·06	·06	—	·09		7
8	·15	—	—	—	—	·01	·02	·07	—	·29	—	·02		8
9	·10	·02	—	—	—	·01	—	—	—	·01	—	·83		9
10	·07	·01	—	—	—	·01	·02	—	—	—	·01	·35		10
11	·13	—	—	—	—	—	·01	—	—	—	·26	·33		11
12	·50	—	—	—	·21	—	—	—	—	·22	·09	·02		12
13	·31	—	—	—	·01	—	—	—	—	·13	·18	·44		13
14	·45	—	—	—	·05	—	·37	—	—	—	—	·01		14
15	·24	—	—	—	·04	—	·27	·01	—	·31	·03	·31		15
16	·33	·01	·02	—	—	—	—	·02	—	105	·03	·16		16
17	—	·16	·02	—	·19	—	—	—	·29	·11	·06	—		17
18	·17	—	—	—	·13	·10	—	·07	·44	·08	·41	·01		18
19	·04	—	—	—	—	—	—	09	·22	—	·58	—		19
20	—	—	—	—	—	—	—	—	—	—	·70	—		20
21	·04	—	—	—	—	—	—	—	·09	—	·14	·12		21
22	·02	—	—	·08	—	—	—	·28	—	·17	·49	·03		22
23	—	—	—	·01	—	—	—	—	·11	—	·09	·02		23
24	—	—	·16	—	—	—	—	—	·16	—	·34	—		24
25	·13	·25	·02	—	·20	—	·11	·15	·01	·04	1·16	·24		25
26	·41	·30	—	—	·32	—	—	·01	·01	·01	—	·03		26
27	·09	—	—	—	·22	·23	·50	·15	·08	·08	·38	—		27
28	·09	·10	—	—	·15	·07	—	·64	—	—	·04	—	N.P.	28
29	—		—	—	·39	—	—	—	·10	·14	·32	·06		29
30	·01		—	—	·08	—	·03	—	·43	·03	·05	·03		30
31	·19		—		·14		—	—		·28		·27		31
TOTAL	3·76	·86	·24	·09	2·26	·63	2·22	2·28	2·19	4·93	5·67	3·77	Year's Total 28·90	✓ 29/3/39
* Days with .01 in. or more.	21	8	6	2	14	10	13	11	14	22	23	23	167	✓
* Days with .04 in. or more.	19	4	1	1	13	5	8	8	11	19	18	15	~~132~~	122 ✓

np recorder dial gauge cf

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) William Van de Weyer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 16-80.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at CLYFFE, TINCLETON, DORCHESTER.

in the County of DORSET

Diameter of Funnel of Gauge SELF REGISTRING in.

Height of top of Gauge above Ground 4 ft. — in.

,, Ground ,, Sea Level 200 ft.

up 1938 recording gauge

f. 84 22/30

2/40 letter sent ref. installation of standard gauge.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following '01

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'02	—	'06	'03	'01	—	'02	'01	'05	—	'01	'04		1
2	—	—	—	'24	—	—	—	'52	'66	—	'26	'10		2
3	'85	—	—	'57	—	—	—	'16	—	—	'13	'20		3
4	'02	—	'48	'07	'39	—	'37	'13	'08	'62	'14	'10		4
5	—	'01	'04	'18	'18	—	'44	'10	—	'46	'80	'03		5
6	'38	—	'08	—	—	—	'98	'08	'01	—	1'44	—		6
7	'01	'46	—	—	—	—	'01	—	—	'06	'47	1'80		7
8	'01	'15	'01	—	—	—	'09	'01	'01	'90	'57	'21		8
9	'04	—	'08	—	—	—	—	'15	—	'34	'14	'23		9
10	'38	—	'01	—	—	—	—	'27	'14	'42	'07	'04		10
11	—	—	'18	—	—	1 or 2 DROPS	—	—	—	'80	'01	'02		11
12	—	—	—	—	—	—	—	—	—	'06	'02	—		12
13	'01	—	—	'02	—	'04	'34	—	'06	2'51	'01	'06		13
14	'71	—	—	'01	—	'01	'19	—	—	'28	'50	'11		14
15	'24	—	'01	—	'02	1'12	'23	—	—	'21	'47	'02		15
16	'21	—	'04	'11	'04	'01	'10	—	—	'03	'19	—		16
17	'28	'01	—	—	'14	'01	'51	—	—	'14	'07	'01		17
18	'03	'01	'01	—	'01	'09	'74	—	—	—	'56	—		18
19	'45	—	—	—	—	—	'02	'16	—	—	—	'09		19
20	'37	'01	—	—	—	'12	'41	'96	—	—	—	'03		20
21	'03	'41	'12	'07	—	'13	'47	—	—	'01	—	—		21
22	'38	'34	'06	—	—	'51	'30	—	—	'01	'39	—		22
23	—	—	—	'18	—	'06	'04	—	—	'01	1'67	'02		23
24	'62	'01	—	'06	—	'57	'17	'01	—	'01	—	'02		24
25	'52	'15	—	'06	—	—	'20	—	—	'07	'49	—		25
26	'26	'04	—	'04	—	—	'01	'08	—	'11	'43	'01		26
27	—	'18	'04	—	—	—	'01	—	—	'04	'15	'01		27
28	—	'23	'04	—	—	'05	'49	—	—	—	'32	'02		28
29	'02	X	—	'06	—	'05	'29	—	—	'27	'01	—		29
30	—	X	—	'42	—	—	—	'15	—	'41	—	'01		30
31	—	X	—	X	—	X	—	'06	X	'64	X	—		31
TOTAL	5'84	2'01	1'28	1'79	'79	2'77	6'31	2'85	1'22	8'41	9'31	3'85	Year's Total 46'43	nr recorder
* Days with .01 in. or more.	22.	13.	15.	15.	7.	13.	23.	15.	7.	23.	25.	22.	200	
* Days with .04 in. or more.	14.	8.	11.	11.	4.	10.	18.	12.	5.	17.	20.	11.	142	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) William Van der Veyer

[P.T.O.

1581

Section **A** for the entry of

AIR MINISTR … FALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIS … 931 .

Station No 1581.

1581

Poole

1931 —— 40

780304

Kept at Poole

in the County of Dorse

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea I

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·14	—	·08	—	·02	·14	·01	—	—	1
2	·22	·03	—	·40	—	·01	·01	·03	·46	—	—	·26	2
3	·20	—	·67	·02	—	—	·01	·02	·28	—	·43	·33	3
4	—	—	·02	—	·01	·21	·21	·13	·09	·01	·08	—	4
5	—	·11	—	·10	·02	·38	·12	—	·14	—	·01	·08	5
6	—	·16	—	·22	·09	·12	—	—	—	·45	·18	·06	6
7	—	—	—	—	·31	·15	·03	·55	—	·07	·28	·03	7
8	·03	·11	—	·09	—	·33	·01	·03	—	—	·08	·14	8
9	—	·20	·01	·01	—	·09	·03	—	—	—	·83	—	9
10	—	·03	·01	—	—	·16	·02	·02	·42	—	·59	—	10
11	·10	·34	—	—	—	·03	·07	—	·01	—	·33	—	11
12	—	·01	—	—	—	—	·02	—	·03	—	—	—	12
13	—	—	—	—	—	—	—	—	—	·01	—	—	13
14	—	·09	—	—	—	·31	1·58	·16	—	—	—	—	14
15	—	·03	—	·02	·05	—	—	·07	—	—	—	·04	15
16	—	·01	—	·05	·19	·16	—	·01	·08	—	—	—	16
17	·02	·13	—	·06	—	—	·49	—	·04	—	—	—	17
18	·03	—	·02	·05	—	·05	·22	·94	—	—	·45	—	18
19	·09	—	—	·08	—	·14	·09	·08	—	—	—	—	19
20	—	·07	·19	—	—	—	—	·20	—	—	·01	—	20
21	·03	—	—	—	·40	—	—	—	—	—	·07	—	21
22	·41	·01	·15	·03	—	—	—	—	—	—	—	—	22
23	·34	—	—	·08	·54	—	—	—	—	—	·36	—	23
24	·03	—	—	·20	·20	·36	·43	·63	—	—	—	—	24
25	·09	—	—	·30	·24	—	·79	—	—	—	·12	—	25
26	—	·02	—	·09	—	—	·47	—	—	—	·29	—	26
27	·15	·32	—	—	·92	—	·08	—	—	—	·04	—	27
28	·02	·07	—	—	·07	—	—	—	—	—	—	·02	28
29	·05	×	·06	—	·03	—	·07	·05	—	—	·08	—	29
30	·01	×	·06	—	—	—	·01	·08	—	—	·02	—	30
31	·45	×	—	×	·15	×	—	—	×	—	×	·09	31
TOTAL	2·27	1·75	1·19	1·94	3·22	2·58	4·76	3·02	1·69	0·55	4·25	1·05	YEAR'S TOTAL 28·27
*Days with ·01 in. or more.	17	18	9	17	14	15	20	16	10	5	18	9	168
*Days with ·04 in. or more.	10	10	5	13	11	13	12	10	8	2	15	7	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)..............................

P.T.O.

1581

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Station No 1581.

Kept at POOLE

in the County of Dorset

100

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·14	—	·08	—	·02	·14	·01	—	—	1
2	·22	·03	—	·40	—	·01	·01	·03	·46	—	—	·26	2
3	·20	—	·67	·02	—	—	·01	·02	·28	—	·43	·33	3
4	—	—	·02	—	·01	·21	·21	·13	·09	·01	·08	—	4
5	—	·11	—	·10	·02	·38	·12	—	·14	—	·01	·08	5
6	—	·16	—	·22	·09	·12	—	—	—	·45	·18	·06	6
7	—	—	—	—	·31	·15	·03	·55	—	·07	·28	·03	7
8	·03	·11	—	·09	—	·33	·01	·03	—	—	·08	·14	8
9	—	·20	·01	·01	—	·09	·03	—	—	—	·83	—	9
10	—	·03	·01	—	—	·16	·02	·02	·42	—	·59	—	10
11	·10	·34	—	—	—	·03	·07	—	·01	—	·33	—	11
12	—	·01	—	—	—	—	·02	—	·03	—	—	—	12
13	—	—	—	—	—	—	—	—	—	·01	—	—	13
14	—	·09	—	—	—	·31	1·58	·16	—	—	—	—	14
15	—	·03	—	·02	·05	—	—	·07	—	—	—	·04	15
16	—	·01	—	·05	·19	·16	—	·01	·08	—	—	—	16
17	·02	·13	—	·06	—	—	·49	—	·04	—	—	—	17
18	·03	—	·02	·05	—	·05	·22	·94	—	—	·45	—	18
19	·09	—	—	·08	—	·14	·09	·08	—	—	—	—	19
20	—	·07	·19	—	—	—	—	·20	—	—	·01	—	20
21	·03	—	—	—	·40	—	—	—	—	—	·07	—	21
22	·41	·01	·15	·03	—	—	—	—	—	—	—	—	22
23	·34	—	—	·08	·54	—	—	—	—	—	·36	—	23
24	·03	—	—	·20	·20	·36	·43	·63	—	—	—	—	24
25	·09	—	—	·30	·24	—	·79	—	—	—	·12	—	25
26	—	·02	—	·09	—	—	·47	—	—	—	·29	—	26
27	·15	·32	—	—	·92	—	·08	—	—	—	·04	—	27
28	·02	·07	—	—	·07	—	—	—	—	—	—	·02	28
29	·05	×	·06	—	·03	—	·07	·05	—	—	·08	—	29
30	·01	×	·06	—	—	—	·01	·08	—	—	·02	—	30
31	·45	×	—	×	·15	×	—	—	×	—	×	·09	31
TOTAL	2·27	1·75	1·19	1·94	3·22	2·58	4·76	3·02	1·69	0·55	4·25	1·05	YEAR'S TOTAL 28·27
*Days with ·01 in. or more.	17	18	9	17	14	15	20	16	10	5	18	9	168
*Days with ·04 in. or more.	10	10	5	13	11	13	12	10	8	2	15	7	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

1581

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Poole
in the County of Dorset.
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 8 in.
,, Ground ,, Sea Level 18 ft.

100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	—	·09	·39	—	—	·08	—	—	—	—	1
2	—	—	—	·23	·04	·01	—	·01	·07	·02	·01	·37	2
3	—	—	—	·22	—	·49	—	—	·50	·05	—	·01	3
4	—	—	—	—	—	·24	—	—	—	—	·06	—	4
5	·50	—	—	—	—	—	·02	—	·08	—	—	—	5
6	·42	—	—	·15	·01	—	·01	—	·18	—	—	—	6
7	—	—	—	·02	—	—	—	—	·08	·36	—	—	7
8	—	—	·44	·02	·24	—	—	—	·72	·22	—	—	8
9	·26	·01	—	·12	·12	—	—	—	—	·01	·09	—	9
10	·20	·03	·04	·30	·16	·02	—	—	—	·13	·12	—	10
11	·05	—	—	·04	—	·01	·53	—	—	·14	—	·05	11
12	·73	—	—	—	·05	—	—	—	·04	·07	—	·01	12
13	·02	—	—	·20	·11	—	·05	·02	—	·85	—	·02	13
14	·07	—	—	·07	·10	—	—	·01	—	—	·14	—	14
15	·08	—	—	·03	·36	—	—	—	—	·03	—	·01	15
16	·16	—	—	·13	·09	·22	·66	—	—	—	—	—	16
17	·03	—	—	·06	—	—	—	—	—	·01	—	—	17
18	·01	—	—	—	·15	—	—	—	·01	—	·11	—	18
19	—	—	—	·01	—	—	—	—	·035	·29	—	—	19
20	—	—	—	·02	·36	—	·03	·13	—	1·21	·19	—	20
21	·01	—	·15	·01	·28	—	—	—	—	·40	—	·07	21
22	—	—	·02	·13	·03	·04	·02	·13	·57	·22	·42	—	22
23	·01	—	—	—	·17	—	·39	—	·07	·65	·07	·20	23
24	—	·04	—	—	—	—	1·02	—	·06	·07	—	—	24
25	—	—	—	·02	—	—	·26	—	—	·30	·02	—	25
26	—	—	·10	·05	—	—	·07	—	—	·04	·02	—	26
27	—	—	·27	·35	·28	·06	·07	—	—	·32	—	·01	27
28	—	—	·02	·05	·03	—	·11	—	—	·01	—	·02	28
29	—	—	·46	·15	·19	·27	—	·20	·685	·52	·18	·03	29
30	—	×	·20	·26	·04	·98	·06	—	·59	—	·66	·21	30
31	—	×	·08	×	·05	×	·02	—	×	—	×	·15	31
TOTAL	2·63	0·08	1·78	2·73	3·25	2·34	3·32	0·58	3·69	5·92	2·09	1·16	YEAR'S TOTAL 29·57
*Days with ·01 in. or more.	15	3	10	24	21	10	15	7	14	22	13	13	167
*Days with .04 in. or more.	10	1	8	17	18	7	10	4	12	17	10	6	120

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) ~~R J Maule Horne~~

Medical Officer of Health

P.T.O.

Section A for the entry of Daily Observations. /129 1581

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

STATION NUMBER 1581.

Kept at Poole

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 18 ft.

100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·67	·65	·05	—	—	—	—	—	—	TR	·04	·27	1
2	·36	—	·78	—	·20	—	—	—	—	—	—	—	2
3	—	·10	·34	—	TR.	—	—	—	—	—	—	—	3
4	·25	·02	—	—	·10	—	—	—	—	—	—	—	4
5	·07	—	·37	—	TR	—	—	—	—	—	—	—	5
6	—	·17	—	—	·21	—	—	—	—	·05	·04	—	6
7	·04	TR.	·07	—	·03	—	—	—	—	·21	—	·02	7
8	—	—	·02	—	·03	—	·20	—	—	—	—	—	8
9	—	—	—	—	·03	—	·24	TR	—	·03	·01	—	9
10	—	·07	—	—	—	—	·19	TR	—	·18	·01	—	10
11	·21	—	—	TR	—	·48	·02	·11	—	·02	—	—	11
12	—	—	—	·03	·01	—	·07	—	·57	—	—	·01	12
13	·06	—	—	—	—	·01	·36	TR.	—	·08	·08	—	13
14	—	—	—	—	—	—	·03	·04	—	·17	·53	—	14
15	·28	—	·32	—	—	—	·01	·19	—	·19	·03	—	15
16	—	—	·76	—	—	·03	—	·02	·02	·04	—	—	16
17	—	·17	·38	—	—	·03	—	·04	·05	—	TR	—	17
18	·15	—	·12	—	—	·16	—	·01	—	—	·01	—	18
19	—	—	·11	·01	—	·03	—	·02	·62	—	·26	·02	19
20	—	·07	·01	TR.	—	TR.	—	—	·05	—	TR	—	20
21	—	·035	—	—	·02	·16	—	·47	TR	·06	·01	—	21
22	—	—	—	—	·03	·04	—	·16	·23	·11	·01	—	22
23	—	·135	—	·49	—	·08	—	—	·25	·15	—	—	23
24	—	1·92	—	·14	—	·03	TR.	—	TR	TR	·01	—	24
25	—	·50	—	·30	·01	—	—	—	·36	—	—	·11	25
26	—	·45	—	·08	·39	—	—	—	—	—	—	·01	26
27	—	—	—	—	·36	—	·04	—	·01	·13	·03	·58	27
28	—	—	—	·11	—	—	·44	—	—	TR	—	·01	28
29	·10	✕	—	TR	—	—	·02	—	·02	TR	—	·01	29
30	·06	✕	·09	—	—	—	TR	—	·11	—	—	·08	30
31	·26	✕	·06	✕	TR	✕	—	—	✕	TR.	✕	—	31
													YEAR'S TOTAL
TOTAL	2·51	4·29	3·48	1·16	1·42	1·05	1·62	1·06	2·29	1·42	1·07	1·12	22·49
*Days with ·01 in. or more.	12 ✓	12 ✓	14 ✓	7 ✓	12 ✓	10 ✓	11 ✓	9 ✓	11 ✓	13 ✓	13 ✓	10 ✓	134
*Days with ·04 in. or more.	12 ✓	10 ✓	12 ✓	5 ✓	5 ✓	5 ✓	7 ✓	6 ✓	8 ✓	11 ✓	5 ✓	4 ✓	90

40-9999

(*Signed*) R J Mancethorne [P.T.O.

*See Instruction 2 (*f*) on other side.

D

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 1581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

274/5

100

Duplicate

Kept at Poole

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 18 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7										·21			7
8													8
9													9
10													10
11													11
12													12
13													13
14											·53		14
15													15
16													16
17													17
18													18
19									·62				19
20													20
21								·47					21
22													22
23													23
24													24
25													25
26													26
27												·58	27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL								1.06	2.29	1.42	1.07	1.12	YEAR'S TOTAL
*Days with ·01 in. or more.								9	11	13	13	10	
*Days with ·04 in. or more.								6	8	11	5	4	

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 158

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Poole

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. · in.

,, Ground ,, Sea Level 18 ft.

100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	–	–	–	·02	–	·53	–	·09	·04	·71		1
2	·45	–	·08	–	·11	·02	–	·01	·93	·21	Tr.	·28		2
3	·02	·01	Tr.	–	–	–	–	–	–	·18	–	·26		3
4	·09	–	·09	Tr.	·17	–	–	–	–	·05	–	·27		4
5	Tr.	–	·01	–	·02	–	–	·73	–	·01	Tr.	·41		5
6	·02	–	·35	·01	·48	Tr.	–	·01	–	·33	·42	·62		6
7	·04	–	–	·01	[illegible]	Tr.	–	·19	Tr.	·09	Tr.	·41		7
8	–	–	–	–	·25	–	–	·01	·07	–	·71	·04		8
9	·01	–	·18	–	–	–	–	Tr.	·02	Tr.	·61	·38		9
10	·15	Tr.	·22	·30	–	–	–	Tr.	–	–	·20	·08		10
11	·67	–	·59	·16	–	–	·10	·26	–	–	Tr.	·37		11
12	·02	Tr.	·02	–	–	–	·02	·17	–	–	–	·36		12
13	·29	–	·09	·18	–	–	–	–	–	Tr.	·11	·11		13
14	·11	–	·38	·01	–	–	–	–	–	·0·3	·03	·48		14
15	·01	–	·01	Tr.	·07	–	–	–	–	·0·4	·10	·42		15
16	·16	–	·36	–	·05	–	–	–	–	–	–	·21		16
17	·13	–	·01	·22	–	–	Tr.	–	·04	·0·3	–	·32		17
18	·05	–	·22	·10	–	Tr.	–	–	·11	–	–	·53		18
19	–	–	·22	Tr.	Tr.	Tr.	–	·05	·09	–	–	·24		19
20	–	–	·04	·11	Tr.	–	·15	–	·02	–	–	–		20
21	–	–	·03	·13	–	·13	–	·28	Tr.	·11	–	·01		21
22	–	–	·01	–	–	–	Tr.	·44	·24	·05	–	·23		22
23	–	·01	Tr.	·24	–	·73	–	·04	·08	·02	–	·01		23
24	–	·01	·05	·04	–	·02	Tr.	·02	·12	Tr.	–	·02		24
25	·32	Tr.	Tr.	·05	–	–	Tr.	Tr.	–	·05	Tr.	·83		25
26	·01	–	–	·18	–	·33	–	–	·15	Tr.	·01	·13		26
27	Tr.	–	–	–	–	·06	–	–	–	Tr.	–	·40		27
28	–	–	–	–	–	·05	–	·57	·01	Tr.	Tr.	·48		28
29	–	×	–	–	–	–	–	·16	·20	Tr.	·01	·01		29
30	·06	×	–	–	–	–	·01	·01	·12	–	–	·19		30
31	Tr.	×	–	×	–	×	–	Tr.	×	Tr.	×	·02		31
TOTAL	2.63	0.03	2.96	1.74	0.85	1.36	0.28	3.48	2.20	1.29	2.24	8.83	Year's Total 27.89	
*Days with ·01 in. or more.	19	3	19	14	7	8	4	16	14	14	10	30	158	
*Days with .04 in. or more.	12	0	13	11	6	5	2	11	11	10	7	25	113	

40-9999

*See Instruction 2 (*f*) on other side. M

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

274/5

Duration
100

Kept at Poole

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 18 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	.35	-	.01	.12	.08	-	.34	.09	.10	.34		1
2	-	-	tr	-	-	.02	-	-	-	.37	.03	-		2
3	-	-	.10	-	.01	.05	-	-	.19	1.48	.25	-		3
4	.02	.17	-	.22	.01	.04	-	-	.46	.68	.07	.19		4
5	-	.26	.03	.03	-	.09	-	-	.24	.02	.05	-		5
6	-	.01	tr	.23	-	1.25	-	-	-	.02	.17	.01		6
7	-	-	-	.37	-	.01	-	-	-	.15	.41	.16		7
8	-	-	tr	.29	-	-	.02	tr	.08	.53	.65	.04		8
9	.22	-	-	.50	-	.86	-	-	.04	.65	.60	-		9
10	.10	tr	.32	.10	-	.07	-	-	-	-	.05	.01		10
11	0.24	tr	.06	tr	-	.26	-	-	tr	-	.57	tr		11
12	.08	.03	-	-	-	.22	-	.01	.08	-	.49	-		12
13	.08	.10	-	.23	.02	.13	-	-	.01	.01	.04	-		13
14	-	.05	-	.21	.02	.13	-	-	.03	.01	.34	.31		14
15	-	.09	tr	.52	.25	.08	-	-	.06	.03	.46	.02		15
16	-	.02	.09	.06	tr	.02	-	tr	.50	tr	1.93	-		16
17	-	tr	-	.12	.07	.32	tr	.05	.02	-	.12	-		17
18	-	tr	-	.34	tr	tr	.09	tr	.51	.02	tr	.02		18
19	-	.02	-	.05	.11	.03	.10	-	.16	.02	.41	tr		19
20	tr	.54	-	.10	tr	.01	.02	-	.01	-	.49	-		20
21	tr	.50	tr	.01	-	tr	.02	-	tr	.01	-	-		21
22	-	.08	.01	.01	-	-	tr	.18	.07	-	-	-		22
23	-	tr	.06	tr	.03	-	-	.45	tr	.46	-	.21		23
24	.03	.95	.01	-	.21	-	-	.98	.46	.30	-	.35		24
25	.14	.01	-	.10	tr	.01	-	tr	-	-	.01	.42		25
26	-	.29	-	-	tr	.01	-	.18	.05	-	-	.87		26
27	-	.35	-	-	-	tr	-	.02	.04	-	.04	.63		27
28	-	.10	-	-	tr	-	-	.01	.25	-	.01	.08		28
29	-	×	-	-	.04	-	-	.06	.33	tr	tr	.58		29
30	-	×	-	.07	tr	tr	-	.91	.03	.20	.36	.53		30
31	-	×	-	×	-	×	-	.02	×	1.24	×	.23		31
TOTAL	0.92	3.37	1.03	3.56	0.78	3.72	0.33	2.87	3.96	6.29	7.65	5.00	Year's Total 39.48	
*Days with ·01 in. or more.	9	17	9	19	11	20	6	11	22	19	23	18	184	
*Days with .04 in. or more.	6	12	6	16	5	14	3	7	17	11	20	14	131	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ....

P.T.O.

COPY FOR OFFICIAL USE.

Secti **A** for the entry of Daily Observations. Station No. 1581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. D

274/5

100

40 Daily Values

Kept at Poole

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 18 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·04	·01	·33	-	·07	·15	·01	-	-	·05	·02		1
2	·06	·02	-	·02	-	·05	·05	·04	tr	-	·03	-		2
3	-	-	-	·39	-	-	·04	-	·48	-	·51	·02		3
4	-	-	·13	-	-	·01	tr	-	·22	-	·12	·02		4
5	·38	-	·03	-	·17	-	-	·02	·09	-	-	·06		5
6	·32	-	·01	-	-	·01	tr	tr	·18	-	·44	-		6
7	·10	-	·09	-	-	-	·18	-	tr	-	·22	·05		7
8	·38	-	·35	-	-	-	·25	-	-	-	·45	·02		8
9	·41	-	·20	-	-	-	·39	-	·21	-	·02	-		9
10	·01	·23	-	-	-	·02	·36	-	-	-	·07	-		10
11	·35	·19	-	-	-	·05	·05	·09	·12	-	1·13	-		11
12	-	-	-	·02	·17	·29	·26	·06	·24	-	·06	-		12
13	·01	-	-	trace	-	·04	·03	-	-	·05	·08	·60		13
14	-	·04	-	·01	-	·02	·42	-	·01	·01	tr	·50		14
15	·01	·05	-	-	-	-	tr	-	·13	-	·03	·46		15
16	·11	·22	-	-	·08	-	·09	-	·02	-	·07	·11		16
17	tr.	·86	-	-	·01	tr	·05	-	·01	·03	·04	·63		17
18	·13	·10	-	-	-	·60	·29	-	-	·02	-	·32		18
19	·37	·01	·02	·05	-	·02	-	·04	-	·01	-	-		19
20	·18	·27	·05	·05	-	·02	·04	-	1·05	tr	-	-		20
21	·01	·31	trace	·42	-	·09	·13	-	·01	-	-	-		21
22	·18	·40	·42	tr	·02	-	·13	-	-	·03	-	·06		22
23	·05	trace	·30	·13	·01	-	·14	-	-	·12	-	-		23
24	·32	·05	·04	tr	·06	-	·08	-	·05	·25	-	-		24
25	·08	-	·38	·14	-	·10	-	-	·02	·23	-	-		25
26	·18	·07	·18	tr	-	·69	-	-	·02	·08	-	-		26
27	·34	·19	·09	tr	-	-	·16	-	·09	·09	-	tr		27
28	·91	·01	·48	-	-	-	·43	-	-	-	-	·18		28
29	·01	·01	·02	-	tr.	·06	·07	-	-	·05	·05	·01		29
30	·15	×	-	-	·03	·12	·01	-	-	·09	-	-		30
31	·09	×	·46	×	·10	×	·25	-	×	·49	×	·78	Year's Total.	31
TOTAL	5·33	3·07	3·26	1·56	0·65	2·26	405	0·26	2·95	1·55	3·37	3·84	32·15	✓
* Days with .01 in. or more.	26	18	18	10	9	17	24	6	17	14	16	16	191	✓
* Days with .04 in. or more.	21	14	13	7	5	11	22	4	11	9	13	11	141	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

274/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR 90.

REGISTER OF RAINFALL IN 1937.

Kept at Poole

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 18 ft.

Daily Values 400

100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.48	.03	-	.23	-	-	-	-	-	-	.32	.82		1
2	-	1.05	tr	.08	-	-	-	-	.04	-	-	.03		2
3	.02	.25	-	.03	-	-	tr	-	tr	-	tr	-		3
4	.07	.77	-	-	-	-	-	.01	-	-	-	.28		4
5	.22	.01	.05	.02	-	-	.20	-	-	-	-	-		5
6	.03	.35	.37	.12	.03	-	.06	-	-	.01	-	-		6
7	-	.72	-	.04	tr	tr	-	-	-	.01	-	.98		7
8	-	-	-	-	.68	-	.01	-	-	-	.17	.16		8
9	-	.02	.01	.15	.13	.04	.02	-	.63	-	-	.06		9
10	.02	.01	.82	.14	.26	.25	-	-	-	-	-	.46		10
11	.03	-	.01	.03	.28	-	.34	-	-		-	.01		11
12	.44	.33	.18	.12	.03	.05	.01	1.00	.34	-	-	.34		12
13	.14	.02	.76	.12	tr	tr	-	1.09	.14	-	-	.20		13
14	.01	.01	.18	.11	-	-	-	0.01	.04	-	-	.04		14
15	.28	.15	.02	.38	-	-	.86	-	.08	-	-	.03		15
16	.01	.20	.49	.16	-	.09	tr	.47	.98	-	.05	-		16
17	.82	.03	.11	-	-	-	.02	-	.02	-	.22	-		17
18	.14	.05	.01	-	-	-	-	-	-	-	.05	.15		18
19	.18	.02	.01	.18	-	.02	.02	-	tr	-	.01	.09		19
20	.39	.06	.16	.20	-	-	-	-	tr	-	-	.21		20
21	.39	.30	.04	-	.16	-	.01	-	tr	tr	.13	.12		21
22	.27	.01	.02	-	.13	tr	.14	-	.03	1.19	.33	.09		22
23	.24	.16	.01	-	.44	-	.01	-	-	.24	.05	.02		23
24	.30	.66	.05	-	.19	-	tr	-	.03	.87	-	.02		24
25	.45	.35	.43	-	.60	-	-	-	.03	.23	-	.09		25
26	tr	.23	.04	-	.05	-	-	-	-	.11	-	.03		26
27	-	.18	-	.09	-	-	-	-	-	.86	-	-		27
28	.29	.04	-	G.	-	-	-	-	-	.16	-	tr		28
29	.06		-	-	-	tr	-	-	-	.88	.01	-		29
30	.38	✕	-	-	-	tr	-	-	-	.08	.12	-		30
31	.22	✕	-	✕	-	✕	-	-	✕	1.34	✕	-		31
													Year's Total	
TOTAL	5.88	6.01	3.77	2.20	2.98	.45	1.70	2.58	2.36	5.98	1.46	4.23	39.60	✓
* Days with .01 in. or more.	25	26	20	17	12	5	12	5	11	12	11	21	177	✓
* Days with .04 in. or more.	19	17	13	14	10	4	5	3	7	10	9	15	126	✓
	149.4	152.7	95.8	55.9	75.7	11.4	43.2	65.5	59.9	151.9	37.1	107.4	1005.9	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

~~244~~/5

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 0

REGISTER OF RAINFALL IN 1938

Kept at Poole

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 18 ft.

Daily figures Please

100

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	-	·03	·03	·31	-	·01	·32	-	·09		1
2	·01	-	-	-	-	-	-	-	-	·16	·05	·09		2
3	-	-	-	-	·06	-	·01	-	-	·85	·23	-		3
4	tr	-	-	-	tr	-	·02	·58	-	·14	-	·23		4
5	-	-	-	-	-	-	·29	-	tr	·23	·01	·01		5
6	·10	-	-	-	-	·01	·39	-	·05	·08	·06	·04		6
7	·14	-	-	-	-	·03	·22	-	·52	·18	·01	·12		7
8	·10	-	-	-	-	·01	·03	·06	-	·29	·02	·10		8
9	·07	·04	-	-	-	-	-	-	-	·01	-	·84		9
10	·02	-	-	-	-	·30	·05	·11	-	tr	·02	·34		10
11	·17	-	-	-	-	-	·01	-	-	tr	·15	·18		11
12	·49	-	-	-	·14	-	tr	-	-	·16	tr	·01		12
13	·38	tr	-	-	·01	-	-	-	-	·16	·44	·71		13
14	·48	-	-	-	·07	-	·28	-	-	-	-	-		14
15	·23	tr	-	-	·01	-	·19	·01	-	·36	·08	·39		15
16	·35	·01	·02	-	-	-	-	tr	-	·04	·01	·01		16
17	-	·16	·02	-	·13	-	-	-	·17	·18	·01	tr		17
18	·12	-	-	-	·11	·04	-	tr	·07	·01	·33	-		18
19	-	-	-	-	-	-	-	·08	·19	-	·67	-		19
20	·01	-	-	-	-	-	-	-	tr	-	·51	-		20
21	·04	-	tr	-	-	-	-	·08	·10	-	·08	·06		21
22	·03	-	-	tr	-	-	-	·28	-	-	·40	·07		22
23	·01	-	-	-	tr	-	-	-	·06	-	·03	-		23
24	-	-	·17	-	·02	-	-	tr	·13	-	·25	-		24
25	·15	·19	·03	-	·09	-	-	·11	-	·03	1·18	-		25
26	·27	·24	-	-	·08	tr	-	-	·02	·03	-	·25		26
27	·08	·01	-	-	·08	·28	·38	·08	-	·01	·31	-		27
28	·09	·11	-	-	·09	·10	-	·50	·12	-	·05	·03		28
29	tr	×	-	-	·29	-	-	-	·22	·08	·35	·05		29
30	·01	✕	-	-	·07	-	-	-	·44	·01	·13	·01		30
31	·19	✕	-	✕	·21	✕	-	-	✕	·18	✕	·32		31
TOTAL	3·54	·77	·24	·00	1·49	·80	2·18	1·89	2·10	3·51	5·38	395	Year's Total 25·85	
* Days with .01 in. or more.	23	8	4	0	16	8	12	10	13	21	24	21	160	
* Days with .04 in. or more.	17	5	1	0	12	4	8	9	11	15	17	16	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side. 1.01

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

~~1445~~

Section **A** for the entry of Daily Observations

Station No. 1581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

100

Kept at Poole

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 18 ft.

Daily Values 400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	·05	·12	·05	–	·17	tr	·15	–	~~·82~~	·04		1
2	–	–	·01	·15	–	–	–	~~·44~~	2·43	–	–	tr		2
3	·58	–	tr	·46	tr	–	·01	·11	–	–	·15	·32		3
4	·02	tr	·50	·09	·25	–	·39	·27	·14	–	·31	·03		4
5	–	–	·04	·17	·14	–	·10	·08	–	·34	·02	–		5
6	·65	–	·08	–	–	–	1·66	·01	–	·35	·72	–		6
7	tr	·22	–	–	–	–	·01	–	–	·07	·20	·41		7
8	tr	·13	·08	–	–	–	·03	·02	–	tr	·30	·26		8
9	·02	·02	·02	–	–	–	–	·08	–	·60	·28	·22		9
10	·34	–	tr	–	–	–	–	·25	–	·19	·27	tr		10
11	–	tr	·17	–	–	tr.	–	–	·11	·45	·03	–		11
12	·01	tr	–	–	–	·01	–	–	–	·38	–	–		12
13	–	–	–	·06	–	·01	·28	–	–	·01	–	·09		13
14	·77	–	–	–	·01	·02	·17	–	–	1·73	·04	·14		14
15	·22	–	tr	tr	·19	·74	·06	–	·01	·32	·38	·02		15
16	·46	–	·03	·10	·04	·01	·09	–	–	·09	·41	–		16
17	·27	·06	–	tr	·29	·01	·15	–	–	·02	·12	–		17
18	·08	–	·01	–	·01	·04	·42	–	–	·21	·05	tr		18
19	·38	tr	tr	–	–	–	·05	–	–	–	·47	·08		19
20	·40	–	–	–	–	·20	·10	·06	–	–	–	–		20
21	·03	·23	·05	–	–	·09	·10	1·16	tr	–	–	–		21
22	·31	·27	·06	–	–	·46	·06	–	tr	–	–	–		22
23	tr	tr	–	·17	–	·01	·05	–	–	–	·19	–		23
24	·68	–	tr	·02	–	·32	·20	–	–	–	·98	tr		24
25	·82	·19	tr	·10	–	–	·10	·11	–	–	–	–		25
26	–	·03	–	tr	–	·01	–	–	–	·18	·40	–		26
27	–	·18	·02	tr	–	·01	tr	–	–	·07	·29	–		27
28	–	·33	·01	–	–	·02	·18	–	–	·01	·08	·17		28
29	–		–	·02	–	–	·54	–	–	–	·33	–		29
30	–	✕	–	·47	–	tr.	–	·17	–	·09	TR	–		30
31	–	✕	–	✕	–	✕	–	·20	✕	·29	✕	–		31
													Year's Total	
TOTAL	6·05	1·66	1·13	1·93	·98	1·96	3·95	2·96	2·84	·82 6·~~25~~	6·02	1·78	37·51	
* Days with .01 in. or more.	18	10	14	12	8	15	22	13	5	19	21	11	168	
* Days with .04 in. or more.	13	8	8	10	6	6	19	11	4	16	19	9	129	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

274/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1[illegible]0

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Poole

in the County of Dorset

MWR

100 Daily Values.

400

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 18 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	-	tr	-	-	-	-	-	·17	-		1
2	-	·18	-	·17	-	-	-	-	-	-	·39	-		2
3	tr	·52	-	-	-	-	-	-	-	·37	·07	·25		3
4	·06	·03	-	tr	-	-	·16	-	-	·30	·67	·01		4
5	tr	-	-	-	-	-	·08		-	·01	·47	·29		5
6	·36	·46	-	-	-	-	·03	-	-	·41	·04	·11		6
7	·03	·10	-	tr	-	-	-	-	-	·25	-	-		7
8	tr	-	-	tr	-	-	·10	-	-	·43	·12	·54		8
9	-	-	-	·01	-	-	·10	·01	·02	·35	·57	·12		9
10	-	-	-	-	-	-	1·31	·01	tr	·09	·09	·14		10
11	-	tr	tr	-	-	-	tr	-	-	-	1·03	-		11
12	-	tr	·11	-	-	tr	·17	-	·63	·02	tr	tr		12
13	-	tr	·60	·03	-	-	·09	-	tr	·40	1·36	·04		13
14	-	-	·08	·03	-	-	·32	-	·17	·18	tr	·64		14
15	-	tr	-	·04	·26	tr	·50	-	·12	·03	·97	tr		15
16	-	1·07	·48	·05	-	·01	tr	-	·05	-	·38	·04		16
17	-	tr	·53	-	-	-	tr	-	·01	·69	1·02	-		17
18	·06	·40	·49	·17	-	-	tr	tr	·05	·17	tr	·05		18
19	-	·06	·02	·17	-	-	·01	tr	·47	-	·46	-		19
20	-	tr	tr	tr	-	-	-	-	·01	·17	·03	tr		20
21	-	tr	-	-	-	-	-	-	·09	tr	·36	-		21
22	-	-	·05	-	·24	·17	tr	tr	·01	-	-	tr		22
23	-	·05	·24	·07	-	-	tr	-	-	-	·09	-		23
24	-	-	-	-	-	-	·42	-	-	tr	tr	-		24
25	tr	-	·34	·12	·01	-	-	-	-	tr	-	-		25
26	1·48	·45	tr	-	·14	-	·05	-	-	-	tr	-		26
27	·68	·28	tr	·04	-	-	·12	-	-	-	-	tr		27
28	·55	·15	-	-	·55	-	-	-	-	·07	-	~~·17~~		28
29	·60	·42	·17	·30	·03	tr	-	-	-	·01	-	·17		29
30	·12	×	·02	·04	-	-	-	-	-	~~tr~~ ·27	-	·14 ~~·17~~		30
31	·02	×	-	×	-	×	-	-	×	·52 ~~·27~~	×	·33 ~~·11~~		31
TOTAL	3·96	4·18	3·13	1·24	1·23	·18	3·46	·02	1·63	4·74 ~~4·22~~	8·29	87 ~~2·54~~	Year's Total 93 ~~34·60~~	
* Days with .01 in. or more.	10	14	12	13	6	2	14	2	11	~~18~~ 19	18	13 4	13~~4~~ 5	
* Days with .04 in. or more.	8	12	10	10	4	1	12	0	7	~~14~~ 15	17	13 3	108 9	

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

1581/5

PITWINES
GASWORKS
1933 —— 40
780304

Section **A** for the entry o
AIR MINISTR

NFALL ORGANIZATION.

Station No. 1581/5

FORM 1090.

REGIS 1933.

POOLE

Kept at Pitwine

in the County of D

Dorset/39

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea Level 8 ft.

Good agreement

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·82	·68	·05	·	}·19	·	·	·	·	·	·06	·24		1
2	·42	-	·81	·		·	·	·	·	·		·		2
3	-	·10	·37	·	-	·	·	·	·	·	-	-		3
4	·26	·04	-	·	·11	·	·	·	·	·	·	·		4
5	·07	-	·39	·	-	·	·	·	·	·	·	·		5
6	-	·18	-	·	·21	·	·	·	·	·07	·03	·		6
7	·03	-	-	·	·03	·	·	·	·	·29	-	·02		7
8	·01	·	·	·	·03	·	·21	·	·	-	-	·		8
9	-	-	·	·	·05	·	·26	·	·	·03	·01	·		9
10	·	·10	·	·	-	·	·15	·01	·	·18	-	·		10
11	·25	-	·	·	-	·47	·03	·06	·	-	-	·		11
12	-	·	·	·03	-	·	·02	·	·62	-	-	·01		12
13	·07	·	·	·	·01	·01	·43	·01	·	·08	·07	·		13
14	·03	·	·	·	-	-	·02	·02	·	·30	·51	·		14
15	·40	·	·36	·	-	-	·01	·21	·	·22	·13	·		15
16	-	·	·82	·	-	·02	·	-	·01	·03	-	-		16
17	-	·17	·38	·	-	·08	·	·05	·06	-	·	·		17
18	·14	·	·29	·	-	·13	·	-	-	-	·02	-		18
19	·	·04	·22	·	-	·02	·	·02	·48	·	·29	·02		19
20	·	·07	·	·01	·	·01	·	-	·02	-	-	·03		20
21	-	·03	-	·	·01	-	·	·43	·	·09	-	·		21
22	-	-	-	·	-	·07	·	·18	·21	·13	·01	·		22
23	·	·18	-	·47	-	·09	·	·	·27	·16	-	·		23
24	·	2.12	-	·18	-	·03	·	·	-	-	·02	·		24
25	·	·44	-	·33	-	-	-	·	·48	-	-	·03		25
26	·	·49	·	·09	·28	-	-	·	-	-	-	·03		26
27	-	-	·	-	·34	·	·03	·	·01	·14	·04	·56		27
28	·	-	·	·10	-	·	·42	·	-	-	-	·02		28
29	·14		-	-	-	·	·01	·	·01	-	-	·03		29
30	·02	✕	·08	-	-	·	-	·	·11	-	-	·09		30
31	·28	✕	·05	✕	-	✕	-	·	✕	-	✕	-		31
TOTAL	2.94	4.64	3.82	1.21	1.26	·93	1.59	·99	2.28	1.72	1.19	1.08	Year's Total 23.65	
*Days with ·01 in. or more.	14	13	11	7	10	10	11	9	11	12	11	11	130	
*Days with ·04 in. or more.	10	12	11	5	6	5	5	5	7	10	6	3	85	

OK print

Print ✓

40-9999
*See Instruction 2 (f) on other side.

D

† Spare column, no entries required.

(Signed) Philip G. G. Moon P.T.O.

N X P. G. G. MOON, ESQ X

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1581/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

POOLE X
Kept at (Pitwines Gasworks) X
in the County of Dorset

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 8 ft.

cf 1581

Dorset/3?

C 1933

Good agreement

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·82	·68	·05	.	} ·19	.	.	.	.	.	·06	·24		1
2	·42	-	·81	.		.	.	.	.	.		.		2
3	-	·10	·37	.	-	.	.	.	.	.	-	-		3
4	·26	·04	-	.	·11	.	.	.	.	.	.	.		4
5	·07	-	·39	.	-	.	.	.	.	.	.	.		5
6	-	·18	-	.	·21	.	.	.	.	·07	·03	.		6
7	·03	-	-	.	·03	.	.	.	.	·29	-	·02		7
8	·01	.	.	.	·03	.	·21	.	.	-	-	.		8
9	-	-	.	.	·05	.	·26	.	.	·03	·01	.		9
10	.	·10	.	.	-	.	·15	·01	.	·18	-	-		10
11	·25	-	.	.	-	·47	·03	·06	.	-	-	.		11
12	.	.	.	·03	-	.	·02	-	·62	-	-	·01		12
13	·07	.	.	.	·01	·01	·43	·01	.	·08	·07	.		13
14	·03	.	.	.	-	-	·02	·02	.	·30	·51	.		14
15	·40	.	·36	.	-	-	·01	·21	.	·22	·13	-		15
16	-	.	·82	.	-	·02	.	-	·01	·03	.	.		16
17	-	·17	·38	.	-	·08	.	·05	·06	-	.	.		17
18	·14	.	·29	.	-	·13	.	-	-	-	·02	-		18
19	.	·04	·22	.	-	·02	.	·02	·48	-	·29	·02		19
20	.	·07	.	·01	.	·01	.	-	·02	[illegible]	-	·03		20
21	-	·03	-	.	·01	-	.	·43	.	·09	-	.		21
22	-	-	-	.	-	·07	.	·18	·21	·13	·01	.		22
23	.	·18	-	·47	-	·09	.	-	·27	·16	-	.		23
24	.	2·12	-	·18	-	·03	.	-	-	-	·02	.		24
25	.	·44	-	·33	-	-	-	.	·48	-	-	·03		25
26	.	·49	.	·09	·28	-	.	.	-	-	-	·03		26
27	-	-	.	-	·34	.	·03	.	·01	·14	·04	·56		27
28	.	-	.	·10	-	.	·42	.	-	-	-	·02		28
29	·14		-	-	-	.	·01	.	·01	-	-	·03		29
30	·02	×	·08	-	-	.	-	.	·11	-	-	·09		30
31	·28	×	·05	×	-	×	-	.	×	-	×	-		31
TOTAL	2·94	4·64	3·82	1·21	1·26	·93	1·59	·99	2·28	1·72	1·19	1·08	Year's Total 23·65	
*Days with ·01 in. or more.	14	13	11	7	10	10	11	9	11	12	11	11	130	
*Days with ·04 in. or more.	10	12	11	5	6	5	5	5	7	10	6	3	85	

6K present

Part 11

40-9999

*See Instruction 2 (*f*) on other side.

D

N

† Spare column, no entries required.

(*Signed*) Philip G. G. Moon

X P G G MOON, ESQ X

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 158/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Pitwines Gasworks, Poole

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·	·	·	·	·02	·	·55	·	·10	·05	·83		1
2	·44	·	·09	·	·11	·	·	·	·97	·21	·01	·18		2
3	·03	·	·	·	·	·	·	·	·	·24	-	·30		3
4	·10	·	·11	·	·18	·	·	·	·	·03	·	·25		4
5	·	·	·01	·	·	·	·	·70	·	·	·01	·42		5
6	·08	·	·37	·05	·18	·	·	·01	·	·32	·47	·62		6
7	·04	·	·	·	·	·	·	·19	·	·08	·	·43		7
8	-	·	·	·	·26	·	·	·01	·08	·	·72	·08		8
9	-	·	·17	·	·	·	·	·	·03	·	·61	·39		9
10	·15	·	·25	·31	·	·	·	·	·	·	·18	·08		10
11	·69	·	·51	·17	·	·	·07	·25	·	·	·	·40		11
12	·01	-	·02	·	·	·	·01	·24	·	·	·	·40		12
13	·29	·	·08	·19	·	·	·	·	·	·	·11	·14		13
14	·12	·	·38	·	·	·	·	·	·	·04	·03	·53		14
15	·01	·	·01	·01	·05	·	·	·	·	·05	·11	·41		15
16	·20	·	·39	·22	·03	·	·	·	·	·	·	·22		16
17	·17	·	-	·10	·	·	·	·	·07	·04	·	·31		17
18	·05	·	·27	·	·	·	·	·	·13	·	·	·50		18
19	-	·	·05	·11	·	·	·	·07	·09	·	·	·23		19
20	-	·	·04	·09	·	·	·10	·	·04	·	·	-		20
21	·	·	·20	·	·	·13	·	·25	·	·12	·	·02		21
22	·	·	·	·25	-	·	·	·44	·23	·06	·	·16		22
23	·	·01	·	·03	·	·75	·	·05	·14	·01	·	·01		23
24	·	-	·04	·04	·	·02	·	·02	·06	·	·	·02		24
25	·31	·01	·	·10	·	·	·	·	·	·06	·	·87		25
26	·01	·	·	·	·	·32	·	·	·16	·	·01	·12		26
27	-	·	·	·	·	·06	·	·	·	·	·	·38		27
28	-	·	·	·	·	·03	·	·54	·	·01	·	·50		28
29	·	-	·	·	·	·	·	·22	·28	·01	·	·01		29
30	·06	X	·	·	·	·	·01	·	·15	·	·	·18		30
31	·01	X	·	X	·	X	·	·	X	·01	X	·02		31
TOTAL	2·77	·02	2·99	1·67	·81	1·33	·19	3·54	2·43	1·39	2·31	9·01	Year's Total. 28·46	
* Days with .01 in. or more.	19	2	17	13	6	7	4	14	13	16	11	30	152	
* Days with .04 in. or more.	13	0	14	11	5	4	2	11	12	11	7	25	115	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) P Y J Moon

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1587/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Pitwines Gasworks, Poole

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·	·37	·	-	·12	·10	·	·13	·06	·09	·34		1
2	-	·	·	·	-	·	·	·	·	·34	·02	·		2
3	-	·	·14	·	·01	·05	·	·	·19	1·59	·29	·		3
4	·03	·19	·	·20	·	·03	·	·	·23	·76	·10	·13		4
5	·	·27	·02	·04	·	·10	·	·	·22	·05	·06	·		5
6	·	·	·	·23	·	·25	·	·	·	-	·17	·01		6
7	·	·	·	·38	·	·	·	·	·	0·20	·42	·17		7
8	·	·	·	·29	·	·	·02	·	·07	·48	·62	·05		8
9	·19	·	·	·49	·	·88	·	·	·02	·59	·64	·		9
10	·10	·	·40	·10	·	·06	·	·	·	-	·03	·01		10
11	·26	·	·08	·	·	·26	·	·	·	·	·57	·		11
12	·11	·03	·	·	·	·22	·	·01	·10	·	·50	·		12
13	·08	·11	·	·25	·	·13	·	·	·	·01	·03	-		13
14	·	·04	·	·15	·	·12	·	·	·03	·	·33	·35		14
15	·	·08	·	·50	·25	·08	·	·	·06	·02	·35	·03		15
16	·	·01	·05	·05	·	·	·	·	·54	·	2·25	·		16
17	·	·	·	·12	·07	·29	·	·06	·02	·	·04	·		17
18	·	·	·	·06	·	·	·14	·01	·54	·04	·	·03		18
19	·	·01	·	·36	·12	·03	·10	·	·16	·01	·35	·		19
20	·	·59	·	·09	·	·01	·	·	·	·	·46	·		20
21	·	·53	·	·03	·	·	·02	·	·	·	·01	·		21
22	·	·04	·	·	·	·	·	·19	·08	·	·	·		22
23	·	·02	·07	·	·02	·	·	·46	·	·41	·	·19		23
24	·03	·64	·01	·	·19	·	·	·98	·50	·25	·	·30		24
25	·15	·01	·	·10	·	·01	·	·	·	·	·01	·42		25
26	·	·31	·	·	·	·01	·	·18	·06	·	·	·86		26
27	·	·34	·	·	·	·	·	·03	·04	·	·05	·64		27
28	·	·08	·	·	·01	·	·	·01	·25	·	·	·19		28
29	·		·	·	·03	·	·	·05	·33	·	·	·50		29
30	·01	✕	·	·30	·	·	·	·89	·02	·21	·41	·54		30
31	·	✕	·	✕	·	✕	·	·10	✕	1·25	✕	·24		31
TOTAL	·97 ✓	3 3·~~2~~0	1·14 ✓	3·74 ~~3·51~~	0·70 ✓	2·65 ✓	0·38 ✓	2·97 ✓	3·59 ✓	6·27 ✓	7·80 ✓	5·00 ✓	Year's Total 38·~~49~~	51
* Days with .01 in. or more.	10	17	8	18	8	17	5	12	20	16	23	18	172	
* Days with .04 in. or more.	6	12	6	17	4	12	3	8	16	13	18	14	129	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) P. S. J. Moore [P.T.O.

344

Section A **for the entry of Daily Observations**

Station No. 1581/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Pitwines Gasworks, Poole.

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 8 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22	.05		.35		.43	.13				.06	.02		1
2	.04			.02		.02	.05	.05			.04			2
3				.41			.03		.53		.52	.02		3
4			.15			.02			.18		.13	.05		4
5	.44		.06		.14			.02	.16			.04		5
6	.33		.05			.01			.20		.44			6
7	.10		.09				.18				.20	.04		7
8	.38		.29				.25				.45	.06		8
9	.40		.21				.32		.20		.01			9
10	.01	.20					.41				.10			10
11	.36	.15				.05	.05		.07		1.17			11
12				.02	.14	.30	.25	.15	.30		.07	.01		12
13							.02	.03		.05	.16	.62		13
14		.05		.01		.02	.44		.02	.01	.06	.51		14
15	.01	.06							.19		.05	.50		15
16	.15	.20			.11		.09		.07		.08	.11		16
17		.84			.06		.03		.01	.03	.03	.67		17
18	.08	.12				.73	.32			.05		.35		18
19	.37	.10	.01	.06		.05		.04		.01				19
20	.20	.25	.06	.07		.02	.03		1.15					20
21	.10	.30	.08	.38		.06	.11							21
22	.17	.40	.36		.02		.14		.01	.03		.08		22
23	.04	.01	.29	.13	.01		.19			.12				23
24	.26	.04	.06		.10		.12		.06	.10				24
25	.07		.35	.15		.19	.10		.02	.47				25
26	.20	.07	.19			.48			.02	.07				26
27	.36	.21	.08				.10		.13	.09				27
28	.92		.49				.29					.19		28
29	.01	.03	.02			.06	.03			.04	.02			29
30	.17	✕			.02	.13	.02			.17				30
31	.08	✕	.47	✕	.10	✕	.23		✕	.55	✕	.75		31
													Year's Total	
TOTAL	5.47	3.08	3.31	1.60	.70	2.57	3.93	.29	3.32	1.79	3.59	4.02	33.67	✓
* Days with .01 in. or more.	25	17	18	10	9	15	25	5	17	14	17	16	188	✓
* Days with .04 in. or more.	22	15	16	7	6	10	19	3	12	10	14	13	147	✓

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1581/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Pitwines Gasworks, Poole.
in the County of Dorset.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 8 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.49	.02		.19							.32	.13		1
2		1.15		.06					.05			.01		2
3	.02	.26		.02										3
4	.07	.82						.02				.28		4
5	.21	.01	.04	.01			.22							5
6	.04	.06	.44	.13			.05			0.02				6
7		1.05		.04						.01		1.20		7
8					.59		.01				.27	.18		8
9		.02	.12	.20	.11	.04	.03		.62			.07		9
10	.02		.76	.08	.29	.24						.45		10
11	.02		.01	.03	.22		.31							11
12	.48	0.33	.20	.16	.04	.08	.02	1.02	.35			.36		12
13	.13	0.02	.82	.10				.86	.21			.21		13
14	.01		.20	.14				.03	.04			.02		14
15	.30	0.22	.02	.47			1.15		.07			.03		15
16		0.10	.48	.07		.02		.40	.91		.05			16
17	.87	0.04	.12				.02		.04		.24			17
18	.14	0.01									.06	0.19		18
19	.18	0.01	.01	.28			.04				.01	0.10		19
20	.37	0.05	.19	.22		.02				.01		0.22		20
21	.39	0.28	.03	.01	.17					.01	.16	0.12		21
22	.27		.03		.13		.14		.03	1.25	.36	0.10		22
23	.20	0.17			.41					.22	.17			23
24	.27	0.63	.02		.17		.04		.04	.86		0.13		24
25	.46	0.37	.36		.63				.02	.24		0.03		25
26		0.23	.04		.07					.12	.01			26
27	.01	0.15		.08						.82				27
28	.34	0.03								.15				28
29	.06									.97	.05			29
30	.34	✕								.10	.13			30
31	.21	✕		✕		✕			✕	.91	✕			31
													Year's Total	
TOTAL	5.90	6.09	3.89	2.21	2.83	0.40	2.03	2.33	2.38	5.69	1.73	4.44	39.92	✓
* Days with .01 in. or more.	25	23	18	17	11	5	11	5	11	14	12	18	170	✓
* Days with .04 in. or more.	20	16	12	14	11	3	7	3	9	11	10	14	130	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Section **A** for the entry of Daily Observations

Station No. 1581/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Pitwines Gasworks, Poole.

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 8 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.01			.02	.03	.35			.32		.12		1
2	.01									.17	.09	.08		2
3			.05		.07					.91	.27			3
4	.01		.01				.01	.74		.10		.24		4
5							.35			.20	.06			5
6	.11						.38		.05	.25	.06	.03		6
7	.18					.02	.19		.36	.03		.11		7
8	.09					.005	.02	.02		.28		.07		8
9	.08	.04								.01		.89		9
10	.03						.04	.27			.02	.38		10
11	.17					.12	.01				.17	.20		11
12	.50				.16					.20	.03			12
13	.38									.16	.42	.75		13
14	.49				.07		.27							14
15	.29	.01			.01		.17	.05		.34	.06	.47		15
16	.36	.01	.02							.06	.01	.01		16
17		.17	.02		.15				.20	.18	.02			17
18	.13				.15			.01	.08	.01	.36			18
19						.03		.08	.21		.02			19
20								.02			1.21			20
21	.04							.07	.11		.08	.12		21
22	.04							.23			.43	.05		22
23	.01								.10		.01			23
24			.19		.01				.14		.24			24
25	.13	.21	.02		.11			.11		.04	1.22			25
26	.30	.24			.06				.03	.03		.26		26
27	.07	.05			.09	.04	.38	.08			.28			27
28	.11	.11			.11	.27		.55	.16		.09	.03		28
29					.28	.10			.60	.10	.32	.05		29
30	.02	✕			.03				.10		.14	.02		30
31	.18	✕		✕	.18	✕			✕	.19	✕	.33		31
TOTAL	3.73	0.85	0.31	Nil.	1.50	.66	2.17	2.23	2.14	3.58	5.61	4.21	Year's Total 26.99	
* Days with .01 in. or more.	23	9	6	-	15	8	11	12	12	19	23	19	157	
* Days with .04 in. or more.	18	6	2	-	11	4	8	9	11	15	18	15	117	

† Spare column, no entries required.

(*Signed*)

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1551/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Pitwines Gasworks, Poole

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 8 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			.08	.10	.05		.13		.25			.04		1
2			.05	.15				.42	2.45		.26	.05		2
3	.61			.46			.01	.10			.27	.33		3
4	.01	-	.53	.13	.25		.48	.26	.15	.37	.04	.21		4
5		-	.03	.13	.16		.16	.05		.35	.76	.02		5
6	.62		.07				.65			.08	.15			6
7		.23					.01				.26	.50		7
8		.12	.08				.35			.53	.24	.25		8
9	.02	.01						.09		.20	.20	.24		9
10	.32	-	.01					.25	.10	.40	.02			10
11		-	.16							.41				11
12	.01			.05						.01				12
13				.02			.29			1.60	.03	.10		13
14	.79				.01	.01	.14			.35	.39	.15		14
15	.22				.17		.05			.03	.33	.01		15
16	.48		.01	.10	.03	.64	.09			.02	.26			16
17	.31	.05			.25	.15	.03			.21				17
18					.01	.40	.53				.48			18
19	.40						.01					.06		19
20	.40					.10	.09	.47				.04		20
21	.06	.27	.08	.01		.08	.20							21
22	.25	.23	.07	.05		.50	.08		.02		.20			22
23				.15			.04				1.07			23
24	.68	.07		.05		.32	.14	.17						24
25	.78	.18		.08			.11			.14	.38			25
26		.05		.01						.08	.26			26
27		.46	.02							.02	.07	.01		27
28		.08				.01	.19				.33	.07		28
29				.03			.64			.10				29
30		X		.48				.32		.28	.01			30
31		X		X		X		.13	X	1.18	X			31
TOTAL	5.96	1.75	1.19	2.00	0.93	2.21	4.42	2.26	2.97	6.36	6.01	2.08	Year's Total 38.14	
* Days with .01 in. or more.	16	11	12	16	8	9	22	10	5	19	21	15	164	
* Days with .04 in. or more.	13	10	9	12	5	7	18	10	4	15	18	12	133	

THE BOURNEMOUTH GAS & WATER CO.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 158/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Pitwines Gasworks, Poole.

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 8 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	–	–	–	–	–	–	–	·15	–		1
2	–	·18	–	·37	–	–	–	–	–	–	·32	·01		2
3	–	·51	–	–	–	–	–	–	–	·40	·72	·26		3
4	·04	·02	–	·01	–	–	–	–	–	·33	·09	·01		4
5	–	·03	–	–	–	–	·03	–	–	·03	·48	·28		5
6	·34	·42	–	–	–	–	·02	–	–	·43	·04	·12		6
7	·05	·08	–	–	–	–	–	–	–	·19	–	–		7
8	–	–	–	–		–	·12	–	–	·44	·11	·32		8
9	–	–	–	·02	–	–	·15	–	·02	·32	·64	·13		9
10	–	–	–	–	–	–	1·32	–	–	·15	·04	·13		10
11	–	·01	–	·01	–	–	–	·02	–	–	1·03	·01		11
12	–	·01	·16	–	–	–	·12	–	·62	·03	–	·01		12
13	–	·02	·69	·04	–	–	–	–	·10	·34	1·43	–		13
14	–	–	–	·03	·01	–	·44	–	·18	·14	·02	·69		14
15	–	·02	–	–	·25	–	·47	–	·10	·75	·48	·01		15
16	–	·X· 1·12	·35	·04	–	·02	–	–	·04	·69	·89	·04		16
17	–	·04	·64	–	–	–	·02	–	–	–	·90	–		17
18	–	·37	·54	·15	–	–	–	–	·05	·15	·01	·05		18
19	–	·05	–	·18	–	–	·02	–	·44	–	·53	–		19
20	–	–	–	–	–	–	–	–	·01	·17	·04	·01		20
21	–	–	–	–	·24	–	–	–	·12	–	·97	–		21
22	–	·01	·04	–	–	·16	–	–	·03	–	·01	–		22
23	–	·02	·26	·07	–	–	–	–	–	–	·10	–		23
24	–	–	–	–	–	–	·43	–	–	–	–	–		24
25	·03	–	·33	·01	–	–	–	–	–	–	–	–		25
26	1·49	·46	–	–	·06	–	·04	–	–	–	–	–		26
27	·57	·23	–	·04	·09	–	·05	–	–	–	–	·01		27
28	·58	·20	–	–	·42	–	–	–	–	·05	–	–		28
29	·X· ·48	·35	·18	·21	·22	–	–	–	–	–	–	·17		29
30	·13	✕	·17	–	–	–	–	–	–	·28	–	·10		30
31	·03	✕	–	✕	–	✕	–	–	✕	·56	✕	·33		31
TOTAL	3·78	4·16	3·36	1·18	1·29	·18	3·23	·01	1·71	5·47	8·40	2·69	Year's Total 35·4~~7~~ 6	
* Days with .01 in. or more.	10	21	10	13	7	2	13	1	11	18	21	19	146	
* Days with .04 in. or more.	8	12	10	8	6	1	9	–	8	16	18	12	108	

* See Instruction 3 (f) on other side.

·X· = snow

† Spare column, no entries required.

(Signed) ……………………

[P.T.O.

1582

274

Section A for the entry of I
AIR MINISTRY.

FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIST

/1.

—

1582
HOLTON HEATH
1931 — 40

780304

Kept at Holton

in the County of Dorset

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·59				2
3			·67									·28	3
4													4
5													5
6										·44			6
7													7
8													8
9											1·03		9
10													10
11		·40											11
12													12
13													13
14							1.58						14
15													15
16													16
17													17
18								1·09					18
19													19
20													20
21													21
22													22
23													23
24				·45		·79							24
25													25
26													26
27					1·02								27
28													28
29													29
30		✕											30
31	·49	✕		✕		✕			✕		✕		31
TOTAL	2·40	1·87	1·19	2·24	3·32	3·62	5·07	3·33	1·49	0·70	4·51	1·09	YEAR'S TOTAL 30·83
*Days with ·01 in. or more.	15	15	10	14	14	15	19	17	10	7	21	10	6 1X7
*Days with ·04 in. or more.	13	10	5	11	10	13	12	12	7	3	15	7	118
40-9999	61.0	47.5	30.1	57.0	84.3	92.0	128.7	84.7	37.9	17.9	114.6	27.7	783.4

(Signed)

*See Instruction 2 (*f*) on other side.

[P.T.O.

1582

Section **A** for the entry of [redacted] FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

274

Kept at Holton Heath

in the County of Dorset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 64 ft.

Km.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·59				2
3			·67									·28	3
4													4
5													5
6										·44			6
7													7
8													8
9											1·03		9
10													10
11		·40											11
12													12
13													13
14							1·58						14
15													15
16													16
17													17
18								1·09					18
19													19
20													20
21													21
22													22
23													23
24				·45		·79							24
25													25
26													26
27					1·02								27
28													28
29													29
30		×											30
31	·49	×		×		×			×		×		31
TOTAL	2·40	1·87	1·19	2·24	3·32	3·62	5·07	3·33	1·49	0·70	4·51	1·09	YEAR'S TOTAL 30·83
*Days with ·01 in. or more.	15	15	10	14	14	15	19	17	10	7	21	10	6 1X4
*Days with ·04 in. or more.	13	10	5	11	10	13	12	12	7	3	15	7	118 X
40-9999	61·0	47·5	30·1	57·0	84·3	92·0	128·7	84·7	37·9	17·9	114·6	27·7	83·4

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

1582

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

274

Kept at Holton Heath

in the County of Dorset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 64 ft.

MM

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2												·39	2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12	·73												12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20					·46					1.24			20
21													21
22													22
23													23
24		·02					·94 ✓						24
25													25
26								Incomplete					26
27				·42									27
28													28
29			·50						·59				29
30		×				1.23					·80		30
31		×		×		×			×		×		31
TOTAL	2.76	0.05	1.85	2.39	3.69	2.46	~~2.81~~ 2.92	interpolated (0.82)	3.43	6.04	2.50	1.37	YEAR'S TOTAL 30·28
*Days with ·01 in. or more.	13	3	10	24	21	7	~~14~~ 16	8	17	21	16	13	11169
*Days with ·04 in. or more.	10	0	7	15	17	5	~~11~~ 13	6	12	18	9	9	12/21
40-9999	70.2	1.3	46.9	60.7	93.6	62.5	~~71.4~~ 74.1	(20.8)	87.2	153.5	63.5	34.9	

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

1582

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Holton Heath

in the County of Dorset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 64 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11						·21							11
12									·68				12
13							·46			·24			13
14											·48		14
15	0·52												15
16			0·89										16
17													17
18						·21							18
19													19
20													20
21								·28					21
22													22
23				0·46									23
24		2·00											24
25													25
26					·25								26
27												·51	27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·60	4·48	3·73	1·65	1·11	0·63	1·84	0·86	1·83	1·61	0·87	1·07	YEAR'S TOTAL 22·28
*Days with ·01 in. or more.	15	14	14	6	13	9	~~8~~ 11	9	9	13	9	9	131 ~~127~~
*Days with ·04 in. or more.	10	11	11	6	8	3	~~4~~ 7	6	7	11.	4	5	89 ~~86~~

40-9999 66·1 94·7 46·8

(Signed) .... P.T.O.

*See Instruction 2 (*f*) on other side.

D

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Holton Heath

in the County of Dorset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 64 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												·92		1
2									1·01					2
3										·37				3
4														4
5								·72						5
6														6
7														7
8					·28						·74			8
9														9
10														10
11	·66		·52	·31			·05							11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23						60								23
24		·02												24
25														25
26														26
27														27
28														28
29		×												29
30		×												30
31		×		×		×			×		×			31
TOTAL	2.67	0.07	2.87	1.70	0.82	1.32	0.11	3.17	2.39	1.50	2.09 ~~[illegible]~~	9.20	Year's Total 27.91	
*Days with ·01 in. or more.	18	4	18	16	7	9	4	12	13	14	10	29	154	
*Days with ·04 in. or more.	10	0	12	11	4	5	1	11	10	9	7	24	104	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1582

274

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Holton Heath

in the County of Dorset

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft 6 in.

,, Ground ,, Sea Level 64 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·35											1
2														2
3										2·10				3
4														4
5														5
6						1·54								6
7														7
8														8
9														9
10														10
11	0·19													11
12														12
13														13
14														14
15				·58	·31									15
16											2·27			16
17														17
18									·60					18
19							·20							19
20														20
21														21
22														22
23														23
24		·76						1·07						24
25														25
26												·98		26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
													Year's Total	
TOTAL	0·91	3·61	0·98	3·88	0·98	4·13	0·37	3·09	3·85	6·78	9·21	5·48	43·27	
*Days with ·01 in. or more.	9	16	8	19	13	18	6	11	21	22	23	18	184	
*Days with ·04 in. or more.	7	11	5	18	6	12	3	8	17	13	22	14	136	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)..........................

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

274

Kept at Holton Heath

in the County of Dorset

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 64 ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·04						1
2														2
3				·47										3
4														4
5								·04						5
6														6
7														7
8							·51							8
9														9
10														10
11											1·13			11
12														12
13														13
14														14
15														15
16					·22									16
17		·93										·74		17
18						1·89								18
19														19
20									·90					20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28	·95		·57											28
29														29
30		✕												30
31		✕		✕		✕			✕	·48	✕			31
													Year's Total.	
TOTAL	5·45	3·18	3·57	1·74	0·53	3·95	4·72	0·13	2·69	1·77	3·50	3·96	35·19	✓
* Days with .01 in. or more.	26	17	19	12	9	15	25	4	18	12	16	15	188	✓
* Days with .04 in. or more.	21	13	15	8	3	8	23	0	9	9	13	9	131	✓
40-9999	138·4	80·7	90·8	44·2	13·4	100·4	119·9	3·3	68·2	44·9	88·9	100·7	893·5	

† Spare column: no entries required.

* See Instruction 2 (f) on other side.

(Signed)..........

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 274

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Poole
Kept at (Holton Heath R. N. Cordite Factory)
in the County of Dorset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 64 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1												1.08		1
2		1.04												2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10			·80			·22								10
11														11
12					1.93			·87						12
13														13
14														14
15				·46			·93							15
16									2·21					16
17	·87										·31			17
18														18
19														19
20														20
21														21
22										1·48				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	6·50	6·22	3·79	2·39	5·20	·40	1·88	1·70	3·52	5·42	1·63	4·19	Year's Total 42·84 ✓	
* Days with 0.2 mm. or more.	26	23	20	18	13	6	11	6	11	12	10	20	176 ✓	
* Days with 1.0 mm. or more.	21	18	13	14	11	3	7	3	9	10	9	15	133 ✓	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 165·0 158·1 96·2 60·7 132·1 10·1 47·7 43·1 89·5 137·7 41·4 106·4 1088·0 ✓

(Signed) .... [P.T.O.

274

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1.

REGISTER OF RAINFALL IN 1938.

Kept at Poole (Holton Heath R.N Cordite Factory)
in the County of Dorset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 64 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3										·93				3
4								1·76						4
5														5
6														6
7														7
8														8
9												1·43		9
10						·43								10
11														11
12														12
13														13
14	·62													14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23									·65					23
24			·19											24
25											1·40			25
26		·27												26
27							·39							27
28														28
29					·28									29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	98·5	20·3	6·6	0·0	37·0	23·4	52·0	49·2	69·8	101·2	160·1	132·5	Year's Total 750·6	
* Days with 0.2 mm. or more.	20	6	4	0	14	9	11	11	12	21	23	20	151	
* Days with 1.0 mm. or more.	18	4	1	0	11	3	8	6	11	14	17	15	108	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 3·88 ·80 ·26 ·00 1·46 ·92 2·05 (Signed) 1·94 2·75 3·98 6·31 5·22 29·51 [P.T.O.

~~244~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Poole (Holton Heath R.N. Cordite Factory)

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 64 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2									1·09					2
3				·48										3
4			·59											4
5					·33									5
6							·72							6
7												·63		7
8														8
9														9
10														10
11														11
12														12
13										1·60				13
14	·88													14
15						·93								15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23											1·14			23
24														24
25														25
26														26
27														27
28		·34												28
29														29
30		✕						·61						30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	152·5	47·6	35·2	50·6	27·8	54·3	110·0	53·2	43·0	137·1	166·3	53·1	930·7	
* Days with 0.2 mm. or more.	20	11	15	13	9	13	23	13	4	19	26	15	181	
* Days with 1.0 mm. or more.	13	9	7	11	6	7	18	11	4	16	20	11	133	

(141w) * See Instruction 2 (f) on other side. 2·14 † Spare column, no entries required, except year's total. 2·09 36630

40-9999. 6·00 1·87 1·39 1·99 1·09 4·33 (Signed) 1·69 5·40 6·55

2·09

[P.T.O.

274

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1940

Kept at Poole (Holton Heath R.N. Cordite Factory)

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 64 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9								·01						9
10							1·04							10
11														11
12									·56					12
13											1·49			13
14												·78		14
15														15
16		1·04								·89				16
17			·63											17
18														18
19														19
20														20
21														21
22						·19								22
23														23
24														24
25														25
26	1·40													26
27														27
28														28
29				·31										29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	93·9	110·7	66·9	30·6	30·2	5·6	73·7	0·3	43·5	98·0	218·0	72·4	843·8 ✓	
* Days with 0.2 mm. or more.	11	19	12	12	7	3	18	1	12	17	20	17	149 ✓	
* Days with 1.0 mm. or more.	8	14	8	9	6	1	9	0	6	14	18	12	105 ✓	

(141w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

3·70 4·36 2·63 1·20 1·19 ·22 2·90 ·61 1·71 3·86 8·58 2·85 33·21

(Signed) ....

[P.T.O.

31/34

1582/8

PARKSTONE
BALMORAL ROAD
1934 — 40
780304

Section **A** for the entry of
AIR MINISTR ALL ORGANIZATION.

Station No 1582/8

FORM 1090.

REGIS 193~~4~~. V ~~Dorset~~ 3

irregular to send
934

Kept at ~~Ashley~~ (Balmor

in the County of Dorset

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.01						.5	.02	.09	.04	.78		1
2		.25	.11	~~.25~~	.25	.04		.03	.87	.2	.02	.25		2
3	.63									.22	.01	.25		3
4	.14		.11	~~.19~~	.19					.09		.3		4
5			.02	~~.03~~	.03			.77		.02	.01	.42		5
6			.37	~~.2~~	.21			.02		.35	.43	.67		6
7				.07				.21		.1		.42		7
8	.08		.13		.25			.02	.08		.72	.06		8
9	.19							.01	.08		.64	.48		9
10	.62		.24	.33				.01			.24	.12		10
11	.02		.67	.2			.06	.28			.02	.4		11
12	.31		.03				.03	.16				.36		12
13	.12		.1	.2							.12	.1		13
14	.02		.4	.01						.04	.04	.56		14
15			.02	.01	.08					.06	.11	.48		15
16	.16		.38		.06						.01	.21		16
17	.15		.01	.16					.06	.05		.32		17
18	.07		.2	.1					.03			.56		18
19			.2	.01		.02		.07	.11			.25		19
20			.06	.13			.32	.02	.02	.01				20
21			.05	.12				.23		.12		.03		21
22			.02	.01		.15		.45	.25	.07		.24		22
23		.03		.24		.59		.03	.1	.04		.03		23
24		.02	.07	.02		.02	.01	.02	.13	.01		.02		24
25	.38			.07					.01	.06		.81		25
26	.02			.22		.35			.16	.02	.03	.19		26
27				.01		.06			.01	.01		.45		27
28						.06		.6			.02	.45		28
29								.15	.22	.01		.02		29
30	.08	×					.01	.03	.19		.01	.21		30
31		×		×	.02	×	.03		× 4		×	.03		31
TOTAL	2.99 ✓	.31 ~~8~~	3.19 ✓	1.85 ✓	1.09 ✓	1.29 ✓	.46 ✓	3.61 ✓	2.38	1.57 ✓	2.47 ✓	9.47 ✓	Year's Total. 30.~~4~~	64
* Days with .01 in. or more.	17	4	19	18	8	8	6	19	16	19	16	30	180	
* Days with .04 in. or more.	12	—	14	10	6	6	2	10	11	13	8	25	117	

6.K. Pd M

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) X MRS P.V. HALL X [P.T.O.

31/34

Section **A** **for the entry of Daily Observations.** **Station No.** 1582/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~4~~.

V Dorset | 3

1933 too irregular to send

c 1934

Kept at ~~Ashleigh~~ (Bournemouth Rd) Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.01						.5	.02	.09	.04	.78		1
2		.25	.11	~~.25~~	.25	.04		.03	.87	.2	.02	.25		2
3	.63									.22	.01	.25		3
4	.14		.11	~~.19~~	.19					.09		.3		4
5			.02	~~.03~~	.03			.77		.02	.01	.42		5
6			.37	~~.2~~	.21			.02		.35	.43	.67		6
7				.07				.21		.1		.42		7
8	.08		.13		.25			.02	.08		.72	.06		8
9	.19							.01	.08		.64	.48		9
10	.62		.24	.33				.01			.24	.12		10
11	.02		.67	.2			.06	.28			.02	.4		11
12	.31		.03				.03	.16				.36		12
13	.12		.1	.2							.12	.1		13
14	.02		.4	.01						.04	.04	.56		14
15			.02	.01	.08					.06	.11	.48		15
16	.16		.38		.06						.01	.21		16
17	.15		.01	.16					.06	.05		.32		17
18	.07		.2	.1					.03			.56		18
19			.2	.01		.02		.07	.11			.25		19
20			.06	.13			.32	.02	.02	.01				20
21			.05	.12				.23		.12		.03		21
22			.02	.01		.15		.45	.25	.07		.24		22
23		.03		.24		.59		.03	.1	.04		.03		23
24		.01	.07	.02		.02	.01	.02	.13	.01		.02		24
25	.38			.07					.01	.06		.81		25
26	.02			.22		.35			.16	.02	.03	.19		26
27				.01		.06			.01	.01		.45		27
28						.06		.6			.02	.45		28
29								.15	.22	.01		.02		29
30	.08	X					.01	.03	.19		.01	.21		30
31		X		X	.02	X	.03		X		X	.03		31
TOTAL	2.99	~~8~~ .31	3.19	1.85	1.09	1.29	.46	3.61	2.38	1.57	2.47	9.47	Year's Total. 30.~~44~~	64
* Days with .01 in. or more.	17	4	19	18	8	8	6	19	16	19	16	30	180	
* Days with .04 in. or more.	12	—	14	10	6	6	2	10	11	13	8	25	117	

6.15

N

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) X MRS P.V. HALL X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1582/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ashleigh, Balmoral Rd. Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level ft.

File No. 304131/34

Estimate [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	—	.32	—	—	.15	.11	—	.32	.11	.13	.32		1
2	—	—	.01	—	—	.02	—	—	.01	.47	.03	—		2
3	—	.01	.1	—	—	.05	—	—	.18	1.23	.33	—		3
4	.02	.19	—	.25	.01	.07	—	—	.59	.65	.09	—		4
5	—	.27	.05	—	—	.08	—	—	.25	.02	.06	.21		5
6	—	.02	.01	.23	—	1.23	—	—	—	—	+ —	.01		6
7	—	—	—	.38	—	—	—	—	—	+	+	.01		7
8	—	—	—	.32	—	—	.03	—	.08	+ .64	+ 1.31	.17		8
9	.25	—	—	.59	—	.92	—	.01	.06	.76	—	.05		9
10	.1	.01	.15	.11	—	.08	—	—	—	—	—	.02		10
11	.25	—	.15	—	—	.28	—	—	.01	—	1.15	—		11
12	.09	.03	—	—	—	.25	—	—	.08	—	.5	—		12
13	.08	.11	—	+	.02	.11	—	.02	.02	.03	.03	—		13
14	—	.03	—	+	.02	.16	—	—	.05	.02	.3	.34		14
15	—	.11		+	.3	.09	—	—	.08	.03	.55	—		15
16	—	.04	.12	+	—	.03	—	—	.4	—	1.96	—		16
17	—	—	—	+	.08	.36	—	—	.57	—	.14	—		17
18	—	.02	—	+	.02	.01	.08	.06	+	—	.43	.05		18
19	—	.02	—	+	.15	.04	.13	—	.19	.04	+	—		19
20	—	.55	—	+	.02	.03	.03	—	.01	—	.55	—		20
21	.01	.62	—	—	—	.01	.03	—	.01	.01	—	—		21
22	—	.09	.03	1.72	—	—	—	.18	.08	—	—	—		22
23	—	—	.06	—	.04	—	—	.56	—	.48	—	.27		23
24	.05	.67	—	—	.21	—	—	1.00	.45	.3	—	.15		24
25	.13	.02	—	.12	.01	.04	—	—	—	—	.02	.15		25
26	—	.25	—	—	.01	.02	—	.21	.07	—	—	.48		26
27	—	.37	—	—	—	—	—	—	.05	.01	.06	.95		27
28	—	.09	—	—	.02	—	—	.03	.25	—	.02	.53		28
29	—	—	—	—	.06	—	—	.08	.33	—	.01	.32		29
30	.02	×	—	.09	—	.01	—	.93	.03	.24	.36	.3		30
31	—	×	—	×	—	×	—	.01	×	1.27	×	.4		31
TOTAL	1.02	3.52	1.00	3.81	.97	4.04	.41	3.09	4.11	6.31	8.02	4.73	Year's Total. 41.03	
* Days with .01 in. or more.	11	20	10	9 17	14	22	6	11	25 24	18	22	19	~~187~~ 194	
* Days with .04 in. or more.	6	12	7	9 16	6	15	3	7	18 19	11 12	~~15~~ 17	14	~~123~~ 134	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. V. Hall

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No: 1582/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Ashleigh, Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

Adjusted for errors of ~~acc~~ C

6.3.37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.35	.06	–	.36	–	.14	.18	.03	–	–	.07	.04		1
2	.87	.02	.03	.03	–	.03	.04	.05	–	–	.03	–		2
3	-	–	–	.36	–	–	–	–	+.66	–	.53	.03		3
4	-	–	.14	.02	–	–	–	–	–	–	.15	.02		4
5	+	–	.04	–	.12	–	–		.35	–	–	.07		5
6	+	–	–	–	–	.03	–	.03	.2	–	.43	–		6
7	+.72	–	.1	–	–	–	–		–	.01	.27	.08		7
8	.39	–	.35	–	–	–	.53		.3	–	.57	.03		8
9	.4	–	.27	–	.01	–	.57		–	–	.02	–		9
10	.13	.37	–	–	–	.06	.39		.01	–	.04	–		10
11	.24	.12	–	–	–	.06	.05		.09	–	1.09	–		11
12	.1	–	–	.03	.2	.37	.28		.2	–	.09	–		12
13	–	–	–	–	–	.05	.04		–	.07	.08	.61		13
14	–	.09	–	.01	–	.04	.42	home	.02	.02	.03	.53		14
15	.03	.03	–	–	.02	–	–		.02	–	.65	.53		15
16	.15	.23	–	–	.1	–	.12		.03	–	.08	.1		16
17	.01	.79	–	–	–	–	.06		.02	.05	.06	.69		17
18	.15	.1	–	–	–	.46	.31		–	.01	.02	.35		18
19	+	.02	.03	+	–	.2	–	+(.06) from	–	.04	–	.01		19
20	+.60	–	.04	+.12		.03	.06		1.05	–	–	–		20
21	.02	+	.02	.43	–	.08	.14		.03	–	–	–		21
22	.16	+1.00	.41	–	–	–	.15		.01	.03	–	.09		22
23	.06	–	.38	.13	.03	–	.17		–	.11	–	–		23
24	.36	.06	.06	.01	.07	–	.08		.04	.3	4	–		24
25	.08	–	.36	.16	–	–	–		.03	.24	.01	–		25
26	.3	~~.28~~+	.2	.01	–	.6	–	absent	.04	.12	–	–		26
27	.2	.28+	.09	–	–	–	.13		.22	.1	–	.02		27
28	.94	–	.49	–	–	–	.16		–	–	–	.22		28
29	–	.02	.03	–	–	+	.1		–	.06	.07	.01		29
30	.16	✕	.01	–	.02	+18	.07		–	.09	–	.01		30
31	.09	✕	.47	✕	.15	✕	.21		✕	.39	✕	.9		31
TOTAL	~~4~~5.71	3.19	3.52	1.67	.72	2.33	4.26	.~~1~~17	~~3.32~~ 3.26	1.64	3.69	~~2.60~~ 4.34	Year's total 34.~~29~~30	
* Days with .01 in. or more.	~~23~~ 26	16	19	13	9	15	22	4	20	15	19	19	19~~7~~7	
* Days with .04 in. or more.	~~20~~ 23	~~11~~12	14	~~6~~7	5	~~4~~12	22	2	10	11	14	12	~~136~~144	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1582/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Ashleigh. Balmoral Rd, Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.53	.04		.26							.37	.81		1
2	.01	1.1	–	.09							.01	.04		2
3	.02	.26	.01	.04					.04					3
4		.76		.01				.01				.31		4
5	.31			.02			.21							5
6	.03	.38		.13	.04		.08		.01	.02				6
7		.82		.06			.01			.03		1.03		7
8		.02	.47								.15	.17		8
9		.02	.01	.17	.03	.06	.05		.67			.05		9
10		.02	.83	.2	.15	.22	.39					.5		10
11	.06		.02	.05	.05	.02	.03					.02		11
12	.44	.31	.19	.11		.06		1.03	.31			.35		12
13	.17	.03	.73	.12		.01		.59	.21			.27		13
14	.63	.63	.21	.17				.25	.06			.04		14
15	.34	.12	.02	.42			1.18	.54	.08			.04		15
16	.05	.18	.53	.21		.18			.91		.08			16
17	.8	.03	.1			.01	.05		.08		.23			17
18	.17	.09	.01				.01				.07	.18		18
19	.18	.04	.02	.18			.02				.02	.11		19
20	.41	.08	.18	.22		.02						.24		20
21	.44	.33	.07	.02	.12		.02			.01	.13	.12		21
22	.29	.02	.03		.21	.01	.13		.15	1.33	.46	.11		22
23	.28	.34	.02		.32		.03			.16	.13	.02		23
24	.27	.6	.05		.29		.02		.03	.94				24
25	.42	.37	.41		.6				.05	.17		.14		25
26	.01	.41	.04		.22					.11		.04		26
27	.02	.43		.09						1.15				27
28	.27	.09				.01				.17				28
29	.01					.01				.87	.03			29
30	.39	✕				.01				.08	.14			30
31	.23	✕	.01	✕		✕			✕	1.41	✕			31
TOTAL	6.18	7.02	3.96	2.47	2.03	.62	2.23	2.42	2.60	6.45	1.82	4.59	Year's Total 42.39	✓
* Days with .01 in. or more.	25	26	21	19	10	12	14	5	12	13	12	20	~~194~~	189 ✓
* Days with .04 in. or more.	19	19	12	16	9	4	7	4	10	10	9	18	137	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

1582/8

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~1578~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938

. File No. 304/131/34

Kept at Ashley's. 23 Balmoral Rd. Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level ft.

June 1st 2nd Dec 26, 27 amended 'R4 Obs.' Obs. agrees to Feb. total. W.E.S.K. 28/2/39.

W.J.F.

Feb. June, Dec and annual Totals corr. for arithmetic. Obs. notified 2/39. W.E.S.K.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.02			.03	(·06) .06	.37		.03	.28		.68		1
2	.03	.01				(.01) .01	.01			.3	.06	.1		2
3					.08		.03			.85	.25	.01		3
4	.01				.01		.04	.45		.12	.02	.25		4
5							.3	.01		.24	.02	.01		5
6	.12					.01	.22		.08	.08	.08	.02		6
7	.13					.07	.42		.27	.22	.02	.12		7
8	.1					.02	.05			.31	.03	.13		8
9	.09	.05					.01			.02		.87		9
10		.01				.37	.06			.01	.03	.32		10
11	.22						.02			.01	.16	.2		11
12	.5				.11		.02			.15	.01	.02		12
13	.4	.01			.02					.22	.42	.8		13
14	.49		.02		.08		.21					.02		14
15	.26	.02			.03		.3			.4	.08	.37		15
16	.4	.01	.03		.01					.06	.02	.02		16
17		.18	.03		.13				.2	.21	.02			17
18	.13				.09	.08	.01		.07	.02	.33			18
19	.01				.01			.42	.18		.65			19
20	.02					.03			.02		.46			20
21	.05		.01						.12		.09	.08		21
22	.05					.01		.48	.01		.4	.06		22
23	.02				.01				.04		.03	.01		23
24			.18						.14		.24	.01		24
25	.16	.20	.05		.15			.12	.01	.04	1.22	.04		25
26	.3	.25			.09	.02			.02	.05	.	~~.35~~		26
27	.09	.03			.12	.29	.41		.03	.01	.37	(.27) ~~.29~~		27
28	.08	.11			.11	.12		.65	.09		.05	.02		28
29	.02				.31				.05	.1	.35	.04		29
30	.03	✗			.08		.02		.26	.02	.13	.05		30
31	.21	✗		✗	.24	✗			✗	.2	✗	.02		31
TOTAL	3.92	.90 ~~.88~~	.32	—	1.71	~~1.06~~ 1.08	2.52	2.13	1.62	3.9	5.54	~~[illegible]~~ 3.94 ✓	Year's Total. ~~12.05~~	~~24.7~~ 27.57
* Days with .01 in. or more.	25	12	6		19	12	17	6	17	23	26	~~28~~ 26 27	~~190~~ 189	
* Days with .04 in. or more.	18	5	2		12	6	10	5	11	17	~~18~~ 17	~~16~~ 16 17	~~120~~ 119	

g. np. ~~well~~ sheltered 9B 3/5/39

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) I. V. Hall

[P.T.O.

PARKSTONE (BALMORAL Rd.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1582/B

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File No. 304/31/34

Kept at Ashleigh Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft. 8 in.

,, Ground ,, Sea Level ....ft.

1938 my

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.07	.13	.08		.07	.02	.68		.02	.07		1
2			.02	.16	.01			.57	.14		.08	.06		2
3	.58			.46			.01	.13	1.83		.4	.27		3
4	.03		.5	.13	.17		.43	.34	.07	.39	.03			4
5			.85	.18	.27		.1	.05		.31	.72	.04		5
6	.62	.01	.09	.02			.67	.03		.09	.22			6
7	.01	.26	.01				.02	.01		.04	.32	.4		7
8		.13	.1				.04	.03		.65	.43	.28		8
9		.02	.03					.13		.18	.17	.22		9
10	.03	.01	.02			.01		.3	.12	.34				10
11	.35	.01	.19					.01		.4	.04			11
12		.01				.02				.02	.03			12
13			.01	.06		.02	.32			1.71	.03	.06		13
14	.77		.02	.01	.02	.03	.16		.02	.25	.41	.23		14
15	.24		.04	?	.18	.67	.15		.02	.3	.29	.03		15
16	.48		.66	.11	.05	.14	.11			.03	.31			16
17	.35	.08		.01	.37	.01	.02			.22	.06	.02		17
18	.1		.02		.02		.59				.41	.02		18
19	.37	.02					.03					.06		19
20	.42					.28	.1					.03		20
21	.12	.25	.06		.01	.1	.16	1.48	.01					21
22	.35	.22	.06			.57	.09		.04		.21			22
23		.01	.01	.17		.03	.06				1.02			23
24	.7			.04		.35	.27							24
25	.78	.23	.01	.12			.12			.18	.44	.02		25
26		.04		.06		.01	.01			.09	.3	.01		26
27		.16	.03	.02		.02	.02			.02	.08			27
28		.38	.03			.03	.13				.36	.18		28
29				.09			.76			.09	.02			29
30		✕		.5		.03	.01			.26	.02			30
31		✕		✕		✕			✕	.57	✕			31
TOTAL	6.32	1.84	1.40	2.27	1.18	2.26	4.45	5.02	3.15	6.14	6.52	2.05	Year's Total 40.72	
* Days with .01 in. or more.	18	16	21	17	10	16	25	12	10	20	25	18	208	
* Days with .04 in. or more.	14	9	9	13	6	6	18	7	6	17	17	12	134	

Print
WH

MRS. P.V. HALL

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) E. V. Hall

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 1582/8

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Ashleigh. Balmoral Rd. Parkstone

in the County of Dorset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					.1			.01			.15			1
2		.35		.19			.01				.38	.01		2
3	.03	.03								.35	.81	.28		3
4	.06	.08					.15			.35	.03	.02		4
5		.03		.03			.66			.02	.43	.23		5
6	.39	.45			.01		.08			.49	.04	.13		6
7	.07	.12		.02			.01			.06	.05			7
8				.03			.14			.58		.32		8
9				.02			.09		.03	.27	.62	.21		9
10							1.27	.04	.02	.17	.1	.15		10
11		.32		.02			.04				1.09	.02		11
12			.13				.2		.67	.03	.03			12
13			.55	.03			.35		.03	.11	1.34			13
14			Snow .15	.06	.02		.27		.19	.46	.02	.64		14
15		.03		.04	.26	.02	.7		.13	.12	.55	.03		15
16		Snow .68	.44	.06		.02	.01		.07	.7	1.11	.06		16
17		Snow .14	.6	.16			.03		.03		1.08	.01		17
18	Snow .05	.43	.49	.2			.02	.01	.07	.16	.03	.07		18
19		.07					.02		.49		.49	.01		19
20		.01	.04	.01					.02	.17	.06	.02		20
21		.01	.02		.23				.03		.4			21
22		.02	.04			.19			.08		.02			22
23		.04	.24	.06			.01			.02	.11			23
24			~~.35~~				.41			.01	.02			24
25			.35	.11	.03	.01	.01				.01			25
26	1.55	.46	.04		.16		.07			.03	.01			26
27	.57	.28		.05	.11		.18					.01		27
28	.53	.01	Snow .01		.38					.07				28
29	Snow .38	Snow .56	.17	.17	.02	.01				.02		.2		29
30		✕	.03							.21		.11		30
31		✕		✕		✕			✕	.59	✕	.32		31
TOTAL	363	434	330	1.26	1.33	.25	4.13	.06	1.86	4.99	8.78	2.85	Year's Total 3678	
* Days with .01 in. or more.	9	20	15	17	11	5	22	3	13	22	25	20	182	
* Days with .04 in. or more.	8	14	12	10	6	1	14	1	7	16	17	12	128	

† Spare column, no entries required.

(*Signed*) E. V. Hall

* See Instruction 3 (f) on other side.

[P.T.O.

1583

Section **A** for the entry o
AIR MINISTR

COPY FOR ~~OFFICIAL~~ USE.
NFALL ORGANIZATION.

FORM 1090. **REGIS** 931 .

1583
PARKSTONE
FIRGROVE
1931 —— 40
780304

Kept at Firgrove
in the County of Dorse

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·01	-	·15	-	·10	-	·05	·21	-	-	-	1
2	·21	·05	-	·41	-	·02	-	-	·55	-	-	·20	2
3	·20	-	·67	·04	-	-	·01	·08	·16	-	·28	·20	3
4	·01	-	·03	-	·02	·18	·20	·07	·12	·02	·10	·01	4
5	-	·16	-	·26	·02	·38	·02	·02	·01	-	·05	·08	5
6	-	·17	-	·26	·07	·11	-	-	·07	·30	·20	·09	6
7	-	-	-	-	·33	·16	-	·36	-	·02	·27	·04	7
8	·03	·13	-	·09	·01	·26	-	·03	-	-	·18	·13	8
9	-	·18	·04	·02	-	·06	·03	-	-	-	·77	·02	9
10	-	·03	-	-	-	·20	·01	-	·02	-	·55	-	10
11	·13	·26	-	-	-	·03	·03	-	·02	-	·27	-	11
12	-	·02	-	-	-	-	·02	-	·04	·03	-	-	12
13	-	-	-	-	-	-	-	-	-	-	-	-	13
14	·02	·10	-	-	-	·13	1·32	·13	-	-	·02	-	14
15	·01	·03	-	·02	·01	-	-	·05	-	-	-	·05	15
16	-	-	-	·06	·19	·13	·01	·03	·12	-	-	-	16
17	·04	·16	-	·10	-	-	·36	-	-	-	-	-	17
18	-	-	·02	·04	-	·05	·07	·80	-	-	·41	-	18
19	·09	-	-	-	-	·11	·05	·10	-	-	-	·02	19
20	-	·07	·16	·08	-	-	-	·21	-	·01	·03	-	20
21	·04	-	·01	-	·30	-	-	-	-	-	·14	-	21
22	·27	·01	·20	·08	-	-	-	-	-	-	·02	-	22
23	·22	-	-	·09	·61	·02	-	·01	-	-	·26	-	23
24	·04	-	-	·33	·11	·22	·34	·37	-	-	·01	-	24
25	·09	·01	-	·27	·12	-	·34	-	-	-	·14	-	25
26	-	·04	-	·09	-	-	·37	-	-	-	·27	-	26
27	·17	·30	-	-	1·01	-	·04	-	-	-	·07	[illegible]	27
28	·05	·08	-	·01	·05	-	-	-	-	-	-	·05	28
29	·05	×	·10	-	·01	-	·07	·03	-	-	·07	-	29
30	-	×	·08	-	-	-	·02	·10	·09	-	·03	-	30
31	·38	×	-	×	·14	×	·01	-	×	-	×	·09	31
TOTAL	2·07	1·81	1·31	2·40	3·00	2·16	3·32	2·44	1·41	·38	4·14	·98	YEAR'S TOTAL 25·42
*Days with ·01 in. or more.	19	18	9	18	15	16	19	16	11	5	21	12	179
*Days with ·04 in. or more.	14	12	6	15	10	13	10	11	8	1	16	9	125

40-9999

(*Signed*) J. R. Friedman

[P.T.O.

*See Instruction 2 (*f*) on other side.

1583

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Firgrove Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·01	-	·15	-	·10	-	·05	·21	-	-	-	1
2	·21	·05	-	·41	-	·02	-	-	·55	-	-	·20	2
3	·20	-	·67	·04	-	-	·01	·08	·16	-	·28	·20	3
4	·01	-	·03	-	·02	·18	·20	·07	·12	·02	·10	·01	4
5	-	·16	-	·26	·02	·38	·02	·02	·01	-	·05	·08	5
6	-	·17	-	·26	·07	·11	-	-	·07	·30	·20	·09	6
7	-	-	-	-	·33	·16	-	·36	-	·02	·27	·04	7
8	·03	·13	-	·09	·01	·26	-	·03	-	-	·18	·13	8
9	-	·18	·04	·02	-	·06	·03	-	-	-	·77	·02	9
10	-	·03	-	-	-	·20	·01	-	·02	-	·55	-	10
11	·13	·26	-	-	-	·03	·03	-	·02	-	·27	-	11
12	-	·02	-	-	-	-	·02	-	·04	·03	-	-	12
13	-	-	-	-	-	-	-	-	-	-	-	-	13
14	·02	·10	-	-	-	·13	1·32	·13	-	-	·02	-	14
15	·01	·03	-	·02	·01	-	-	·05	-	-	-	·05	15
16	-	-	-	·06	·19	·13	·01	·03	·12	-	-	-	16
17	·04	·16	-	·10	-	-	·36	-	-	-	-	-	17
18	-	-	·02	·04	-	·05	·07	·80	-	-	·41	-	18
19	·09	-	-	-	-	·11	·05	·10	-	-	-	·02	19
20	-	·07	·16	·08	-	-	-	·21	-	·01	·03	-	20
21	·04	-	·01	-	·30	-	-	-	-	-	·14	-	21
22	·27	·01	·20	·08	-	-	-	-	-	-	·02	-	22
23	·22	-	-	·09	·61	·02	-	·01	-	-	·26	-	23
24	·04	-	-	·33	·11	·22	·34	·37	-	-	·01	-	24
25	·09	·01	-	·27	·12	-	·34	-	-	-	·14	-	25
26	-	·04	-	·09	-	-	·37	-	-	-	·27	-	26
27	·17	·30	-	-	1·01	-	·04	-	-	-	·07	~~·05~~	27
28	·05	·08	-	·01	·05	-	-	-	-	-	-	·05	28
29	·05	×	·10	-	·01	-	·07	·03	-	-	·07	-	29
30	-	×	·08	-	-	-	·02	·10	·09	-	·03	-	30
31	·38	×	-	×	·14	×	·01	-	×	-	×	·09	31
TOTAL	2·07	1·81	1·31	2·40	3·00	2·16	3·32	2·44	1·41	·38	4·14	·98	YEAR'S TOTAL 25·42
*Days with ·01 in. or more.	19	18	9	18	15	16	19	16	11	5	21	12	179
*Days with ·04 in. or more.	14	12	6	15	10	13	10	11	8	1	16	9	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 1583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at FIRGROVE, PARKSTONE
in the County of DORSET
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	–	–	·16	·40	–	·01	·13	–	·01	·02	–	1
2	–	–	–	·24	·05	–	–	·04	·05	·01	–	·32	2
3	–	–	–	·39	·02	·50	–	–	·39	·07	–	·03	3
4	·01	–	–	·02	–	·32	·02	–	·01	–	·07	–	4
5	·29	–	–	–	–	·03	·03	–	·08	–	–	–	5
6	·28	–	–	·11	·02	–	·02	–	·13	–	–	–	6
7	–	–	·01	·05	–	–	–	–	·07	·33	–	–	7
8	–	–	·43	·03	·25	–	–	–	·62	·23	–	–	8
9	·17	·01 s	–	·12	·10	–	–	–	·01	·06	·10	–	9
10	·28	·03 s	·08	·28	·12	·03	–	–	–	·12	·12	–	10
11	·08	·02 s	–	·03	·01	–	·56	·01	–	·13	–	·05	11
12	·48	·02 s	–	·01	·05	–	–	–	·05	·07	·01	·05	12
13	·03	–	–	·16	·09	–	·06	·02	–	·86	·01	–	13
14	·07	–	–	·09	·11	–	–	·02	–	·01	·15	·01	14
15	·05	–	–	·05	·43	–	–	–	–	·06	·01	·02	15
16	·09	–	–	·16	·07	·16	·40	–	–	–	–	·01	16
17	·03	–	–	·05	·01	–	–	–	–	·01	–	–	17
18	·02	–	–	–	·15	–	·02	–	·02	–	·12	–	18
19	–	–	–	·03	·02	–	–	–	·05	·22	–	–	19
20	–	–	–	·04	·32	–	·05	·14	–	1·12	·22	·02	20
21	·02	–	·14	·03	·32	–	–	–	–	·30	·02	·09	21
22	·01	–	·04	·02	·09	·05	·03	·18	·53	·19	·30	–	22
23	·02	–	–	–	·15	–	·32	–	·10	·52	·08	·22	23
24	–	·07	–	–	·03	–	·77	–	·07	·10	·01	·01	24
25	–	–	–	·03	–	–	·26	–	–	·26	·03	·02	25
26	–	–	} ·33	·08	–	–	·08	–	–	·04	·02	–	26
27	–	–		·31	·27	·21	·08	–	–	·32	–	–	27
28	–	–	·04	·04	·06	–	·09	–	–	–	–	·03	28
29	–	–	·33	·09	·21	·23	–	·17	·52	·37	·12	·05	29
30	–	×	·19	·28	·01	·92	·05	·01	·67	·01	·55	·20	30
31	–	×	·09	×	·04	×	·03	–	×	–	×	·13	31
TOTAL	2·03	·15	1·68	2·90	3·40	2·45	2·88	·72	3·37	5·42	1·96	1·26	YEAR'S TOTAL 28·22
*Days with ·01 in. or more.	17	5	11	26	26	9	18	9	16	24	18	16	195
*Days with .04 in. or more.	10	1	10	18	19	7	11	5	13	19	10	8	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at PARKSTONE.

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·56	·08	—	—	—	—	—	—	—	·03	·22	1
2	·20	·01	·63	—	·20	—	—	—	—	—	—	—	2
3	·02	·10	·25	—	—	—	—	—	—	—	—	—	3
4	·25	·02	·02	—	·12	—	—	—	—	—	—	—	4
5	·08	—	·27	—	·02	—	—	—	—	—	—	—	5
6	·01	·17	·01	—	·23	—	—	—	—	·06	·05	—	6
7	·04	·02	·05	—	·03	—	—	—	—	·20	—	·03	7
8	·02	—	·03	—	·03	—	·21	—	—	·01	—	—	8
9	—	—	—	—	·04	—	·17	·01	—	·03	—	—	9
10	—	·08	—	—	—	—	·13	·02	—	·15	—	—	10
11	·24	—	—	—	—	·62	·03	·17	—	·03	—	—	11
12	·02	—	—	·05	·02	—	·05	—	·60	·12	—	—	12
13	·06	—	—	—	·01	·02	·14	·01	—	·13	·11	—	13
14	·01	—	—	—	—	—	·03	·04	—	·18	·49	—	14
15	·31	—	·26	—	—	—	·07	·15	—	·20	·05	—	15
16	—	—	·62	—	—	·04	—	·02	—	·05	—	—	16
17	—	·15	·32	—	—	·05	—	·04	·05	—	—	—	17
18	·14	—	·17	—	—	·14	—	—	—	—	·03	—	18
19	—	·02	·10	·02	—	·04	—	·03	·61	—	·21	·06	19
20	—	·08	·02	—	—	—	—	—	·09	—	—	—	20
21	—	·06	—	—	·03	·12	—	·47	·02	·05	·03	—	21
22	—	—	—	—	·03	·21	—	·15	·26	·15	·02	—	22
23	—	·07	—	·48	—	·10	—	—	·23	·14	—	—	23
24	—	1·51	—	·14	—	·03	—	—	—	—	—	—	24
25	—	·39	—	·30	·01	—	—	—	·27	—	—	·10	25
26	—	·47	—	·08	·32	—	—	—	—	—	—	·01	26
27	—	·01	—	—	·33	—	·05	—	·02	·14	·03	·54	27
28	—	—	—	·13	—	—	·38	—	—	·01	—	·03	28
29	·13	×	—	—	—	—	·02	—	·03	—	—	·01	29
30	·06	×	·10	—	—	—	·02	—	·10	—	—	·08	30
31	·22	×	·08	×	—	×	—	—	×	—	×	·01	31
TOTAL	2·31	3·72	3·01	1·20	1·42	1·37	1·30	1·11	2·28	1·65	1·05	1·08	YEAR'S TOTAL 21·50
*Days with ·01 in. or more.	17 ✓	16 ✓	16 ✓	7 ✓	14 ✓	10 ✓	12 ✓	11 ✓	11 ✓	16 ✓	10 ✓	10 ✓	150
*Days with .04 in. or more.	12 ✓	11 ✓	12 ✓	6 ✓	6 ✓	8 ✓	8 ✓	6 ✓	8 ✓	12 ✓	~~4~~ 5	5	99

40-9999

*See Instruction 2 (*f*) on other side,

D

(*Signed*) J. R. Madnay

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 1583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at PARKSTONE

in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 175 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	–	–	–	–	·02	–	·39	–	·10	·05	·60		1
2	·46	–	·10	–	·16	·03	–	·02	·77	·19	–	·21		2
3	·03	·01	–	–	–	–	–	–	·01	·15	–	·25		3
4	·09	–	·09	–	·16	–	–	–	–	·04	–	·18		4
5	–	–	·02	–	·02	–	–	·71	–	·01	·01	·35		5
6	·02	–	·39	·01	·16	–	–	·05	–	·30	·40	·55		6
7	·03	–	–	–	–	–	–	·21	–	·09	–	·29		7
8	·01	–	–	–	·21	–	–	·02	·10	–	·63	·05		8
9	–	–	·13	–	–	–	–	–	·02	–	·61	·38		9
10	·15	–	·21	·30	–	–	–	–	–	–	·21	·10		10
11	·51	–	·66	·17	–	–	·09	·23	–	–	·01	·29		11
12	·03	–	·02	–	–	–	·05	·15	–	–	–	·34		12
13	·21	–	·12	·17	–	–	–	–	–	–	·11	·08		13
14	·09	–	·30	·01	–	–	–	–	–	–	·04	·42		14
15	·03	–	·25	–	·07	–	–	–	–	·08	·11	·43		15
16	·09	–	–	–	·04	–	–	–	–	–	–	·19		16
17	·10	–	–	·16	–	–	–	–	·04	·05	–	·21		17
18	·04	–	·18	·09	–	tr	–	–	·03	–	–	·48		18
19	–	–	·18	–	–	·01	–	·05	·09	–	–	·22		19
20	–	–	·06	·10	–	–	·22	–	·02	–	–	–		20
21	–	–	·04	·13	–	·10	–	·26	·01	·09	–	·02		21
22	–	–	·02	–	–	–	–	·36	·20	·06	–	·20		22
23	–	·02	–	·18	–	·58	–	·06	·11	·02	–	·03		23
24	–	·01	·05	·02	–	–	–	·02	·10	–	–	·01		24
25	·29	–	·01	·05	–	–	–	–	–	·05	–	·65		25
26	·01	–	–	·24	–	·28	–	–	·11	·01	·02	·15		26
27	–	–	–	·01	–	·06	–	–	·01	·01	–	·37		27
28	–	–	–	–	–	·09	–	·55	·01	–	–	·41		28
29	–	–	–	–	–	–	–	·17	·20	–	·01	·01		29
30	·10	×	–	–	–	–	·01	·01	·09	–	–	·14		30
31	–	×	–	×	–	×	–	·01	×	–	×	·03		31
TOTAL	2·31	·04	2·83	1·64	·82	1·17	·37	3·27	1·92	1·25	2·21	7·64	Year's Total. 25·47 ✓	
* Days with .01 in. or more.	19	3	18	14	7	8	4	17	17	15	12	30	164	
* Days with .04 in. or more.	11	0	14	10	6	5	3	12	10	11	8	25	115	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Parkstone
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground One ft. three in.
,, Ground ,, Sea Level 175 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	—	·28	—	·02	·11	·12	—	·36	·15	·08	·30		1
2	—	—	—	—	—	·01	—	—	·01	·36	·02	·01		2
3	—	—	·10	—	·01	·05	—	—	·23	1·22	·28	—		3
4	—	·19	—	·22	—	·05	—	—	·51	·64	·09	·24		4
5	—	·24	·04	·06	—	·06	—	—	·25	·02	·05	·01		5
6	—	·01	—	·20	—	·98	—	—	—	—	·20	·02		6
7	—	—	—	·30	—	·01	—	—	—	·15	·39	·19		7
8	—	—	—	·25	—	—	—	—	·09	·44	·60	·05		8
9	·25	—	Tr	·34	—	·75	·04	—	·05	·45	·48	—		9
10	·11	—	snow ·14	·09	—	·06	—	—	—	·01	·05	·02		10
11	·21	—	snow ·21	—	—	·16	—	—	—	—	·45	—		11
12	·09	·02	—	—	—	·20	—	·01	·07	—	·47	—		12
13	·09	·10	—	·23	·02	·11	—	—	·01	Tr	·03	—		13
14	—	·03	—	·15	·01	·22	—	—	·06	·01	·29	·31		14
15	—	·08	—	·41	·26	·05	—	—	·07	·04	·40	·04		15
16	—	·02	·09	·06	—	·04	—	—	·35	—	1·85	—		16
17	—	—	—	·06	·06	·25	—	·07	·02	—	·12	—		17
18	—	—	—	·26	—	·01	·09	—	·31	—	—	—		18
19	—	·01	—	·05	·08	·03	·07	—	·17	·04	·35	—		19
20	—	·32	—	·10	—	·03	·05	—	—	—	·51	—		20
21	—	·41	—	—	—	—	·03	—	·01	·02	·01	—		21
22	—	·08	·01	·02	—	—	—	·19	·08	—	—	—		22
23	—	—	·06	—	·05	—	—	·45	—	·43	—	·20		23
24	·04	·64	·01	—	·19	—	—	1·00	·35	·31	—	·29		24
25	·12	·02	—	·11	—	·03	—	·01	—	—	·01	·42		25
26	—	·20	—	—	—	·01	—	·14	·07	—	—	·72		26
27	—	·30	—	—	—	—	—	·03	·05	—	·04	·61		27
28	—	·09	—	—	·01	—	—	·01	·27	—	·02	·07		28
29	—	×	—	—	·06	—	—	·09	·21	·01	—	·48		29
30	·01	×	—	·09	—	·01	—	·83	·03	·14	·30	·41		30
31	—	×	—	×	—	×	—	·02	×	1·10	×	·13		31
TOTAL	·94	2·76	·94	3·00	·77	3·23	·40	2·85	3·63	5·54	7·09	4·52	Year's Total. 35·67	
* Days with .01 in. or more.	9	17	9	18	11	22	6	12	23	18	24	19	188 ✓	
* Days with .04 in. or more.	7	11	7	17	6	14	5	7	18	13	20	15	140 ✓	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. R. Wadman

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Parkstone.
in the County of Dorset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 175 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·34	·05	—	·25	—	·13	·14	·01	—	—	·07	·03		1
2	·06	·01	·03	·03	—	·04	·04	·04	—	—	·03	—		2
3	—	—	—	·35	—	—	·05	—	·42	—	·52	·02		3
4	—	—	·19	·01	—	·04	·01	—	·16	—	·16	·03		4
5	·26	—	·04	—	·17	—	—	·02	·11	—	—	·06		5
6	·29	—	·01	—	—	·02	—	—	·14	—	·37	·06		6
7	·11	—	·08	—	—	—	·11	—	—	—	·22	—		7
8	·27	—	·37	—	—	—	·23	—	—	—	·38	—		8
9	·25	—	·26	—	—	—	·53	—	·22	—	·02	—		9
10	·02	·16	Tr.	—	—	·06	·30	—	—	—	·04	—		10
11	·28	·19	—	—	—	·06	·03	—	·10	—	·78	—		11
12	·01	—	—	·03	·25	·27	·25	·05	·19	—	·07	—		12
13	·01	—	—	—	—	·04	·04	—	—	·07	·08	·41		13
14	—	·07	—	·02	—	·03	·39	—	·03	·01	—	·45		14
15	·02	—	—	—	—	—	·01	—	·02	—	·04	·28		15
16	·15	·23	—	—	·12	—	·11	—	·02	—	·07	·39		16
17	—	·59	—	—	·01	—	·06	—	·02	—	·05	·35		17
18	·13	·11	—	—	—	·62	·25	—	—	—	—	·22		18
19	·32	·01	·02	·02	—	·04	·01	·03	·90	—	—	·01		19
20	·17	·25	·02	·07	—	·05	·07	—	·01	·05	—	—		20
21	·02	·26	·05	·31	—	·09	·19	—	—	—	—	—		21
22	·17	·41	·38	·01	·02	—	·15	—	—	·04	—	·08		22
23	·06	—	·35}	·11	·01	—	·17	—	—	·11	—	—		23
24	·26	·06	}	Tr.	·08	—	·09	—	·04	·17	—	—		24
25	·09	—	·42	·13	—	·03	—	—	·03	·19	—	—		25
26	·13	·07	·17	—	—	·67	—	—	·03	·04	—	—		26
27	·30	·21	·09	—	—	—	·19	—	·21	·11	—	—		27
28	·81	—	·44	—	—	—	·16	—	—	—	—	·15		28
29	·02	·03	·02	—	—	·06	·09	—	—	·05	·07	—		29
30	·15	✕	—	—	—	·09	·02	—	—	·09	—	·01		30
31	·09	✕	·44	✕	·13	✕	·21	—	✕	·40	✕	·68		31
TOTAL	4·79	2·71	3·38	1·34	·79	2·34	3·90	·15	2·65	1·33	2·97	2·93	Year's Total 29·28 ✓	
* Days with .01 in. or more.	27	16	19	12	8	17	27	5	17	12	16	16	192 ✓	
* Days with .04 in. or more.	21	13	14	6	5	14	22	2	10	11	14	11	143 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) F. R. Wadman [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at [illegible] Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 175 ft.

Totals 178

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

NIL

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.50	.03	—	.20	—	—	—	—	—	—	.35	.80	1.88	1
2	Tr	.62	—	.08	—	—	—	—	.05	—	—	.04	.79	2
3	.01	.18	—	.03	—	—	—	—	—	—	—	—	.22	3
4	.07	.65	—	—	—	—	—	.01	—	—	—	.28	1.01	4
5	.18	.02	.10	.01	—	—	.19	—	—	—	—	—	.50	5
6	.04	.28	.34	.12	.03	—	.08	—	—	.02	—	—	.91	6
7	—	.70	Tr	.03	—	—	—	—	—	.01	—	S .50	1.24	7 Snow
8	—	.01	—	—	.60	—	—	—	—	—	.14	S .57	1.32	8 Snow
Snow 9	—	.03	S .06	.13	.15	.06	—	—	.62	—	—	—	1.05	9
.235 10	.03	.03	S .65	.17	.23	.16	—	—	—	—	—	.39	1.66	10
11	.04	—	Tr	.04	.28	.01	.40	—	—	—	—	.02	.79	11
12	.33	.32	.15	.08	.03	.06	.03	1.16	.33	—	—	.29	2.78	12
13	.18	.03	.64	.09	—	—	—	.96	.15	—	—	.29	2.34	13
14	.03	.02	.20	.16	—	—	—	.03	.05	—	—	.03	.52	14
15	.28	.12	.02	.31	—	—	1.02	—	.06	—	—	.04	1.85	15
16	.03	.16	.41	.21	—	.20	.01	.45	1.00	—	.07	—	2.54	16
17	.67	.03	.07	—	—	—	.04	.01	.04	—	.20	—	1.06	17
18	.14	.08	—	—	—	—	—	—	—	—	.06	.19	.47	18
19	.19	.02	Tr	.11	—	.03	.02	—	—	—	.01	.11	.49	19
20	.28	.07	.17	.18	—	—	—	—	—	—	—	.19	.89	20
21	.32	.30	.05	.01	.13	[illegible]	.01	[illegible]	.01	.01	.12	.11	1.07	21
22	.26	.01	S .02	—	.10	—	.10	—	.12	1.21	.43	.06	2.31	22
23	.24	.14	S .01	—	.39	—	.01	—	.06	.15	.11	.02	1.13	23
24	.25	.66	.05	—	.20	—	—	—	.05	.88	—	.03	2.12	24
25	.44	.30	.34	—	.75	—	—	—	—	.16	—	.10	2.09	25
26	—	.21	.05	—	.10	—	—	—	—	.10	—	.04	.50	26
27	—	S .09	—	.11	—	—	—	—	—	.34	—	—	.54	27
28	S .25	S .13	—	—	—	—	—	—	—	.18	Tr	—	.56	28
29	S .06	×	—	—	—	—	—	—	—	.88	.02	—	.96	29
30	.27	×	—	—	—	Tr	—	—	—	.10	.13	—	.50	30
31	.21	×	—	×	—	×	—	—	×	1.38	×	—	1.59	31
TOTAL	5.30	5.24	3.33	2.07	2.99	.52	1.91	2.62	2.54	5.42	1.64	4.10	Year's Total 37.68 ✓	
* Days with .01 in. or more.	26	27	16	18	12	6	11	6	12	13	11	20	178 ✓	
* Days with .04 in. or more.	21	17	14	14	10	4	6	3	11	11	10	16	137 ✓	

† Spare column, no entries required.

(*Signed*) F. R. [illegible]

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 1583

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~7~~8

Kept at Parkstone
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" Ground " Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

***Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Nil	·01	—	—	·02	·04	·33	—	·02	·25	—	·07	·74	1
2	—	—	—	—	·06	—	·01	—	—	·15	·06	·09	·37	2
3	—	—	—	—	—	—	·02	—	—	·50	·14	—	·66	3
4	·03	—	—	—	·01	—	·05	·33	—	·08	—	·14	·64	4
5	—	—	—	—	—	—	·27	—	—	·19	tr	—	·46	5
6	·11	—	—	—	—	—	·52	—	·08	·06	·06	·02	·85	6
7	·10	—	—	—	—	·05	·20	—	·29	·10	—	·11	·85	7
8	·10	—	—	—	—	·02	·03	·06	—	·17	·02	·14	·54	8
9	·06	·05	—	—	—	—	—	—	—	·02	·02	·73	·88	9
10	·03	—	—	—	—	·31	·06	·21	—	—	·01	·27	·89	10
11	·17	—	—	—	—	—	·02	—	—	—	·14	·18	·51	11
12	·35	—	—	—	·11	—	—	—	—	·12	·01	—	·59	12
13	·36	—	—	—	·02	—	—	—	—	·17	·33	·74	1.62	13
14	·40	—	—	—	·06	—	·23	—	—	—	—	·01	·70	14
15	·14	·01	—	—	·01	—	·16	—	—	·34	·08	·29	1.03	15
16	·22	·03 S	·03	—	—	—	·01	·02	—	·04	·01	—	·36	16
17	—	·15 S	·02	—	·11	—	—	—	·12	·16	·01	—	·57	17
18	·11	—	—	—	·11	·07	—	—	·08	·02	·27	—	·66	18
19	—	—	—	—	—	—	—	·04	·22	—	·54	—	·80	19
20	tr	—	—	—	—	—	—	—	·02	—	·41	—	·43	20
21	·05	—	—	—	—	—	—	·14	·12	—	·08	·09 S	·48	21
22	·04	—	—	—	—	·04	—	·40	—	—	·32	·06 S	·86	22
23	—	—	—	—	—	—	—	—	·04	—	·04	·01	·09	23
24	—	—	·18	—	·04	—	—	—	·14	—	·21	—	·57	24
25	·13	·18	·04	—	·11	—	—	·11	—	·04	·77	—	1.38	25
26	·26	·21	—	—	·06	tr	—	—	·03	·04	tr	·27	·87	26
27	·08	·02	—	—	·12	·16	·40	·09	—	·01	·25	—	1.13	27
28	·07	·11	—	—	·09	·06	—	·50	·09	—	·05	·04	1.01	28
29	tr	X	—	—	·22	—	—	—	·05	·09	·26	·05	·67	29
30	·03	×	—	—	·04	—	·01	—	·30	·01	·13	·01	·53	30
31	·14	×	—	×	·11	×	—	—	×	·13	×	·27	·65	31
TOTAL	2.95	·77	·27	NIL	1.30	·75	2.32	1.90	1.60	2.69	4.22	3.59	Year's Total 22.39	✓
* Days with .01 in. or more.	21	9	4	·	17	8	15	10	14	21	24	20	163	✓
* Days with .04 in. or more.	18	5	2	·	13	7	9	9	11	17	18	16	125	✓

S. = Snow
D. Do

S = Snow

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. R. Wadman

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ~~Nil~~ ·01 in 1939

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·06	·12	·05	—	·10	—	·21	—	·01	·02		1
2	—	—	·01	·14	—	—	—	·39	1·96	—	·09	·07		2
3	·50	—	—	·30	—	—	·03	·11	·01	—	·30	·23		3
4	·02	—	·44	·11	·23	—	·35	·29	·09	·35	·03	·03		4
5	—	—	·05	·18	·16	—	·11	·05	—	·10	·60	—		5
6	·59	—	·10	—	—	—	·40	·03	—	·40	·15	—		6
7	tr	·19	—	—	—	—	·02	—	—	·02	·25	·26		7
8	~~·01~~	·11	·10	—	—	—	·03	·02	—	·31	·23	·14		8
9	·02	·02	·03	—	—	—	—	·10	—	·19	·21	·12		9
10	·30	—	·01	—	—	tr	—	·23	·08	·38	·05	—		10
11	—	tr	·18	—	—	·02	—	·01	—	·36	·04	—		11
12	tr	·01	·01	—	—	·03	—	—	—	·01	·02	—		12
13	—	—	—	·04	—	—	·27	—	—	1·18	·02	·06		13
14	·65	—	—	tr	·03	·02	·16	—	—	·30	·30	·19		14
15	·18	—	—	—	·19	·02	·14	—	·03	·09	·35	·02		15
16	·39	—	·08	·11	·05	·64	·12	—	—	·03	·14	—		16
17	·24	·06	·01	—	·26	·02	·10	—	—	·25	·05	·01		17
18	·08	tr	·03	—	tr	·03	·42	—	—	—	·36	·02		18
19	·34	·01	—	—	·01	·03	·04	·09	—	—	·01	·07		19
20	·38	—	—	—	—	·22	·08	1·32 ✓	—	—	—	·05		20
21	·05	·19	·04	—	—	·08	·15	·01	·01	—	—	—		21
22	·25	·20	·05	tr	—	·35	·07	—	·03	—	·14	—		22
23	·01	—	—	·16	—	·03	·06	—	—	—	·81	—		23
24	·56	—	—	·05	—	·30	·25	·16	—	—	·01	—		24
Snow + rain 25	s ·70	·17	—	·13	—	·01	·08	—	—	·18	·30	—		25
26	s ·08	·03	—	—	—	·01	—	tr	—	·07	·23	—		26
27	—	·14	·03	·01	—	·02	·02	—	—	·01	·08	—		27
28	—	·35	·02	—	—	·01	·09	—	—	—	·29	—		28
29	—	×	—	·04	—	—	·58	—	—	·09	·01	—		29
30	—	×	—	·45	—	·01	—	·36	—	·21	·01	·20		30
31	—	×	—	×	—	×	—	·17	×	·51	×	—		31
TOTAL	5·35	1·48	1·25	1·84	·98	1·85	3·67	3·34	2·42	4·90	5·09	1·28	Year's Total 33·45	✓
* Days with .01 in. or more.	19	12	17	13	8	18	23	15	8	20	28	15	196	✓
* Days with .04 in. or more.	16	8	9	12	6	5	19	11	4	16	20	9	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side. See June 16th above 64

(Signed) J. R. Madman

P.T.O.

COPY FOR OFFICIAL USE

Station No. 1583

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Parkstone
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 175 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·01	—	—	·01		—	—	—	—	·16	—		1
2	—	·08	—	·14	—	—	—	—	—	—	·33	·01		2
3	—	·44	—	—	—	—	—	—	—	·32	·61	·22		3
4	·08	·07	—	·03	—	—	·16	—	—	·24	·06	·02		4
5	—	·03	—	—	—	—	·06	—	—	tr.	·44	·16		5
6	·35	·38	—	—	—	—	·03	—	—	·27	·05	·11		6
7	·05	·12	—	tr.	—	—	—	—	tr.	·09	—	tr.		7
8	—	—	—	·03	—	—	·10	—	·02	·42	·01	·30		8
9	—	—	—	·03	—	—	·15	·04	—	·24	·52	·17		9
10	—	—	—	—	—	—	1·16	·02	·01	·06	·10	·16		10
11	—	—	—	·01	—	·01	·04	—	—	—	·83 ✓	—		11
12	—	·02	·11	—	—	—	·15	—	·46	·03	·03	—		12
13	—	·02	·54	·03	—	—	·32	—	—	·32	1·16	·03		13
14	—	—	·06	·05	·02	—	·28	—	·18	·18	·01	·54		14
15	—	—	—	·05	·26	·02	·47	—	·10	·63	·37	·02		15
16	—	·61	·39	·06	—	·02	—	—	·04	·01	1·05	·05		16
17	s ·08	s ·03	·49	—	—	—	·02	—	·01	·14	·90	—		17
18	—	·30	·40	·13	—	—	tr.	tr.	·05	·01	·04	·06		18
19	—	·07	·02	·17	—	—	·03	—	·41	—	·36	·02		19
20	—	—	·02	—	—	—	—	—	·03	·16	·04	—		20
21	—	—	—	—	·21	—	—	—	·07	—	·29	—		21
22	—	—	·05	·01	tr.	·18	tr.	—	·06	—	·01	—		22
23	—	·05	·23	·06	—	tr.	·01	—	—	·01	·08	—		23
24	—	—	—	—	—	—	·26	—	—	—	—	—		24
25	·01	—	·32	·09	·02	—	·02	—	—	—	—	—		25
26	1·41	·34	—	—	·16	—	·03	—	—	·01	—	—		26
27	·50	·19	·02	~~·05~~	·35	—	·11	—	—	—	—	—		27
28	·46	·16	—	—	·17	—	—	—	—	·06	—	—		28
29	s ·54	·37	·12	·21	—	—	—	—	—	·03	—	·16		29
30	·08	✕	·03	·03	—	—	—	—	—	·20	—	·15		30
31	·01	✕	—	✕	—	✕	—	—	✕	·46	✕	* ·26		31 *
TOTAL	3·57	3·39	2·80	1·18	1·20	·23	3·40	·06	1·44	3·89	7·54	2·44	Year's Total 31·14	✓
* Days with .01 in. or more.	11	18	14	17	8	4	18	2	12	21	22	17	164	✓
* Days with .04 in. or more.	9	13	10	10	5	1	12	1	8	15	19	13	116	✓

S = Snow

Snow

* Approx ·01 of the amt Snow.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. R. Madman

[P.T.O.

Cii A. PARKSTONE (C ... 3

1583/4

PARK STONE

CHEVINGTON CROFT

1936 — 40

780304

Section A for the entry of

AIR MINISTRY

Station No. 1583/4

ALL ORGANIZATION.

FORM 1090.

REGIS 36.

Kept at Chevington Croft

in the County of Dorset

5842/36.

Diameter of Funnel of Gauge 5

Height of top of Gauge above Grou

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.25	0.05	0.03	0.30	—	0.10	0.15	0.02	—	—	0.06	0.03		1
2	0.06	0.02	—	0.03	—	—	0.04	0.03	—	—	0.05	—		2
3	—	—	—	0.33	—	0.03	0.05	—	0.46	—	0.46	0.02		3
4	—	—	0.12	—	—	—	—	—	0.16	—	0.13	0.06		4
5	0.34	—	0.04	—	0.15	0.02	—	0.03	0.10	—	—	0.03		5
6	0.27	—	0.02	—	—	—	—	—	0.17	—	0.41	—		6
7	0.12	—	0.09	—	—	0.02	0.18	—	—	—	0.21	0.07		7
8	0.31	—	0.33	—	—	—	0.24	—	—	—	0.38	0.03		8
9	0.32	—	0.22	—	—	—	0.53	—	0.22	—	0.02	—		9
10	0.02	0.28	—	—	—	0.07	0.39	—	—	—	0.10	—		10
11	0.26	0.16	—	—	—	0.05	0.08	—	0.12	—	0.93	—		11
12	—	—	—	0.04	0.24	0.31	0.26	0.05	0.23	—	0.07	—		12
13	0.02	—	—	—	—	0.03	0.05	—	—	0.07	0.08	0.47		13
14	—	0.07	—	—	—	0.03	0.38	—	0.02	—	—	0.40		14
15	0.02	0.04	—	—	—	—	—	—	0.08	—	0.05	0.35		15
16	0.14	0.22	—	—	0.10	—	0.10	—	0.02	—	0.07	0.17		16
17	0.03	0.78	—	—	0.01	—	0.07	—	0.02	—	0.03	0.45		17
18	0.09	0.10	—	—	—	0.54	0.23	—	—	0.07	—	0.25		18
19	0.35	0.02	0.03	0.05	—	0.02	0.01	0.05	—	—	—	—		19
20	0.18	0.28	0.06	0.05	—	0.03	0.08	—	0.85	—	—	—		20
21	0.02	0.40	0.03	0.39	—	0.09	0.20	—	0.02	—	—	—		21
22	0.16	0.22	0.50	—	0.03	—	0.14	—	—	0.05	—	0.06		22
23	0.07	—	0.18	0.12	0.02	—	0.12	—	—	0.13	—	0.01		23
24	0.36	0.04	0.05	—	0.08	—	0.08	—	0.06	0.20	—	—		24
25	0.04	—	0.36	0.13	—	—	—	—	0.03	0.23	—	—		25
26	0.25	0.08	0.16	—	—	0.54	—	—	0.03	0.03	—	—		26
27	0.21	0.20	0.10	—	—	—	0.16	—	0.15	0.09	—	—		27
28	0.84	—	0.47	—	—	—	0.09	—	—	—	—	0.46		28
29	0.02	0.02	0.03	—	—	0.08	0.10	—	—	0.05	0.07	—		29
30	0.13	✗	—	—	0.09	0.11	—	—	—	0.22		—		30
31	0.08	✗	0.45	✗	—	✗	0.26	—	✗	0.28	✗	0.72		31
													Year's Total	
TOTAL	4.96	2.98	3.27	1.44	0.72	2.07	3.96	0.18	2.74	1.42	3.12	3.28	30.14	
* Days with .01 in. or more.	~~6~~ 27	~~3~~ 17	~~5~~ 19	~~X~~ 9	~~3~~ 8	~~7~~ 16	~~X~~ 24	~~3~~ 5	16	11	~~2~~ 16	5 16	~~43~~	185
* Days with .04 in. or more.	21	14	14	8	5	~~8~~ 9	23	2	11	10	14	11	142	

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*). C. Castleman-Smith [P.T.O.

Col. E. C. Castleman-Smith CB

Cu A. PARKSTONE (C ... nt/3 22.E.C.4

Section A **for the entry of Daily Observations.** **Station No.** 1583/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Chevington Croft Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

„ Ground „ Sea Level 200 ft.

see f. 5~~02~~842/36.

f 605554/37 1493/2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.25	0.05	0.03	0.30	—	0.10	0.15	0.02	—	—	0.06	0.03		1
2	0.06	0.02	—	0.03	—	—	0.04	0.03	—	—	0.05	—		2
3	—	—	—	0.33	—	0.03	0.05	—	0.46	—	0.46	0.02		3
4	—	—	0.12	—	—	—	—	—	0.16	—	0.13	0.06		4
5	0.34	—	0.04	—	0.15	0.02	—	0.03	0.10	—	—	0.03		5
6	0.27	—	0.02	—	—	—	—	—	0.17	—	0.41	—		6
7	0.12	—	0.09	—	—	0.02	0.18	—	—	—	0.21	0.07		7
8	0.31	—	0.33	—	—	—	0.24	—	—	—	0.38	0.03		8
9	0.32	—	0.22	—	—	—	0.53	—	0.22	—	0.02	—		9
10	0.02	0.28	—	—	—	0.07	0.39	—	—	—	0.10	—		10
11	0.26	0.16	—	—	—	0.05	0.05	—	0.12	—	0.93	—		11
12	—	—	—	0.04	0.24	0.31	0.26	0.05	0.23	—	0.07	—		12
13	0.02	—	—	—	—	0.03	0.05	—	—	0.07	0.08	0.47		13
14	—	0.07	—	—	—	0.03	0.38	—	0.02	—	—	0.40		14
15	0.02	0.04	—	—	—	—	—	—	0.08	—	0.05	0.35		15
16	0.14	0.22	—	—	0.10	—	0.10	—	0.02	—	0.07	0.17		16
17	0.03	0.78	—	—	0.01	—	0.07	—	0.02	—	0.03	0.45		17
18	0.09	0.10	—	—	—	0.54	0.23	—	—	0.07	—	0.25		18
19	0.35	0.02	0.03	0.05	—	0.02	0.01	0.05	—	—	—	—		19
20	0.18	0.28	0.06	0.05	—	0.03	0.08	—	0.85	—	—	—		20
21	0.02	0.40	0.03	0.39	—	0.09	0.20	—	0.02	—	—	—		21
22	0.16	0.22	0.50	—	0.03	—	0.14	—	—	0.05	—	0.06		22
23	0.07	—	0.18	0.12	0.02	—	0.12	—	—	0.13	—	0.01		23
24	0.36	0.04	0.05	—	0.08	—	0.08	—	0.06	0.20	—	—		24
25	0.04	—	0.36	0.13	—	—	—	—	0.03	0.23	—	—		25
26	0.25	0.08	0.16	—	—	0.54	—	—	0.03	0.03	—	—		26
27	0.21	0.20	0.10	—	—	—	0.16	—	0.15	0.09	—	—		27
28	0.84	—	0.47	—	—	—	0.09	—	—	—	—	0.16		28
29	0.02	0.02	0.03	—	—	0.08	0.10	—	—	0.05	0.07	—		29
30	0.13	✕	—	—	0.09	0.11	—	—	—	0.22		—		30
31	0.08	✕	0.45	✕	—	✕	0.26	—	✕	0.28	✕	0.72		31
TOTAL	4.96	2.98	3.27	1.44	0.72	2.07	3.96	0.18	2.74	1.42	3.12	3.28	Year's Total 30.14	
* Days with .01 in. or more.	~~6~~ 27	~~3~~ 17	~~5~~ 19	~~X~~ 9	~~3~~ 8	~~7~~ 16	~~X~~ 24	~~3~~ 5	16	11	~~2~~ 16	5 16	~~43~~	185
* Days with .04 in. or more.	21	14	14	8	5	~~8~~ 9	23	2	11	10	14	11	~~142~~	

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) Castleman-Smith [P.T.O.

Col. E. C. Castleman-Smith CB

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1583/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Chevington Ct. Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·40	0·06	—	0·24	—	—	—	—	—	—	0·35	0·71		1
2	—	0·82	—	0·10	—	—	—	—	0·05	—	—	0·02		2
3	0·03	0·22	—	0·03	—	—	—	—	—	—	—	—		3
4	0·09	0·70	—	—	—	—	—	0·01	—	—	—	0·27		4
5	0·26	—	0·08	0·02	—	—	0·18	—	—	—	—	—		5
6	0·03	0·37	0·33	0·15	0·05	—	0·09	—	—	—	—	—		6
7	—	0·66	—	0·01	—	—	—	—	—	—	—	1·72		7
8	—	—	—	—	0·65	—	0·02	—	—	—	0·18	0·22		8
9	—	0·03	0·12	0·15	0·14	0·06	0·03	—	0·63	—	—	0·06		9
10	0·03	—	0·68	0·16	0·25	0·21	—	—	—	—	—	0·38		10
11	0·03	—	0·04	0·04	0·29	—	0·37	—	—	—	—	—		11
12	0·41	0·34	0·13	0·14	0·03	0·07	0·03	1·01	0·33	—	—	0·33		12
13	0·15	0·03	0·61	0·10	—	—	—	1·04	0·13	—	—	0·21		13
14	0·02	0·03	0·16	0·12	—	—	—	—	0·06	—	—	0·04		14
15	0·26	0·23	0·40	0·41	—	—	1·02	—	0·09	0·03	—	0·04		15
16	0·02	0·09	0·42	0·21	—	0·20	—	0·49	1·06	—	0·08	—		16
17	0·81	0·07	0·10	—	—	—	0·05	—	0·02	—	0·22	—		17
18	0·05	0·06	0·01	—	—	—	—	—	—	—	0·07	0·18		18
19	0·17	0·02	0·02	0·15	—	0·02	0·03	—	—	—	0·02	0·09		19
20	0·34	0·07	0·18	0·20	—	—	—	—	—	—	—	0·23		20
21	0·37	0·31	0·03	0·01	0·17	—	0·02	—	—	0·02	0·13	0·11		21
22	0·33	—	0·02	—	0·14	—	0·12	—	0·10	1·25	0·44	0·08		22
23	0·19	0·19	—	—	0·37	—	0·02	—	—	0·18	0·06	0·02		23
24	0·28	0·61	0·04	—	0·21	—	—	—	0·07	0·92	—	0·04		24
25	0·44	0·39	0·34	—	0·58	—	—	—	0·04	0·15	—	0·10		25
26	—	0·12	0·04	—	0·07	—	—	—	—	0·15	—	0·04		26
27	—	0·14	—	0·09	—	—	—	—	—	0·83	—	—		27
28	0·22	0·07	—	—	—	—	—	—	—	0·18	—	—		28
29	0·03	—	—	—	—	—	—	—	—	0·91	0·03	—		29
30	0·36	✕	—	—	—	—	—	—	—	0·10	0·12	—		30
31	0·22	✕	—	✕	—	✕	—	—	✕	1·36	✕	—		31
TOTAL	5·54	5·63	3·45	2·33	2·95	0·56	1·98	2·55	2·58	6·08	1·70	4·89	Year's Total 40·24	✓
* Days with .01 in. or more.	25	23	19	18	12	5	12	4	11	12	11	20	172	✓
* Days with .04 in. or more.	18	19	15	14	11	4	6	3	10	10	9	18	137	✓

† Spare column, no entries required.

(*Signed*)

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1583/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Chevington Cote, Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	0·03	0·06	0·18	—	0·02	0·32	0·07	0·04		1
2	0·02	—	—	—	—	—	—	—	—	0·13	—	0·09		2
3	—	—	—	—	0·08	—	—	—	—	0·60	—	—		3
4	—	—	—	—	—	—	0·03	0·44	—	0·23	0·17	0·16		4
5	—	—	—	—	—	—	0·20	—	—	0·17	0·01	—		5
6	0·10	—	—	—	—	—	0·35	—	0·08	0·12	0·08	0·05		6
7	0·11	—	—	—	—	0·06	0·20	—	0·22	0·09	0·01	0·12		7
8	0·09	—	—	—	—	0·02	0·04	0·08	—	0·24	—	0·11		8
9	0·07	0·05	—	—	—	—	0·05	—	—	0·03	—	0·77		9
10	0·03	—	—	—	—	0·38	0·02	0·18	—	0·02	0·04	0·33		10
11	0·15	—	—	—	—	—	—	—	—	—	0·16	0·19		11
12	0·38	—	—	—	0·14	—	—	—	—	0·19	—	—		12
13	0·36	—	—	—		—	—	—	—	0·09	0·37	0·66		13
14	0·46	—	—	—	0·09	—	0·29	—	—	—	—	—		14
15	0·20	0·01	—	—	0·02	—	0·21	0·02	—	0·35	0·08	0·35		15
16	0·26	0·02	0·03	—	—	—	—	—	—	0·05	0·02	0·03		16
17	—	0·13	0·02	—	0·12	—	—	—	0·15	0·19	0·02	—		17
18	0·11	—	—	—	0·13	0·07	—	—	0·09	0·02	0·31	—		18
19	0·02	—	—	—		—	—	0·08	0·18	—	0·68	—		19
20	—	—	—	—		—	—		—	—	0·39	—		20
21	0·04	—	—	—		—	—	0·14	0·12	—	0·08	0·09		21
22	0·04	—	—	—		—	—	0·35	—	—	0·40	0·07		22
23	0·02	—	—	—		—	—	—	0·04	—	0·06	—		23
24	—	—	0·18	—		—	—	—	0·14	—	0·22	—		24
25	0·13	0·18	0·04	—	0·13	—	—	0·10	—	0·04	0·89	0·07		25
26	0·27	0·22	—	—	0·09	0·01	—	0·06	0·03	0·05	—	0·21		26
27	0·09	0·02	—	—	0·11	0·25	0·37	—	—	0·02	0·26	—		27
28	0·07	0·11	—	—	0·12	0·06	—	0·50	0·14	—	0·06	0·03		28
29	0·01	—	—	—	0·29	—	—	—	0·14	0·10	0·27	0·05		29
30	0·02	✕	—	—	0·10	—	—	—	0·35	—	0·12	0·02		30
31	0·15	✕	—	✕	0·18	✕	—	—	✕	0·16	✕	0·28		31
TOTAL	3·20	0·74	0·27	0·00	1·63	0·91	1·94	1·95	1·70	3·21 ~~[illegible]~~	4·77	3·72	Year's Total 24·04	
* Days with .01 in. or more.	24	8	4	—	14	8	11	10	13	21	23	20	156	
* Days with .04 in. or more.	19	6	2	—	12	6	9	9	11	17	19	17	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Masterman

[P.T.O.

FORM 1090. **B** Monthly Summary. **C** Particulars of Station. 1583/4

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Chevington Croft Parkstone

In the County of Dorset

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* — *ft.* 10 *in.*
- *Height of Ground above Sea Level* 200 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·24	0·66	24th		
FEB.	1·56	0·31	28th		
MAR.	1·27	0·46	4th		
APRIL	2·06	0·47	3rd		
MAY	0·98	0·28	17th		
JUNE	1·60	0·67	15th		
JULY	3·86	0·52	6th		
AUG.	3·55	1·61	20th		
SEPT.	2·72	2·29	2nd		
OCT.	5·75	1·53	13th		
NOV.	5·77	0·80	23rd		
DEC.	1·58	0·35	7th		
TOTAL	35·94				

Signature E C Castleman Smith Col

3/1/40

*See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Col. E. C. Castleman Smith CB
Chevington Croft Mount Rd Parkstone

Hour of observation by the clock—in Winter — Summer 10 A.M.

Nearest Railway Station As last year Distance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge	Same as last return			
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move Not moved Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

a Yes
b entered ~~next~~ same morn
c 10 AM Sept. 2nd fall in 24 hours 2·29

I much regret that I cannot render a complete return – Am very busy & have only 2 persons work for the past 3 months

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry warm weather without the gauge being even damp, the small amount of rain having evaporated before it gets to the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

M.O. 7
5 JAN. 1940

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

1583/4

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940

At Chevington Cott. Parkstone

In the County of Dorset

Rain Gauge

Diameter of Funnel 5 in

Height of Top above Ground — *ft.* 10 *in.*

Height of Ground above Sea Level 200 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·54	1·40	26	11	9
FEB.	3·69	0·75	16	20	13
MAR.	3·06	0·60	13	12	10
APRIL	1·02	0·22	29	14	6
MAY	1·25	0·38	27	9	5
JUNE	0·21	0·17	22	3	1
JULY	3·80	1·22	10	18	13
AUG.	0·07	0·04	9	2	1
SEPT.	1·65	0·45	19	11	7
OCT.	4·31	0·65	16	21	17
NOV.	7·75	1·14	13	25	16
DEC.	2·43	0·53	14	16	13
TOTAL	32·78 ✓			162 ✓	111 ✓

Signature E C Castleman RM

5/1/41

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Col. E. C. Castleman RM CB
Chevington Cott. Parkstone Dorset

Hour of observation by the clock—in Winter 10 a.m. In Summer 10 a.m.

Nearest Railway Station Parkstone Distance 5/8 mile Direction from gauge E

Nearest Parish Church at Parkstone St Peter Distance ½ mile Direction from gauge S E

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M. O. 3a.
9 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005 : this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{array}{c}17\\18\end{array}\Big\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91
S.O. Code No. 40-9999

1583/5

COPY FOR ~~OFFICIAL~~ USE.

Dorset/3.

Section **A** for the entry of

AIR MINISTR

FALL ORGANIZATION.

FORM 1090.

REGIS 31.

1583/5

PARKSTONE

ROSEMEAD

1931 —— 38

780704

Kept at Parkstone (F

in the County of Dorset

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2											·01	·24	2
3											·35	·28	3
4											·13		4
5											·07	·11	5
6											·25	·07	6
7											·35	·04	7
8											·16	·13	8
9											1·04	·01	9
10											·65		10
11											·39		11
12										·04			12
13													13
14													14
15												·05	15
16													16
17													17
18										·01	·46		18
19													19
20											·02		20
21											·13		21
22											·01		22
23											·32		23
24													24
25											·15		25
26											·33		26
27											·03		27
28											·01	·03	28
29										·01	·07		29
30		×									·02		30
31		×		×		×			×		×	·09	31
TOTAL										[illegible]	4·95	1·05	YEAR'S TOTAL [illegible]
*Days with ·01 in. or more.											21	10	
*Days with ·04 in. or more.											15	8	

G from Bournemouth (Rodney Ho).#

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) S. Hyla Greves

[P.T.O.

1583/5

Section **A** for the entry of Daily Observations. COPY FOR ~~OFFICIAL~~ USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Dorset/3.

Kept at Parkstone (Rosemead).
in the County of Dorsetshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ...... ft ...... in.
,, Ground ,, Sea Level ...... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2											·01	·24	2
3											·35	·28	3
4											·13		4
5											·07	·11	5
6											·25	·07	6
7											·35	·04	7
8			G from Bournemouth (Rodney Ho)*								·16	·13	8
9											1·04	·01	9
10											·65		10
11											·39		11
12										·04			12
13													13
14													14
15												·05	15
16													16
17													17
18										·01	·46		18
19													19
20											·02		20
21											·13		21
22											·01		22
23											·32		23
24													24
25											·15		25
26											·33		26
27											·03		27
28											·01	·03	28
29										·01	·07		29
30		✕									·02		30
31		✕		✕		✕			✕		✕	·09	31
TOTAL										[illegible]	4·95	1·05	YEAR'S TOTAL [illegible]
*Days with ·01 in. or more.											21	10	
*Days with ·04 in. or more.											15	8	

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) S. Hyla Greves

[P.T.O.

PARKSTONE (ROSEMEAD) 697985/26 (1583/5)

A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Dorset/3.

Kept at ROSEMEAD, FRANKLAND CRESCENT, PARKSTONE.

in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 172 ft.

✓

Cimp 1931

OK gradgraument. print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	...	...	·14	·42	...	...	·14	...	...	·02	...	1
2	...	...	...	·25	·05	...	...	·04	·08	·02	·01	·40	2
3	...	...	...	·34	...	·53	...	...	·48	·07	...	·02	3
4	·01	...	...	...	...	·23	...	...	...	...	·07	...	4
5	·45	...	...	...	...	...	·03	...	·11	...	...	...	5
6	·40	...	...	·14	·03	...	·01	...	·17	...	...	·01	6
7	...	...	...	·04	...	...	...	...	·09	·36	...	·01	7
8	...	...	·45	·03	·27	...	...	...	·65	·26	...	...	8
9	·26	...	...	·16	·08	...	...	...	...	·04	·08	...	9
10	·28	·03*	·09	·32	·11	·03	...	...	...	·13	·12	...	10
11	·10	...	...	·03	·01	·01	·52	...	...	·16	...	·05	11
12	·68	...	...	·01	·05	...	...	...	·05	·10	Trace	·01	12
13	·06	...	...	·18	·10	...	·07	·03	...	·87	...	·05	13
14	·07	...	...	·02	·10	...	...	·02	...	...	·14	·01	14
15	·09	...	...	·04	·45	...	...	...	...	·05	...	·02	15
16	·12	...	...	·14	·04	·12	·51	...	...	...	...	·01	16
17	·05	...	...	·05	...	...	...	...	...	·01	...	...	17
18	·02	...	...	...	·15	...	...	...	·01	...	·15	...	18
19	Trace	...	...	·01	...	...	...	...	·05	·28	...	·01	19
20	...	...	...	·02	·35	...	·04	·15	...	1·23	·20	·06	20
21	·02	...	·15	·02	·31	...	...	...	...	·38	·01	·08	21
22	·01	...	·03	·03	·09	·02	·01	·26	·60	·27	·44	...	22
23	·02	...	...	·01	·18	...	·43	...	·09	·67	·07	·09	23
24	...	·06	...	...	·02	...	·97	...	·07	·09	...	·01	24
25	...	...	...	·02	...	...	·46	...	·02	·32	·03	·01	25
26	...	...	·12	·09	...	...	·12	...	...	·03	·03	...	26
27	...	...	·31	·43	·26	·16	·06	...	...	·29	...	·01	27
28	...	...	·03	·03	·06	...	·13	...	...	...	...	·05	28
29	...	...	·41	·06	·19	·29	...	·17	·52	·50	·18	·09	29
30	...	X	·22	·30	...	1·02	·06	...	·49	Trace	·69	·23	30
31	...	X	·07	X	·01	X	·03	...	X	...	X	·15	31
TOTAL	2·75	·09	1·88	2·91	3·33	2·41	3·45	·81	3·48	6·13	2·24	1·38	YEAR'S TOTAL 30·86
*Days with ·01 in. or more.	17	2	10	26	22	9	15	7	15	21	15	21	180
*Days with ·04 in. or more.	12	1	8	15	18	6	11	5	13	18	10	10	127

40-9999 * SNOW

*See Instruction 2 (*f*) on other side.

(Signed) S. Hyla Greves P.T.O.

X S. HYLA GREVES ~~ESQ~~ X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1583/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at ROSEMEAD, FRANKLAND CRESCENT PARKSTONE

in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 172 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·48	·72	·07	...	...	...	...	...	...	...	·02	·28		1
2	·41	...	·78	...	·22	...	...	...	...	...	...	...		2
3	Trace	·12	·35	...	...	...	...	...	...	...	...	...		3
4	·35	·03	...	...	·13	...	...	...	...	...	...	...		4
5	·08	...	·36	...	·02	...	...	...	...	...	...	...		5
6	...	·21	...	...	·25	...	...	...	...	·06	·03	...		6
7	·05	·02	·05	...	·02	...	...	...	...	·19	...	·03		7
8	·02	·01	·03	...	·03	...	·25	...	...	...	...	...		8
9	Trace	...	...	...	·04	...	·25	Trace	...	·03	·02	...		9
10	...	·09	...	...	...	...	·13	·01	...	·21	·01	...		10
11	·26	...	...	...	...	·73	...	·13	...	·03	...	...		11
12	·02	...	...	·05	·01	...	·06	...	·62	...	...	·02		12
13	·05	...		...	·02	·01	·40	...	...	·24	·09	...		13
14	...	...	...	...	...	...	·01	·05	...	·18	·62	...		14
15	·40	...	·35	...	...	...	·06	·23	...	·21	·12	...		15
16	...	...	·76	...	...	·04	...	·03	Trace	·04	...	...		16
17	...	·18*	·45	...	...	·04	...	·05	·06	...	...	...		17
18	·16	...	·14	...	...	·17	...	...	...	...	·02	...		18
19	Trace	...	·10	·02*	...	·04	...	·02	·84	...	·19	·02		19
20	...	·09	Trace	·02*	...	...	...	...	·07	...	...	...		20
21	...	·04	...	...	·02	...	...	·46	Trace	·06	·02	...		21
22	...	...	...	...	...	·38	...	·17	·38	·14	·01	...		22
23	...	·16	...	·64	...	·11	...	...	·20	·13	...	...		23
24	...	1·84	...	·20	...	·04	...	...	Trace	·01	Trace	...		24
25	...	·46	...	·33	...	...	...	...	·32	...	...	·14		25
26	...	·45	...	·10	·33	...	...	...	...	...	...	·01		26
27	...	...	...	...	·52	...	·04	...	Trace	·14	·02	·58		27
28	Trace	...	...	·10	...	...	·46	...	...	...	...	·02		28
29	·15	×	...	...	...	...	Trace	...	·02	Trace	...	·02		29
30	·05	×	·09	...	...	...	·02	...	·10	...	...	·08		30
31	·26	×	·07	×	...	×	...	...	×	...	×	...		31
TOTAL	2·74	4·42	3·60	1·46	1·61	1·56	1·68	1·15	2·61	1·67	1·17	1·20	Year's Total 24·87	
*Days with ·01 in. or more.	14	14	13	8	12	9	10	9	9	14	12	10	134	
*Days with ·04 in. or more.	12	11	12	6	6	8	8	6	8	11	4	4	96	

40-9999

*See Instruction 2 (*f*) on other side.

* SNOW.

D

† Spare column, no entries required.

(*Signed*) S. Hyla Greves.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1583/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at ROSEMEAD, FRANKLAND CRESCENT

in the County of DORSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 172 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	...	...	...	...	·01	...	·58	...	·13	·04	·76		1
2	·49	...	·10	...	·28	·02	...	·02	·78	·17	...	·26		2
3	·03	·02	...	...	...	...	...	...	...	·25	...	·34		3
4	·12	...	·10	...	·19	...	...	...	...	·12	...	·24		4
5	Trace	...	·01	...	·02	...	...	·77	...	·01	·02	·43		5
6	·03	...	·37	...	·20	...	...	·05	...	·37	·41	·68		6
7	·04	...	...	...	...	...	...	·19	...	·09	...	·42		7
8	...	...	...	...	·24	...	...	·01	·06	...	·80	·06		8
9	·02	...	·17	...	...	...	...	...	...	...	·60	·47		9
10	·25	Trace	·25	·33	...	...	...	·01	...	...	·25	·16		10
11	·59	...	·66	·20	...	...	·04	·22	...	...	...	·39		11
12	·01	·01	·01	...	...	...	·04	·18	...	...	...	·34		12
13	·32	...	·05	·21	...	...	...	...	...	...	·13	·10		13
14	·14	...	·39	Trace	...	...	...	...	...	·03	·03	·60		14
15	Trace	...	·01	Trace	·07	...	...	...	...	·05	·10	·52		15
16	·17	...	·40	...	·06	...	...	...	...	...	...	·20		16
17	·15	...	...	·14	...	...	...	...	·08	·06	...	·33		17
18	·05	Trace	·21	·08	...	...	...	...	·02	...	...	·57		18
19	...	·01	·18	...	...	·01	...	·06	·11	...	...	·24		19
20	...	...	·05	·13	...	...	·10	...	·02	...	...	Trace		20
21	...	...	·04	·12	...	·15	...	·24	·02	·11	...	·02		21
22	...	...	·01	...	...	...	...	·41	·23	·07	...	·24		22
23	...	·01	...	·24	...	·49	...	·03	·09	·01	...	·05		23
24	·01	...	·06	·01	...	·02	...	·04	·14	...	...	·02		24
25	·31	...	...	·04	...	...	...	...	...	·07	...	·88		25
26	·02	...	...	·16	...	·34	...	...	·16	·01	·02	·18		26
27	...	...	...	...	...	·06	...	...	...	...	...	·45		27
28	...	...	...	...	...	·05	...	·60	...	Trace	...	·49		28
29	...	×	...	...	...	...	...	·26	·22	·01	·01	·01		29
30	·08	×	...	...	...	...	...	·14	·12	...	Trace	·22		30
31	Trace	×	...	×	...	×	...	...	×	...	×	·03		31
TOTAL	2·86	·05	3·07	1·66	1·06	1·15	0·18	3·81	2·05	1·56	2·41	9·70	Year's Total. 29·56	
* Days with .01 in. or more.	19	4	18	11	7	9	3	17	13	16	11	30	158	
* Days with .04 in. or more.	12	0	14	10	6	5	3	13	10	11	7	26	117	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) S. Hyla Greves.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1583/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935 .

Kept at ROSEMEAD, FRANKLAND CRESCENT, PARKSTONE

in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 172 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	...	·30	...	·01	·17	·13	...	·31	·12	·13	·33		1
2	...	...	...	...	...	Trace	...	...	...	·57	·02	·01		2
3	...	...	·10	...	...	·05	...	...	·18	1·29	·32	...		3
4	...	·20	...	·25	Trace	·01	...	...	·57	·34	·12	·28		4
5	·01	·29	·05	·07	...	·04	...	...	·27	·02	·08	·01		5
6	...	·01	...	·25	...	1·21	...	...	...	...	·18	·02		6
7	...	...	...	·36	...	·03	...	...	...	·17	·40	·20		7
8	...	...	...	·33	...	...	·03	...	·09	·56	·70	·05		8
9	·26	...	...	·52	...	·84	...	...	·04	·67	·61	...		9
10	·09	...	·35	·10	...	·09	...	...	...	...	·05	·02		10
11	·27	...	·06	...	...	·36	...	...	Trace	...	·55	...		11
12	·09	·05	...	...	...	·22	...	·01	·12	...	·62	...		12
13	·09	·11	...	·19	·02	·11	...	...	·03	·01	·06	...		13
14	...	·03	...	·19	...	·12	...	...	·06	·02	·38	·33		14
15	...	·11	...	·61	·33	·09	...	...	·09	·04	·50	·04		15
16	...	·03	·11	·08	...	·02	...	...	·32	Trace	2·10	...		16
17	...	...	...	·11	·06	·36	...	·06	·03	...	·13	...		17
18	...	·01	...	·36	...	...	·10	...	·48	·03	·01	·01		18
19	...	·02	...	·07	·19	·04	·15	...	·16	·02	·47	...		19
20	...	·54	...	·10	...	·03	·03	...	...	...	·56	...		20
21	...	·63	...	·03	...	...	·03	...	·01	·01	Trace†	...		21
22	...	·09	·02	·02	...	...	...	·24	·09	...	·01†	...		22
23	...	·03	·08	Trace	·03	...	...	·54	...	·46	...	·27		23
24	·05	·63	Trace	...	·20	...	...	1·02	·44	·31	...	·34		24
25	·16	·01	...	·12	...	·01	...	...	...	...	·02	·52		25
26	...	·30	...	...	...	Trace	...	·22	·05	...	...	·84		26
27	...	·34	...	...	...	...	...	·03	·05	...	·05	·61		27
28	...	·06	...	...	·02	...	...	·01	·26	...	·01	·14		28
29	...	✕	...	...	·05	...	...	·08	·27	·01	...	·58		29
30	·01	✕	...	·09	...	...	...	·96	·01	·21	·37	·60		30
31	...	✕	...	✕	...	✕	...	·01	✕	1·21	✕	·19		31
													Year's Total	
TOTAL	1·05	3·49	1·07	3·85	·91	3·80	·47	3·18	3·93	6·07	8·45	5·39	41·66	
* Days with .01 in. or more.	10	19	8	19	9	18	6	11	22	19	25	20	186	
* Days with .04 in. or more.	7	12	7	17	5	13	3	7	18	12	20	15	136	

40-9999.

* See Instruction 2 (f) on other side.

+ Dew.

† Spare column, no entries required.

(Signed) S. Hyla Greves.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1583/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ROSEMEAD, FRANKLAND CRESCENT, PARKSTONE

in the County of DORSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 172 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·40	·07	·01	·38		·18	·17	·01			·06	·03		1
2	·05	·01		·03		·10	·05	·05			·03			2
3				·40			·05		·58		·54	·02		3
4			·15			·02	Trace		·25		·14	·03		4
5	·35		·04		·17			·02	·10			·07		5
6	·40		·02			·01		·01	·20		·46			6
7	·12		·09				·17				·20	·07		7
8	·42		·35				·25				·61	·03		8
9	·38		·33				·57		·26		·02	Trace		9
10	·01	·49*				·03	·29				·03			10
11	·31	·02				·06	·06		·18		1·20			11
12	Trace			·02	·25	·43	·27	·03	·23		·10	·01		12
13	·01					·11	·03			·06	·09	·59		13
14		·06				·03	·40		·03			·48		14
15	·01	·06							·01		·04	·45		15
16	·20	·25			·09		·13		·09		·10	·14		16
17		·82					·06		·01	·05	·06	·63		17
18	·15	·09				·76	·29			·03		·30		18
19	·41	·01	·02	·06		Trace		·04						19
20	·18	·26	·04	·07		·05	·06		1·08					20
21	·01	·33	·01	·47		·08	·09		Trace					21
22	·17	·42	·41		·03		·17		·01	·02		·10		22
23	·05		·35	·15	Trace		·16			·08		·01		23
24	·40	·06	·05		·08		·06		·04	·29		Trace		24
25	·10		·39	·16					·03	·21				25
26	·19	·07	·17	Trace		·63			·03	·13				26
27	·29	·20	·07				·09		·07	·10				27
28	·92	·01	·55				·05				·01	·22		28
29	·02	·02	·04			·09	·09			·05	·08			29
30	·17	✕				·11	·01			·12				30
31	·09	✕	·51	✕	·32	✕	·26	...	✕	·40	✕	·91		31
TOTAL	5·81	3·25	3·60	1·74	·94	2·69	3·83	·16	3·20	1·54	3·77	4·09	Year's Total 3462	✓
* Days with .01 in. or more.	26	18	19	9	6	15	24	6	17	12	17	17	186	✓
* Days with .04 in. or more.	21	13	15	7	5	11	22	2	11	10	13	11	141	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) S. Hyla Greves [P.T.O.

* SNOW

<- P

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1583/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at ROSEMEAD PARKSTONE

in the County of DORSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 172 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·61	·04		·24							·36	·71		1
2	Trace	1·04	Trace	·06					·04		·01	·05		2
3	·01	·24		·03							Trace			3
4	·10	·77						·01				·32		4
5	·24	·02	·09	·01			·20							5
6	·03	·36	·39+	·14	·03		·09			·01				6
7		·79		·05	Trace					·01		·07*		7
8					·76		·01				·11	·21*		8
9		·02	·07*	·14	·11	·05	·03		·65			·04*		9
10	·02	·02	·73	·19	·28	·18						·52		10
11	·06			·04	·30		·40							11
12	·40	·37	·18	·11	·06	·03	·02	1·09	·35			·34		12
13	·19	·02	·71	·11				·56	·18			·29		13
14	·02	·02	·24	·22				Trace	·06			·04		14
15	·34	·16	·01	·40			1·57		·08			·05		15
16	·05	·15	·48	·22		·12	·01	·52	·96		·08			16
17	·83	·03	·09				·05		·03		·25			17
18	·15	·09	Trace								·09	·20		18
19	·15	·03	·01	·17		·03					·01	·11		19
20	·42	·07	·21	·21								·26		20
21	·43	·34	·04		·16		·01		·02		·11	·12		21
22	·33	·01	·02		·16		·14		·11	1·45	·33	·11		22
23	·29	·17	·01		·30		·01			·17	·13	·02		23
24	·23	·71	·03		·34		·01		·04	·88		·04		24
25	·41	·37	·39		·72				·04	·36°		·12		25
26		·33	·04*		·09					·13	Trace	·03		26
27	·01	·15		·08						1·04				27
28	·27*	·07								·18				28
29	·07*	✕				Trace				·90	·02			29
30	·30	✕								·05	·14			30
31	·22	✕	. . .	✕	. . .	✕	. . .	. . .	✕	1·40	✕	. . .		31
TOTAL	6·18	6·39	3·74	2·42	3·31	·41	2·55	2·18	2·56	6·58	1·64	4·65	Year's Total 42·61	✓
* Days with .01 in. or more.	26	26	18	17	12	5	13	4	12	12	12	20	177	✓
* Days with .04 in. or more.	21	18	13	15	11	3	6	3	10	10	9	18	137	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) S. Hyla Greves [P.T.O.

* snow. + sleet snow. ° Rain hail.

~~1584~~
1583/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Parkstone (Rosemead)

In the County of Dorset

Rain Gauge
- Diameter of Funnel..............in.
- *Height of Top above Ground........ft............in.*
- *Height of Ground above Sea Level...............ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·89				
FEB.	·78				
MAR.	·28				
APRIL	0·0				
MAY	1·61				
JUNE	·82				
JULY	2·16				
AUG.	1·93				
SEPT.	1·55				
OCT.	3·75				
NOV.	5·40				
DEC.	4·24				
TOTAL	26·41				

n p

Signature ....

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

S. Hyla Greves

Hour of observation by the clock—in Winter....................in Summer....................

Nearest Railway Station.................... Distance.............. Direction from gauge..........

Nearest Parish Church at.................... Distance.............. Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from the Proceedings of the Dorset Natural History Society

1 MAY 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

1584

Section **A** for the entry of Da

AIR MINISTRY.—

COPY FOR ~~OFFICIAL~~ USE.

L ORGANIZATION.

FORM 1090.

REGISTI

1584
PARKSTONE
9, PARKSIDE ROAD
1931 —— 34
780304

[illegible] says house
[illegible]

d[illegible]

Kept at 9 Parkside Ro
in the County of Dorse
Diameter of Funnel of Gauge 8
Height of top of Gauge above Ground
,, Ground ,, Sea Leve

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	tr.	·20	-	·21	-	·02	·16	·01	-	-	1
2	·23	·05	-	·44	-	·01	-	·06	·48	tr.	·01	·22	2
3	·20	-	·69	·03	-	-	tr.	·03	·37	-	·34	·26	3
4	-	-	·02	-	·02	·20	·21	·12	·23	·01	·13	-	4
5	-	·17	-	·21	·02	·45	·01	-		-	·04	·09	5
6	-	·17	-	·27	·08	·11	-	·01		·44	·20	·07	6
7	-	-	-	-	·32	·19	-	·58		·03	·30	·03	7
8	·04	·17	-	·10	tr.	·30	tr.	·02		tr.	·14	·13	8
9	-	·18	·02	·01	-	·09	·04	-		-	·84	tr.	9
10	-	·01	tr.	-	tr.	·15	·01	tr.		-	·56	-	10
11	·12	·31	-	-	tr.	·03	·03	-	·27	-	·30	-	11
12	tr.	·10	-	-	tr.	-	·01	-		·04	tr.	-	12
13	-	-	-	-	tr.	tr.	tr.	-		-	-	-	13
14	-	·12	-	-	tr.	·13	1·63	·14		-	-	-	14
15	·01	·06	-	·01	·08	-	-	·08		-	·01	·04	15
16	-	tr.	-	·06	·18	·15	tr	·03		-	-	-	16
17	tr.	·17	·01	·10	-	-	·49	-		-	-	-	17
18	·04	tr.	-	·05	-	·04	·10	·92		·01	·44	-	18
19	·09	-	tr.	·10	-	·13	·05	·12	-	-	tr.	-	19
20	-	·08	·16	·01	-	-	tr.	·25	-	tr.	·01	tr.	20
21	·05	-	-	-	·36	-	-	-	-	-	·14	-	21
22	·32	tr.	·22	·08	-	-	-	-	-	-	·01	-	22
23	·28	-	-	·11	·61	·01	-	tr.	-	-	·32	tr.	23
24	·03	-	-	·28	·18	·29	·39	·62	-	-	tr.	-	24
25	·09	tr.	-	·31	·12	-	·40	-	-	-	·15	-	25
26	-	·03	-	·09	-	-	·45	-	-	-	·29	-	26
27	·18	·33	-	-	1·08	-	·05	-	-	·01	·05	·03	27
28	·04	·08	-	·05	·11	-	-	-	-	tr.	tr.	-	28
29	·04	-	·11	-	·05	-	·08	·05	-	tr.	·06	-	29
30	-	×	·08	-	tr.	-	·01	·11	·10	-	·02	-	30
31	·42	×	-	×	·14	×	·01	-	×	-	×	·09	31
TOTAL	2·18	2·03	1·31	2·51	3·30	2·49	3·97	3·11	1·61	·55	4·36	·96	YEAR'S TOTAL 28·38
*Days with ·01 in. or more.	16	15	8	19	14	16	17	16	11 ~~6?~~	7	21	9	16~~2~~9?
*Days with ·04 in. or more.	14	13	5	15	12	13	11	11	8 ~~6?~~	2	16	7	12~~0~~7?

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. Blanchard

P.T.O.

1584

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at 9 Parkside Road, Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 150 ft.

81/6/06/28 Observer says house closed 14 days in September

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	tr.	·20	-	·21	-	·02	·16	·01	-	-	1
2	·23	·05	-	·44	-	·01	-	·06	·48	tr.	·01	·22	2
3	·20	-	·69	·03	-	-	tr.	·03	·37	-	·34	·26	3
4	-	-	·02	-	·02	·20	·21	·12	·23	·01	·13	-	4
5	-	·17	-	·21	·02	·45	·01	-		-	·04	·09	5
6	-	·17	-	·27	·08	·11	-	·01		·44	·20	·07	6
7	-	-	-	-	·32	·19	-	·58		·03	·30	·03	7
8	·04	·17	-	·10	tr.	·30	tr.	·02		tr.	·14	·13	8
9	-	·18	·02	·01	-	·09	·04	-		-	·84	tr.	9
10	-	·01	tr.	-	tr.	·15	·01	tr.		-	·56	-	10
11	·12	·31	-	-	tr.	·03	·03	-	·27	-	·30	-	11
12	tr.	·10	-	-	tr.	-	·01	-		·04	tr.	-	12
13	-	-	-	-	tr.	tr.	tr.	-		-	-	-	13
14	-	·12	-	-	tr.	·13	1·63	·14		-	-	-	14
15	·01	·06	-	·01	·08	-	-	·08		-	·01	·04	15
16	-	tr.	-	·06	·18	·15	tr.	·03		-	-	-	16
17	tr.	·17	·01	·10	-	-	·49	-		-	-	-	17
18	·04	tr.	-	·05	-	·04	·10	·92		·01	·44	-	18
19	·09	-	tr.	·10	-	·13	·05	·12	-	-	tr.	-	19
20	-	·08	·16	·01	-	-	tr.	·25	-	tr.	·01	tr.	20
21	·05	-	-	-	·36	-	-	-	-	-	·14	-	21
22	·32	tr.	·22	·08	-	-	-	-	-	-	·01	-	22
23	·28	-	-	·11	·61	·01	-	tr.	-	-	·32	tr.	23
24	·03	-	-	·28	·18	·29	·89	·62	-	-	tr.	-	24
25	·09	tr.	-	·31	·12	-	·40	-	-	-	·15	-	25
26	-	·03	-	·09	-	-	·45	-	-	-	·29	-	26
27	·18	·33	-	-	1·03	-	·05	-	-	·01	·05	·03	27
28	·04	·08	-	·05	·11	-	-	-	-	tr.	tr.	-	28
29	·04	-	·11	-	·05	-	·08	·05	-	tr.	·06	-	29
30	-	×	·08	-	tr.	-	·01	·11	·10	-	·02	-	30
31	·42	×	-	×	·14	×	·01	-	×	-	×	·09	31
TOTAL	2·18	2·03	1·31	2·51	3·30	2·49	3·97	3·11	1·61	·55	4·36	·96	YEAR'S TOTAL 28·38
*Days with ·01 in. or more.	16	15	8	19	14	16	17	16	11 ~~6?~~	7	21	9	16~~4~~9?
*Days with ·04 in. or more.	14	13	5	15	12	13	11	11	8 ~~6?~~	2	16	7	12~~8~~7?

40-9999

(*Signed*) H. Blanchard

[P.T.O.

*See Instruction 2 (*f*) on other side.

1584

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 1584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 9 Parkside Road, Parkstone
in the County of Dorset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 150 ft.

Total / days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	-	-	·14	·40	-	-	·13	tr.	tr.	·02	-	1
2	-	-	-	·24	·04	tr.	-	·03	·05	·01	·01	·36	2
3	tr.	-	-	·35	-	·46	tr.	-	·46	·07	-	·01	3
4	·01	-	-	-	tr.	·28	tr.	tr.	-	-	·04	-	4
5	·38	-	-	-	-	·02	·02	-	·11	-	-	-	5
6	·36	-	tr.	·11	·01	-	tr.	-	·16	-	-	-	6
7	-	-	tr.	·04	-	-	-	-	·05	·33	-	-	7
8	-	-	·43	·02	·25	-	-	-	·66	·22	-	-	8
9	·24	-	-	·12	·10	-	-	-	-	·05	·09	-	9
10	·34	·05	·07	·31	·12	·02	-	-	-	·13	·12	-	10
11	·08	tr.	-	·02	tr.	tr.	·48	tr.	tr.	·13	-	·08	11
12	·60	tr.	-	tr.	·05	tr.	-	-	·05	·07	·01	·02	12
13	·01	-	-	·17	·10	-	·06	·02	-	·85	tr.	·02	13
14	·07	-	-	·08	·11	-	-	·01	-	-	·15	tr.	14
15	·08	-	-	·04	·42	-	-	-	-	·04	-	·01	15
16	·12	-	-	·15	·05	·14	·40	-	-	-	-	-	16
17	·05	-	-	·03	-	-	-	-	tr.	-	-	-	17
18	·01	-	-	-	·15	-	tr.	-	tr.	-	·13	-	18
19	tr.	-	-	·01	tr.	-	-	-	·05	·28	-	tr.	19
20	-	-	-	·02	·31	-	·03	·13	-	1·18	·20	·01	20
21	·01	-	·14	·02	·31	-	-	-	-	·35	tr.	·10	21
22	tr.	-	·02	·01	·06	·03	-	·20	·63	·22	·40	tr.	22
23	·02	-	-	tr.	·17	-	·35	-	·09	·63	·08	·34	23
24	-	·06	-	-	·02	-	·67	-	·07	·10	tr.	·01	24
25	-	-	-	·02	-	-	·63	-	tr.	·29	·03	·01	25
26	-	-	·12	·08	-	-	·08	-	-	·03	·02	-	26
27	-	-	·27	·34	·27	·20	tr.	-	-	·31	tr.	·01	27
28	-	-	·03	·02	·04	-	·14	-	-	-	-	·03	28
29	-	-	·39	·07	·18	·22	tr.	·20	·56	·47	·17	·05	29
30	-	×	·17	·29	tr.	·88	·05	-	·64	-	·64	·21	30
31	-	×	·09	×	·01	×	·03	-	×	-	×	·13	31
													YEAR'S TOTAL
TOTAL	2·48	·11	1·73	2·70	3·17	2·25	2·94	·72	3·58	5·76	2·11	1·40	28·95
*Days with ·01 in. or more.	16	2	10	24	21	9	12	7	13	20	15	16	165
*Days with .04 in. or more.	11	2	8	15	18	6	9	4	13	18	10	7	121

40-9999

(*Signed*) H. Blanchard.

P.T.O.

*See Instruction 2 (*f*) on other side.

1584

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. ~~1584~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at 9 Parkside Rd, Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 150 ft.

File No. 816106/28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·67	·64	·07	-	-	tr.	-	-	-	tr.	·02	·26		1
2	·34	-	·72	-	·21	tr.	-	-	-	-	tr.	-		2
3	tr.	·10	·81	-	tr.	-	-	-	-	-	tr.	-		3
4	·28	·02	tr.	-	·11	-	-	-	-	-	-	-		4
5	·07	tr.	·33	-	·01	-	-	-	-	-	-	-		5
6	·01	·17	tr.	-	·21	-	-	-	-	·05	·04	·03		6
7	·04	·01	·05	-	·02	-	tr.	-	-	·18	-	-		7
8	·01	tr.	·02	-	·03	-	·23	tr.	-	tr.	-	-		8
9	-	tr.	-	-	·03	tr.	·22	tr.	-	·03	·01	-		9
10	-	·07	-	-	tr.	-	·17	-	-	·19	tr.	-		10
11	·30	-	-	-	tr.	·69	·02	·20	tr.	·02	-	-		11
12	-	-	-	·04	·01	-	·02	-	·64	-	-	·03		12
13	·06	-	-	-	·01	·01	·39	tr.	-	·15	·09	-		13
14	tr.	-	-	-	-	-	·01	tr.	-	·17	·51	-		14
15	·35	-	·31	-	-	-	·05	·25	-	·22	·06	-		15
16	-	-	·67	-	tr.	·04	-	-	·01	·04	-	-		16
17	tr.	·16	·38	-	-	·02	tr.	·07	·05	tr.	-	-		17
18	·13	-	·12	-	-	·18	-	-	-	-	·01	-		18
19	tr.	tr.	·11	tr.	-	·04	-	·02	·65	-	·23	·02		19
20	-	·07	·01	tr.	-	tr.	-	·47	·07	-	tr.	tr.		20
21	-	·05	-	tr.	1·01	·02	-	·16	tr.	-	·02	tr.		21
22	-	-	-	-	tr.	·25	-	-	·21	·20	·01	-		22
23	-	·07	-	·49	-	·10	-	-	·32	·14	-	-		23
24	-	1·54	-	·22	-	·03	-	-	tr.	tr.	tr.	-		24
25	-	·42	-	·84	tr.	-	-	-	·30	tr.	tr.	·11		25
26	-	·47	-	·09	·22	-	-	-	tr.	tr.	-	·01		26
27	-	tr.	-	-	·60	-	·04	-	·01	·14	·02	·53		27
28	tr.	-	-	·11	-	-	·45	-	-	tr.	-	·02		28
29	·14	×	tr.	tr.	-	-	tr.	-	·02	tr.	-	tr.		29
30	·05	×	·08	-	-	-	·01	-	·11	-	-	·08		30
31	·23	×	·07	×	tr.	×	-	-	×	tr.	×	-		31
TOTAL	2·68	3·79	3·25	1·29	1·47	1·38	1·61	1·17	2·39	1·53	1·02	1·09	Year's Total 22·67	
*Days with ·01 in. or more.	14	13	14	6	12	10	11	6	11	12	11	9	129	
*Days with .04 in. or more.	12	11	12	6	5	6	7	5	8	10	5	4	91	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. Blanchard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 9 Parkside Rd., Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 150 ft.

To be terminated at end of 1934.

~~Copy~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	tr.	-	-	-	-	-	·47	tr.	·10	·04	·66	1
2	·46	-	·09	-	·18	·03	-	·01	·78	·17	·01	·26	2
3	·02	·02	-	tr.	-	-	-	-	-	·18	-	·25	3
4	·10	-	·10	-	·15	-	-	-	-	·06	-	·25	4
5	tr.	-	·01	tr.	·02	-	-	·77	-	·01	-	·37	5
6	·02	-	·35	·01	·18	tr.	-	·01	-	·31	·42	·59	6
7	·04	-	-	tr.	tr.	-	-	·23	-	·08	-	·36	7
8	-	-	-	-	·24	-	-	·01	·07	-	·66	·04	8
9	·01	-	·14	-	tr	-	-	-	·01	-	·59	·44	9
10	·12	tr.	·21	·30	-	-	-	tr.	-	-	·22	·18	10
11	·63	-	·66	·17	-	-	·04	·28	-	-	tr.	·87	11
12	·02	-	·02	·01	-	-	·03	·14	-	-	-	·33	12
13	·26	-	·10	·18	-	-	-	-	-	tr.	·12	·10	13
14	·11	-	·34	·01	-	-	-	-	-	·03	·03	·48	14
15	tr.	-	·01	tr.	·07	-	-	-	-	·05	·11	·45	15
16	·14	-	·33	-	·05	-	-	-	-	-	-	·20	16
17	·12	-	·01	·14	-	-	tr.	-	·06	·05	-	·31	17
18	·06	-	·18	·09	-	-	-	-	·02	tr.	-	·44	18
19	-	-	·18	tr.	tr.	·01	-	·07	·10	tr.	-	·24	19
20	-	·01	·06	·10	tr.	tr.	·24	·01	·01	tr.	-	tr.	20
21	-	-	·04	·13	-	·13	-	·26	-	·11	-	·01	21
22	-	-	·01	-	-	-	-	·42	·23	·06	-	·23	22
23	-	·01	-	·21	-	·61	-	·04	·08	·02	-	·02	23
24	tr	tr.	·05	·01	-	tr	tr	·01	·12	tr	-	·01	24
25	·29	tr.	tr.	·05	-	-	-	tr.	-	·05	-	·72	25
26	·01	-	-	·23	-	·32	-	-	·14	·01	·02	·17	26
27	tr.	tr.	-	-	-	·05	-	-	-	tr.	-	·36	27
28	-	-	-	-	-	·08	-	·57	-	tr	-	·44	28
29	-	-	-	-	-	-	-	·16	·22	·01	·01	·01	29
30	·08	×	-	-	-	-	-	·01	·12	tr.	tr.	·18	30
31	tr.	×	-	×	tr.	×	·01	·01	×	-	×	·02	31
TOTAL	2·51	·04	2·89	1·64	·89	1·23	·32	3·48	1·96	1·30	2·23	8·44	YEAR'S TOTAL 26·93
*Days with ·01 in. or more.	18	3	19	14	7	7	4	18	18	16	11	30	160
*Days with .04 in. or more.	12	-	14	10	6	5	2	11	10	11	7	25	113

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) H. Blanchard

[P.T.O.

1585

Section **A** for the entry o

AIR MINISTR

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGIS 931.

1585

PARKSTONE

SAXETHORPE

1931 — 40

780304

Kept at Saxthorpe.

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·26		·55			·13				1
2	·25	·05		·47		·01		·10	·54			·20	2
3	·24		·77	·03					·35	·03	·23	·28	3
4			·03		·05	·24		·25	·23		·16		4
5		·18		·15		57	·25				·05	·10	5
6		·18		·25	·09	·10		·02	·13	·52	·18	·06	6
7					·39	·23		58	·03	·05	·37	·03	7
8		·16		·10		·30		·04			·16	·14	8
9		·13				·04			·08		·98		9
10		·06				·20	·04		·02		·68		10
11	·15	·30				·05	·03				·39		11
12													12
13							·03						13
14		·13				·13	1·52	·06			·01		14
15		·03		·04	·10			·07				·05	15
16				·05	·18	·18		·03					16
17		·16		·07			·57		·13				17
18	·06		·06	·05		·04	·15	·98			·45		18
19	·09			·10		10	·06	·11					19
20		·10	·17	·01				·28					20
21				08	·39						13		21
22	·30		·20	·11									22
23	·30	·01		·29	·60						·30		23
24	·04				·25	·29	·45	·70					24
25	·10			·34	·10		·54				·15		25
26		·04		·10			·57				·30		26
27	·20	·34			1·08		·65			·07	·04		27
28	·04	·06			·10							·04	28
29	·04		·14		·04		·08			·01	·06		29
30		×	·08	·01				·16	·06				30
31	·52	×		×	·23	×			×		×	·08	31
TOTAL	2·33	1·93	1·45	2·49	3·60	3·03	4·34	3·38	1·70	–·68	4·64	–·98	YEAR'S TOTAL 30·55
*Days with ·01 in. or more.	13	15	7	18	13	15	13	13	10	5	17	9	148
*Days with ·04 in. or more.	13	13	6	15	13	14	11	11	8	3	16	8	131

40-9999

(*Signed*) A. D. Stables [P.T.O.

*See Instruction 2 (*f*) on other side.

1585

Section **A** for the entry o

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Saxthorpe. Parkstone

in the County of Dorset

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

d/p.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·24		·55			·13				1
2	·25	·05		·47		·01		·10	·54			·20	2
3	·24		·77	·03					·35	·03	·23	·28	3
4			·03		·05	·24		·25	·23		·16		4
5		·18		·15		·57	·25				·05	·10	5
6		·18		·25	·09	·10		·02	·13	·52	·18	·06	6
7					·39	·23		·58	·03	·05	·37	·03	7
8		·16		·10		·30		·04			·16	·14	8
9		·13				·04			·08		·98		9
10		·06				·20	·04		·02		·68		10
11	·15	·30				·05	·03				·39		11
12													12
13							·03						13
14		·13				·13	1·52	·06			·01		14
15		·03		·04	·10			·07				·05	15
16				·05	·18	·18		·03					16
17		·16		·07			·57		·13				17
18	·06		·06	·05		·04	·15	·98			·45		18
19	·09			·10		10	·06	·11					19
20		·10	·17	·01				·28					20
21				08	·39						13		21
22	·30		·20	·11									22
23	·30	·01		·29	·60						·30		23
24	·04				·25	·29	·45	·70					24
25	·10			·34	·10		·54				·75		25
26		·04		·10			·57				·30		26
27	·20	·34			1·08		·65			·07	·04		27
28	·04	·06			·10							·04	28
29	·04		·14		·04		·08			·01	·06		29
30		×	·08	·01				·16	·06				30
31	·52	×		×	·23	×			×		×	·08	31
TOTAL	2·33	1·93	1·45	2·49	3·60	3·03	4·34	3·38	1·70	–·68	4·64	–·98	YEAR'S TOTAL 30·55
*Days with ·01 in. or more.	13	15	7	18	13	15	13	13	10	5	17	9	~~148~~
*Days with ·04 in. or more.	13	13	6	15	13	14	11	11	8	3	16	8	131

40-9999

(Signed) A. D. Stables

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Station No. 1585

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Saxthorpe. Parkstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 15 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11			.14	.40			11			.03		1
2	.01			.27	05			04		02		.41	2
3				.35		55			.49	.06		03	3
4	.01					28					.06		4
5	.38						04		11				5
6	.36			.15	04				20				6
7			.01						07	.38			7
8			.45	.06	.26					.32			8
9	.20	.02		.11	10				70	.02	.03		9
10	.28	mar .05	.07	.33	11	.04			01	12	17		10
11	10						.56	02		16		07	11
12	54				06					10			12
13	.09			13	10		.06	02	01	88	14	.05	13
14	.07			07	10			02			02		14
15	.05			04	48					05			15
16	.12			14	05	.12	.54						16
17	.04			04									17
18	.02				15						15		18
19				02						30			19
20				03	35		05	14	01	1.24	19	.05	20
21			.06		32					39	01	10	21
22	.01		.13	07	7	04		30	64	16	40		22
23	.02				21		45		10	78	08	09	23
24		.06			04		66		07	11			24
25							82		03	31	03		25
26			.13	11			14			04	04		26
27			.30	.42	28	.20	02			31			27
28			.05	.03	05		20					.07	28
29			.38	.08	19	18		18	56	53	19	05	29
30		×	.07	.32		1.16	06		53		.70	26	30
31		×	.23	×	03	×	05		×		×	15	31
TOTAL	2.41	.13	1.88	2.91	3.44	2.57	3.65	—.83	3.53	6.28	2.24	1.33	YEAR'S TOTAL 31.20
*Days with .01 in. or more.	17	3	11	20	21	8	13	8	14	20	15	11	161
*Days with .04 in. or more.	12	2	10	14	20	8	12	5	10	18	10	10	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. Stables

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1585

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

File No. 698869/26

Kept at Bankhope - Parkstone

in the County of Dorset

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground............ft............in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·54	·68	·07								04	·32		1
2	·40		·79		·24									2
3		·12	·37		·01									3
4	35	·05			·13									4
5	·08		·37		·03									5
6		·22			·26					07	·04			6
7	05	·02	·09		·04					·21				7
8	·02				·03		·25							8
9					·04		·25			·04				9
10		·08					·13	·05		·23				10
11	·25					·60		·12	·03					11
12				·04	·02				·60					12
13	·06				·02		·48			·29	11			13
14							·01			18	61			14
15	·45		·35				·07	·29		22	12			15
16		2" 9 am	·79							·06				16
17		·18	·45			10		·09	·07					17
18	·17		·15			·16								18
19			·08	·01		·05			·96		25			19
20		·08		·04					·11					20
21								·50	·02	·06				21
22						·44		·18	·23	13	·03			22
23				·55					·36	14				23
24		1·98		·25		13			·40					24
25		·51		·33		04						20		25
26		·48		·10	·10		05							26
27					·80		·44			14		60		27
28				12								·01		28
29	·14								·04					29
30	·07	×	·10						·10			·08		30
31	·25	×	·08	×		×			×		×			31
TOTAL	2·83	4·40	3·69	1·44	1·72	1·52	1·68	1·23	2·92	1·77	1·20	1·21	Year's Total 25·61	
*Days with ·01 in. or more.	~~13~~	~~11~~	~~12~~	~~8~~	~~12~~	~~7~~	~~8~~	~~6~~	~~11~~	~~12~~	~~7~~	~~5~~	~~112~~	
*Days with .04 in. or more.	12	10	12	7	7	7	7	6	9	12	7	4	99	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. S. Stables

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 1585

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

File No. 698869/26

Kept at Parkstone

in the County of Dorset

Diameter of Funnel of Gauge ....in.

Height of top of Gauge above Ground ....ft ....in.

,, Ground ,, Sea Level ....ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								61		·24	06	70		1
2	47		·04		40	02			91	12		30		2
3	·02	·02								18		30		3
4	09		10		20					10		28		4
5					03			83				43		5
6	32		40	·01	20					39	·45	66		6
7	03							25		07		39		7
8					25				08		80	04		8
9			18								65	50		9
10	13		27	·35				·02			24	13		10
11	70		53	20			·04	·16				40		11
12			13				03	·16				33		12
13	30		·06	23							13	07		13
14	10		40							04	03	56		14
15			·02	01	06					05	10	53		15
16	17		40		06							21		16
17	13			14					06	05		32		17
18	06		19	10					01			50		18
19			23			·01		01	08			23		19
20			·06	10			10	·04	02					20
21			·04	15		14		17		11				21
22								45	23	·07		26		22
23		·04		25		57			07			63		23
24			06			02		08	14					24
25	32			07						05		94		25
26				12					14		01	18		26
27						32						36		27
28						12		59	20			56		28
29								20						29
30	10	×						13				18		30
31		×		×		×			×		×	02		31
													Year's Total.	
TOTAL	2·64	—·06	3·16	1·73	1·20	1·20	—·17	3·70	1·96	1·47	2·47	9·40	29·17 ✓	
* Days with .01 in. or more.	14	2	16	12	7	7	3	14	11	12	9	27	134	
* Days with .04 in. or more.	11	1	15	10	6	4	2	12	9	12	7	25	114	

40-9999

† Spare column, no entries required.

(*Signed*) A D Stables

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1585

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Saxkiafe · Parkstone

in the County of Dorset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·32		·04	·17	·10		·37	·10	·17	·35		1
2										·52	·02			2
3			·13			·05			·18	1·46	·28			3
4	·02	·20		·24	·01	·03			·50	·40	·11	·25		4
5		·26	·05	·05		·07			·28	·02	·04			5
6				·24		1·20					·20	·02		6
7				·36		·03				·09	·44	·18		7
8				·33			·02		·06	·65	·74	·05		8
9	·28			·50		·86			·07	·66	·67			9
10	·09		·30	·09		·08					·05			10
11	·22		·06			·30					·55			11
12	·07	·04	·03			·24		·01	·13		·62			12
13	·10	·10		·16	·01	·12			·02		·05			13
14				·22		·09			·04	·03	·25	·35		14
15		·12		·63	·33	·07			·10	·03	·60	·04		15
16		·01	·11	·09		·02			·37		2·00			16
17				·11	·07	·37		·05	·03		·17			17
18				·33			·08		·48	·02				18
19				·05	·17	·01	·13		·13		·45			19
20		·47		·11			·03		·03		·55			20
21		·59		·03			·03	·10	·01					21
22		·05	·02	·02					·09					22
23		·62	·06		·04			·62		·49		·19		23
24	·04				·20			1·00	·45	·31		·40		24
25	·12			·13		·03					·03	·41		25
26		·20						·19	·06			·86		26
27		·38						·04	·05		·04	·58		27
28		·05			·04				·24			·10		28
29				·06	·04			·08	·30			·60		29
30		×						·95		·23	·36	·55		30
31		×		×		×			×	1·12	×	·23	d	31
TOTAL	·94	3·09	1·08	3·75	·95	3·74	·39	3·04	3·99	6·13	8·39	5·16	Year's Total. 40·65	
* Days with .01 in. or more.	~~8~~	~~13~~	~~9~~	~~19~~	~~10~~	~~17~~	~~6~~	~~9~~	~~22~~	~~15~~	~~22~~	~~16~~	~~166~~	✓
* Days with .04 in. or more.	7	12	7	17	8	12	3	8.	18.	11	20.	15	138.	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. D. Stables

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 1585

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Saxthorpe: Parkstone

in the County of Dorset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

[illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·39	06	02	37		16	18				06	02		1
2	·05			02		12	07	07			01	02		2
3				39					60		56			3
4			15						18		14	02		4
5	36		04		15			03	18			05		5
6	39								22		50			6
7	12		09				18				24	07		7
8	42		29				12				59			8
9	36		32				57		25					9
10		10				05	34				02			10
11	32	39				06	06		07		1·23			11
12				03	15	30	27		25		10			12
13	01					05	04			08	10	59		13
14		06				04	43		01			61		14
15		10							03		04	43		15
16	19	20			11		13		13		06	06		16
17		84					07			07		67		17
18	14	10					30				07	36		18
19	40		03			72		08		02				19
20	18	28	03	·11			05							20
21		20		41		04	10		1·16					21
22	15	53	41			09	18		02			11		22
23	05		38	15	03		15			10				23
24	36	05	04		07		03			33				24
25	09		35	17					04	18				25
26	12	06	24			67			05	13				26
27	35	24	08	02			14		10	10				27
28	·95		51				10					22		28
29		05	65				08			05	08			29
30	18	✕				19				10				30
31	09	✕	45	✕	22	✕	29		✕	40	✕	70	'd'	31
													Year's Total	
TOTAL	5·67	3·26	3·48	1·67	·73	2·49	3·85	·18	3·29	1·56	3·80	3·83	33·81	✓
* Days with .01 in. or more.	22	15	17	9	6	12	22	3	15	11	15	14	161	
* Days with .04 in. or more.	21	15	14	6	5	12	21	2	12	10	13	11	142	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. B. Stables

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1585

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Fle 6° 698 869/26

Kept at Parkstone

in the County of Dorset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-85	05		27							38	74		1
2		1·04		07					05		01	05		2
3		24		04										3
4	10	80						03				33		4
5	25	03	10	02			20							5
6	03	33	40	10	04		08			02				6
7		86		08						02		1·02		7
8					77						13	·20	snow	8
9		03		15	13	05	04		67					9
10			90	17	05	18						62		10
11	07			04	52		36							11
12	40	40	18	10	10	05	05	1·27	32			31		12
13	18	03	74	15				40				30		13
14			24	41				23	23			04		14
15	38	19		25			1·48		07			03		15
16	04	15	50	21				50	19		09			16
17	82	03	08			13	05		89		25			17
18	20	08							04		09	18		18
19	15	04		17		02						10		19
20	43	08	15	22						01		28		20
21	42	32	11		04		01			1·42	07	11		21
22	28		02		28		08		13	18	45	10		22
23	34	18			33		08			91	13			23
24	26	75	05		35				03	20		05		24
25	40	34	40		55				06	07		11		25
26		35	05		26					1·12		03		26
27		10		10						18				27
28	30	10								90				28
29	05									07	03			29
30	31										13			30
31	22									1·35				31
TOTAL	6·48	6·52	3·92	2·55	3·42	-43	2·43	2·43	2·68	6·45	1·76	4·60	Year's Total 43·67	✓
* Days with .01 in. or more.	22	23	14	17	12	5	10	5	11	13	11	18	161	✓
* Days with .04 in. or more.	21	19	13	16	12	4	9	4	10	10	9	16	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. A. Stables [P.T.O.

St. Osmund Rd. Parkstone Dorset

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1585

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sandthorpe St. Osmund Rd. Parkstone

in the County of Dorset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						05	28		03	11		09		1
2	02				05					48	05	10		2
3					08					83	25			3
4							06	39		05		26		4
5							29			22				5
6	15						22		06	02	08			6
7	15					05	42		35	25		12		7
8	11						04	09		34		10		8
9	07	07										88		9
10	04		03			18	05	08		02	03	32		10
11	20										15	21		11
12	50				15					14				12
13	41									25	43	76		13
14	45				07		18			38				14
15	19				03		30			05	09	41		15
16	45	02	03							19	01			16
17		mar 18	02		12					01				17
18	17				07	07			27		34			18
19								09			67			19
20									02		48	mar 20		20
21	05							18	10		09			21
22	04					01		32			45			22
23									03					23
24			19						14		26			24
25	15	20	05		15			09		05	1·24			25
26	30	23			05	01				05		mar 38		26
27	10	01			09	28	41	04	02		29			27
28	10	11			14	10		·61	05		04	04		28
29					30				02	10	25	06		29
30	03				05				25	01	19			30
31	20				22					20		43		31
TOTAL	3·88	—·82	—32	— —	1·57	-75	2·25	1·89	1·34	3·75	5·39	4·36	Year's Total 26·32	
* Days with .01 in. or more.	21	7	5	0	14	8	10	9	12	20	19	15	140	
* Days with .04 in. or more.	19	5	2	0	13	6	10	9	7	16	17	15	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Arthur S. Stables

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1585

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Parkstone

in the County of Dorset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			07	14	05		04		43		16	07		1
2				17				54	2·47			06		2
3	60			46				22			40	28		3
4			58	14	17		43	39	05	41		05		4
5			05	18	29		09	65		25	77	03		5
6	66		10				71			14	20			6
7		28						03		05	30	48		7
8		12	10				05	05		63	30	32		8
9	04		03					10		12	06	21		9
10	34							32	14	33	07			10
11			20							39				11
12						05				01	03			12
13				05			37			1·60		07		13
14	93			01	01	03	13			25	40	22		14
15	20				18		10			24	30	03		15
16	63		04	12	05	05	18			01	31			16
17	35	08			28	50	02			24	05			17
18	10		01			01	61				48	09		18
19	42						02							19
20	46					15	08	1·55						20
21	03	30	05			03	15							21
22	30	24	07			10	09		06		22			22
23				15		12	07				1·02			23
24	62			04		58	23	15						24
25	93	24		08		34	08			20	45			25
26		03								08	31			26
27		15	03								08			27
28		35				04	16				35	22		28
29				06			74			10				29
30		✕		49				42		25				30
31		✕		✕		✕		09	✕	68	✕			31
TOTAL	6·61	1·79	1·33	2·09	1·03	2·00	4·30	3·91	3·15	5·98	6·26	2·05	Year's Total 40·50	
* Days with .01 in. or more.	15	9	12	13	7	12	20	12	5	19	20	13	157	
* Days with .04 in. or more.	14	8	9	12	6	9	18	11	5	17	19	11	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A Stables

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 1585

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Saxthorpe, Parkstone, Dorset

in the County of Dorset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

" Ground " Sea Level ....ft.

Station No 1585
File No 698869/26

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				23							15			1
2		35									35			2
3		46								35	80	33		3
4	09	14		01			·18			36	06			4
5							05				48	30		5
6	39	51								51	05	13		6
7	06	13		02						04				7
8							18			65	04	30		8
9							05		04	08	62			9
10							1·31		02	23	10	32		10
11				·04			02				1·13			11
12			11				19		·53	03				12
13			50	02			45			06	1·34			13
14			20	04			11		30	55		75		14
15					·25		76		10	23	36			15
16			45	08		02			07	70	1·09			16
17		1·64	58				02				1·13			17
18			52	18					06	18	02	33		18
19		07	01	18					48		40			19
20									02	18	07			20
21					·23				01		35			21
22			05			18			08					22
23		05	·24	·07							12			23
24							40							24
25			37	12	03		05							25
26	1·63	44	04		15									26
27	·64	28		03	05		17							27
28	60				42									28
29		61	19	·10						09		22		29
30			03	15						27		07		30
31	·48									61		42		31
TOTAL	3·89	4·68	3·29	1·27	1·13	—·20	3·94		1·71	5·12	8·64	3·17	Year's Total 37·04	✓
* Days with .01 in. or more.	7	11	13	14	6	2	14		11	17	19	10	124	✓
* Days with .04 in. or more.	7	11	11	10	5	1	12		8	16	18	10	109	✓

† Spare column, no entries required.

(*Signed*) A. J. Stables

* See Instruction 3 (f) on other side.

[P.T.O.

8501

1586

1586
PARKSTONE
THE LAURELS
1931 —— 40
780304

Section | **A** | for the entry of … COPY FOR OFFICIAL USE.
AIR MINISTRY … ALL ORGANIZATION.

FORM 1090. **REGIST** … 1.

Kept at The Laurels,
in the County of Dorset.

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		tr		.09		.02		.02	.13	.01			1
2	.19	.05		.39		.01	tr	.05	.41			.23	2
3	.18		.62	.02			tr	.02	.30		.44	.27	3
4			.02		.03	.14	.20	.06	.07	.01	.14		4
5		.10		.20	.01	.35	.05		tr		.05	.08	5
6		.15		.25	.08	.16		.01	.01	.43	.22	.16	6
7				tr	.26	.17		.56		.02	.29	.04	7
8		.17		.10	tr	.35		.01			.10	.14	8
9	.03	.19	.01	.02		.09	.01	tr			.95	.01	9
10		.02	.01			.12	.02				.43		10
11	.12	.34				.04	.08		.02		.29		11
12		.01			tr	tr	.01	tr	.05	.10			12
13	tr				tr		.01			.01			13
14	tr	.10			tr	.19	1.72	.15	tr		.01	tr	14
15	tr	.02		.02	.07			.07	tr			.04	15
16		.03		.07	.16	.12		tr	.08				16
17	tr	.11		.06			.48		.05		tr		17
18	.04		.01	.05		.05	.07	1.03			.42		18
19	.09		tr	.07		.14	.05	.08					19
20		.07	.16				tr	.24		tr	.01		20
21	.04	tr			.33						.04		21
22	.37		.10	.09							tr		22
23	.33			.07	.59	.01		tr			.30		23
24	.04		tr	.20	.21	.25	.45	.56			.01	tr	24
25	.09			.34	.16		.39				.11		25
26		.03		.09			.39				.27	tr	26
27	.15	.32			.91		.08			tr	.06		27
28	.04	.08	tr	.01	.12					tr	.01	.07	28
29	.05	✕	.06		.03		.05	.04		tr	.08		29
30	tr	✕	.05				.01	.09	.03		.03		30
31	.31	✕		✕	.13	✕	.01	tr	✕		✕	.15	31
TOTAL	2.07	1.79	1.04	2.14	3.09	2.21	4.08	2.99	1.15	.58	4.26	1.19	YEAR'S TOTAL 26.59
*Days with ·01 in. or more.	15	16	9	18	14	16	18	15	10	6	21	10	168
*Days with ·04 in. or more.	14	11	5	14	11	13	12	11	7	2	16	9	125

40-9999

Snow —

(Signed) John Blanchard

P.T.O.

*See Instruction 2 (*f*) on other side.

8501 [redacted] 1586

Section **A** for the entry of [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Laurels, Parkstone,

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground I ft 2 in.

,, Ground ,, Sea Level II5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		tr		.09		.02		.02	.I3	.0I			1
2	.I9	.05		.39		.0I	tr	.05	.4I			.23	2
3	.I8		.62	.02			tr	.02	.30		.44	.27	3
4			.02		.03	.I4	.20	.06	.07	.0I	.I4		4
5		.I0		.20	.0I	.35	.05		tr		.05	.08	5
6		.I5		.25	.08	.I6		.0I	.0I	.43	.22	.I6	6
7				tr	.26	.I7		.56		.02	.29	.04	7
8		.I7		.I0	tr	.35		.0I			.I0	.I4	8
9	.03	.I9	.0I	.02		.09	.0I	tr			.95	.0I	9
10		.02	.0I			.I2	.02				.43		10
11	.I2	.34				.04	.08		.02		.29		11
12		.0I			tr	tr	.0I	tr	.05	.I0			12
13	tr				tr		.0I			.0I			13
14	tr	.I0			tr	.I9	I.72	.I5	tr		.0I	tr	14
15	tr	.02		.02	.07			.07	tr			.04	15
16		.03		.07	.I6	.I2		tr	.08				16
17	tr	.II		.06			.48		.05		tr		17
18	.04		.0I	.05		.05	.07	I.03			.42		18
19	.09		tr	.07		.I4	.05	.08					19
20		.07	.I6				tr	.24		tr	.0I		20
21	.04	tr			.33						.04		21
22	.37		.I0	.09							tr		22
23	.33			.07	.59	.0I		tr			.30		23
24	.04		tr	.20	.2I	.25	.45	.56			.0I	tr	24
25	.09			.34	.I6		.39				.II		25
26		.03		.09			.39				.27	tr	26
27	.I5	.32			.9I		.08			tr	.06		27
28	.04	.08	tr	.0I	.I2					tr	.0I	.07	28
29	.05	X	.06		.03		.05	.04		tr	.08		29
30	tr	X	.05				.0I	.09	.03		.03		30
31	.3I	X		X	.I3	X	.0I	tr	X		X	.I5	31
TOTAL	2.07	I.79	I.04	2.I4	3.09	2.2I	4.08	2.99	I.I5	.58	4.26	I.I9	YEAR'S TOTAL 26.59
*Days with ·01 in. or more.	I5	I6	9	I8	I4	I6	I8	I5	I0	6	2I	I0	I68
*Days with ·04 in. or more.	I4	II	5	I4	II	I3	I2	II	7	2	I6	9	I25

40-9999

Snow —

(Signed) John, Blanchard

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1586.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Laurels, Parkstone.
in the County of Dorset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·17	·40			·09		~	~		1
2	·01			·21	·04			·04	·03	~		·38	2
3				·35	·02	·43	~	~	·53	·06			3
4	~					·29		~			·07		4
5	·39					~	·02		·07				5
6	·39			·10			·01		·20				6
7	·01		·01	·05					·05	·22			7
8			·42	·02	·22				·65	·22			8
9	·25	·02		·12	·08				~	·10	·11		9
10	·21	·02	·05	·32	·14	·02				·14	·10		10
11	·06			·02	~	~	·52	·01	~	·12		·05	11
12	·69				·05				·12	·08	·01	·02	12
13	·03			·15	·09		·06	·01		·90		·03	13
14	·06			·11	·06			·01		~	·13	·01	14
15	·05			·02	·39					·04	·01	·02	15
16	·21			·15	·09	·33	·40			~		·01	16
17	·04			·05			~			·01			17
18	·02				·15		~		·01		·09		18
19				·02	~				·03	·24			19
20				·01	·35		·03	·14		1·10	·29	~	20
21	·01		·14	~	·28					·36	·01	·08	21
22	~		·02	~	·06	·11	·02	·11	·50	·17	·37	~	22
23	·02			~	·10		·38		·09	·64	·09	·12	23
24		·04			·02		·65		·05	·09	·01	·01	24
25				·02			·63		·02	·29	·02		25
26			·10	·06			·13			·05	·03	·01	26
27			·29	·23	·31	·18	·02			·29		·01	27
28			·03	·03	·04		·11			·01		·05	28
29			·45	·05	·18	·25	~	·19	·52	·42	·16	·04	29
30		×	·20	·27	·02	·82	·04		·51	~	·68	·24	30
31		×	·07	×	·01	×	·02		×		×	·15	31
TOTAL	2·57	·08	1·78	2·53	3·10	2·43	3·04	·60	3·38	5·55	2·18	1·23	YEAR'S TOTAL 28·47
*Days with ·01 in. or more.	17	3	11	22	22	8	15	8	15	21	16	16	174
*Days with ·04 in. or more.	11	1	8	15	18	7	9	5	11	19	10	8	122

40-9999
*See Instruction 2 (*f*) on other side.

Trace ~
Snow ——

(*Signed*) John H. Blanchard

[P.T.O.

1586

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1586

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Laurels, Parkstone,

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground I ft 2 in.

„ Ground „ Sea Level II5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.69	.63	.05	—								.30		1
2	.39		.73		.20									2
3	—	.II	.37		—									3
4	.22	.02	.05		.IO									4
5	.08		.36		—									5
6		.I9	—		.20					.05	.05			6
7	.04	.02	.03		.03		—			.20		.02		7
8	.0I				.04		.2I			—				8
9					.03		.23			.03	.0I			9
10		.05			—		.I5	—		.I4	—			10
11	.23					.58	.04	.I3		.0I				11
12				.04	.0I		.02		.64			.04		12
13	.06				.0I	—	.39			.06	.08			13
14							.09			.2I	.48			14
15	.39		.30				.0I	.23		.20	.0I			15
16			.77			.04			.02	.05				16
17		.I5	.34			.04		.07	.05					17
18	.I5		.I4			.09					.02			18
19		—	.08	—		.0I		.02	.42		.24	.02		19
20		.08	—	—					.03					20
21				—	.02	.II		.3I	—	.06	.0I			21
22					.04	.03		.24	.I6	.I3	.02			22
23		.I2		.46		.08			.33	.I3				23
24		I.9I		.20		.03			—	.0I	.02			24
25		.50		.3I					.I9			.II		25
26		.49		.I0	.28				—			.0I		26
27		—			.4I		.04			.I3	.02	.60		27
28				.I4			.50		.0I	—		.02		28
29	.I4						—		.02			—		29
30		×	.08				.0I		.08			.09		30
31	.29	×	.II	×		×			×	—	×			31
TOTAL	2.69	4.27	3.4I	I.25	I.37	I.0I	I.69	I.00	I.95	I.4I	.96	I.2I	Year's Total 82.22	
*Days with ·01 in. or more.	I2	I2	I3	6	I2	9	II	6	II	I4	II	9	I26	
*Days with .04 in. or more.	II	I0	I2	5	7	6	8	5	7	II	4	5	9I	

40-9999

*See Instruction 2 (*f*) on other side.

Trace —

Snow —

D

† Spare column, no entries required.

(*Signed*) John. Blanchard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. I586.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Laurels, Parkstone.

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground I ft 2 in.

,, Ground ,, Sea Level II5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.0I					⁓		.52		.08	.04	.80		1
2	.53		.I0		.08	.05			I.03	.25	.0I	.20		2
3	.02	.0I								.25		.26		3
4	.II		.I2	⁓	.I7					.05	⁓	.23		4
5	⁓		.0I		.0I			.75		⁓	⁓	.43		5
6	.02		.38	⁓	.20			.02		.35	.37	.58		6
7	.03			⁓				.I9		.08		.40		7
8					.23			.0I	.05		.8I	.06		8
9	.0I		.I8						.02		.63	.45		9
10	.I3		.26	.30				⁓			.I9	.09		10
11	.69		.56	.I7			.I4	.I8				.42		11
12	.03		.02				.03	.I9				.46		12
13	.29		.09	.I6				⁓			.I0	.I5		13
14	.08		.38	.0I						.02	.04	.50		14
15	.03		.02		.II					.05	.II	.35		15
16	.I3		.37		.03					.04		.24		16
17	.I3		⁓	.20					.06			.30		17
18	.04	⁓	.2I	.I2					.I9			.43		18
19			.22	.0I	⁓	⁓		.04	.08	⁓		.I9		19
20			.06	.I2	⁓		.I6	⁓	.0I	⁓		.0I		20
21			.04	.I4		.I7		.I8	⁓	.I0		⁓		21
22			⁓				⁓	.50	.22	.06		.22		22
23		.0I	⁓	.24		.84		.03	.07	.02		.02		23
24		.0I	.04	.0I		.02	⁓	.03	.I2	⁓		.02		24
25	.3I		⁓	.04						.06		.84		25
26	.0I		⁓	.I9		.34			.I4	⁓	.02	.06		26
27	⁓			⁓		.06			⁓	⁓	.02	.40		27
28				⁓		.05		.59				.46		28
29								.I5	.22	⁓		.02		29
30	.06	×					.0I		.I2	⁓	⁓	.20		30
31	.0I	×		×		×			×		×	.02		31
TOTAL	2.67	.03	3.06	I.7I	.83	I.53	.34	3.38	2.33	I.4I	2.34	8.8I	Year's Total. 28.44	
* Days with .01 in. or more.	20	3	I7	I3	7	7	4	I4	I3	I3	II	30	I52	
* Days with .04 in. or more.	II		I4	I0	5	6	2	I0	II	II	8	24	II2	

40-9999

* See Instruction 2 (f) on other side. ⁓ = trace.

† Spare column, no entries required.

(*Signed*) John R. Blanchard [P.T.O.

COPY FOR OFFICIAL USE.

Station No. I586.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Laurels, Parkstone,
in the County of Dorset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground I ft. 2 in.
,, Ground ,, Sea Level II5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.0I		.34		.02	.II	.09		.38	.24	.09	.3I		1
2		~				.0I			.0I	.32	.03	.0I		2
3		~	.08		~	.05			.I7	I.52	.24			3
4	.0I	.I6		.2I	~	.04			.44	.65	.I2	.I7		4
5	~	.27	.03	.08		.07			.24	.05	.05			5
6		.0I		.22		I.20				~	.I7	.0I		6
7				.38		.02				.I5	.45	.I7		7
8			~	.28			.02	~	.09	.47	.63	.05		8
9	.25		~	.50		.90			.06	.66	.68			9
10	.I0	~	.28	.I2		.06			~		.04	.02		10
11	.20		.08	~		.23					.56			11
12	.08	.02				.22		.0I	.07		.50			12
13	.08	.II		.23	.0I	.I4			.0I	~	.06			13
14		.04		.I4		.07			.02	.0I	.3I	.30		14
15		.I0		.52	.29	.I0			.08	.07	.40	.06		15
16		.02	.09	.06		.I2		~	.55	~	I.9I			16
17		~		.07	.07	.32	~	.07	.02		.08			17
18		~		.29	~	.0I	.I0		.44	.03	.0I	.07		18
19		.0I		.06	.I4	.03	.09		.I5	.02	.4I			19
20	~	.58		.09		.02	.05		.0I		.53			20
21	~	.48		.0I			.02	.I2	.02	.0I	~			21
22		.05	~	~			~	.50	.07	.46				22
23		~	.07	.02	.04			I.00		.33		.2I		23
24	.03	.72	.0I		.2I			~	.37			.36		24
25	.I4	.02		.II	~	.02					.0I	.43		25
26		.29			.0I			.I6	.04	~		.84		26
27		.46						.03	.05	~	.04	.69		27
28		.08						.0I	.25		.0I	.2I		28
29		X			.06			.05	.28	.0I	~	.57		29
30	~	✕		.06				.94	.0I	.2I	.33	.50		30
31		✕		✕		✕		.03	✕	I.25	✕	.24	Year's Total	31
TOTAL	.90	3.42	.98	3.45	.85	3.74	.37	2.92	3.83	6.46	7.66	5.22	39.80	
* Days with .01 in. or more.	9	I7	8	I9	9	20	6	II	24	I8	24	I9	I84	
* Days with .04 in. or more.	6	I2	6	I7	6	I4	4	7	I7	I3	20	I6	I38	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John K. Blanchard

[P.T.O.

Trace ~
Snow Rcd.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1586.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at The Laurels, Parkstone,

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.17	.05	.02	.31		.11	.12	.01	⌣		.06	.03		1
2		.01		.02		.04	.03	.03	⌣		.03	⌣		2
3				.40			.02	⌣	.48		.50			3
4			.13	⌣		.01	.01		.16		.12			4
5	.44		.04		.16			.02	.15			.08		5
6	.36		.01			.01	⌣	.01	.18		.43			6
7	.12		.09				.17		⌣		.24			7
8	.38		.38				.14		⌣		.43	.08		8
9	.40		.23				.55		.27	⌣	.02			9
10	.06	.18					.34		⌣		.07			10
11	.31	.22				.07	.05	⌣	.11		1.17	⌣		11
12				.03	.30	.31	.25	.05	.29		.08			12
13	.02			⌣		.04	.05			.05	.08	.66		13
14		.05		.02		.02	.40		.01	.01		.44		14
15	.01	.05							.12		.05	.47		15
16	.13	.24			.09		.09		.01		.08	.12		16
17	⌣	.84			.01		.04		.01	.03	.07	.64		17
18	.10	.11				.38	.28					.41		18
19	.38	.02	.01	.01		.23	⌣	.04		.04	⌣			19
20	.21	.27	.07	.10		.03	.08		.81					20
21	.02	.27	.01	.44		.08	.23		.02					21
22	.15	.45	.39	⌣			.13			.03		.05		22
23	.06		.32	.12	.03		.16		⌣	.13				23
24	.31	.06	.05	⌣	.07		.10		.04	.25				24
25	.08		.39	.14		⌣			.02	.21				25
26	.16	.10	.19			.58			.03	.06				26
27	.37	.19	.09				.11		.08	.08		⌣		27
28	.88		.45				.22			.05		.18		28
29	.01	.02	.02				.08				.06	.01		29
30	.13	✕	⌣		⌣	.18				.14		⌣		30
31	.07	✕	.48	✕	.09	✕	.25		✕	.50	✕	.75		31
TOTAL	5.33	3.15	3.37	1.59	.75	2.09	3.90	.16	2.79	1.58	3.49	3.92	Year's Total 31.90 ~~32.18~~	✓
* Days with .01 in. or more.	25	17	19	10	7	14	24	6	17	13	16	13	181	✓
* Days with .04 in. or more.	21	14	14	6	5	10	21	2	11	10	14	11	159	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side. ⌣ = trace.
Red = Snow.

(*Signed*) John A. Blanchard [P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** I586.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

850I97/28.

Kept at The Laurels, Parkstone,

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground I ft. 2 in.

,, Ground ,, Sea Level II5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	†	
1	.44	.I3	~	.23							.33	.84		1
2	.0I	I.00		.09					.04		.0I	.0I		2
3	.04	.27	~	.03			~		~					3
4	.09	.8I						~				.26		4
5	.24	.02	.06	.02			.I9							5
6	.03	.35	.40	.I2	.04		.06			.02				6
7		.70		.04						.0I		I.0I		7
8		.0I			.62							.I3		8
9		.02	.II	.I6	.I5	.05	.05		.65			.0I		9
10	.03	.02	.70	.I5	.I8	.I7						.50		10
11	.03		.0I	.03	.39	.0I	.37							11
12	.45	.34	.20	.II	.04	.05	.02	.9I	.30			.37		12
13	.I3	.02	.73	.I2				.90	.I2			.I7		13
14	.02	.0I	.20	.I9				.03	.05			.I0		14
15	.26	.I7	.0I	.39			I.07		.I0			.05		15
16	.0I	.I4	.48	.24		.08		.5I	I.03		.24			16
17	.77	.03	.I4				.03		.02		.24			17
18	.I4	.09	.0I								.06	.I8		18
19	.I5	.03	.07	.I8		.0I	.02				.0I	.08		19
20	.42	.05	.I8	.20								.24		20
21	.38	.34	.04	.0I	.I3		.0I			~	.I5	.I5		21
22	.28	.0I	.0I		.I8	~	.I2		.04	I.I8	.35	.I0		22
23	.24	.I6	.0I		.53		.0I			.27	.05	.02		23
24	.28	.68	.04		.I7				.05	.95		.04		24
25	.53	.32	.4I		.47				.04	.25		.09		25
26		.23	.03		.I9					.I3		.03		26
27	.0I	.I8		.09						.85		~		27
28	.25	.09								.I7		~		28
29	.06	✕				~				.9I	.02			29
30	.39	✕				~				.I3	.I6			30
31	.2I	✕		✕		✕			✕	I.30	✕			31
													Year's Total	
TOTAL	5.89	6.22	3.84	2.40	3.09	.37	I.95	2.35	2.44	6.I7	I.62	4.38	40.72	✓ ✓
* Days with .01 in. or more.	27	27	20	I8	I2	6	II	4	II	I2	II	20	I79	✓ ✓
* Days with .04 in. or more.	20	I8	I4	I4	I2	4	6	3	I0	I0	8	I6	I35	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side

(*Signed*) John. Blanchard [P.T.O.

Snow in red
Trace thus ~

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. I586.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

850I97/28.

Kept at The Laurels, Parkstone.

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground I ft. 2 in.

,, Ground ,, Sea Level II5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.0I			~	.05	.I5			.29		.06		1
2	.0I			~		~	~			.I6	.07	.08		2
3					.06		~			.85	.I9			3
4					~		.03	.55		.24		.20		4
5							.22			.25	.0I	~		5
6	.09					~	.2I		.06	.07	.06	.09		6
7	.I0					.05	.40	~	.I7	.I5	~	.I3		7
8	.09					.0I	.03	.08		.32	.0I	.05		8
9	.06	.04					~			.02		.89		9
10	.03					.52	.05	.09		~	.07	.35		10
11	.I7						.0I				.I6	.I9		11
12	.47				.I4					.I3	~	.06		12
13	.38				~					.I9	.38	.66		13
14	.52				.07		.I4							14
15	.24	~			.0I		.29			.35	.07	.40		15
16	.32	~	.04					.02		.05	.02	.07		16
17	.0I	.I5	.02		.I2				.I5	.2I	.0I	~		17
18	.II				.2I	.05		.0I	.II	.0I	.35			18
19	.0I							.09	.20		.7I	~		19
20											.55	~		20
21	.04							.I4	.II		.08	.09		21
22	.04			~		~		.38			.42	.06		22
23									.08		.I2			23
24			.I7						.I3		.25			24
25	.I5	.2I	.03		.I3		~	.07		.03	I.34	.05		25
26	.3I	.24			.08	~	.04		.0I	.04	~	.24		26
27	.09	.02			.06	.25	.39	.05		~	.29			27
28	.07	.II			.I0	.07		.55	.I7		.07	.03		28
29	.0I	✕			.33				.26	.I0	.30	.05		29
30	.02	✕			.I2		~		.47	.0I	.I2			30
31	.I9	✕		✕	.I8	✕			✕	.I5	✕	.36		31
													Year's Total	
TOTAL	3.53	.78	.26	- -	I.6I	I.00	I.96	2.03	I.92	3.62	5.65	4.II	26.47	
* Days with .01 in. or more.	24	7	4	- -	I3	7	I2	II	I2	20	23	I9	I52	
* Days with .04 in. or more.	I8	5	2	- -	I2	6	9	9	II	I6	I9	I8	I25	

~ indicates trace
red " snow.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Thos. Blanchard

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. I586.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

850I97/28.

Kept at The Laurels, Parkstone,

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground I ft. – in.

,, Ground ,, Sea Level II5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			.06	.I3	.07		.I4	⁓	.29		.0I	.05		1
2			.0I	.I6	⁓			.45	2.23		.I5	.05		2
3	.57			.47			⁓	.09			.32	.25		3
4	.02		.46	.II	.I5		.36	.23	.I0	.36	.03	.03		4
5			.05	.I8	.27		.I4	.08		.38	.67	.04		5
6	.72		.08	⁓			.67	.02		.04	.26			6
7	.0I	.22					.0I			⁓	.3I			7
8	⁓	.I2	.09				.04	.0I		.6I	.I9	.40		8
9	.03	.02	.02					.08		.I7	.50	.26		9
10	.33		.0I			.0I		.24	.I0	.26	.09	.22		10
11			.I8			⁓				.39	.0I	⁓		11
12		.0I				.0I				.0I	.0I			12
13		⁓		.06		.0I	.28			I.83	.03	.04		13
14	.79		⁓		.02	.0I	.I6		⁓	.20	.38	.I8		14
15	.23				.I9	.7I	.06		.0I	.I8	.27	.02		15
16	.45		.02	.09	.05	.07	.I0			.02	.30	⁓		16
17	.27	.08	⁓		.23	.0I	.02			.2I	.06	⁓		17
18	.II		.0I		⁓	.05	.57				.42	⁓		18
19	.40						.03				⁓	.08		19
20	.4I					.I2	.07	✓ 2.00						20
21	.05	.22	.04	⁓		.II	.I4		⁓	⁓				21
22	.34	.26	.06			.38	.08		.02		.I9			22
23	⁓		⁓	.I5		.02	.06				I.03			23
24	.64			.04		.35	.24	.09						24
25	.85	.I9	⁓	.09			.07			.I6	.43			25
26	⁓	.02	⁓	⁓		⁓		⁓		.09	.29			26
27		.I6	.02	⁓		⁓	⁓			.02	.07			27
28		.34	.0I			.02	.2I				.36	.I8		28
29				.03			.65			.08	.0I			29
30		✕		.48				.27		.22	⁓			30
31		✕		✕		✕		.I4	✕	.78	✕			31
TOTAL	6.22	I.64	I.I2	I.99	.98	I.88	4.I0	3.70	2.75	6.0I	6.39	I.80	Year's Total 38.58	
* Days with .01 in. or more.	I7	II	I5	I2	7	I4	2I	I2	6	I9	25	I3	I72	
* Days with .04 in. or more.	I4	8	8	II	6	7	I8	I0	4	I6	I9	II	I32	

† Spare column, no entries required.

(Signed) Frank. Blanchard [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1586. ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40. 850197/28.

Kept at The Laurels, Parkstone,

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					~						·20			1
2		·18		~			~				·48	~		2
3	·04	·49		·16			~			·42	·70	·19		3
4	·05	·07		·02			·08			·31	·09	·02		4
5		·02					·04			·01	·47	·24		5
6	·43	·42					·04			·38	·03	·12		6
7	·06	·11		~						·12				7
8	·02			·02			·09		~	·52	·07	·28		8
9							·08	~	·02	·26	·61	·18		9
10							1.37	·06	·01	·10	·09	·18		10
11		~		·02			·03				·96	·02		11
12		~	·20				·18		·51	·03	·02			12
13		~	·58	·02			·10		·02	·11	1·38			13
14			·15	·04	·02		·21		·18	·47		·64		14
15		~		·08	·22	·01	·57		·11	·10	·41	·02		15
16		·94	·41	·05		·01	~		·06	·71	·99	·04		16
17		·01	·56				·01		~		1.02			17
18	·07	·40	·53	·14			·02		·04	·16	·04	·06		18
19		·06	·02	·20			·02	~	·46		·46			19
20			·02	~					·01	·16	·05	·01		20
21		~			·22		~		~		·35			21
22			·04			·16	~		·13	·01				22
23		·05	·26	·07			~				·06			23
24			·35				·45							24
25	~		·03	·08	·01		·01				~			25
26	1.48	·42		~	·13		·07			·01				26
27	·56	·23		·03	·28		·13							27
28	·51	·04	~		·32					·06				28
29	·57	·53	·16	·18		~				·03		·20		29
30	·12	✕	·02	·08						·24		·11		30
31	·05	✕	~	✕	~	✕			✕	·55	✕	·34		31
													Year's Total	
TOTAL	3.96	3.97	3.33	1.19	1.20	·18	3.50	·06	1.55	4.76	8.48	2.65	34.83	
* Days with .01 in. or more.	12	15	14	15	7	3	18	1	11	21	20	16	153	
* Days with .04 in. or more.	11	13	10	10	5	1	13	1	7	16	18	12	117	

* See Instruction 3 (f) on other side.

Red = Snow
~ = Trace

† Spare column, no entries required.

(*Signed*) John K. Blanchard

[P.T.O.

Section **A** for the entry of

AIR MINIST

FALL ORGANIZATION

Station No. 1586/3

Form 1090

REGIS

939

1586/3

CHARMINSTER

EAST HILL HOUSE

1939-40

780304

Kept at Charminster

in the County of Dorset

Diameter of Funnel of Gauge......

Height of top of Gauge above Gr

,, Ground ,, Sea

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1												·15		1
2												·11		2
3												·22		3
4												·20		4
5												·03		5
6												-		6
7												1.80		7
8												·07		8
9												·38		9
10												·12		10
11												·02		11
12												-		12
13												·30		13
14												·13		14
15												·05		15
16												-		16
17												-		17
18												-		18
19												·08		19
20												·02		20
21												-		21
22												-		22
23												-		23
24											#	-		24
25											·75	-		25
26											·30	-		26
27											·13	-		27
28											·42	-		28
29											·04	-		29
30		✕									·03	-		30
31		✕		✕		✕			✕		✕	-		31 mp
TOTAL												3·68	Year's Total	mp
* Days with .01 in. or more.												15		8/5/40
* Days with .04 in. or more.												12		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Mrs S. W. Blacker [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1586/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Charminster (East Hill Ho.)

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level c. 250 ft. — from map

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												·15		1
2												·11		2
3												·22		3
4												·20		4
5												·03		5
6												-		6
7												1.80		7
8												·07		8
9												·38		9
10												·12		10
11												·02		11
12												-		12
13												·30		13
14												·13		14
15												·05		15
16												-		16
17												-		17
18												-		18
19												·08		19
20												·02		20
21												-		21
22												-		22
23												-		23
24												-		24
25											# ·75	-		25
26											·30	-		26
27											·13	-		27
28											·42	-		28
29											·04	-		29
30		✕									·03	-		30
31		✕		✕		✕			✕		✕	-		31
TOTAL												3·68	Year's Total	
* Days with .01 in. or more.												15		
* Days with .04 in. or more.												12		

8/5/40

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Mrs S. W. Blacker [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1586/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at CHARMINSTER East Hill Ho.

in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft........in.

,, Ground ,, Sea Level 250 ft.

np mp f. 230592/32

1939

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	.05	–	(.40)	–	–	–				.20			1
2	–	.37	–	–	–	–	.02				.48	.07		2
3	–+	.66	–	–	–	–	–			.20	.85	.30		3
4	.29	.08	–	–	–	–	.08			.45	.30	.03		4
5	–	.04	–	–	–	–	–			.47	1.01	.38		5
6	.33	.79	–	–	–	–	.03			.43	.04	.10		6
7	.03	–	–	–	–	–	–			.09	–	–		7
8	–	–	–	–	–	–	–	.04		.63	.35	.40		8
9	–	–	–	.02	–	–	.76			.23	.72	.18		9
10	–	–	–	–	–	–	.95	.03	.03	.04	.10	.09		10
11	–	–	.03	–	–	–	–+	–	–	–	1.23	.02		11
12	–	–	.40	.02	–	–	.28	–	–	.03	.06	–		12
13	–	–	.78	–	–	–	.20	~~.58~~	.58	.28	1.37	.11		13
14	–	–	.34	.06	.18	–	.21	~~.38~~	.38	.36	.04	.97		14
15	–	.10	–	.02	1.35	.02	.11	~~.19~~	.19	.50	.60	.03		15
X 16	–	.34	.54	.08	–	–	.03	~~.06~~	.06	2.28	.73	.05		16 X
17	–	.60	.55	–	–	–	.11	–	–	–	.73	–		17
18	–	.54	.34	.35	–	–	–	~~.07~~	.07	.13	.04	1.10		18
19	–	(.05)	.06	.30	–	–	.20	~~1.77~~	1.77	–	.62	–		19
20	–	–	.02	–	–	–	–	–	–	.46	.06	–		20
21	–	.03	–	–	.45	–	–	–	–	–	.78	–		21
22	–	–	.10	.06	–	.36	–	~~.26~~	.26	–	–	–		22
23	–	.03	.32	.08	–	–	–	~~.14~~	.14	.02	.06	–		23
24	–	–	–	–	–	–	–			–	–	–		24
25	–	–	.21	.04	–	–	.25			–	–	–		25
26	1.00	.94	–	–	.14	–	–			–	.02	–		26
27	.95	.25	–	–	.42	–	.05			–	–	–		27
28		.50	–	–	.02	–	–			.02	–	–		28
29		.10	.37	.73	–	–	–			.05	–	.15		29
30	.30	×	–	.06	–	–	–			.70	–	.45		30
31	.15	×	.05	×	–	×	–		×	.75	×	.15		31
TOTAL	3.05	5.47	4.11	2.22	2.56	.38	3.28	.04	3.$\overset{4}{3}$8	8.12	10.39	3.58	Year's Total	Prob WH.
* Days with .01 in. or more.	9	17	14	13	6	2	15	1	9	20	22	17	46.68	145
* Days with .04 in. or more.	8	15	12	10	5	1	12	1	8	17	20	14	123	

2.40

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

O

(*Signed*) ....

P.T.O.

CHARMINSTER (BROO

1586/5

CHARMINSTER

BROOKLANDS

1936 — 40

780304

Section A for the entry o
AIR MINIST

Station No. 1586/5

FALL ORGANIZATION.

FORM 1090.

REGI

1936.

Kept at Brooklands

in the County of Dors

Diameter of Funnel of Gauge......

Height of top of Gauge above Gr

,, Ground ,, Se

ted by comparison

79 · 1578 1579/5 .

592090/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·76

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·47	·15	·06	·62			(·17)	·16			·49	·03		1
2	·26		·01	·47		·50					·06			2
3	–			·04		·02	10 20	·06			·03			3
4	–			·45		(·08)	·14	·05	·50		·44	·01		4
5	–		·28						·30			+		5
6	·41		·04		·03				·28		·08	✓·11		6
7	·21		·02			·01	·05		·38		·81	✓		7
8	·05		·45				·38				×	·02		8
9	·70		1·15				·17				×·63			9
10	·42		·51				·30		·23					10
11	·28	×				·06	·09				·18			11
12	·33	×·17				·05	·02		·08		1·06			12
13		–·15		·06		·32	·57		·09		·11			13
14	·05			tr		·13	·23	·04			·22	·89		14
15		·04					·44		×	·03	·03	·85		15
16	·02	·05				–	·01		×·32	·01	42	·47		16
17		·36		·09	·31	–	·20		·03	·02	·22	·27		17
18	·03	1·18				(·17)	·31		·01		·05	·75		18
19	·13	·25					·48			·03		·29		19
20	·60	·08	·03	20		·29		·08				tr		20
21	·05	·26	·12	·17		·38	·09		·70					21
22		·28	·14	·46		·02								22
23	·24	·32	·70				·34			·03		·02		23
24	·07	–	·01	·25	·09		·28			·09				24
25	·25	·04	·09	·02	·09				·06	·45				25
26	·10	–	·43	·20					·04	·47				26
27	·39	·18	·17						·02	·23				27
28	·43	·51	·17				·22		·03	·18				28
29	1·01	·01	·85			·02	·62		·01	–		·43		29
30	·02	·06 ×	·06			·08	·12			·09	·05	–		30
31	·22	×	–	×		×			×	·14	×	·76		31
TOTAL	6·42 ·15 ·24 ~~6·80~~	3·94 ~~4·03~~	5·62 5·83 ~~5·29~~	2·43 ~~3·13~~	·52	2·13	·169 ~~5·42~~	·23 ~~·39~~	3·08	149 ~~1·77~~ 2·26	4·02 ~~4·51~~	4·90 ~~4·19~~	Year's Total 41·27 ~~41·21~~	
* Days with .01 in. or more.	24	16	19	~~13~~ 11	4	14	23 ~~22~~	4 ~~8~~	17	~~12~~ 13	~~17~~ 16	~~13~~ 15	176	
* Days with .04 in. or more.	21	15	15	~~11~~ 10	3	11	21 ~~20~~	4 ~~5~~	12	~~7~~ 8	~~15~~ 14	~~8~~ 9	143	

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) K. P. Druce [P.T.O.

K.P. DRUCE ESQ

CHARMINSTER (BROOK

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1586/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Brooklands Charminster

in the County of Dorset /3

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 200 ft.

W.D. adjusted by comparison with sts No 1579 · 1578 1579/5.

f. 592090/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·76

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·47	·15	·06	·62			(·17)	·16			·49	·03		1
2	·26		·01	·47		·50					·06			2
3	–			·04		·02	10 20	·06			·03			3
4	–			·45		(·08)	·14	·05	·50		·44	·01		4
5	–		·28						·30			x		5
6	·41		·04		·03				·28		·08	·11		6
7	·21		·02			·01	·05		·38		·81			7
8	·05		·45				·38				x	·02		8
9	·70		1·15				·17				x·63			9
10	·42		·51				·30		·23					10
11	·28	x				·06	·09				·11			11
12	·33	x·17				·05	·02		·08		1·06			12
13		·15		·06		·32	·57		·09		·11			13
14	·05			tr		·13	·23	·04			·22	·89		14
15		·04					·44		x	·03	·03	·85		15
16	·02	·05				–	·01		·32	·01	·12	·47		16
17		·36		·09	·31	–	·20		·03	·02	·22	·27		17
18	·03	1·18				(·17)	·31		·01		·05	·75		18
19	·13	·25					·48			·03		·29		19
20	·60	·08	·03	20		·29		·08				tr		20
21	·05	·26	·12	·17		·38	·09		·70					21
22		·28	·14	·46		·02								22
23	·24	·32	·70				·34			·03		·02		23
24	·07	–	·01	·25	·09		·28			·09				24
25	·25	·04	·09	·02	·09				·06	·45				25
26	·10	–	·43	·20					·04	·47				26
27	·39	·18	·17						·02	·23				27
28	·43	·51	·17				·22		·03	·18				28
29	1·01	·01	·85			·02	·62		·01	–		·43		29
30	·02	·06 ✕	·06			·08	·12			·09	·05	–		30
31	·22	✕	–	– ✕		✕			– ✕	·14	✕	·76		31
TOTAL	6·42 ·15 (24) ~~6·80~~	3·94 ~~4·03~~	5·62 5·85 ~~5·29~~	2·43 ~~3·13~~	·52	2·13	·169 5·48	·23 ~~·39~~	3·08	1·49 ~~1·77~~ 2·26	4·02 ~~4·51~~	4·90 ~~4·19~~	Year's Total 41·27 ~~41·21~~	
* Days with .01 in. or more.	22	16	19	~~12~~ 11	4	14	23 ~~22~~	4 ~~8~~	17	~~12~~ 13	~~17~~ 16	~~13~~ 15	176	
* Days with .04 in. or more.	21	15	15	~~11~~ 10	3	11	21 ~~20~~	~~45~~	12	~~7~~ 8	~~15~~ 14	~~8~~ 9	143	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

N

(*Signed*) K. P. Druce [P.T.O.

K.P. DRUCE ESQ

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1586/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

592090/36

Kept at Brooklands Charminster

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·47

Mar Feb Please read the Notes and Instructions Overleaf.

Date	Jan.	~~Feb.~~	~~Mar.~~	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·06					·17		·05		1·39	·45		1
2		·51				·32			·46	·03	·14	·24		2
3		·01				·01				·65	·09	·04		3
4						·22			·20	1·09	·44			4
5		·04		·13		·25			·18	·05	·15	·07		5
6	·04	·03	·75	·04		·22			·26	·02		·04		6
7				·40		1·78					·16	·10		7
8				·48						·45	·19			8
9				·35					·12	·14				9
10				·97		·18			·01	·98		·23		10
11	·67	·31				·04								11
12	·31	·10	·02			·45			·01					12
13			·10			·34			·21	·02	3·10			13
14	·11			·19	·05	·26			·04	·03	·13			14
15			·04	·21	·03	·10			·07	·01	·90	·46		15
16			·10	·97	·13	·06			·31		·73			16
17		·10	·07	·06		·07			·34		1·72	·12		17
18				·17	·94	·31		·11	·03		·08			18
19			·05	·58		·08			·74	·05		·10		19
20			·05	·06	·37	·08	·22		·30		·45			20
21			·54	·17	·24	·02	·02		·02		·32			21
22		·01	·66	·08					·08					22
23		·04	·07					·17						23
24		·15	·03		·17			·18		·45		·33		24
25	·06		·64		·04			·72	·88	·22				25
26	·18		·21	·07	·04									26
27			·48					·32	·12		·02			27
28			·42					·03	·21	·03	·17	3·00		28
29								·22	·07	·01	·08	·21		29
30		✕						·15	·21	·02	·02	·62		30
31	·03	✕	–	✕	–	✕	–	1·32	✕	·42	✕	1·14		31
TOTAL	·06 ~~1·40~~ 1·46	~~1·36~~ 1·30	4·23	4·93	1·95	·17 4·96 ~~4·79~~	·24 ~~·41~~	·05 3·27 ~~3·22~~	4·88 ~~4·93~~	1·39 6·16 ~~4·67~~	·45 9·27 ~~10·22~~	·47 7·17 ~~7·15~~	Year's Total ~~49·26~~	49·82
* Days with .01 in. or more.	7	11	16	16	9	18	3	9	23	18	22 ?	17 ?	169	
* Days with .04 in. or more.	6	8	14	16	8	16	2	8	19	10	19 ?	17 ?	143	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) R. P. Druce

[P.T.O.

N

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1586/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Charminster

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·04		·28							·36	·31		1
2		1·43		·18					·05		·12	1·40		2
3		·43	·12	·06	·01				·15			·31		3
4	·43	·89						·01						4
5	·18 ~~·43~~	✗	·03				·25					·27		5
6	·14 ~~·18~~	✗		·29			·36							6
7	~~·44~~	1·28 ✗		·02	·18					·12				7
8		✓			·66		tr					·38		8
9			·57	·23	·24		·21				·34	·12		9
10	·17	·01	·74	·20	·25	·51			·54					10
11	·07		·65	·11	·55		·51					·58		11
12	·82	·26	·13	·08	·04	·30		·58						12
13	·16	·04	·86	·16				·26	·21			·38		13
14	·02	·04	·19			·01		·08	·19			·06		14
15	·33	·36		·65			2·35		·14			·04		15
16	·11	·08	·93	·10				·38	·11			·16		16
17	·86	·05	·58				·12		1·19					17
18	·15	·07							·19		·55			18
19	·18	·06	·07	·39	·09		·02				·12	·26		19
20	·29	·07	·11	·28	·04							·08		20
21	·43	·41		·04			·03					·62		21
22	·22	·01	·10		·75		✗ ✓		·04		·74	·20		22
23	·32	·30					·29		·18	·98	·53	·21		23
24	·37	·70								·38	·03			24
25	·28	·45	·32		·75				·04	1·14				25
26		·42	·02		·58				·05	·42		·16		26
27	·04	·36		·02						·07				27
28	·38	·03								·58				28
29	·03					·07				·27				29
30	·56	✕				·03				·95	·08 G			30
31	·21	✕		✕		✕			✕	·16	✕			31
TOTAL	6·85	7·79	5·42	3·09	4·14	·93	4·18	1·32	3·08	5·07	2·87	5·54	Year's Total 50·28 ✓	
* Days with .01 in. or more.	24	~~23~~ 26	15	15	12	5	~~8~~ 10	5	13	10	9	17	~~157~~	161 ✓
* Days with .04 in. or more.	22	~~20~~ 22	13	14	11	3	7 ✓	4	13	10	8	17	~~142~~	144

† Spare column, no entries required.

(*Signed*) H. P. Druce

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1586/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Brooklands Charminster

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

,, Ground ,, Sea Level 200 ft.

Aus Totals

corr. for Part W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												·05		1
2	·02	·03	·12			·14	·08	~~·50~~		·62		·17		2
3					·13		·02			·14	·16			3
4							·14	·50		1·19	·44	·35		4
5	·01						·07			·14	·02			5
6	·12					·07	·41		·09	·39	·08	·10		6
7	·36					·12	·40	·08	·18	·20		·11		7
8	·26					·07	·03	·02		·08		·04		8
9	·14	·11						·91		·49		·69		9
10	·10	·03				·08	·04					·46		10
11	·14							·03			·34	·41		11
12	·58				·25					·28	·04	·05		12
13	·32						·01				·32	·55		13
14	·69				·06		·51							14
15	·39		·01		·07		·30				·05	·39		15
16	·45		·03					·05		·77				16
17		·18	·02		·17				·46		·15			17
18	·22				·02	·05		·07	·20		·47			18
19								·13	·37		·83			19
20											·44			20
21	·05							·08	·08		·20			21
22	·02			·09				·41		·10	·60	·23		22
23	·01										·06			23
24			·24				·01	·04	·20		·52			24
25	·28	·33	·04		·27		·19	·05			1·47			25
26	·34	·40			·34	·02				·03		·40		26
27	·18				·04	·36	·93	·17		·12	·81			27
28	·06				·06	·12		·67	·10			·01		28
29	·02				·45				·42	·30	·49	·04		29
30	·04	✕			·15	·04	·09		·43		·10			30
31	·28	✕		✕	·26	✕			✕	·45	✕	·39		31
TOTAL	5·08	1·08	·46	·09	2·37	1·07	3·23	3·21	2·53	5·30	7·59	4·44	Year's Total 36·45	✓
* Days with .01 in. or more.	24	6	6	1	13	10	15	14	10	~~15~~ 19	20	~~17~~ 18	156	✓
* Days with .04 in. or more.	19	4	2	1	12	9	11	12	10	~~14~~ 16	19	~~16~~ 17	132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T L P. Druce

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1586/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Brooklands Charminster

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13		·12	·02	·06			·08	·14		·01	·12		1
2				·47				·47	·65		·10	·08		2
3	·73		·04	·45				·14			·09	·24		3
4			·15	·19	·43		·16	·41	·34	·80	·17	·19		4
5				·18	·11		·58	·03		·37	·90			5
6	·57		·51				1·52	·17		·03	·51			6
7		·72					·03	·01		·18	·62	1·41		7
8		·30	·12				·09	·02		·90	·49	·31		8
9	·15	·01	·06					·24		·29	·09	·41		9
10	·29		·02					·30	·09	·30	·07	·11		10
11		·03	·20	≠						·69				11
12		·01				·07				·06	·05			12
13		·01		·11		·03	·46		·06	1·73	·04	·20		13
14	·96			·02	·02	·01	·26		·09	·22	·55	·24		14
15	·31				·10	1·67	·43		·01	·09	·53	·02		15
16	·21			·12		·02	·33			·03	·13			16
17	·38	·08			·03		·33			·17	·09			17
18	·12		·02			·20	·49				·65	·03		18
19	·65						·03	·03				·06		19
20	·49					·07	·17	·64				·02		20
21	·01	·45	·07			·11	·19							21
22	·53	·39	·11			·37	·37				·71			22
23				·21		·01					1·79			23
24	·62			·05		·40	·31			·01				24
25	·75	·10		·01			·02	·11		·08	·57			25
26		·07						·20		·21	·46			26
27		·46	·01				·08			·05	·15			27
28		·15	·04			·05	·53			tr	·42	·26		28
29			·03	·04		·09	·39			·15	·04			29
30		✕	·01	·35		·07				·27	·03			30
31		✕	tr	✕		✕	·01	·05	✕	·86	✕			31
													Year's Total	
TOTAL	6·90	2·78	1·51	2·02	·75	3·17	6·78	2·90	1·39	7·49	9·26	3·70	48·65	✓
* Days with .01 in. or more.	16	13	15	13	6	14	21	15	7	21	25	15	181	✓
* Days with .04 in. or more.	15	9	10	11	4	10	17	11	6	18	23	12	146	✓

† Spare column, no entries required

*See Instruction 3 (f) on other side.

(*Signed*) K. P. Druce

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1586/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Charminster

in the County of Dorset

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground — ft. 10 in.

„ Ground „ Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·19			1
2		·35					·01				·53	·04		2
3		·67		·39			·			·18	·91	·28		3
4	·04						·08			·42	·17	·03		4
5	·54									·12	1·08	·38		5
6	4	·90								·44	·03	·11		6
7	·09									·11		·01		7
8				·01			G			·63	·31	·29		8
9							·21	·06	·03	·19	·80	·27		9
10							1·40	·03		·03	·10	·07		10
11							·22				1·23	·03		11
12			·38				·27		·59		·07			12
13			·67				·12		·02	·27	1·52			13
14			·16	·07	·12		·09		·38	·41		1·06		14
15		·05			1·48	·02	·22		·18	·40	·66	·02		15
16		·60	·52	·10			·06		·07	2·14	·74	·04		16
17		·39	·57				·08		·01		·71	·07		17
18		·65	·40	·35			·02		·01	·11	·03			18
19			·08	·30			·23		1·70		·61			19
20	·05	·06	·01	·02						·46	·05			20
21		·02	·08		·41						·80			21
22				·06		·34			·24	·01				22
23			·34	·07	G				·03		·04	·01		23
24			·01		·01		·17							24
25	·06		·19	·05										25
26	1·46	1·01	G		·14									26
27	·41	·25			·41									27
1·83 28	·43	·21			·02					·01				28
29	·35	·59	·32	·67		·03				·04		·31	~~·31~~	29
30	·12	✕	·03	·09						·64		·12	~~·12~~	30
31		✕	·05	✕		✕			✕	·81	✕	·48	~~·48~~	31
TOTAL	3·55	5·75	3·81	2·18	2·59	·39	3·18	·09	3·26	7·42	10·59	3·62	Year's Total 46·43	
* Days with .01 in. or more.	10	14	15	12	7	3	14	2	11	19	20	18	145	
* Days with .04 in. or more.	10	13	12	10	5	1	12	1	6	16	18	14	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) K. P. Druce

[P.T.O.

1587

Section **A** for the entry of D
AIR MINISTRY.
LL ORGANIZATION.

FORM 1091.

REGIST

31 .

1587
BRANKSOME PARK
LEICESTER ROAD
1931 . 32
780304

Kept at Leicester Rd Branks
in the County of Dorset

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	0.1	—	5.6	—	5.7	0.1	0.7	6.9	—	—	—	1
2	6.0	1.2	—	10.9	—	0.3	—	1.5	13.7	—	—	7.6	2
3	5.5	—	18.3	0.6	—	t	0.2	0.7	4.8	—	9.5	4.3	3
4	—	—	0.1	—	1.8	4.5	5.2	5.1	4.9	0.2	1.6	—	4
5	—	4.1	—	4.7	—	15.2	1.2	—	—	0.2	1.5	2.7	5
6	—	4.6	—	7.6	2.1	3.4	—	0.1	2.5	12.7	6.7	2.5	6
7	—	t	—	—	9.9	4.5	—	14.7	—	0.7	8.7	0.8	7
8	0.3	4.5	—	2.5	—	7.2	—	0.5	—	—	4.2	3.3	8
9	—	5.1	0.5	0.2	—	2.4	0.9	—	—	—	25.9	0.1	9
10	0.2	0.1	0.1	—	—	3.8	0.1	t	—	t	16.3	—	10
11	2.4	8.4	—	—	0.1	1.1	0.5	t	0.4	—	9.5	—	11
12	—	0.3	—	—	—	t	0.2	—	1.4	—	t	—	12
13	t	—	—	—	—	0.1	0.2	—	—	0.3	—	—	13
14	0.1	3.0	—	—	—	4.0	39.8	1.0	0.2	—	0.2	—	14
15	0.3	0.6	—	—	2.1	—	—	2.2	0.1	—	—	1.0	15
16	—	0.5	—	1.8	4.6	3.9	—	0.5	3.2	—	—	—	16
17	—	3.6	—	2.0	—	—	15.0	—	0.3	—	—	—	17
18	1.0	t	0.4	0.5	—	0.7	3.3	24.5	—	0.1	11.9	—	18
19	2.2	—	—	2.2	—	1.9	1.0	2.8	—	—	—	—	19
20	—	2.1	4.1	0.1	—	—	—	8.2	—	—	0.3	—	20
21	1.3	0.1	—	—	9.0	—	—	—	—	—	3.0	—	21
22	9.4	0.1	5.1	4.6	0.7	—	—	—	—	—	0.2	—	22
23	6.5	—	—	2.5	16.3	0.3	—	—	—	—	7.6	t	23
24	0.7	—	—	7.8	3.0	5.4	11.0	16.3	—	—	0.1	—	24
25	2.6	0.1	—	7.9	1.8	—	11.1	—	—	—	3.4	—	25
26	—	0.9	—	2.4	—	—	12.7	—	—	—	7.8	—	26
27	4.9	8.7	—	—	26.0	—	0.6	—	—	0.1	0.7	—	27
28	1.0	1.9	—	—	0.4	—	—	—	—	—	0.1	1.0	28
29	1.1	×	2.7	0.1	1.0	—	1.9	1.1	—	0.2	1.6	—	29
30	t	×	1.7	0.1	—	—	0.1	2.8	1.2	—	0.5	—	30
31	11.7	×	—	×	5.3	×	t	t	×	—	×	2.9	31
TOTAL	58.2	50.0	33.0	64.1	84.1	64.4	105.1	82.7	39.6	14.5	121.3	26.2	YEAR'S TOTAL 745.2
Days with 0·2 mm. or more.	17	15	7	16	14	16	16	15	11	6	20	9	162
Days with 1·0 mm. or more.	13	11	5	13	12	13	10	11	8	1	15	8	120
(144W)	2.29	1.97	1.30	2.52	3.31	2.54	4.14	3.26	1.56	.57	4.78	1.03	29.27

40-9999

(Signed) D. Fayle

[P.T.O.

1587

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1931 .

Kept at Leicester Rd Branksome Park Bournemouth

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 130 ft.

~~Comfort~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	0·1	—	5·6	—	5·7	0·1	0·7	6·9	—	—	—	1
2	6·0	1·2	—	10·9	—	0·3	—	1·5	13·7	—	—	7·6	2
3	5·5	—	18·3	0·6	—	—	0·2	0·7	4·8	—	9·5	4·3	3
4	—	—	0·1	—	1·8	4·5	5·2	5·1	4·9	0·2	1·6	—	4
5	—	4·1	—	4·7	—	15·2	1·2	—	—	0·2	1·5	2·7	5
6	—	4·6	—	7·6	2·1	3·4	—	0·1	2·5	12·7	6·7	2·5	6
7	—	t	—	—	9·9	4·5	—	14·7	—	0·7	8·7	0·8	7
8	0·3	4·5	—	2·5	—	7·2	—	0·5	—	—	4·2	3·3	8
9	—	5·1	0·5	0·2	—	2·4	0·9	—	—	—	25·9	0·1	9
10	0·2	0·1	0·1	—	—	3·8	0·1	t	—	t	16·3	—	10
11	3·4	8·4	—	—	0·1	1·1	0·5	t	0·4	—	9·5	—	11
12	—	0·3	—	—	—	t	0·2	—	1·4	—	t	—	12
13	t	—	—	—	—	0·1	0·2	—	—	0·3	—	—	13
14	0·1	3·0	—	—	—	4·0	39·8	1·0	0·2	—	0·2	—	14
15	0·3	0·6	—	—	2·1	—	—	2·2	0·1	—	—	1·0	15
16	—	0·5	—	1·8	4·6	3·9	—	0·5	3·2	—	—	—	16
17	—	3·6	—	2·0	—	—	15·0	—	0·3	—	—	—	17
18	1·0	t	0·4	0·5	—	0·7	3·3	24·5	—	0·1	11·9	—	18
19	2·2	—	—	2·2	—	1·9	1·0	2·8	—	—	—	—	19
20	—	2·1	4·1	0·1	—	—	—	8·2	—	—	0·3	—	20
21	1·3	0·1	—	—	9·0	—	—	—	—	—	3·0	—	21
22	9·4	0·1	5·1	4·6	0·7	—	—	—	—	—	0·2	—	22
23	6·5	—	—	2·5	16·3	0·3	—	—	—	—	7·6	t	23
24	0·7	—	—	7·8	3·0	5·4	11·0	16·3	—	—	0·1	—	24
25	2·6	0·1	—	7·9	1·8	—	11·1	—	—	—	3·4	—	25
26	—	0·9	—	2·4	—	—	12·7	—	—	—	7·8	—	26
27	4·9	8·7	—	—	26·0	—	0·6	—	—	0·1	0·7	—	27
28	1·0	1·9	—	—	0·4	—	—	—	—	—	0·1	1·0	28
29	1·1	×	2·7	0·1	1·0	—	1·9	1·1	—	0·2	1·6	—	29
30	t	×	1·7	0·1	—	—	0·1	2·8	1·2	—	0·5	—	30
31	11·7	×	—	×	5·3	×	t	t	×	—	×	2·9	31
TOTAL	58·2	50·0	33·0	64·1	84·1	64·4	105·1	82·7	39·6	14·5	121·3	26·2	YEAR'S TOTAL 745·2
Days with 0·2 mm. or more.	17	15	7	16	14	16	16	15	11	6	20	9	162
Days with 1·0 mm. or more.	13	11	5	13	12	13	10	11	8	1	15	8	120
(144w)	2·29	1·97	1·30	2·52	3·31	2·54	4·14	3·26	1·56	·57	4·78	1·03	29·27

40-9999

(Signed) D. Fayle

[P.T.O.

1587

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1932.

Kept at Leicester Rd. Branksome Park
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level ft.

convert & days.
Estimate days for Sept.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2·3	–	–	3·5	10·6	–	–	4·0	t	0·1	0·3	–	1
2	0·1	–	–	6·3	1·1	–	–	1·1	1·3	0·4	0·3	10·2	2
3	–	–	–	7·5	t	12·2	–	–	12·8	1·6	–	–	3
4	0·1	–	–	–	–	5·8	0·3	–	–	–	1·4	–	4
5	12·7	–	–	–	–	0·2	0·3	–	2·6	–	–	–	5
6	8·5	–	–	3·5	0·2	–	0·1	–	3·8	–	–	–	6
7	–	–	0·2	0·8	–	–	–	–	1·8	7·3	–	0·2	7
8	–	–	11·1	0·6	7·0	–	–	–	15·4	7·5	–	–	8
9	5·7	–	–	4·7	1·3	–	–	t	–	1·0	2·2	–	9
10	7·9	0·6	1·9	6·6	2·7	1·0	–	–	–	5·2	2·8	0·1	10
11	2·4	0·1	t	0·7	0·2	[illegible]	12·6	–	1·2	1·7	–	1·0	11
12	12·5	–	–	0·2	1·1	–	–	0·1	t	2·8	0·1	0·3	12
13	4·4	–	–	4·3	2·7	–	2·0	0·9	–	21·7	t	0·9	13
14	1·9	–	–	0·2	2·2	–	–	0·4	–	–	3·4	–	14
15	2·1	–	–	0·9	11·7	–	–	–	absent from home total fall measured on return	1·3	–	0·6	15
16	2·0	–	–	3·3	0·8	2·5	13·6	–		–	–	0·1	16
17	1·2	–	–	1·2	–	–	–	–		0·3	–	–	17
18	0·5	–	–	–	3·4	–	–	–		–	3·9	–	18
19	t	–		0·5	t	–	–	–		7·2	t	–	19
20	–	–	t	0·5	8·5	–	1·0	3·8		30·2	4·8	2·1	20
21	0·3	–	3·6	0·5	7·6	–	–	t		10·3	1·0	1·6	21
22	0·1	–	0·4	0·5	2·7	–	0·5	6·9		8·0	10·1	–	22
23	0·4	0·1	–	0·3	3·8	0·1	11·1	–		15·3	2·0	1·6	23
24	t	1·2	–	–	0·5	–	25·1	–	20·8	2·0	0·1	0·2	24
25	–	–	–	0·6	–	–	11·0	–		7·8	0·7	0·2	25
26	–	–	3·0	2·2	–	–	2·8	–		0·8	0·6	–	26
27	–	–	7·0	10·2	6·3	4·0	1·8	–		6·8	–	0·5	27
28	–	–	0·7	0·6	1·5	–	3·0	–	–	–	–	1·2	28
29	–	–	9·9	1·4	4·7	7·7	0·1	4·0	13·3	13·0	3·6	3·8	29
30	–	×	7·1	6·7	t	26·5	1·7	–	11·1	–	16·4	4·1	30
31	–	×	0·2	×	0·3	×	1·0	–	×	0·2	×	5·6	31 29·72
TOTAL	2·56 65·1	·08 2·0	1·78 45·1	2·69 68·3	3·19 80·9	2·36 60·0	3·46 88·0	·83 21·2	3·31 84·1	6·00 152·6	2·11 53·7	1·35 34·3	YEAR'S TOTAL 755·2
Days with 0·2 mm. or more.	15	2	11	26	22	8	15	7	14	22	15	16	173
Days with 1·0 mm. or more.	12	2	7	13	17	7	12	5	13	18	11	9	126

(144W)

40-9999

(Signed) W. Fayle

[P.T.O.

1588

Section A for the entry of Daily O

COPY FOR OFFICIAL USE.

AIR MINISTRY.—MET ITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER IN 1931.

1588 ——

Bourne Valley
Gas WKS
1931-40

780304

Kept at Bourne Valley

in the County of Dorse

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREME PREVIOUS DAY.

An observer who does not conform to this rule should insert the readi January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19		·17		·03	·17	·03	·02		1
2	·23	·05		·20				·05	·48		·02	·15	2
3	·25		·69	·05					·35		·30	·28	3
4			·05		·01		·19	·01	·22		·16		4
5		·18		·20		·83	·05				·06	·11	5
6		·05		·25	·10	·12			·06	·51	·27	·25	6
7		·01				·24		·64			·32	·03	7
8		·15		·10		·30		·01			·14	·03	8
9		·19		·01		·05					·83		9
10		·05				·22					·59		10
11	·03	·37					·04		·02		·37		11
12		·01					·05		·05				12
13													13
14		·13				·18	1·57	·08					14
15		·01			·01			·08				·04	15
16		·02		·05		·18		·04	·10				16
17		·16		·15			·50	·95	·05				17
18	·02		·01	·02		·03	·02	·12			·42		18
19	·02			·08		·11	·08	·32					19
20		·08	·15								·02		20
21					·32						·15		21
22	·32		·20								·01		22
23	·30			·10	·56						·31		23
24	·04			·30	·20	·19	·42	·59					24
25	·01			·34	·07		·32				·14	·02	25
26		·05		·10			·52				·28		26
27	·20	·33			·85		·10				·08		27
28	·01	·07			·10								28
29	·05				·05		·10	·03			·07		29
30		×	·05				·07	·10	·05				30
31	·30	×		×	·20	×	·09		×		×	·15	31
TOTAL	1·78	1·91	1·15	2·14	2·47	2·62	4·12	3·05	1·55	·54	4·54	1·06	YEAR'S TOTAL 26·93
*Days with ·01 in. or more.	13	17	6	15	11	12	15	14	10	2	19	9	143
*Days with ·04 in. or more.	8	13	5	13	9	11	14	10	9	1	16	6	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

1588

Section **A** for the entry of Daily O

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bourne Valley Gasworks.
in the County of Dorset.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 84 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19		·17		·03	·17	·03			1
2	·23	·05		·20				·05	·48		·02	·15	2
3	·25		·69	·05					·35		·30	·28	3
4			·05		·01		·19	·01	·22		·16		4
5		·18		·20		·83	·05				·06	·11	5
6		·05		·25	·10	·12			·06	·51	·27	·25	6
7		·01				·24		·64			·32	·03	7
8		·15		·10		·30		·01			·14	·03	8
9		·19		·01		·05					·83		9
10		·05				·22					·59		10
11	·03	·37					·04		·02		·37		11
12		·01					·05		·05				12
13													13
14		·13				·18	1·57	·08					14
15		·01			·01			·08				·04	15
16		·02		·05		·18		·04	·10				16
17		·16		·15			·50	·95	·05				17
18	·02		·01	·02		·03	·02	·12			·42		18
19	·02			·08		·11	·08	·32					19
20		·08	·15								·02		20
21					·32						·15		21
22	·32		·20								·01		22
23	·30			·10	·56						·31		23
24	·04			·30	·20	·19	·42	·59					24
25	·01			·34	·07		·32				·14	·02	25
26		·05		·10			·52				·28		26
27	·20	·33			·85		·10				·08		27
28	·01	·07			·10								28
29	·05				·05		·10	·03			·07		29
30		×	·05				·07	·10	·05				30
31	·30	×		×	·20	×	·09		×		×	·15	31
													YEAR'S TOTAL
TOTAL	1·78	1·91	1·15	2·14	2·47	2·62	4·12	3·05	1·55	·54	4·54	1·06	26·93
*Days with ·01 in. or more.	13	17	6	15	11	12	15	14	10	2	19	9	~~143~~
*Days with ·04 in. or more.	8	13	5	13	9	11	14	10	9	1	16	6	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) P S G Moore
Bm

[P.T.O.

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bourne Valley Gasworks

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 84 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	-	-	·15	·44	-	-	·11	-	-	·01	-	1
2	·01	-	-	·24	·03	-	-	·03	-	·01	-	·40	2
3	-	-	-	·26	-	·50	-	-	·62	·06	-	-	3
4	·01	-	-	-	-	·28	-	-	-	-	·01	-	4
5	·44	-	-	-	-	-	-	-	·10	-	-	-	5
6	·44	-	-	·15	-	-	-	-	·20	-	-	-	6
7	-	-	-	·10	-	-	-	-	·01	·29	-	-	7
8	-	-	·42	·05	·25	-	-	-	·60	·26	-	-	8
9	·21	-	-	·12	·08	-	-	-	-	·15	-	-	9
10	-	-	·05	·33	·13	·03	-	-	-	·13	·10	-	10
11	-	-	-	·03	·01	-	·42	-	-	·11	-	·05	11
12	·70	-	-	·01	·05	-	-	-	·07	·09	-	·01	12
13	-	-	-	·18	·02	-	·05	·03	-	·89	-	-	13
14	·15	-	-	-	·08	-	-	-	-	-	·05	·03	14
15	·10	-	-	·05	·45	-	-	-	-	·04	·07	·02	15
16	·17	-	-	·14	·20	·12	·89	-	-	-	-	·02	16
17	·05	-	-	·06	-	-	-	-	-	-	-	-	17
18	·02	-	-	-	·18	-	-	-	·04	-	·17	-	18
19	-	-	-	·02	-	-	-	-	-	·31	-	-	19
20	-	-	-	·02	·34	-	·02	·10	-	1·29	·21	-	20
21	-	-	·14	·02	·32	-	-	·01	-	·39	-	·10	21
22	-	-	·02	·01	·15	-	·03	·21	·62	·15	·45	-	22
23	-	-	-	-	·10	-	·41	-	·06	·73	·08	·10	23
24	-	·10	-	-	·05	-	·38	-	·07	·08	-	-	24
25	-	-	-	·03	-	-	·74	-	-	·32	·02	·02	25
26	-	-	·11	·10	-	-	·10	-	-	-	·03	-	26
27	-	-	·26	·34	·25	·16	·01	-	-	·29	-	·01	27
28	-	-	·03	·01	·04	-	·13	-	-	-	-	·04	28
29	-	-	·38	·10	·18	·14	-	·18	·46	·50	·20	·05	29
30	-	✕	·09	·30	-	·62	·03	-	·43	·02	·70	·25	30 d
31	-	✕	·22	✕	-	✕	·03	-	✕	-	✕	·13	31
TOTAL	2·40	·10	1·72	2·82	3·32	1·85	3·24	·67	3·28	6·11	2·10	1·23	YEAR'S TOTAL 28·84
*Days with ·01 in. or more.	~~12~~	~~1~~	~~10~~	~~24~~	~~20~~	~~7~~	~~13~~	~~7~~	~~12~~	~~20~~	~~13~~	~~14~~	~~153~~
*Days with ·04 in. or more.	9	1	8	16	17	6	8	4	11	18	9	8	115

40-9999

(Signed)

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bourne Valley Gasworks.

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 84 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·56	·80	·05									·28		1
2	·39		·67		·18									2
3		·10	·36											3
4	·43		·05		·15									4
5	·07		·28		·03									5
6		·18	·01		·23					·04	·04			6
7	·03	·02	·02		·02					·17		·02		7
8			·02		·04		·24							8
9					·02		·25			·01				9
10		·07					·16			·20				10
11	·10					·45		·10						11
12				·03	·01				·68					12
13						·01	·42		·04	·20	·05			13
14							·01	·01		·20	·50			14
15	·31		·30				·05	·30		·23	·04			15
16			·70			·05			·04	·05				16
17		·10	·40			·04		·07	·01					17
18	·15		·13			·09					·01			18
19			·12					·02	·70		·10	·06		19
20		·10	·01						·03					20
21					·01			·39		·04	·01			21
22						·44		·18	20	·06				22
23		·08		·50		·10			·30	·12				23
24		1·50		·30						·02				24
25		·50		·34					·13			·11		25
26		·52		·10	·02							·01		26
27					·76		·03		·01	·14		·50		27
28				·10			·47					·01		28
29	·10						·04		·01			·01		29
30	·04	X	·10				·01		·08			·11		30
31	·20	X	·06	X		X			X		X			31
													Year's Total	
TOTAL	2·38	3.97	3·28	1·37	1·47	1·18	1·68	1·07	2·23	1·48	·75	1·11	21·97 ✓	
*Days with ·01 in. or more.	11	11	16	6	11	7	10	7	12	13	7	9	120	
*Days with .04 in. or more.	10	10	12	5	5	6	7	5	8	11	5	5	89	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bourne Valley Gasworks
in the County of Dorset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 84 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·	·	·	·	·	·	·46	·	·10	·02	·71		1
2	·50	·	·10	·	·16	·	·	·01	·90	·16	·01	·30		2
3	·03	·	-	·	-	-	·	-	·	·23	·	·28		3
4	·10	-	·10	·	·17	·	·	·	·	·10	·	·28		4
5	-	·	·	·	·02	·	·	·71	·	·	·	·40		5
6	·10	·	·40	·	·20	·	·	·03	·	·38	·35	·62		6
7	·05	·	-	·	·	·	·	·19	·	·10	·	·37		7
8	-	·	-	·	·20	·	·	·01	·02		·76	·03		8
9	·01	·	·10	·	·	·	·	-	·	·	·62	·39		9
10	·05	·	·20	·33	·	·	·	·01	·	·	·22	·15		10
11	·67	·	·48	·20	·	-	·03	·18	·	·	·	·36		11
12	·09	·	·21	-	·	·	·03	·17	·	·	·	·33		12
13	·26	·	·08	·17	·	·	·	·	·	·	·13	·10		13
14	·07	·	·31	·01	·	·	·	·	·	·02	·03	·55		14
15	·02	·	·01	·01	·09	·	·	·	·	·04	·10	·45		15
16	·17	·	·32	-	·03	·	·	·	·	-	-	·26		16
17	·15	·	·01	·14	·	·	·	·	·05	·05	·	·28		17
18	·05	·	·05	·05	·	·	·	·	·02	·	·	·55		18
19	·	·	·27	-	·	·	·	·10	·09	·	·	·16		19
20	·	·	·04	·10	·	·	·	·	·02	·10	·	-		20
21	·	·	·04	·10	·	·16	·01	·30	·01	-	·	·		21
22	·	·	·01	·	·	-	·	·40	·24	·04	·	·20		22
23	-	·01	-	·27	·	·40	·	·01	·09	·02	·	·07		23
24	-	·	·05	·01	-	·02	·	·01	·10	·	·	-		24
25	·30	·	·	·05	·	·	·	·	-	·05	·	·76		25
26	·	·	·	·23	·	·30	·	·	·16	·	·02	·16		26
27	·	·	·	·	·	-	·	·	·	·02	·	·43		27
28	·	·	·	·	·	·10	·	·60	·01	·	·	·46		28
29	·	·	·	·	·	·	·	·26	·21	·01	·02	·01		29
30	·06	×	·	·	·	·	·	·18	·12	·	·	·23		30
31	·	×	·	×	·	×	·	-	×	·	×	·01		31
													Year's Total.	
TOTAL	2·68	·01	2·78	1·66	·87	·98	·07	3·63	2·04	1·42	2·28	8·86	27·28	
* Days with .01 in. or more.	17	1	18	12	7	5	3	17	14	15	11	28	148	
* Days with .04 in. or more.	14	0	15	10	6	4	3	12	9	11	6	25	115	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) P G S Moon

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bourne Valley Gasworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 84 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	·30	-	-	·16	·15	-	·31	·20	·10	·25		1
2	-	-	·	-	-	-	-	-	-	·46	·02	·01		2
3	-	-	·07	-	-	·05	-	-	·17	1·25	·33	-		3
4	·01	·18	·	·20	-	-	-	-	·45	·40	·06	·21		4
5	-	·28	·04	·07	-	·03	-	-	·28	·01	·04	-		5
6	-	·01	·	·22	-	1·11	-	-	-	-	·20	·01		6
7	-	·	·	·34	-	·03	-	-	-	·15	·42	·17		7
8	-	·	·	·28	-	-	·02	-	·10	·42	·65	·04		8
9	·26	·	·	·55	-	·74	-	-	·04	·67	·50	-		9
10	·10	·	·32	·12	-	·08	-	-	-	-	·05	·01		10
11	·25	·	·07	-	-	·26	-	-	-	-	·45	-		11
12	·08	·03	·	-	-	·21	-	-	·09	-	·53	-		12
13	·07	·11	·	·20	-	·10	-	-	·02	-	·04	-		13
14	-	·01	·	·15	·02	·40	-	-	·04	·02	·34	·32		14
15	·	·12	·	·45	·32	·07	-	-	·08	·04	·56	·03		15
16	·	·02	·08	·06	-	·05	-	-	·32	-	1·96	-		16
17	·	·	·	·07	·05	·30	-	·05	·03	-	·14	-		17
18	·	·	·	·37	-	-	·09	-	·51	·03	·01	·02		18
19	·	·02	·	·06	·12	·03	·13	-	·18	·02	·35	-		19
20	·	·45	·	·10	-	·03	·06	-	-	-	·59	-		20
21	·	·61	·	·03	-	-	·03	-	-	-	-	-		21
22	·	·06	·07	-	-	-	-	·13	·06	-	-	-		22
23	-	-	·	-	·02	-	-	·49	-	·40	-	·18		23
24	·04	·70	·	-	·20	-	-	1·01	·41	·35	-	·31		24
25	·11	·01	·	·11	-	·01	-	-	-	-	·02	·46		25
26	·	·20	·	-	-	-	-	·20	·05	-	-	·75		26
27	·	·35	·	-	-	-	-	-	·05	-	·05	·60		27
28	·	·02	·	-	·01	-	-	·03	·24	-	·01	·08		28
29	·		·	-	·08	-	-	·06	·31	·01	-	·54		29
30	·	✕	·	·07	-	-	-	·88	·01	·21	·36	·62		30
31	·	✕	·	✕	-	✕	-	·01	✕	1·18	✕	·16	Year's Total	31
TOTAL	·93	3·20	·95	3·45	·82	3·66	·48	2·86	3·75	5·82	7·78	4·67	38·37	
* Days with .01 in. or more.	9	17	7	18	8	17	6	9	21	17	24	19	172	
* Days with .04 in. or more.	7	9	7	17	5	12	4	7	18	12	20	14	132	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ✓ P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Bourne Valley Gasworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 84 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.45	.06		.34		.21	.20				.07	.03		1
2	.04	.01		.02		.05	.02	.04			.02			2
3				.35			.03		.60		.51	.03		3
4			.16			.02	.05		.17		.15			4
5	.30		.04		.14			.02	.14			.03		5
6	.35					.01		.01	.18		.38			6
7	.10		.08				.16				.22	.10		7
8	.34		.45				.24				.53	.08		8
9	.36		.31				.46		.27		.10			9
10	.02	.39					.29				.02			10
11	.30	.10				.06	.06		.25		1.02			11
12	.01			.01	.15	.30	.29	.05	.24		.07			12
13	.02					.01	.04				.07	.42		13
14		.03				.03	.42			.01		.33		14
15	.01	.07							.01		.05	.40		15
16	.12	.20			.10				.02		.08	.13		16
17	.09	.63					.04			.03	.06	.49		17
18	.11	.09				.26	.25					.40		18
19	.34		.01	.04		.01		.03		.05				19
20	.20	.25	.04	.09		.03	.02		1.07					20
21		.29		.33		.05	.24							21
22	.17	.47	.41		.06		.04			.04		.03		22
23	.05		.31	.11	.01					.10				23
24	.35	.05	.04		.07				.02	.30				24
25	.09		.37	.16					.03	.21				25
26	.12	.07	.17	.02		.25			.02	.05				26
27	.33	.16	.06	.01			.09		.05	.10				27
28	.85		.45				.04					.17		28
29	.01	.01	.13			.07	.10			.05	.06			29
30	.14	☒				.09	.01			.14		.01		30
31	.08	☒	.48	☒	.10	☒	.25		☒	.38	☒	.77		31
TOTAL	5.35	2.88	3.51	1.48	.63	1.45	3.34	.15	3.07	1.46	3.41	3.42	Year's Total 30.15	✓
* Days with .01 in. or more.	27	16	16	11	7	15	22	5	14	12	16	15	176	✓
* Days with .04 in. or more.	22	13	15	7	6	9	18	2	9	10	14	10	135	✓

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Bm

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Bourne Valley Gasworks,

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 84 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.61	.07		.22							.35	.6		1
2		1.04		.11					.16			.12		2
3	.02	.25		.04										3
4	.06	.70										.30		4
5	.26	.02	.09				.19							5
6	.05	.29	.40	.13	.04		.06			.01				6
7		.76		.04						.02		1.09		7
8					.62		.01				.09	.19		8
9		.02	.12	.13	.12		.01		.64			.04		9
10	.01		.61	.03	.22	.15						.50		10
11	.03			.23	.36	.01	.40							11
12	.39	.32	.15	.12	.12	.02	.02	1.0	.38			.28		12
13	.17	.01	.74	.12				.48	.14			.30		13
14	.02	.02	.27	.19					.07			.04		14
15	.26	.18		.35			1.20		.11			.02		15
16	.06	.17	.37	.18		.01		.52	1.02		.08			16
17	.64	.03	.08				.03		.03		.24			17
18	.14	.10	.01								.10	.20		18
19	.16	.04	.02	.18			.01							19
20	.36	.06	.16	.20								.31		20
21	.37	.37	.04	.01	.12		.01			.01	.08	.15		21
22	.29	.01	.02		.15		.14		.13	1.40	.26	.10		22
23	.25	.14	.01		.35		.01			.16	.10	.02		23
24	.19	.66	.01		.22				.05	.80		.03		24
25	.53	.31	.40		.72				.03	.40		.10		25
26		.36	.03		.08					.15		.03		26
27	.01	.16		.09						1.15				27
28	.11	.09								.18				28
29	.15									.94	.03			29
30	.40	✕								.03	.16			30
31	.22	✕		✕		✕			✕	.96	✕			31
													Year's Total	
TOTAL	5.76	6.18	3.53	2.37	3.12	0.19	2.09	2.00	2.76	6.21	1.49	4.42	40.12	✓
* Days with .01 in. or more.	26	25	18	17	12	4	12	3	11	13	10	19	170	✓
* Days with .04 in. or more.	21	19	12	15	12	1	5	3	9	9	9	15	130	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

BM

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Bourne Valley Gasworks,

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 84 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.02			.01	.31		.05		1
2										.18	.08	.08		2
3					.07					.60	.23			3
4							.04	.25		.18		.24		4
5							.25			.23				5
6	.12					.01	.28		.08	.08	.09			6
7	.10					.05	.19		.36	.21	.01	.12		7
8	.09						.03	.06		.34	.01	.08		8
9	.05	.04								.02		.48		9
10	.03					.46	.06	.20		.03	.01	.27		10
11	.19						.01				.14	.16		11
12	.47				.15					.16				12
13	.38									.20	.41	.75		13
14	.40				.06		.29							14
15	.17						.24	.02		.41	.07	.31		15
16	.44		.03					.01		.06		.01		16
17		.17	.02		.17				.17	.19	.01			17
18	.15				.11	.05			.08	.02	.31			18
19								.09	.13		.59			19
20	.01								.01		.39			20
21	.07							.02	.09		.08	.09		21
22	.05							.39			.36	.07		22
23	.01								.03		.09			23
24			.20						.12		.23			24
25	.12	.18	.05		.13					.04	1.20			25
26	.31	.21							.02	.06		.31		26
27	.09	.02			.09	.29	.34	.03			.35			27
28	.06				.12			.52	.07		.04	.03		28
29	.01				.21				.03	.11	.31	.04		29
30		✕			.12				.25		.12	.01		30
31	.21	✕		✕	.24	✕			✕	.19	✕	.37		31
TOTAL	3.53	0.62	0.30	Nil.	1.47	.88	1.73	1.59	1.45	3.62	5.13	3.47	Year's Total 23.79	
* Days with .01 in. or more.	22	5	4	-	11	6	10	10	14	20	22	18	142	
* Days with .04 in. or more.	18	4	2	-	11	4	8	6	9	17	18	15	112	

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bourne Valley Gasworks

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 84 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.06	.12	.06		.01		.34		.01	.06		1
2				.14				.52	2.15		.14	.05		2
3	.50			.43			.01	.25			.27	.25		3
4	.02		.44	.13	.26		.32	.30	.02	.31	.02	.04		4
5			.05	.17	.19		.09	.08		.25	.58			5
6	.60		.08				.52	.03		.02	.26			6
7	.02	.25					.01			.08	.30	.38		7
8		.12	.09				.04	.02		.50	.39	.23		8
9	.03	.01	.03					.13		.17	.21	.19		9
10	.30							.29	.11	.31	.03			10
11			.19							.17				11
12		.02								.01	.03			12
13				.05			.36		.02	1.76	.02			13
14	.74				.02	.02	.10			.32	.38	.07		14
15	.19				.20	.78	.15			.11	.14	.04		15
16	.60		.02	.09	.05	.01	.11			.01	.13			16
17	.27	-			.24	.01	.08			.25	.04			17
18	.09	-	.01				.47				.45			18
19	.38					.03	.03					.01		19
20	.45					.19	.08	1.41				.10		20
21	.04	.18	.04			.10	.11							21
22	.31	.15	.06			.43	.11		.04		.22			22
23				.15		.01	.06				.95			23
24	.50		.01	.12		.33	.34	.13						24
25	.95	.44		.10			.10			.18	.49			25
26		.01				.01				.07	.31			26
27		.12	.02	.01		.01	.02				.08			27
28		.09	.01			.02	.17				.21	.20		28
29				.05			.75			.07	.02			29
30		X		.49				.30		.29	.01			30
31		X		X		X		.19	X	.58	X			31
TOTAL	5.99	1.39	1.11	2.05	1.02	1.95	4.04	3.65	2.68	5.46	5.69	1.62	Year's Total 36.65	
* Days with .01 in or more.	17	10	14	13	7	13	23	12	6	19	25	12	174	
* Days with .04 in or more.	14	7	8	12	6	5	18	10	4	16	18	11	129	

THE BOURNEMOUTH GAS & WATER Co.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Bourne Valley Gasworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 84 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·09	-	-	·01	-	-	-	-	-	·15	-		1
2	-	·01	-	·15	-	-	-	-	-	-	·45	·01		2
3	-	·20	-	-	-	-	-	-	-	·39	·73	·25		3
4	-	·46	-	·03	-	-	·16	-	-	·35	·11	·04		4
5	-	GAUGE BROKEN	-	-	-	-	·07	-	-	·01	·33	·29		5
6	·42	·02	-	-	-	-	·02	-	-	·51	·03	·14		6
7	-	·43	-	-	-	-	-	-	-	·18	-	-		7
8	-	-	-	-	-	-	·06	-	-	·36	·07	·39		8
9	-	-	-	·02	-	-	·13	-	·03	·30	·44	·13		9
10	-	-	-	-	-	-	1·01	-	-	·04	·11	·20		10
11	-	-	-	·01	-	-	·01	-	-	-	1·10	·02		11
12	-	✻ ·01	·11	-	-	-	·22	-	·68	·01	·02	-		12
13	-	✻ ·01	·6	-	-	-	·45	-	-	·40	1·41	-		13
14	-	✻ ·01	·12	·06	-	-	·32	-	·18	·21	·02	·52		14
15	-	-	-	·06	·22	·03	·60	-	·13	·25	·45	·20		15
16	-	·68	·48	·08	-	-	-	-	·07	·76	1·04	·07		16
17	-	-	60	-	-	-	·02	-	·01	·16	·96	-		17
18	-	·36	·44	·16	-	-	·03	-	·09	-	·01	·08		18
19	-	·06	·03	·19	-	-	-	-	·50	·16	·45	-		19
20	-	-	·01	-	-	-	-	-	-	-	·04	-		20
21	-	-	-	-	·22	-	-	-	·05	-	·35	-		21
22	-	-	·03	·01	-	·18	-	-	·05	-	-	-		22
23	-	·05	·22	·07	-	-	-	-	-	-	·08	-		23
24	-	-	-	-	-	-	·38	-	-	·02	-	-		24
25	-	-	·35	·08	·02	-	-	-	-	-	-	-		25
26	1·43	·35	-	-	·14	-	·05	-	-	-	-	-		26
27	.57	·25	-	·01	·32	-	·33	-	-	·03	-	-		27
28	·59	·03	-	-	·20	-	-	-	-	·01	-	-		28
29	·53	·17	·17	·18	-	-	-	-	-	·28	-	·23		29
30	·40	✕	·01	·01	-	-	-	-	-	·52	-	·17		30
31	·15	✕	-	✕	-	✕	-	-	✕	-	✕	·35		31
TOTAL	4.13	3.19	3.12	1.12	1.13	.21	3.86	-	1.79	4.95	8.35	2.09	Year's total 3 3~~4~~.94	
* Days with .01 in. or more.	7	17	13	15	8	2	16	-	10	20	21	16	144	
* Days with .04 in. or more.	7	11	9	9	5	1	12	-	8	15	17	14	108	

* See Instruction 3 (f) on other side. ✻ = snow

† Spare column, no entries required.

(Signed)

1589

Section **A** for the entry of Daily 7 **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—M TISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTE IN 193/..

1589

ALDERNEY W.W

1931-40

780304

Kept at Alderney Wa

in the County of Do

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground 1

„ Ground „ Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		·20		·23		·06	·14	·03			1
2	·26	·07		·50	·01	·01		·07	·55	·02		·20	2
3	·17		·68	·05			·07	·03	·26		·44	·31	3
4			·02		·04	·18	·22	·02	·19	·02	·15		4
5		·20		·20	·03	·46	·08		·01	·01	·09	·09	5
6		·19		·24	·08	·16	·01	·01	·13	·43	·19	·20	6
7					·24	·30	·01	·73	·01	·02	·33	·04	7
8	·05	·22		·13	·03	·38	·01				·16	·17	8
9		·26		·01		·14	·05			·01	·87		9
10					·01	·17	·04	·02			·36		10
11	·14	·39		·01		·04	·07		·05		·22		11
12		·01					·02		·07	·03	·01		12
13							·02			·03			13
14		·12				·17	1·66	·17	·01	·01			14
15		·03		·01	·11			·17	·01			·06	15
16		·03		·08	·18	·16	·02	·01	·10				16
17		·16		·23			·41		·06		·01		17
18	·03		·09	·06		·10	·05	1·17			·44		18
19	·08		·01	·10		·20	·11	·12					19
20		·08	·16	·01				·26		·02	·02		20
21					·33					·01	·04		21
22	·33		·12	·02				·01			·01		22
23	·33			·09	·65		·04	·01			·31	·03	23
24	·05			·30	·18	·23	·51	·53					24
25	·08			·34	·11		·22	·01			·18		25
26		·06		·11			·56				·27		26
27	·24	·39			·84		·17			·03	·05		27
28	·06	·09	·02		·16						~~·22~~	·15	28
29	·07	X	·09		·04		·10	·04		·02	·12		29
30		✕	·09				·02	·12	·09	·01	·04		30
31	·45	✕		✕	·14	✕			✕		✕	·11	31
TOTAL	2·42	2·31	1·28	2·69	3·18	2·93	4·47	3·56	1·68	·70	4·31	1·36	YEAR'S TOTAL 30·89
*Days with ·01 in. or more.	~~14~~	~~16~~	~~9~~	~~19~~	~~17~~	~~15~~	~~22~~	~~19~~	~~14~~	~~15~~	~~21~~	~~10~~	~~191~~
*Days with ·04 in. or more.	~~13~~	~~12~~	~~6~~	~~14~~	~~13~~	~~14~~	~~15~~	~~11~~	~~10~~	~~4~~	~~17~~	~~9~~	~~135~~

40-9999

(Signed) P S L Moon

Bm

P.T.O.

*See Instruction 2 (*f*) on other side.

1589

Section **A** for the entry of Daily Observations. — COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931..

Kept at Alderney Waterworks

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		·20		·23		·06	·14	·03			1
2	·26	·07		·50	·01	·01		·07	·55	·02		·20	2
3	·17		·68	·05			·07	·03	·26		·44	·31	3
4			·02		·04	·18	·22	·02	·19	·02	·15		4
5		·20		·20	·03	·46	·08		·01	·01	·09	·09	5
6		·19		·24	·08	·16	·01	·01	·13	·43	·19	·20	6
7					·24	·30	·01	·73	·01	·02	·33	·04	7
8	·05	·22		·13	·03	·38	·01				·16	·17	8
9		·26		·01		·14	·05			·01	·87		9
10					·01	·17	·04	·02			·36		10
11	·14	·39		·01		·04	·07		·05		·22		11
12		·01					·02		·07	·03	·01		12
13							·02			·03			13
14		·12				·17	1·66	·17	·01	·01			14
15		·03		·01	·11			·17	·01			·06	15
16		·03		·08	·18	·16	·02	·01	·10				16
17		·16		·23			·41		·06		·01		17
18	·03		·09	·06		·10	·05	1·17			·44		18
19	·08		·01	·10		·20	·11	·12					19
20		·08	·16	·01				·26		·02	·02		20
21					·33					·01	·04		21
22	·33		·12	·02				·01			·01		22
23	·33			·09	·65		·04	·01			·31	·03	23
24	·05			·30	·18	·23	·51	·53					24
25	·08			·34	·11		·22	·01			·18		25
26		·06		·11			·56				·27		26
27	·24	·39			·84		·17			·03	·05		27
28	·06	·09	·02		·16						~~·22~~	·15	28
29	·07	X	·09		·04		·10	·04		·02	·12		29
30		X	·09				·02	·12	·09	·01	·04		30
31	·45	X		X	·14	X			X		X	·11	31
TOTAL	2·42	2·31	1·28	2·69	3·18	2·93	4·47	3·56	1·68	·70	4·31	1·36	YEAR'S TOTAL 30·89
*Days with ·01 in. or more.	~~14~~	~~16~~	~~9~~	~~19~~	~~17~~	~~15~~	~~22~~	~~19~~	~~14~~	~~15~~	~~21~~	~~10~~	~~191~~
*Days with ·04 in. or more.	~~13~~	~~12~~	~~6~~	~~14~~	~~13~~	~~14~~	~~15~~	~~11~~	~~10~~	~~1~~	~~17~~	~~9~~	~~135~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) P S S Moon

Bm

P.T.O.

1589

Section A for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Alderney Waterworks.

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	-	-	·18	·46	-	-	·16	·01	-	·02	-	1
2	-	-	-	·22	·08	-	-	·03	·05	-	·03	·40	2
3	-	-	-	·27	-	·48	-	-	·46	·06	-	-	3
4	·01	-	-	-	-	·30	-	-	-	-	·10	-	4
5	·45	-	-	-	·01	·01	·01	-	·12	-	-	-	5
6	·40	-	-	·12	·03	-	·02	-	·23	·	-	-	6
7	-	-	·01	·05	-	-	·01	-	·09	·34	-	-	7
8	-	-	·40	·03	·22	-	-	-	·72	·21	-	-	8
9	·29	-	-	·12	·08	-	-	-	·01	·04	·09	-	9
10	·19	·09	·09	·38	·09	·03	-	·01	-	·17	·10	-	10
11	·07	-	·01	·03	-	-	·42	·01	·07	·06	-	·06	11
12	·71	-	-	·01	·05	-	-	-	·07	·12	·01	·02	12
13	·05	-	·01	·14	·08	-	·06	·03	-	·89	-	·03	13
14	·06	·01	-	·05	·10	-	-	·01	-	-	·13	·02	14
15	·06	-	-	·03	·38	-	-	-	-	·04	·02	·03	15
16	·21	-	-	·14	·28	·42	·39	-	·01	-	-	·01	16
17	·07	-	-	·05	-	-	-	-	-	·07	-	-	17
18	·01	-	-	-	·16	-	-	-	·04	-	·16	-	18
19	-	-	-	·03	-	-	-	-	·02	·31	-	·01	19
20	-	-	-	-	·37	-	·03	·12	-	1·12	·26	·01	20
21	·04	-	·16	·02	·33	-	-	·01	-	·38	·01	·08	21
22	·01	·01	·03	·02	·07	·01	·07	·13	·59	·22	·44	-	22
23	-	-	-	-	·05	-	·40	-	·08	·63	·07	·10	23
24	-	·03	-	-	·02	-	·60	-	·08	·07	-	·01	24
25	-	-	-	·01	-	-	·73	-	-	·36	·04	·01	25
26	·01	-	·13	·10	-	-	·20	-	-	·06	·04	-	26
27	-	-	·34	·48	·30	·17	·02	-	-	·26	·	·02	27
28	-	-	·03	·03	·04	-	·14	-	-	-	-	·08	28
29	-	-	·43	·07	·16	·35	-	·22	·49	·44	·22	·05	29
30	-	×	·18	·27	-	1·15	·07	-	·57	·03	·69	·26	30
31	·01	×	·05	×	·02	×	·01	-	×	-	×	·14	31
TOTAL	2·77	·14	1·87	2·85	3·38	2·92	3·18	·73	3·71	5·88	2·43	1·34	YEAR'S TOTAL 31·20
*Days with ·01 in. or more.	~~18~~	~~4~~	~~13~~	~~24~~	~~22~~	~~9~~	~~16~~	~~10~~	~~18~~	~~21~~	~~17~~	~~18~~	~~190~~
*Days with ·04 in. or more.	~~13~~	~~1~~	~~8~~	~~15~~	~~18~~	~~6~~	~~10~~	~~4~~	~~14~~	~~20~~	~~12~~	~~8~~	~~139~~

40-9999

(Signed) P S S Moon

BM

[P.T.O.

*See Instruction 2 (*f*), on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Alderney Waterworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·60	·66	·05	-	·01	-	-	-	-	-	-	·28		1
2	·46	-	·82	-	·18	-	-	-	-	-	-	-		2
3	-	·11	·40	-	-	-	-	-	-	-	-	-		3
4	·22	·03	·10	-	·14	-	-	-	-	-	-	-		4
5	·14	-	·34	-	·01	-	-	-	-	-	-	-		5
6	-	·21	·01	-	·22	-	-	-	-	·05	·05	-		6
7	·04	·01	·01	-	·10	-	-	-	-	·18	-	·02		7
8	·01	·01	·02	-	·04	-	·23	-	-	-	-	-		8
9	-	-	-	-	·04	-	·26	-	-	·04	·01	-		9
10	-	·01	-	-	-	-	·20	·01	-	·15	-	-		10
11	·26	-	-	-	-	·33	-	·21	·01	-	-	-		11
12	-	-	-	·05	·02	-	·11	-	·77	-	-	·05		12
13	·05	-	-	-	·01	·03	·40	-	-	·08	·08	-		13
14	-	-	-	-	-	-	·07	·04	-	·18	·51	-		14
15	·42	-	·33	-	-	-	·07	·29	-	·19	-	-		15
16	-	-	·81	-	-	·05	-	·02	·01	·05	-	-		16
17	-	·15	·29	-	-	·05	·01	·05	·07	-	-	-		17
18	·14	-	·19	-	-	·07	-	-	-	-	·01	-		18
19	-	-	·06	-	-	-	-	·03	·35	-	·18	·03		19
20	-	·09	·02	-	-	-	-	·51	·06	-	-	·01		20
21	-	·03	-	-	·01	·10	-	·23	-	·07	·02	-		21
22	-	-	-	-	-	·14	-	-	·18	·14	·01	-		22
23	-	·11	-	·58	-	·12	-	-	·25	·15	-	-		23
24	-	1·88	-	·24	-	·01	-	-	-	-	·01	-		24
25	-	·56	-	·33	-	-	-	-	·08	-	-	·13		25
26	-	·52	-	·10	·38	-	-	-	-	-	-	·02		26
27	-	-	-	-	·28	-	·05	-	·01	·15	·01	·70		27
28	-	-	-	·19	-	-	·48	-	-	-	-	·01		28
29	·14	X	-	-	·01	-	·19	-	·01	-	-	·01		29
30	·06	×	·04	-	-	-	·02	-	·05	-	-	·05		30
31	·22	×	·08	×	-	×	-	-	×	-	×	-		31
TOTAL	2·76	4·38	3·57	1·49	1·45	·90	2·09	1·39	1·85	1·43	·89	1·31	Year's Total 23·51	
*Days with ·01 in. or more.	~~13~~	~~14~~	~~16~~	~~6~~	~~14~~	~~9~~	~~12~~	~~9~~	~~12~~	~~12~~	~~10~~	~~11~~	~~138~~	
*Days with .04 in. or more.	~~12~~	~~9~~	~~12~~	~~6~~	~~10~~	~~7~~	~~10~~	~~6~~	~~8~~	~~12~~	~~4~~	~~6~~	~~102~~	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Phillips [illegible]

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Alderney Waterworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·	-	-	·	·03	-	·57	-	·10	·02	·75		1
2	·44	·	·10	-	·08	·04	-	·	1·01	·22	-	·32		2
3	·04	·02	·	-	·	·	·	·	·	·26	·	·32		3
4	·14	·	·15	-	·78	·	-	·	-	·09	·	·20		4
5	-	·	-	-	·02	·	-	·78	-	·01	·	·48		5
6	·03	·	·39	·01	·18	·	-	·03	-	·38	·32	·60		6
7	·06	-	-	·01	-	·02	·	·17	·	·11	·	·39		7
8	·	·	·	-	·26	·	-	·01	·04	-	·75	·06		8
9	·02	-	·21	-	-	·	-	·	·02	-	·68	·37		9
10	·08	·01	·29	·35	-	·	·	·01	·	-	·25	·12		10
11	·66	-	·65	·18	·	-	·03	·22	-	-	·	·45		11
12	·02	-	-	-	·	·	·04	·62	·	·	·	·42		12
13	·30	-	·10	·17	·	·	-	·	-	-	·16	·14		13
14	·08	·	·39	·01	·	·	·	-	·	·05	·03	·55		14
15	-	·	·02	·	·16	·	·	-	·	·04	·09	·33		15
16	·18	·01	·32	-	·01	·	·	·	·	-	-	·13		16
17	·12	-	-	·20	-	·	-	-	·06	·06	-	·33		17
18	·04	-	·24	·14	·	-	·	-	·23	·	-	·31		18
19	·	·	·21	·01	·	·01	·	·05	·09	·	·	·14		19
20	·	·	·04	·16	·	·	·	-	·06	·01	-	-		20
21	-	·	·05	·09	·	·20	-	·14	·01	·13	·	·02		21
22	-	·01	·02	-	·	-	·02	·52	·22	·07	-	·23		22
23	-	·02	-	·25	-	·58	·	·21	·07	·01	-	·03		23
24	·	·01	·05	·03	·	·01	-	·01	·14	·	·	·01		24
25	·36	-	-	·07	·	-	·	-	-	·07	-	·89		25
26	·02	·	-	·06	·	·36	·	-	·15	-	·02	·04		26
27	-	·	-	·	·	·07	·	-	-	·01	·	·41		27
28	-	-	-	·01	·	·07	·	·69	·01	-	-	·49		28
29	·	X	·	-	·	-	-	·13	·23	·03	·01	·02		29
30	·07	X	·	-	·	-	·01	·22	·15	-	·01	·26		30
31	·01	X	·	X	·	X	-	·01	X	·	X	·02		31
TOTAL	2·70	·08	3·23	1·75	·89	1·39	·10	4·39 3·88	2·49	1·65	2·34	8·83	Year's Total. 29·84	
* Days with .01 in. or more.	~~19~~	~~6~~	~~16~~	~~16~~	~~7~~	~~10~~	~~4~~	~~17~~	~~15~~	~~17~~	~~11~~	~~30~~	~~168~~	
* Days with .04 in. or more.	~~13~~	~~-~~	~~14~~	~~10~~	~~5~~	~~6~~	~~1~~	~~12~~	~~12~~	~~12~~	~~6~~	~~26~~	~~117~~	

40-9999

† Spare column, no entries required.

(*Signed*) P S S Moore

B.M.

P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Alderney Waterworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	†	
1	·01	·	·35	·	·02	·12	·19	·	·25	·25	·11	·31		1
2	-	·01	·	-	·	·02	-	·	·	·41	·03	·01		2
3	-	-	·07	·	·01	·06	·	·05	·28	1·43	·31	·		3
4	·	·19	·	·25	·	·05	·	·	·13	·40	·11	·28		4
5	·01	·28	·05	·10	·	·03	·	·	·32	·05	·07	·		5
6	-	-	-	·25	·	1·23	-	·	·	·	·19	·		6
7	·	·	·	·39	·	·05	·	-	·	·16	·41	·16		7
8	·	·	·	·30	·01	·	·02	·	·13	·46	·67	·05		8
9	·25	·	·02	·53	·	·93	·	·	·05	·70	·68	·		9
10	·19	·	·26	·13	·	·06	·	·	·	·	·04	·01		10
11	·27	·	·03	·	·01	·37	·	·	·	-	·60	·		11
12	·06	·05	·	·	·01	·20	·	·02	·07	·	·50	·		12
13	·09	·13	·	·17	·03	·14	·	·	·01	·02	·06	·		13
14	·	·02	·	·18	·	·28	·	·	·07	·02	·32	·31		14
15	-	·14	·	·57	·31	·06	·	·	·11	·07	·41	·02		15
16	·	·03	·10	·10	·	·09	·	·	·59	·	2·32	·		16
17	·	·	·	·03	·06	·33	·	·04	·02		·31	·		17
18	·	·02	·	·30	·	·	·05	·	·45	·04	·02	·02		18
19	·	·01	·	·10	·13	·05	·19	-	·22	·02	·50	·		19
20	·	·54	·	·09	·	·04	·07	·	·	·	·61	·		20
21	·	·41	-	·03	·	·	·01	·	·01	·01	·	·		21
22	·	·06	·01	·02	·	·	·	·19	·06	·	·01	·		22
23	·	·	·09	·23	·05	·	·	·43	·	·53	·	·25		23
24	·02	·72	·	·	·19	·	·	1·04	·39	·34	·	·41		24
25	·16	·01	·	·13	·	·01	·	·	·	·	·02	·56		25
26	·	·30	·	·	·	·	·	·20	·05	·	·	·83		26
27	·	·43	·	·	·	·	·	·01	·07	·	·05	·78		27
28	·	·06	·	·	·03	·	·	·14	·28	·	·	·26		28
29	·	X	·	·	·11	·	·	·03	·32	·02	·01	·61		29
30	·	✕	·	·09	·	·	·	·98	·	·25	·37	·46		30
31	·	✕	·	✕	·	✕	·	·02	✕	1·24	✕	·22		31
TOTAL	1·06	3·41	·98	3·99	·97	4·12	·53	3·15	3·88	6·42	8·73	5·55	Year's total 42·79	
* Days with .01 in. or more.	~~9~~	~~18~~	~~9~~	~~20~~	~~13~~	~~19~~	~~6~~	~~12~~	~~21~~	~~19~~	~~25~~	~~18~~	~~189~~	
* Days with .04 in. or more.	~~6~~	~~12~~	~~6~~	~~11~~	~~6~~	~~16~~	~~4~~	~~8~~	~~18~~	~~14~~	~~20~~	~~14~~	[illegible]	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) P. G. G. M[illegible] [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Alderney Waterworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.04		.36		.15	.13				.08	.03		1
2	.05	.01		.02	.01	.03	.01	.04			.01			2
3				.34			.05		.52		.52	.03		3
4			.19				.01		.18		.14	.03		4
5	.36		.05		.16			.03	.35			.05		5
6	.39		.02			.02		.02	.24		.43			6
7	.10		.13				.18				.27	.07		7
8	.41		.30				.31				.37	.03		8
9	.40		.24		.01		.52		.28		.02			9
10	.35	.35				.02	.15				.03			10
11	.30	.10		.01		.07	.18		.11		1.14			11
12				.07	.32	.35	.33		.25		.09			12
13	.03			.01		.01	.09			.05	.09	.65		13
14		.06				.02	.41		.02	.01		.41		14
15	.02	.04							.03		.05	.46		15
16	.15	.28			.10		.10				.11	.09		16
17		.83					.04		.01	.04	.05	.72		17
18	.11	.12				.16	.29			.01		.45		18
19	.38	.03		.03		.01	.03	.07		.11				19
20	.19	.30	.10	.15		.01	.05		.99					20
21	.04	.30	.01	.38		.05	.56							21
22	.15	.47	.45	.01	.04		.17		.01	.04		.05		22
23	.09		.26	.11	.01		.21			.13		.01		23
24	.32	.05	.04		.05		.13		.04	.25				24
25	.09		.41	.16		.01	.01		.03	.16				25
26	.16	.12	.20	.02		.29			.03	.05				26
27	.37	.17	.09	.01			.14		.10	.10				27
28	.91		.56				.07				.01	.24		28
29	.02	.02	.03			.06	.14			.06	.07			29
30	.13					.12				.14				30
31	.07		.53		.20		.25			.49		.77		31
TOTAL	5.77	3.29	3.51	1.68	.90	1.38	4.56	.16	3.19	1.64	3.48	4.09	Year's Total 33.65	✓
* Days with .01 in. or more.	~~26~~	~~17~~	~~17~~	~~14~~	~~9~~	~~16~~	~~26~~	~~4~~	~~16~~	~~14~~	~~17~~	~~16~~	~~192~~	✓
* Days with .04 in. or more.	~~23~~	~~15~~	~~14~~	~~7~~	~~6~~	~~8~~	~~22~~	~~2~~	~~10~~	~~13~~	~~13~~	~~11~~	~~144~~	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) P G S Moore [P.T.O.

Bm

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations**

Station No. 1589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Alderney Waterworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·45	·15		·26							·31	·75		**1**
2	·01	1·05		·07					·04		·01			**2**
3	·04	·32	·01	·02							·01			**3**
4	·09	·81										·26		**4**
5	·27	·03	·10	·01			·21				·01			**5**
6	·06	·36	·35	·12	·07		·12			·02				**6**
7	–	·80		·05					·01	·01		·96		**7**
8	·01	·01			·59		·03				·12	·07		**8**
9	·04	·01	·10	·17	·16	·05	·05		·68		·01	·05		**9**
10	·05	·02	·75	·15	·23	·20						·43		**10**
11	·43	–		·03	·41	·01	·42							**11**
12	·15	·39	·19	·11	·04	·05	·02	·64	·41			·34		**12**
13	·02	·02	·71	·15				·52	·08			·26		**13**
14	·30	·01	·23	·20					·06		·02	·05		**14**
15	·01	·22	·01	·39			·93		·11			·03		**15**
16	·80	·13	·51	·18		·03	·01	·62	1·50		·09			**16**
17	–	·04	·12				·05		·03		·26			**17**
18	·13	·08	–								·10	·21		**18**
19	·27	·03	·02	·20		·01	·20					·11		**19**
20	·35	·05	·21	·22							·01	·26		**20**
21	·39	·42	·04	·01	·20		·01			·01	·17	·23		**21**
22	·33	·01	·03		·16	·01	·15		·19	1·30	·37	·14		**22**
23	·27	·19	·01		·36					·20	·15	·03		**23**
24	·33	·73	·01		·24				·07	·98		·04		**24**
25	·55	·30	·40		·64				·05	·22		·13		**25**
26	–	·25	·04		·07					·14		·04		**26**
27	·01	·17		·09						1·03				**27**
28	·25	·09								·19				**28**
29	·07	✕								·88	·02			**29**
30	·40	✕								·06	·23			**30**
31	·21	✕		✕		✕			✕	·81	✕	·01		**31**
TOTAL	6·29	6·69	3·84	2·43	3·17	·36	2·20	1·78	3·23	5,85	1·89	4·40	Year's Total 42·13	
* Days with .01 in. or more.	~~28~~	~~27~~	~~19~~	~~18~~	~~12~~	~~7~~	~~12~~	~~3~~	~~12~~	~~13~~	~~16~~	~~20~~	~~187~~	
* Days with .04 in. or more.	~~23~~	~~19~~	~~13~~	~~14~~	~~12~~	~~3~~	~~8~~	~~3~~	~~10~~	~~10~~	~~9~~	~~17~~	~~141~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) P. S. S. Moon [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Alderney Waterworks,
in the County of Dorset.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.04	.06		.01	.30		.04		1
2		.01					.02			.21	.07	.04		2
3					.09		.01			.87	.22			3
4	.01						.08	.46		.44		.17		4
5							.31			.24				5
6	.10					.01	.39		.05	.07	.08	.15		6
7	.09					.06	.23	.04	.02	.16		.13		7
8	.10					.01	.03	.09		.36		.05		8
9	.05	.06					.01			.01		.81		9
10	.03					.32	.08				.03	.37		10
11	.23						.01				.16	.20		11
12	.47				.20					.19		.05		12
13	.36									.22	.35	.69		13
14	.56				.07		.36					.01		14
15	.18	.01			,.02		.27			.37	.09	.37		15
16	.38	.01	.05					.01		.05	.02			16
17		.15	.02		.12				.16	.20	.01			17
18	.13				.34	.07		.02	.11	.02	.35			18
19								.14	.26		.78			19
20	.01			.02					.01		.52			20
21	.06							.01	.10		.10	.02		21
22	.06							.42			.40	.09		22
23	.01								.03		.03			23
24		.01	.21		.02				.14		.25			24
25	.16	.24	.03		.12			.05	.01	.04	1.20	.05		25
26	.40	.24	.01		.09	.01	.08		.04	.06		.23		26
27	.11	.02			.10	.29	.40	.03			.28			27
28	.08	.12			.16	.08		.57	.14		.05	.04		28
29	.02	X			.36				.29	.17	.33	.05		29
30	.04	✕			.07				.31		.11	.01		30
31	.23	✕		✕	.18	✕			✕	.16	✕	.31		31
TOTAL	3.87	0.87	0.32	.02	1.94	0.89	2.34	1.84	1.68	4.14	5.43	3.88	Year's Total 27.22	✓ ✓
* Days with .01 in. or more.	~~24~~	~~10~~	~~5~~	~~1~~	~~14~~	~~9~~	~~15~~	~~11~~	~~15~~	~~19~~	~~21~~	~~21~~	~~165~~	✓
* Days with .04 in. or more.	~~19~~	~~6~~	~~2~~	~~0~~	~~12~~	~~6~~	~~10~~	~~7~~	~~10~~	~~17~~	~~18~~	~~18~~	~~125~~	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Alderney Waterworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 213 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.07	.11	.05			.01	.17		.01	.08		1
2			.01	.17				.52	1.95		.11	.07		2
3	.61	.01		.47			.02	.09			.32	.21		3
4	.01		.44	.12	.30		.32	.15	.11	.35	.02	.03		4
5		.01	.06	.20	.21		.23			.36	.63	.07		5
6	.80		.07				.64	.02		.02	.23			6
7		.25					.01	.02		.04	.31	.42		7
8	.01	.12	.10				.06	.01		.70	.17	.27		8
9	.02	.02	.03				.01	.10		.15	.40	.25		9
10	.32							.23	.16	.28	.03			10
11			.18					.01		.26	.01			11
12	.02	.03	.01			.07			.01		.02			12
13				.06		.02	.33	.02	.03	2.13	.03	.03		13
14	.80				.02	.01	.15			.24	.38	.14		14
15	.22				.17	.93	.15	.01	.03	.11	.42	.01		15
16	.42	.01	.06	.10	.04	.02	.41			.01	.21			16
17	.26	.13			.24	.01	.18	.01		.23	.06			17
18	.11		.02			.06	.44	.01			.44	.01		18
19	.40	.01					.01					.07		19
20	.46					.29	.08	.82				.01		20
21	.02	.20	.08			.13	.31		.01					21
22	.29	.22	.10			.46	.10		.01		.19			22
23				.17		.02	.08				1.06	.02		23
24	.63		.05	.09		.45	.22	.04						24
25	.68	.15		.13			.03			.17	.43			25
26		.01				.01	.01		.02	.07	.29	.02		26
27		.15	.02			.01	.01			.01	.12			27
28		.32	.02			.02	.25				.35	.21		28
29		×		.03			.68			.07	.01			29
30		×		.47						.28	.01			30
31		×		×		×		.60	×	.63	×	.01		31
TOTAL	6.08	1.64	1.32	2.12	1.03	2.52	4.73	2.67	2.50	6.11	6.26	1.93	Year's Total 38.91	
* Days with .01 in. or more.	~~18~~	~~15~~	~~16~~	~~12~~	~~7~~	~~15~~	~~24~~	~~17~~	~~10~~	~~19~~	~~26~~	~~18~~	~~199~~	
* Days with .04 in. or more.	~~13~~	~~8~~	~~10~~	~~11~~	~~6~~	~~7~~	~~17~~	~~8~~	~~4~~	~~16~~	~~18~~	~~10~~	~~125~~	

THE BOURNEMOUTH GAS & WATER Co.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Alderney Waterworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	·01	—	—	—	—	—	·18	—	—	1
2	—	·19	—	—	—	—	—	—	—	—	·43	·02	—	2
3	—	·55	—	—	—	—	—	—	—	·46	·72	·21	—	3
4	·05	·05	·01	·07	—	—	·05	—	—	·35	·11	·02	—	4
5	—	·03	—	—	—	—	·05	—	—	·02	·46	·26	—	5
6	·5	·57	—	—	—	—	·01	—	—	·41	·04	·21	—	6
7	—	·14	—	·01	·01	—	—	—	·02	·26	—	—		7
8	·5	—		·01	—	—	·04	—	·01	·47	·12	·36		8
9	·07	—	—	·02	—	—	·12	—	·04	·26	·62	·16		9
10	—	—	—	—	—	—	1·14	·05	·03	·08	·07	·11		10
11	—	✳ ·02	—	·02	—	—	·10	—	—	—	·82	·02		11
12	—	—	·23	—	—	·02	·26	—	44	·03	·02	—		12
13	—	✳ ·01	·70	·01	—	—	·19	—	—	·40	1·35	·02		13
14	—	—	·10	·06	·13	—	·33	—	·21	·25	·01	·60		14
15	—	✳ ·01	—	·02	·21	·05	·55	—	·14	·11	·42	·01		15
16	✳ —	✳ ·80	·42	·16	—	·01	·01	—	·05	·80	1·03	·07		16
17	—	·01	·47	—	—	—	·02	—	·03	—	·87	—		17
18	✳ ·06	·39	·54	·19	—	—	·02	—	·03	·16	—	·08		18
19	—	·07	·03	·21	—	—	·02	—	·50	—	42	—		19
20	—	—	·02	—	—	—	—	—	—	·15	·02	·01		20
21	—	—	—	—	·20	—	—	—	·07	—	·05	—		21
22	—	—	·08	·01	—	·18	—	—	·09	—	—	—		22
23	—	·05	·26	·07	—	—	—	—	·05	—	·05	—		23
24	—	—	—	·01	—	—	·41	—	—	—	—	—		24
25	—	—	·30	·06	·01	·01	·01	—	·01	·01	·01	—		25
26	1·48	·44	—	·01	·13	—	·10	—	—	·01	—	—		26
27	·53	22	—	—	·35	·01	23	—	—	—	—	—		27
28	·56	·11	·01	—	·18	—	—	—	—	·03	—	—		28
29	✳ ·68	·35	·16	·19	—	—	—	—	—	·01	—	·28		29
30	—	✕	·01	·02	—	—	—	—	—	·25	—	·18		30
31	·17	✕	—	✕	—	✕			✕	·51	✕	·23		31
TOTAL	4.10	4.01	3.39	1.33	1.13	0.28	3.66	.05	1.72	5.03	8.12	2.85	Year's Total 35.67	
* Days with .01 in. or more.	~~10~~	~~18~~	~~15~~	~~18~~	~~9~~	~~6~~	~~19~~	~~1~~	~~15~~	~~21~~	~~21~~	~~18~~	~~191~~	
* Days with .04 in. or more.	~~10~~	~~13~~	~~10~~	~~8~~	~~6~~	~~2~~	~~13~~	~~1~~	~~9~~	~~15~~	~~17~~	~~12~~	~~116~~	

* See Instruction 3 (f) on other side. ✳ = Snow

† Spare column, no entries required.

(Signed) [illegible]

P.T.O.

1590

Section **A** for the entry of Da… …COPY FOR OFFICIAL USE.
AIR MINISTRY.— …L ORGANIZATION.

FORM 1090. **REGIST…** …/.

1590
BROADSTONE S.W.
1931 — 40
780304

Kept at Broadstone Sew…
in the County of Dorse…
Diameter of Funnel of Gauge 5…
Height of top of Gauge above Ground…
,, Ground ,, Sea Leve…

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	— ~~0·230~~	0·010	—	0·150	—	0·050	—	0·010	0·140	0·140	—	—	1
2	0·230	0·030	—	0·340	—	0·010	—	0·020	0·500	—	—	0·210	2
3	0·180	—	0·620	0·010	—	—	0·010	0·010	0·410	—	0·450	0·220	3
4	—	—	0·030	—	0·020	0·210	0·230	0·010	0·090	0·010	0·130	—	4
5	—	0·120	nil	0·210	0·020	0·300	0·100	—	—	—	0·100	0·080	5
6	—	0·170	—	0·250	0·040	0·180	—	0·010	—	0·460	0·150	0·150	6
7	—	—	—	—	0·360	0·290	0·090	0·700	—	—	0·330	0·040	7
8	as snow 0·020	0·170	—	0·110	—	0·360	—	0·010	—	—	0·110	0·180	8
9	—	0·180	—	0·010	—	0·100	0·040	—	—	—	0·830	—	9
10	—	0·010	as snow 0·010	—	—	0·160	0·020	—	—	—	0·340	—	10
11	0·120	0·350	—	—	—	0·030	0·090	—	0·010	—	0·160	—	11
12	—	0·010	—	—	—	0·010	0·050	—	0·060	0·100	—	—	12
13	—	—	—	—	—	0·010	0·010	0·010	—	0·010	—	—	13
14	—	0·110	—	—	—	0·330	2·250	0·130	0·010	—	—	—	14
15	—	0·010	—	0·010	0·070	—	—	0·160	—	—	—	0·020	15
16	—	as snow 0·030	—	0·060	0·160	0·140	—	—	0·080	—	—	—	16
17	0·010	Snow & Rain 0·140	—	0·050	—	—	0·440	—	0·060	—	—	—	17
18	0·030	—	0·010	0·090	—	0·040	0·080	1·200	—	—	0·440	—	18
19	0·090	—	—	0·080	—	0·220	0·050	0·150	—	—	—	—	19
20	—	0·060	0·190	—	—	—	0·010	0·240	—	—	0·010	—	20
21	0·040	—	—	—	0·340	—	—	—	—	—	0·050	—	21
22	0·320	—	0·040	0·100	—	—	—	—	—	—	0·010	—	22
23	0·240	—	—	0·070	0·590	0·010	—	0·510	—	—	0·380	—	23
24	0·040	—	—	0·260	0·190	0·300	0·440	—	—	—	—	—	24
25	0·080	—	—	0·350	0·240	—	0·310	—	—	—	0·150	—	25
26	—	0·020	—	0·100	—	—	0·450	—	—	—	0·250	—	26
27	0·160	0·330	—	—	1·000	—	0·110	—	—	—	0·050	—	27
28	0·050	as snow 0·090	0·010	0·010	0·120	—	—	—	—	—	—	Snow & Rain 0·120	28
29	0·050	—	0·090	—	0·020	—	0·050	0·020	—	0·010	0·090	—	29
30	—	×	0·070	—	—	—	0·010	0·080	—	—	0·020	—	30
31	0·400	×	—	×	0·100	×	—	—	×	—	×	Snow & Rain 0·080	31
TOTAL	2·060	1·840	1·070	2·290	3·210	2·480	4·940	3·240	1·360	0·600	4·001	1·000	YEAR'S TOTAL 29·240
*Days with ·01 in. or more.	16	17	9	18	14	18	20	16	9	6	19	9	141
*Days with ·04 in. or more.	13	10	5	14	11	13	15	8	7	2	16	8	122

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Thomas Wicks

P.T.O.

1590

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Broadstone Sewage Works.

in the County of Dorset.

Diameter of Funnel of Gauge 5. in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 26·17 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	— ~~0·220~~	0·010	—	0·150	—	0·050	—	0·010	0·140	0·010	—	—	1
2	0·230	0·030	—	0·340	—	0·010	—	0·020	0·500	—	—	0·210	2
3	0·190	—	0·620	0·010	—	—	0·010	0·010	0·410	—	0·450	0·220	3
4	—	—	0·030	—	0·020	0·200	0·230	0·010	0·090	0·010	0·130	—	4
5	—	0·120	nil	0·210	0·020	0·300	0·100	—	—	—	0·100	0·080	5
6	—	0·170	—	0·250	0·040	0·180	—	0·010	—	0·460	0·150	0·150	6
7	—	—	—	—	0·260	0·280	0·090	0·700	—	—	0·330	0·040	7
8	as snow 0·020	0·170	—	0·110	—	0·360	—	0·010	—	—	0·110	0·180	8
9	—	0·180	—	0·010	—	0·100	0·040	—	—	—	0·830	—	9
10	—	0·010	as snow 0·010	—	—	0·160	0·020	—	—	—	0·340	—	10
11	0·120	0·350	—	—	—	0·030	0·090	—	0·010	—	0·160	—	11
12	—	0·010	—	—	—	0·010	0·050	—	0·060	0·100	—	—	12
13	—	—	—	—	—	0·010	0·010	0·010	—	0·010	—	—	13
14	—	0·110	—	—	—	0·330	2·250	0·100	0·010	—	—	—	14
15	—	0·010	—	0·010	0·070	—	—	0·160	—	—	—	0·020	15
16	—	as snow 0·030	—	0·060	0·160	0·140	—	—	0·080	—	—	—	16
17	0·010	Snow thaw 0·140	—	0·050	—	—	0·440	—	0·060	—	—	—	17
18	0·030	—	0·010	0·090	—	0·040	0·080	1·200	—	—	0·440	—	18
19	0·090	—	—	0·080	—	0·220	0·050	0·150	—	—	—	—	19
20	—	0·060	0·190	—	—	—	0·010	0·240	—	—	0·010	—	20
21	0·040	—	—	—	0·340	—	—	—	—	—	0·050	—	21
22	0·320	—	0·040	0·100	—	—	—	—	—	—	0·010	—	22
23	0·240	—	—	0·070	0·590	0·010	—	0·510	—	—	0·380	—	23
24	0·040	—	—	0·260	0·190	0·300	0·440	—	—	—	—	—	24
25	0·080	—	—	0·350	0·240	—	0·310	—	—	—	0·150	—	25
26	—	0·020	—	0·100	—	—	0·450	—	—	—	0·250	—	26
27	0·160	0·330	—	—	1·000	—	0·110	—	—	—	0·050	0	27
28	0·050	as snow 0·090	0·010	0·010	0·120	—	—	—	—	—	—	Snow thaw 0·120	28
29	0·050	—	0·090	—	0·020	—	0·050	0·020	—	0·010	0·090	—	29
30	—	×	0·070	—	—	—	0·010	0·080	—	—	0·020	—	30
31	0·400	×	—	×	0·100	×	—	—	×	—	×	Snow thaw 0·080	31
TOTAL	2·060	1·840	1·070	2·290	3·210	2·480	4·940	3·240	1·360	0·600	4·001	1·000	YEAR'S TOTAL 29·240
*Days with ·01 in. or more.	16	17	9	18	14	18	20	16	9	6	19	9	141
*Days with ·04 in. or more.	13	10	5	14	11	13	16	8	7	2	16	8	122

40-9999

(Signed) Thomas Wicks

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Broadstone Sewage Works

in the County of Dorset.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 26·12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·120	–	–	0·160	0·410	–	–	0·070	–	0·010	0·010	–	1
2	–	–	–	0·200	0·070	–	–	0·020	0·020	0·010	0·010	0·350	2
3	–	–	–	0·180	–	0·440	–	–	0·510	0·050	–	–	3
4	–	–	–	–	–	0·320	–	–	–	–	0·030	–	4
5	0·320	–	–	–	–	–	0·010	–	0·080	–	–	–	5
6	0·370	–	–	0·110	0·010	–	0·220	–	0·290	0·010	–	–	6
7	–	–	0·010	0·050	–	–	–	–	0·050	0·350	–	–	7
8	–	–	0·400	0·020	0·140	–	–	–	0·450	0·220	–	–	8
9	0·260	as snow 0·010	–	0·110	0·080	–	–	–	–	0·040	0·040	–	9
10	0·150	as snow 0·020	0·050	0·350	0·120	0·020	–	–	–	0·150	0·100	–	10
11	0·110	–	–	0·020	–	–	0·490	0·010	0·010	0·100	–	0·050	11
12	0·550	–	–	–	0·050	–	–	–	0·040	0·090	–	0·010	12
13	0·050	–	–	0·130	0·090	–	0·050	0·010	–	0·800	–	0·010	13
14	0·060	–	–	0·100	0·070	–	–	–	–	0·010	0·100	0·010	14
15	0·040	–	–	0·020	0·300	–	–	–	–	0·030	–	0·010	15
16	0·140	–	–	0·150	0·230	0·290	0·250	–	–	–	–	–	16
17	0·050	–	–	0·050	–	–	–	–	–	0·020	–	–	17
18	0·010	–	–	–	0·130	–	–	–	0·050	–	0·080	–	18
19	–	–	–	0·100	–	–	–	–	0·030	0·270	–	–	19
20	–	–	0·010	–	0·360	–	0·030	0·200	–	1·110	0·250	–	20
21	0·010	–	0·150	–	0·230	–	–	–	–	0·290	0·010	0·100	21
22	–	–	0·020	0·020	0·030	0·020	0·010	0·060	0·610	0·310	0·390	–	22
23	0·020	–	–	–	0·080	–	0·350	–	0·050	0·630	0·100	0·100	23
24	–	0·020	–	–	0·010	–	0·600	–	0·040	0·080	–	0·010	24
25	–	–	–	0·040	–	–	0·610	–	–	0·340	0·010	–	25
26	–	–	0·110	0·050	–	–	0·220	–	–	0·060	0·010	–	26
27	–	–	0·260	0·350	0·290	0·120	0·010	–	–	0·190	–	0·010	27
28	–	–	0·020	0·050	0·010	–	0·120	–	–	–	–	0·050	28
29	–	–	0·400	0·140	0·150	0·310	–	0·260	0·400	0·360	0·190	0·050	29
30	–	×	0·090	0·250	0·030	0·970	0·050	–	0·500	0·010	0·640	0·260	30
31	–	×	0·040	×	0·010	×	–	–	×	–	×	0·150	31
TOTAL	2·260	0·050	1·560	2·680	2·930	2·490	3·020	0·630	3·450	5·540	1·990	1·170	YEAR'S TOTAL 27·470
*Days with ·01 in. or more.	15	3	12	22	22	8	14	7	15	25	15	14	172
*Days with .04 in. or more.	12	–	8	18	16	6	10	4	12	19	9	7	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Thomas Wicks

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 159D

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Broadstone Sewage Works

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" Ground " Sea Level 26·12 ft.

note change of authority

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·350	0·630	0·050	—	0·010	—	—	—	—	—	0·020	0·250	1
2	0·300	—	0·680	—	0·170	—	—	—	—	—	—	—	2
3	—	0·100	0·310	—	—	—	—	—	—	—	—	—	3
4	0·180	0·010	0·140	—	0·140	—	—	—	—	—	—	—	4
5	0·070	—	0·350	—	0·010	—	—	—	—	—	—	—	5
6	—	0·200	—	—	0·200	—	—	—	—	0·050	0·020	—	6
7	0·040	0·010	0·010	—	0·050	—	0·010	—	—	0·160	—	0·010	7
8	0·010	—	0·020	—	0·030	—	0·210	—	—	0·010	—	—	8
9	—	—	—	—	0·020	—	0·220	—	—	0·080	0·010	—	9
10	—	—	—	—	—	—	0·140	0·010	—	0·090	0·010	—	10
11	0·240	—	—	—	—	0·380	0·030	0·020	—	—	—	—	11
12	—	—	—	0·050	0·010	—	0·050	—	·550	—	—	0·050 as Snow	12
13	0·050	—	—	—	0·010	0·010	0·340	0·060	—	0·140	0·110	—	13
14	0·010	—	—	—	—	—	0·050	0·010	—	0·140	0·360	—	14
15	0·380	—	0·270	—	—	—	0·060	0·240	—	0·210	0·010	—	15
16	—	—	0·720	—	—	0·030	—	—	0·010	0·070	—	—	16
17	—	0·170 as Snow	0·280	—	—	0·040	—	0·060	0·050	—	—	—	17
18	0·140	—	0·130	—	—	0·080	—	—	0·270	—	0·010	—	18
19	—	—	0·060	—	—	—	—	0·020	—	—	0·320	0·030	19
20	—	0·020 Snow & h.	—	—	—	—	—	—	0·010	—	—	—	20
21	—	0·070	—	—	0·010	0·380	—	0·240	—	0·070	0·010	0·010	21
22	—	—	—	—	—	—	—	0·110	0·130	0·100	0·010	—	22
23	—	0·120 as Snow	—	0·450	—	0·110	—	—	0·250	0·150	0·010	—	23
24	—	1·940	—	0·180	—	—	—	—	—	0·010	—	—	24
25	—	0·420	—	0·380	—	—	—	—	0·180	—	—	0·080	25
26	—	0·500	—	0·080	0·280	—	—	—	—	—	—	0·010	26
27	—	—	—	—	0·230	—	0·040	—	0·010	0·130	0·010	0·560	27
28	—	—	—	0·210	—	—	0·470	—	—	—	—	0·020	28
29	0·120	—	—	—	—	—	—	—	0·010	—	—	—	29
30	0·050	×	0·070	—	—	—	0·010	—	0·080	—	—	0·100	30
31	0·200	×	0·090	×	—	×	—	—	×	—	×	—	31
TOTAL	2·140	4·190	3·180	1·300	1·170	1·030	1·660	0·770	1·550	1·410	0·910	1·120	YEAR'S TOTAL 20·430
*Days with ·01 in. or more.	14	12	14	6	13	7	12	9	11	14	13	10	135
*Days with .04 in. or more.	12	9	12	6	6	5	9	5	7	12	3	5	91

40-9999

*See Instruction 2 (*f*) on other side.

D

(Signed) J. Bartten

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Broadstone Sewage Works

in the County of Dorset

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 26·12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·010	—	—	—	—	—	—	0·510	—	0·070	0·030	0·750		1
2	0·470	—	0·110	—	0·070	0·050	—	—	0·840	0·140	—	0·280		2
3	0·020	—	—	—	—	—	—	—	—	0·270	—	0·290		3
4	0·090	—	0·100	0·010	0·140	—	—	—	—	0·060	—	0·220		4
5	—	—	0·010	—	—	—	—	0·700	—	0·010	0·010	0·450		5
6	0·010	—	0·390	0·010	0·150	—	—	0·010	—	0·310	0·370	0·510		6
7	0·030	—	—	—	—	0·010	—	0·180	—	0·080	—	0·370		7
8	—	—	—	—	0·290	—	—	—	0·020	—	0·740	0·060		8
9	0·010	—	0·170	—	—	—	—	—	0·040	—	0·590	0·410		9
10	0·110	—	0·230	0·310	—	—	—	—	—	—	0·150	0·080		10
11	0·580	—	0·470	0·190	—	—	0·040	0·150	—	—	—	0·370		11
12	0·040	—	0·010	—	—	—	0·030	0·170	—	—	—	0·420		12
13	0·220	—	0·050	0·130	—	—	—	—	—	—	0·090	0·110		13
14	0·070	—	0·290	—	—	—	—	—	—	0·020	0·040	0·350		14
15	—	—	0·020	—	0·120	—	—	—	—	0·050	0·110	0·330		15
16	0·080	—	0·310	—	0·030	—	—	—	—	—	—	0·220		16
17	0·100	0·010	—	0·210	—	—	—	—	0·070	0·050	—	0·290		17
18	0·070	—	0·220	0·070	—	—	—	—	0·040	—	—	0·390		18
19	—	—	0·210	0·020	—	—	0·140	0·020	0·080	—	—	0·170		19
20	—	—	0·050	0·110	—	—	—	—	0·010	0·010	—	—		20
21	—	—	0·020	0·120	—	0·110	—	0·080	—	0·110	—	—		21
22	—	—	—	—	—	—	0·040	0·610	0·200	0·050	—	0·210		22
23	—	0·010	—	0·210	—	0·700	—	0·050	0·060	—	—	0·010		23
24	—	—	0·040	0·020	—	0·050	—	0·060	0·110	—	—	—		24
25	0·390	0·010	—	0·040	—	—	—	—	—	0·050	—	0·770		25
26	0·010	—	—	0·100	—	0·360	—	—	0·090	—	0·010	0·040		26
27	—	—	—	—	—	0·050	—	—	—	—	—	0·380		27
28	—	—	—	—	—	0·070	—	0·690	—	—	—	0·440		28
29	—	—	—	—	—	—	—	0·120	0·200	—	0·010	0·010		29
30	0·060	×	—	—	—	—	0·010	—	0·120	—	0·010	0·200		30
31	—	×	—	×	—	×	—	0·010	×	—	×	0·020		31
TOTAL	2·370	0·030	2·700	1·550	0·800	1·400	0·260	3·360	1·880	1·280	2·160	8·150	Year's Total. 25·940 ✓	
* Days with .01 in. or more.	18	3	17	14	6	8	5	14	13	14	13	28	153	
* Days with .04 in. or more.	12	—	13	10	5	7	3	11	11	11	7	25	115	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) J. Bantten

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Broadstone Sewage Works

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 26·12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·010	—	0·340	—	0·010	0·110	0·080	—	0·140	0·410	0·110	0·300		1
2	—	—	—	—	—	0·010	—	—	—	0·280	0·020	—		2
3	—	—	0·070	—	—	0·040	—	—	0·110	1·860	0·210	—		3
4	0·010	0·200	—	—	—	0·040	—	—	0·270	0·390	—	0·150		4
5	—	0·280	0·020	0·190	—	0·080	—	—	0·270	0·040	0·080	—		5
6	—	—	—	0·210	—	1·180	—	—	—	—	0·130	—		6
7	—	—	—	0·410	—	0·020	0·010	—	—	0·150	0·400	0·170		7
8	—	—	—	0·300	—	—	—	—	0·090	0·560	0·630	0·040		8
9	0·290	—	—	0·360	—	0·790	—	—	0·040	0·600	0·560	—		9
10	0·150	—	As Snow 0·290	0·100	—	0·050	—	—		—	0·090	0·010		10
11	0·240	—	As Snow 0·050	—	—	0·270	—	—	—	—	0·540	—		11
12	0·090	0·020	—	—	—	0·210	—	0·010	—	—	0·490	—		12
13	0·090	—	—	0·240	0·010	0·130	—	—	—	0·010	0·070	—		13
14	—	0·030	—	0·150	0·010	0·190	—	—	0·010	0·010	0·250	0·300		14
15	—	0·100	—	0·470	0·240	0·070	—	—	0·030	0·060	0·280	0·050		15
16	—	0·020	0·060	0·080	—	0·110	—	—	0·100	—	2·070	—		16
17	—	—	—	0·010	0·070	0·280	—	0·050	0·260	—	0·040	—		17
18	—	0·010	—	0·230	—	—	0·070	—	0·030	0·040	—	0·020		18
19	—	0·010	—	0·060	0·150	0·030	0·140	—	0·350	0·020	0·350	—		19
20	—	0·390	—	0·100	—	0·030	0·070	—	0·180	—	0·470	—		20
21	—	0·410	—	0·030	—	—	0·020	—	—	0·010	—	—		21
22	—	0·070	—	—	—	—	—	0·120	0·060	—	—	—		22
23	—	0·040	0·090	0·290	0·040	—	—	0·500	0·010	0·460	—	0·210		23
24	0·020	0·690	—	—	—	—	—	1·020	0·320	—	—	0·290		24
25	0·130	0·030	—	—	—	0·020	—	—	—	—	—	0·390		25
26	—	0·250	—	—	—	—	—	0·110	0·030	—	—	0·780		26
27	—	0·350	—	—	—	—	—	0·020	0·090	—	0·040	0·730		27
28	—	0·030	—	—	—	—	—	0·010	0·190	—	—	0·180		28
29	—	×	—	—	0·070	—	—	0·060	0·260	0·010	0·010	0·470		29
30	—	×	—	0·070	—	—	—	0·950	—	0·210	0·350	0·380		30
31	—	×	—	×	—	×	—	0·010	×	0·950	×	0·230		31
TOTAL	1·030	2·930	0·920	3·210	0·500	3·660	0·390	2·860	2·840	6·070	7·190	4·700	Year's Total. 36·300	
* Days with .01 in. or more.	9	17	7	17	8	19	6	11	20	18	21	17	170	
* Days with .04 in. or more.	6	9	6	15	5	14	4	7	15	13	19	15	127	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. Bantten

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Broadstone Sewage Disposal Wks

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 24·18 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·150	0·030	0·010	0·250	—	0·080	0·120	0·020	—	—	0·060	0·020		1
2	0·100	0·010	—	0·010	—	0·050	0·020	0·010	—	—	0·020	—		2
3	—	—	—	0·390	—	—	0·030	—	0·390	—	0·480	0·010		3
4	—	—	0·150	—	—	0·020	0·010	—	0·160	—	0·140	—		4
5	0·330	—	0·050	—	0·110	0·010	—	—	0·160	—	—	0·090		5
6	0·340	—	—	—	—	—	—	0·030	0·130	—	0·400	{		6
7	0·090	—	0·080	—	—	—	0·220	—	—	—	0·300	0·070		7
8	0·360	—	0·270	—	—	—	0·150	—	—	—	0·400	}		8
9	0·220	—	0·190	—	—	—	0·410	—	0·340	—	—	—		9
10	0·330	As Snow 0·170	—	—	—	0·010	0·270	—	0·010	—	0·050	—		10
11	0·270	As Snow 0·170	—	—	—	0·050	0·110	0·140	0·070	—	0·890	—		11
12	0·010	—	—	0·070	0·230	0·330	0·240	0·030	0·170	—	0·100	—		12
13	—	—	—	—	—	0·030	0·090	—	—	0·050	0·070	0·350		13
14	—	0·060	—	—	—	0·010	0·400	—	—	0·010	—	0·280		14
15	0·010	0·040	—	—	—	—	—	—	0·120	—	0·040	0·390		15
16	As Snow 0·090	0·240	—	—	0·080	—	0·080	—	—	—	0·090	0·150		16
17	—	0·810	—	—	—	—	0·030	—	0·010	0·020	0·050	0·570		17
18	0·090	0·110	—	—	—	0·360	0·250	—	—	—	—	0·310		18
19	0·380	0·020	0·010	0·030	—	0·230	0·010	0·050	—	0·060	—	—		19
20	0·240	—	0·110	0·100	—	0·010	—	—	0·730	—	—	—		20
21	—	0·280	0·020	0·400	—	0·060	0·240	—	0·020	—	—	—		21
22	0·170	0·490	0·430	—	—	—	0·120	—	—	0·020	—	0·030		22
23	0·080	—	0·270	0·120	0·030	—	0·230	—	—	0·110	—	—		23
24	0·280	0·060	0·050	—	0·070	—	0·120	—	0·040	0·210	—	—		24
25	0·070	—	0·400	0·140	0—	—	0·010	—	0·010	0·200	—	—		25
26	0·160	0·090	0·200	—	—	0·390	—	—	0·010	0·030	—	—		26
27	0·330	0·180	0·060	—	—	—	0·090	—	0·220	0·090	—	—		27
28	0·790	—	0·430	—	—	—	0·100	—	—	—	—	0·180		28
29	0·010	0·020	0·010	—	—	0·010	0·040	—	—	0·050	0·060	—		29
30	0·130	✕	—	—	0·020	0·200	—	—	—	0·200	—	—		30
31	0·060	✕	0·480	✕	0·080	✕	0·230	—	✕	0·440	✕	0·680		31
													Year's Total	
TOTAL	5·000	3·180	3·220	1·510	0·620	1·850	3·620	0·280	2·590	1·490	3·150	3·130	29·~~280~~ 640	✓
* Days with .01 in. or more.	25	16	18	9	7	16	25	6	16	13	15	13	179	✓
* Days with .04 in. or more.	22	12	14	7	5	9	19	2	11	9	14	10	134	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. Bantten

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Broadstone Sewage Works
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 26·18 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·370	0·130	—	0·200	—	—	—	—	—	—	0·280	1·100		1
2	—	1·020	—	0·070	—	—	—	—	0·040	—	0·010	0·040		2
3	0·010	0·290	—	0·020	—	—	0·010	—	0·010	—	—	—		3
4	0·090	0·780	—	—	—	—	—	—	—	—	—	0·240		4
5	0·250	—	0·040	0·030	0·040	—	0·190	—	—	—	—	—		5
6	0·050	0·350	AS·SNOW 0·320	0·120	—	—	0·080	—	—	0·030	—	—		6
7	—	0·700	0·010	—	0·010	—	—	—	—	0·010	—	AS·SNOW 0·970		7
8	—	—	—	—	0·460	—	—	—	—	—	0·220	AS.SNOW 0·060		8
9	—	0·020	SNOW 0·080	0·200	0·120	0·050	0·070	—	0·620	—	—	AS. SNOW 0·050		9
10	—	0·020	SNOW+RAIN 0·740	0·130	0·170	0·200	—	—	—	—	—	0·460		10
11	0·080	—	—	0·030	0·320	—	0·380	—	—	—	—	—		11
12	0·450	0·340	0·200	0·140	0·080	0·120	0·020	0·900	0·280	—	—	0·290		12
13	0·700	0·020	0·800	0·130	—	—	—	1·120	0·100	—	—	0·170		13
14	0·010	0·010	0·110	0·120	—	—	—	—	0·050	—	—	0·030		14
15	0·240	0·190	0·010	0·360	—	—	0·920	—	0·050	—	—	0·050		15
16	0·010	0·130	0·470	0·230	—	0·020	—	0·560	1·100	—	0·070	—		16
17	0·730	—	0·190	—	—	—	0·040	—	0·020	—	0·250	0·190		17
18	0·130	0·110	—	—	—	—	—	—	—	—	0·060			18
19	0·160	0·030	0·010	0·200	—	0·010	0·100	—	—	—	—	0·090		19
20	0·310	0·060	0·180	0·210	—	—	—	—	—	—	—	0·250		20
21	0·220	0·320	0·040	0·010	0·190	—	0·010	—	—	—	0·320	0·090		21
22	0·230	—	0·010	—	0·180	0·010	0·120	—	0·020	0·910	0·350	0·130		22
23	0·260	0·150	—	—	0·360	—	0·010	—	—	0·260	0·030	0·020		23
24	0·490	0·700	0·060	—	0·110	—	—	—	0·040	0·840	—	0·040		24
25	—	0·310	0·360	—	0·550	—	—	—	0·050	0·370	—	0·100		25
26	—	0·260	0·040	—	0·130	—	—	—	—	0·100	—	0·040		26
27	—	AS-SNOW	—	—	—	—	—	—	—	0·780	—	—		27
28	AS-SNOW 0·230	(0·290)	—	0·080	—	—	—	—	—	0·140	—	—		28
29	AS.SNOW 0·050	×	—	—	—	—	—	—	—	0·950	0·010	—		29
30	0·220	×	—	—	—	0·010	—	—	—	0·140	0·110	—		30
31	0·230	×	—	×	—	×	—	—	×	1·310	×	—		31
													Year's Total	
TOTAL	4·920	6·230	3·670	2·080	2·720	0·420	1·950	2·580	2·380	5·840	1·710	4·410	38·910	✓
* Days with .01 in. or more.	23	22	18	17	13	7	12	3	12	12	11	20	170	✓
* Days with .04 in. or more.	20	17	14	13	12	3	8	3	9	10	8	18	135	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Bantten [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Broadstone Sewage Disposal Works
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 26.18 ft.

aqs

snow w.j.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	0·010	—	—	—	0·040	0·180	—	0·010	0·290	—	0·050		1
2	0·010	—	—	—	—	—	0·010	—	—	0·210	—	0·180		2
3	—	—	—	—	0·070	—	—	—	—	0·870	0·230	—		3
4	—	—	—	—	0·010	—	0·060	1·330	—	0·430	—	—		4
5	—	—	—	—	—	—	0·220	—	—	0·210	—	—		5
6	0·100	—	—	—	—	0·010	0·200	—	0·090	0·060	0·070	0·130		6
7	0·110	—	—	—	—	0·040	0·300	0·120	0·050	0·140	0·010	0·140		7
8	0·090	—	—	—	—	0·010	0·020	0·110	—	0·290	0·010	—		8
9	0·070	0·040	—	—	—	—	—	—	—	0·010	—	0·820		9
10	0·030	—	—	—	—	0·470	0·050	—	—	—	0·010	0·350		10
11	0·190	—	—	—	—	—	—	—	—	—	0·190	0·200		11
12	0·470	—	—	—	0·140	—	—	—	—	0·160	—	0·040		12
13	0·350	—	—	—	—	—	—	—	—	0·190	0·450	0·520		13
14	0·520	—	—	—	0·060	—	0·210	—	—	—	—	—		14
15	0·240	—	—	—	0·010	—	0·350	—	—	0·330	0·070	0·520		15
16	0·390	—	0·030	—	—	—	—	—	—	0·030	—	0·030		16
17	—	0·140	0·020	—	0·080	—	—	—	0·150	0·270	0·030	—		17
18	0·120	—	—	—	0·350	0·030	—	—	0·230	—	0·390	—		18
19	—	—	—	—	—	—	—	0·010	0·130	[illegible]	0·940			19
20	0·010	—	—	—	—	—	—	0·120	—	—	0·530			20
21	0·030	—	—	—	—	—	—	0·080	0·120	—	0·080	As snow 0·070		21
22	0·040	—	—	—	—	—	—	0·370	—	—	0·410	As snow 0·060		22
23	—	—	—	—	—	—	—	—	—	—	0·090	—		23
24	—	—	0·180	—	—	—	—	—	0·140	—	0·280	—		24
25	0·150	0·200	0·020	—	0·120	—	—	0·070	—	0·030	1·320	—		25
26	0·370	0·220	—	—	0·060	0·010	—	—	0·010	0·040	—	Sola snow		26
27	0·090	0·010	—	—	0·090	0·310	0·300	0·050	—	—	0·300	(0·270)	✓	27
28	0·080	0·120	—	—	0·090	0·080	—	0·610	0·130	—	0·040	0·030		28
29	—	✕	—	—	0·280	—	—	—	0·210	—	0·310	0·050		29
30	0·020	✕	—	—	0·190	—	—	—	0·280	0·100	0·130	—		30
31	0·220	✕	—	✕	0·180	✕	—	—	✕	0·110	✕	0·360		31
													Year's Total	
TOTAL	3·700	0·740	0·250	—	1·730	1·000	1·900	2·870	1·550	3·790	5·920	5·820	27·240	
* Days with .01 in. or more.	22	7	4	—	14	9	11	10	12	18	21	17	165	
* Days with .04 in. or more.	17	5	1	—	12	5	9	9	10	15	17	15	115	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Bantten

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at Broadstone Sewage Disposal Works

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 26·18 ft.

Ap

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	0·080	0·110	0·050	—	0·270	0·470	0·340	—	—	0·100		1
2	—	—	—	0·160	—	—	—	—	2·010	—	0·390	0·060		2
3	0·680	—	—	0·470	—	—	—	0·740	—	—	0·280	0·180		3
4	0·020	—	0·460	0·150	0·180	—	0·560	0·240	0·220	0·330	0·060	0·040		4
5	—	—	0·050	0·190	0·300	—	0·260	—	—	0·220	0·500	0·020		5
6	0·710	—	0·070	—	—	—	0·650	—	—	—	0·240	—		6
7	—	0·220	—	—	—	—	0·010	—	—	0·030	0·330	0·470		7
8	—	0·120	0·080	—	—	—	0·040	0·030	—	0·640	0·170	0·320		8
9	0·030	0·010	0·010	—	—	—	—	0·120	—	0·110	0·370	0·230		9
10	0·320	—	0·010	—	—	—	—	0·210	0·140	0·240	0·130	—		10
11	—	—	0·190	—	—	—	—	—	—	0·250	0·010	—		11
12	—	—	—	—	—	0·010	—	—	—	—	0·010	—		12
13	—	—	—	0·040	—	0·010	0·330	—	0·010	1·870	0·010	0·050		13
14	0·860	—	—	—	0·030	—	0·140	—	—	0·250	0·410	0·110		14
15	0·280	—	—	—	0·140	0·780	0·110	—	—	0·070	0·260	0·010		15
16	0·360	—	—	0·100	0·030	0·080	0·090	—	—	0·020	0·290	—		16
17	0·230	—	—	—	0·220	0·020	0·020	—	—	0·160	0·060	—		17
18	0·110	0·110	—	—	0·010	0·060	0·510	—	—	—	0·420	0·010		18
19	0·370	—	—	—	—	—	0·030	—	—	—	—	0·060		19
20	0·410	—	—	—	—	0·020	0·040	2·700	—	—	—	—		20
21	0·070	0·200	0·050	—	—	0·110	0·140	—	0·010	—	—	—		21
22	0·050	0·190	0·080	0·010	—	0·360	0·080	—	—	—	0·200	—		22
23	—	—	—	0·190	—	—	0·050	—	—	—	1·020	0·010		23
24	0·590	—	—	0·010	—	0·350	0·130	0·050	—	—	—	—		24
25	As snow 0·690	0·160	—	0·110	—	—	0·060	—	—	0·150	0·490	—		25
26	—	0·020	—	0·040	—	—	—	—	—	0·090	0·300	—		26
27	—	0·160	0·010	0·010	—	—	—	—	—	—	0·120	—		27
28	—	0·350	0·010	—	—	0·020	0·220	—	—	—	0·350	As snow 0·180		28
29	—	✕	—	—	—	—	0·520	—	—	0·090	0·010	—		29
30	—	✕	—	0·490	—	0·020	—	0·230	—	0·210	0·010	—		30
31	—	✕	—	✕	—	✕	—	0·270	✕	1·180	✕	—		31
TOTAL	5·780	1·540	1·100	2·080	0·990	1·840	3·660	5·060	2·730	5·910	5·900	1·850	Year's Total 38·440	
* Days with .01 in. or more.	16	10	12	14	8	12	21	10	6	17 ✓	25	15	166	
* Days with .04 in. or more.	14	8	8	11	5	6	18	9	4	15 ✓	20	11	129	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. Bantten

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~X~~40

Kept at Broadstone Sewage Works
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ Ground „ Sea Level 26·18 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	0·030	–	–	0·010	–	–	–	–	–	0·150	–		1
2	–	0·200	–	0·140	–	–	–	–	–	–	0·460	–		2
3	–	0·550	–	–	–	–	–	–	–	0·340	0·730	0·230		3
4	0·050	0·100	–	0·020	–	–	0·040	–	–	0·340	0·080	–		4
5	–	0·040	–	–	–	–	0·050	–	–	–	0·670	0·250		5
6	0·400	0·450	–	–	–	–	0·030	–	–	0·420	0·030	0·120		6
7	0·060	0·110	–	–	–	–	–	–	–	0·090	–	–		7
8	–	–	–	0·010	–	–	0·070	–	–	0·460	0·080	0·300		8
9	–	–	–	0·020	–	–	0·110	–	0·020	0·190	0·560	0·170		9
10	–	–	–	–	–	–	1·270	0·040	0·010	0·030	0·090	0·170		10
11	–	–	–	0·010	–	–	0·040	–	–	–	0·950	0·010		11
12	–	–	0·180	–	–	–	0·210	–	0·410	0·030	0·020	–		12
13	–	As Snow 0·010	0·620	0·020	–	–	0·080	–	0·010	0·190	1·340	–		13
14	–	–	0·140	0·050	–	–	0·210	–	0·180	0·310	0·030	0·620		14
15	–	–	–	–	0·210	0·010	0·480	–	0·110	0·150	0·380	0·010		15
16	–	Snow & Rain 0·810	0·930	0·140	–	0·020	–	–	0·050	0·750	1·000	0·040		16
17	–	Snow & Rain 0·130		–	–	–	0·010	–	–	–	0·830	–		17
18	As Snow 0·040	0·250	0·510	0·120	–	–	0·010	–	0·020	0·180	0·040	–		18
19	–	0·060	0·020	0·250	–	–	0·020	–	0·540	–	0·440	–		19
20	–	–	0·030	[illegible]	–	–	–	–	–	0·170	0·040	0·010		20
21	–	–	–	–	0·200	–	–	–	–	–	0·420	–		21
22	–	–	0·060	–	–	0·170	–	–	0·130	–	–	–		22
23	–	0·030	0·270	0·070	–	–	–	–	–	0·010	0·040	–		23
24	–	–	–	–	0·010	–	0·410	–	–	–	–	–		24
25	–	–	0·310	–	0·120	–	–	–	–	–	–	–		25
26	1·430	0·440	–	–	–	–	0·030	–	–	–	–	–		26
27	0·600	0·200	0·010	0·040	0·330	–	0·090	–	–	0·010	–	–		27
28	0·520	0·020	–	–	0·240	–	–	–	–	0·080	–	–		28
29	As Snow 0·680	0·480	0·160	0·160	–	–	–	–	–	0·010	–	0·230		29
30	0·090	✕	0·020	0·080	–	–	–	–	–	0·220	–	0·100		30
31	0·040	✕	–	✕	–	✕	–	–	✕	0·520	✕	Snow & Rain 0·370		31
TOTAL	3·910	3·910	3·260	1·130	1·120	0·200	3·160	0·040	1·480	4·500	8·380	2·630	Year's Total ~~35·710~~	33·62
* Days with .01 in. or more.	10	14	~~13~~ 14	14	7	2	17	1	10	20	21	14	14~~6~~ 7	
* Days with .04 in. or more.	10	13	~~8~~ 10	9	5	1	12	1	6	15	18	11	110 1	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

1590/5

1590/5
LYME REGIS
THE COBB
1937, 38
780304

Section **A** for the entry of
AIR MINIST
FALL ORGANIZATION

Station No: ~~2744/3~~

FORM 1090

REGIS 937

Kept at Lyme Regi
in the County of Dorset
Diameter of Funnel of Gauge......
Height of top of Gauge above Gr
,, Ground ,, Sea Level 495 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												1·19		1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13								·75						13
14														14
15														15
16									·94					16
17														17
18														18
19														19
20														20
21														21
22														22
23											·67			23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL								1·38	3·11		3·14	4·04	Year's Total	
* Days with .01 in. or more.								4	17		10	21		
* Days with .04 in. or more.								4	9		10	18		

1st return August 1937.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

N

1590/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No ~~2744/3~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge ~~12~~ 5 ins.

Height of top of Gauge above Ground ~~495~~ ft. 1 ft – in.

,, Ground ,, Sea Level 495 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												1.19		1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13								.75						13
14														14
15														15
16									.94					16
17														17
18														18
19														19
20														20
21														21
22														22
23											.67			23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
												✓	Year's Total	
TOTAL								1.38	3.11		3.14	4.04		
* Days with .01 in. or more.								4	17		10	21		
* Days with .04 in. or more.								4	9		10	18		

1st. return Augt 1937

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

N

LIME REGIS / THE C[illegible])

COPY FOR OFFICIAL USE

~~2441/3~~

Section **A** for the entry of Daily Observations

Station No. 1590/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM [illegible]00

REGISTER OF RAINFALL IN 1938

Kept at Lyme Regis
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 495 ft.

1937

imp

now 7 xx est for nearby stations ga

J[illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·66				1
2				·02										2
3														3
4								1·53						4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14	·52						1·13							14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22				·02										22
23				·02										23
24			·15											24
25														25
26		4.0			·36									26
27														27
28														28
29	~~·04~~								~~·55~~ ✓		·55			29
30		✕				·61								30
31		✕		✕		✕			✕		✕			31
TOTAL	3·37 4·27	1·07	·21	·06	2·23	1·41	4·23	3·53	2·26 ~~4·34~~	4·07	(6·40) ~~4·37~~	(4·50) ~~3~~	Year's Total 34 (33·40)	
* Days with .01 in. or more.	20	8	4	3	16	11	15	10	12	17	(26) ~~12~~	(22)	(164)	
* Days with .04 in. or more.	19	5	1	0	15	9	13	9	10	15	(21) ~~10~~	(17)	(134)	

~~[illegible]~~

Print

SB 25/3/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

CLERK TO THE U.D.C.

1591

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

"REGIST 31 .

1591

LYME REGIS

"HORN"

1931 — 40

780304

Kept at Horn Lym

in the County of Dorse

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·07	—	·45	—	·01	·03	—	·28	·01	—	—	1
2	·23	·04	—	·63	—	—	—	—	·70	—	—	·10	2
3	·06	—	·86	—	—	—	—	—	·19	—	1·51	·05	3
4	·04	—	·12	—	·10	·09	·42	·14	·07	·04	·02	—	4
5	—	·34	·02	·08	—	·67	·02	·22	—	—	·06	·25	5
6	—	·09	—	·03	·03	·21	—	—	·03	·30	·22	·60	6
7	—	—	—	—	·33	·28	—	·35	—	·06	·52	·14	7
8	—	·32	—	·19	—	·50	—	·06	—	—	·14	·08	8
9	·05	·18	—	—	—	·06	—	—	—	—	·55	—	9
10	·01	·03	—	—	·03	·14	·02	·09	·46	—	·80	—	10
11	·17	·59	—	—	—	·21	—	—	·04	—	·43	—	11
12	·02	·01	—	—	—	—	·14	—	—	·01	—	—	12
13	—	·01	·02	—	·02	—	·19	·01	—	—	—	—	13
14	—	·01	—	—	·07	·16	·65	·16	·04	—	·11	—	14
15	—	·05	—	·02	·15	—	—	·11	—	—	·01	·02	15
16	—	·06	—	·02	·10	·75	—	·07	·14	—	—	—	16
17	·04	·15	—	·06	—	·09	·48	—	·08	—	—	—	17
18	—	—	—	·08	—	·20	·01	1·53	—	—	·29	—	18
19	·05	·01	·02	·07	—	·05	·06	·09	—	—	·31	—	19
20	—	·20	·22	·01	—	—	—	·52	—	—	·06	—	20
21	·32	—	·03	—	·21	—	—	—	—	—	·03	—	21
22	·36	—	·01	·24	·19	—	—	—	—	—	—	—	22
23	·37	·03	—	·04	·95	—	—	—	—	—	·41	—	23
24	·12	—	—	·52	·21	—	·73	·49	—	—	·03	·01	24
25	·10	·02	—	·32	·02	—	·10	—	—	—	·26	—	25
26	—	·03	—	·05	—	—	·34	—	—	—	·62	—	26
27	·31	·43	—	—	·47	—	·27	—	—	—	·02	—	27
28	·09	·24	·05	—	·08	—	—	·02	—	—	—	·10	28
29	·02	×	·15	—	·06	—	·08	·18	—	·01	·13	·11	29
30	—	×	—	—	·03	—	—	—	·02	—	—	—	30
31	·50	×	·02	×	·03	×	·02	—	×	—	×	·45	31
TOTAL	2·86	2·91	1·52	2·81	3·08	3·42	3·56	4·04	2·05	·43	6·53	1·91	YEAR'S TOTAL 35·12
*Days with ·01 in. or more.	18	21	11	16	18	14	16	15	11	6	21	11	178
*Days with ·04 in. or more.	15	13	5	12	12	13	11	13	9	3	16	9	131

40-9999

(Signed) Everard T. Steward

P.T.O.

*See Instruction 2 (*f*) on other side.

1591

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

"REGISTER OF RAINFALL IN 1931.

Kept at Horn Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground One ft — in.

" Ground " Sea Level 82·82 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·07	—	·45	—	·01	·03	—	·28	·01	—	—	1
2	·23	·04	—	·63	—	—	—	—	·70	—	—	·10	2
3	·06	—	·86	—	—	—	—	—	·19	—	1·51	·05	3
4	·04	—	·12	—	·10	·09	·42	·14	·07	·04	·02	—	4
5	—	·34	·02	·08	—	·67	·02	·22	—	—	·06	·25	5
6	—	·09	—	·03	·03	·21	—	—	·03	·30	·22	·60	6
7	—	—	—	—	·33	·28	—	·35	—	·06	·52	·14	7
8	—	·32	—	·19	—	·50	—	·06	—	—	·14	·08	8
9	·05	·18	—	—	—	·06	—	—	—	—	·55	—	9
10	·01	·03	—	—	·03	·14	·02	·09	·46	—	·80	—	10
11	·17	·59	—	—	—	·21	—	—	·04	—	·43	—	11
12	·02	·01	—	—	—	—	·14	—	—	·01	—	—	12
13	—	·01	·02	—	·02	—	·19	·01	—	—	—	—	13
14	—	·01	—	—	·07	·16	·65	·16	·04	—	·11	—	14
15	—	·05	—	·02	·15	—	—	·11	—	—	·01	·02	15
16	—	·06	—	·02	·10	·75	—	·07	·14	—	—	—	16
17	·04	·15	—	·06	—	·09	·48	—	·08	—	—	—	17
18	—	—	—	·08	—	·20	·01	1·53	—	—	·29	—	18
19	·05	·01	·02	·07	—	·05	·06	·09	—	—	·31	—	19
20	—	·20	·22	·01	—	—	—	·52	—	—	·06	—	20
21	·32	—	·03	—	·21	—	—	—	—	—	·03	—	21
22	·36	—	·01	·24	·19	—	—	—	—	—	—	—	22
23	·37	·03	—	·04	·95	—	—	—	—	—	·41	—	23
24	·12	—	—	·52	·21	—	·73	·49	—	—	·03	·01	24
25	·10	·02	—	·32	·02	—	·10	—	—	—	·26	—	25
26	—	·03	—	·05	—	—	·34	—	—	—	·62	—	26
27	·31	·43	—	—	·47	—	·27	—	—	—	·02	—	27
28	·09	·24	·05	—	·08	—	—	·02	—	—	—	·10	28
29	·02	×	·15	—	·06	—	·08	·18	—	·01	·13	·11	29
30	—	×	—	—	·03	—	—	—	·02	—	—	—	30
31	·50	×	·02	×	·03	×	·02	—	×	—	×	·45	31
TOTAL	2·86	2·91	1·52	2·81	3·08	3·42	3·56	4·04	2·05	·43	6·53	1·91	YEAR'S TOTAL 35·12
*Days with ·01 in. or more.	18	21	11	16	18	14	16	15	11	6	21	11	178
*Days with ·04 in. or more.	15	13	5	12	12	13	11	13	9	3	16	9	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Everard T. Stoward

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Horn Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft — in.

" Ground " Sea Level 82-82 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	.17	.03	.03	—	.14	—	—	.19	—	1
2	.02	—	—	.14	.04	—	—	.05	.02	.01	.03	.37	2
3	.01	—	—	—	—	.80	.01	—	.43	.07	.03	.04	3
4	.01	—	—	—	—	.21	—	.04	—	—	.22	—	4
5	.19	—	—	.22	—	—	—	—	.29	—	.01	—	5
6	.47	— Snow	—	—	—	—	.01	—	.58	.01	—	—	6
7	.05	—	—	—	.03	—	—	—	.40	1.13	—	—	7
8	.01	—	.65	.06	.17	—	—	—	.33	.11	—	—	8
9	.77	.03	—	.20	—	—	—	—	—	.06	—	—	9
10	.34	—	—	.35	.05	—	—	—	—	.14	—	—	10
11	.04	—	—	.14	.05	—	—	—	.02	.12	—	.07	11
12	.63	—	—	—	.40	—	—	—	.02	.17	—	.08	12
13	.10	—	—	.11	.03	—	.26	.06	—	.74	—	.12	13
14	.25	—	—	.25	.15	—	—	—	—	.02	.12	—	14
15	.02	—	—	.11	.25	—	.14	—	—	.04	.21	.06	15
16	.15	—	—	.08	—	—	.41	—	—	—	—	.01	16
17	.04	—	—	.02	—	—	—	—	.03	.06	—	—	17
18	.02	—	—	—	.39	—	—	—	.08	—	.22	—	18
19	—	—	—	—	.29	—	—	—	.06	.49	—	—	19
20	—	—	—	.02	1.57	—	—	.13	—	.83	.21	.04	20
21	.05	—	.14	.15	—	—	—	.06	.14	.34	.09	.13	21
22	—	—	.02	—	.01	—	.03	.05	.96	.58	.23	.01	22
23	—	—	—	—	.03	.12	.42	—	.02	.88	.01	.08	23
24	—	—	—	—	.02	—	.59	—	.17	.09	.03	.02	24
25	—	—	.35	.01	—	—	.03	—	.20	.26	.04	.01	25
26	—	—	.18	.03	—	—	.21	—	.03	.13	.06	—	26
27	—	—	.30	.43	.18	—	.19	—	—	.42	.01	.25	27
28	—	—	.01	.11	.11	—	.23	—	—	—	—	.11	28
29	—	—	.50	.09	.37	.54	—	.96	.51	.50	.18	.34	29
30	—	×	.03	—	—	1.27	.61	.02	1.04	.02	.87	.17	30
31	—	×	.01	×	.03	×	.06	—	×	—	×	.51	31
													YEAR'S TOTAL
TOTAL	3.19	.03	2.19	2.69	4.20	2.97	3.20	1.51	5.33	7.22	2.76	2.42	37.71
*Days with ·01 in. or more.	19	1	10	19	20	6	14	9	19	24	18	18	177
*Days with .04 in. or more.	12	0	6	15	13	5	10	8	13	20	12	14	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Everard T. Stoward

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Horn" Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft — in.

,, Ground ,, Sea Level 82.82 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·57	·58	·07	—	·02	—	—	—	—	—	·10	·28		1
2	·33	—	·96	—	·35	·02	—	—	—	—	·02	·04		2
3	·03	·18	·21	—	·05	—	—	—	—	—	—	—		3
4	·23	·03	·07	—	·14	—	—	—	—	—	—	—		4
5	·05	·01	·23	—	—	—	—	—	—	—	·05	—		5
6	—	·45	—	—	·17	—	·08	—	—	·11	—	—		6
7	·01	·17	·01	—	·20	—	—	—	—	·29	—	—		7
8	—	—	·01	—	·03	—	·15	—	—	—	—	—		8
9	—	·04	—	—	·48	—	·37	—	—	·17	·03	—		9
10	—	·38	—	—	—	—	·11	—	—	·39	·02	—		10
11	·11	—	—	—	—	—	·08	1.04	—	—	—	—		11
12	·01	—	—	·10	·01	—	·19	—	·52	·03	—	—		12
13	—	—	—	—	·06	·04	·18	·49	—	·05	·02	—		13
14	—	—	—	—	—	—	·23	·43	—	·43	·33	—		14
15	·50	—	·21	—	—	—	·27	·02	—	·06	·02	·01		15
16	—	—	·92	—	—	·02	—	—	·03	·06	—	—		16
17	—	—	·25	—	—	·02	—	·01	·16	—	—	—		17
18	·05	·15	·17	—	—	·09	—	—	—	—	·01	—		18
19	·07	—	·19	—	—	—	—	·01	·03	—	·35	—		19
20	—	·01	—	—	—	·11	—	—	·03	—	—	—		20
21	—	·03	—	—	·03	·13	—	·06	·01	·06	—	·01		21
22	—	—	—	·07	·07	·10	—	·41	·37	·06	—	—		22
23	—	·49	—	·71	—	·22	—	—	·28	·24	—	—		23
24	—	1.10	—	·46	—	—	—	—	·03	·01	—	—		24
25	—	1.03	—	·37	·02	·37	—	—	·21	—	—	·19		25
26	—	·45	—	·25	·22	·04	—	—	—	·03	—	·01		26
27	—	·03	—	—	·11	—	—	—	—	·35	—	·32		27
28	—	—	—	·34	·04	—	·41	—	—	·33	—	·07		28
29	·29	×	—	—	·07	—	·03	—	—	—	—	·06		29
30	—	×	·15	—	—	—	·03	—	·20	—	—	·10		30
31	·17	×	·21	×	—	×	—	—	×	·02	×	—		31
TOTAL	2.42	5.13	3.66	2.30	2.07	1.16	2.13	2.47	1.87	2.69	·93	1.09	Year's Total 27.92	
*Days with ·01 in. or more.	13	16	14	7	17	11	12	8	11	17	10	10	146	
*Days with .04 in. or more.	10	11	12	7	12	8	10	5	6	13	3	7	104	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Gerard T. Stoward

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934

Kept at "Horn" Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground One ft. — in.

,, Ground ,, Sea Level 82.82 ft.

File number 771153/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	—	—	—	—	—	—	·69	·02	—	·05	1.17		1
2	·32	—	·05	—	—	—	—	—	1.22	·04	·06	·31		2
3	·08	—	—	—	—	—	—	—	—	·36	—	·17		3
4	·07	—	·39	·09	·18	—	—	—	·02	·09	—	·27		4
5	·01	—	·08	—	·05	—	—	1.08	—	·10	—	·45		5
6	·06	—	·31	·05	·27	—	—	—	—	·67	·03	·65		6
7	·03	—	—	—	—	—	—	·09	—	·23	·01	·56		7
8	—	—	—	—	·25	—	—	—	·01	—	·74	·18		8
9	·05	—	·23	—	—	—	—	—	·03	—	·37	·29		9
10	·20	—	·10	·31	—	—	—	·09	—	—	·10	·17		10
11	·49	—	·05	·23	—	—	·03	·03	—	—	—	·43		11
12	·04	—	—	—	—	—	—	·38	—	—	·01	·18		12
13	·27	—	—	·32	—	—	—	—	—	—	·05	·24		13
14	·32	—	·33	·04	—	—	—	—	—	—	·01	·44		14
15	·04	—	·07	—	·11	—	—	—	—	·33	·17	·34		15
16	·17	—	·25	·04	—	—	—	—	—	—	·01	·25		16
17	·12	—	—	·08	·11	—	—	—	·09	·11	—	·35		17
18	·05	—	·20	·29	—	—	—	—	·04	—	—	·19		18
19	—	—	·13	·08	—	·07	—	·01	·08	—	—	·08		19
20	—	—	·04	·24	—	—	—	—	·02	·04	—	—		20
21	—	—	·04	—	—	·27	—	·01	—	·46	—	·17		21
22	—	—	·06	·07	—	—	—	·27	·48	—	—	·86		22
23	·08	—	·02	·43	—	·31	—	·03	·12	·08	—	·34		23
24	—	·11	·05	·04	—	·02	·03	·21	·33	·05	—	·04		24
25	·39	·03	—	·23	—	—	—	—	·01	·14	—	·90		25
26	·01	—	·06	·53	—	·27	—	—	·12	—	·03	·06		26
27	—	—	—	—	—	·07	—	·01	·01	·05	—	·35		27
28	—	—	—	·27	—	—	—	·68	·13	—	—	·73		28
29	—	×	—	—	—	—	—	·10	·12	·03	·01	·03		29
30	·01	×	—	—	—	—	—	—	·21	·04	—	·42		30
31	—	×	—	×	—	×	—	·22	×	·01	×	·02		31
TOTAL	2.84	·14	2.46	3.34	·97	1.01	·06	3.90	3.06	2.83	1.65	10.64	Year's Total. 32.90 ✓	
* Days with .01 in. or more.	21	2	18	17	6	6	2	15	18	17	14	30	166 ✓	
* Days with .04 in. or more.	16	1	17	17	6	5	0	10	11	15	7	28	133	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Everard T. Stoward

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No 1591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Hori" Lyme Regis
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground One ft — in.
,, Ground ,, Sea Level 82·82 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·57	—	—	·30	·04	—	·10	·08	·16	·16		1
2	—	·02	·01	—	—	·06	—	—	·19	·34	·10	·01		2
3	—	·03	·11	—	·10	·29	—	—	·40	·18	·23	—		3
4	—	·18	·01	·07	·02	·20	—	—	·09	·19	·41	·44		4
5	—	·24	—	·06	—	·08	—	—	·32	·05	—	·01		5
6	—	·08	—	·31	—	1·47	—	—	—	·02	·26	·16		6
7	—	—	—	·42	—	·12	—	—	—	·28	·14	·07		7
8	—	—	—	·43	—	—	—	—	·39	·03	·43	·01		8
9	—	—	—	·44	—	·13	—	—	—	·65	·48	—		9
10	·07	—	·20	·06	—	—	—	—	—	—	·01	·03		10
11	·26	—	·17	—	—	·44	—	—	·22	·07	·42	·02		11
12	·01	·06	—	—	—	·29	—	—	·08	—	·24	—		12
13	·07	·16	—	·55	—	·12	—	—	—	—	·15	—		13
14	—	·07	—	·25	—	—	—	—	·03	·01	·97	·56		14
15	—	·15	—	·71	·03	·08	—	—	·16	—	·21	·08		15
16	—	·04	·02	·11	—	·23	—	—	·30	—	1·18	—		16
17	—	—	—	·03	·82	·33	—	·23	·05	—	·03	—		17
18	—	·03	—	·30	—	·01	·09	·01	·44	·01	—	·09		18
19	—	·18	—	·02	·34	·08	·19	—	·15	·11	·41	—		19
20	—	·23	—	·15	·02	·03	—	—	—	—	·23	—		20
21	—	·51	·02	·12	—	·01	·01	—	·08	·02	·01	—		21
22	—	·05	·09	·03	—	—	—	·08	·02	·03	—	—		22
23	—	—	·12	—	·09	—	—	·25	·13	·46	—	·34		23
24	·05	·61	·03	—	·08	—	—	·64	·47	·05	—	·29		24
25	·28	·30	—	·05	—	·13	—	—	—	—	—	·19		25
26	—	·49	—	—	·06	·02	—	·24	·07	—	·02	·85		26
27	—	·16	—	—	—	—	—	—	·08	·03	·09	·55		27
28	—	·06	—	—	—	—	—	·13	·09	—	·03	·05		28
29	—	×	—	—	—	—	—	·02	·07	·01	·01	·42		29
30	·03	×	—	—	—	—	—	·84	·03	·21	·44	·67		30
31	—	×	—	×	·08	×	—	·01	×	·76	×	1·09		31
TOTAL	·80	3.65	1·35	4.11	1·64	4·42	·33	2·45	3.96	3.59	6·66	6·09	Year's Total. 39·05	
* Days with .01 in. or more.	8	20	11	18	10	20	4	10	23	21	24	21	190	
* Days with .04 in. or more.	5	17	6	15	7	16	3	7	20	13	18	16	143	

40-9999

† Spare column, no entries required.

(Signed) Everard T. Stoward ✓

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Station No. 1591

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at " Horn Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground One ft. — in.

" Ground " Sea Level 82 82 ft.

File 1077/153/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·08	—	·23	—	·37	·31	—	—	—	·02	·05		1
2	—	—	—	·09	—	·04	·25	·07	·01	—	·07	—		2
3	—	—	—	·90	—	·07	·22	·01	·58	—	·34	·01		3
4	—	—	·34	·01	—	·27	·03	—	·30	—	·03	·08		4
5	·66	—	·02	—	—	—	·03	·03	·15	—	·03	·17		5
6	·21	—	—	—	—	·05	·22	·01	·12	—	·50	·01		6
7	·14	—	·56	—	—	—	·40	—	—	—	·11	·05		7
8	·43	—	·79	—	—	—	·27	—	—	—	·24	·01		8
9	·50	—	·35	—	—	—	·29	—	·16	—	·06	—		9
10	·14	·09	—	—	—	—	·05	—	—	—	·15	—		10
11	·46	·07	—	—	—	·03	·02	—	·08	—	1·08	·02		11
12	·01	—	—	·03	·02	·27	·75	—	·38	—	·17	·01		12
13	·10	—	—	—	—	—	·12	·01	·01	·03	·26	·64		13
14	—	·02	—	—	—	·01	·40	—	·17	·01	·01	·83		14
15	·02	·03	—	—	·09	—	·08	—	·09	—	·07	·22		15
16	—	·14	—	·30	·28	—	·32	—	—	—	·14	·15		16
17	—	·80	—	—	·15	—	·44	—	—	·05	·06	·44		17
18	·08	·32	·01	—	—	·55	·48	—	—	·01	—	·18		18
19	·50	·03	·11	·23	—	·19	·02	·02	—	—	—	—		19
20	·09	·29	·17	·09	—	·02	·02	—	·21	—	—	—		20
21	—	·17	·03	·47	—	·05	—	—	·02	—	—	—		21
22	·22	·37	·48	—	—	—	·17	—	—	—	—	·02		22
23	·11	·01	·11	·13	·05	—	·15	—	—	·05	—	—		23
24	·30	·05	·05	—	·09	—	·01	—	·15	·37	—	—		24
25	·08	—	·38	·20	—	—	·16	—	·12	·44	—	·01		25
26	·31	·14	·26	—	—	·03	·06	—	·09	·04	—	—		26
27	·67	·54	·12	—	—	—	·19	—	·03	·25	—	—		27
28	·96	—	·62	—	—	—	·40	—	—	·01	—	·27		28
29	·05	·03	·03	—	—	—	—	—	—	·23	·08	·09		29
30	·25	✕	—	—	—	·07	—	—	—	·13	—	·01		30
31	·10	✕	·85	✕	·07	✕	·07	—	✕	·16	✕	·59		31
TOTAL	6·48	3.18	5.28	2·68	·75	2·02	5.93	·15	2.67	1·78	3·42	3.86	Year's Total 38·20 ✓	
* Days with .01 in. or more.	24	17	18	11	7	14	28	6	17	13	18	21	194 ✓	
* Days with .04 in. or more.	22	12	14	9	6	10	22	1	13	9	14	13	145 ✓	

† Spare column, no entries required.

(*Signed*) Everard T. Steward [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF. RAINFALL IN 1937

Kept at Horn Lyme Regis
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
,, Ground ,, Sea Level 82.82 ft.

File A 0771153/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·04	—	·29	—	—	—	—	·08	—	·07	1.05		1
2	·01	·50	—	·22	—	—	—	—	·20	—	—	·13		2
3	·02	·30	·14	·03	—	—	—	—	·01	—	—	—		3
4	·15	·58	—	—	—	—	—	—	—	—	—	·40		4
5	·20	—	·02	·04	—	—	·64	—	—	—	—	·02		5
6	·14	·44	·49	·19	·05	—	·58	—	—	·01	—	—		6
7	—	·91	·05	·04	·01	—	—	—	·01	—	—	·12		7
8	—	·01	—	—	·71	—	·03	—	—	—	·21	·15		8
9	—	—	·05	·15	·24	—	·13	—	·83	—	—	·11		9
10	·41	·02	·50	·20	·10	·32	—	—	—	—	—	·23		10
11	·09	—	·24	·12	·43	·01	·38	—	—	—	—	—		11
12	·64	·35	·01	·15	—	·38	·10	·70	·09	—	—	·36		12
13	—	·07	·91	·35	—	·08	—	·44	·04	—	—	·02		13
14	—	·02	·45	—	—	—	—	—	·04	—	—	·03		14
15	·28	·17	·10	·62	—	—	1.24	—	·28	—	—	·34		15
16	·06	·07	·39	·05	—	—	·09	·19	·95	—	·01	—		16
17	·50	·13	·54	—	—	—	—	—	·30	—	·32	—		17
18	·03	·09	·11	—	—	·02	—	—	·05	—	·16	·28		18
19	·11	·09	·01	·26	·05	—	—	—	·01	—	·04	·07		19
20	·23	·11	·03	·24	·09	—	—	—	·02	—	—	·55		20
21	·47	·44	·10	·06	·24	—	·03	—	·15	—	·48	·07		21
22	·16	—	·08	—	·40	·49	·23	—	·16	·83	·68	·10		22
23	·28	·24	·02	—	·20	—	—	—	—	·12	·42	·04		23
24	·18	·75	·01	—	—	—	—	—	·02	·91	—	·01		24
25	—	·53	·47	—	·31	—	—	—	·02	·22	—	·04		25
26	—	·31	·02	—	·28	—	—	—	—	·05	·01	·05		26
27	—	·17	—	—	—	—	—	—	—	·39	—	—		27
28	·26	·14	—	—	—	—	—	—	—	·21	·01	—		28
29	·07	X	—	—	—	—	—	—	—	·66	·19	—		29
30	·42	✕	—	—	—	·02	—	—	·01	·06	·30	—		30
31	·22	✕	—	✕	—	✕	—	—	✕	·98	✕	—		31
													Year's Total	
TOTAL	5.03	6.48	4.74	3.01	3.11	1.32	3.45	1.33	3.27	4.44	2.90	4.17	43.25	✓
* Days with .01 in. or more.	23	24	22	16	13	7	10	3	19	11	13	21	182	✓
* Days with .04 in. or more.	20	21	15	15	12	4	8	3	12	10	10	17	147	✓

† Spare column, no entries required.

(*Signed*) Everard T. Steward [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at "Horn" Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 82·82 ft.

File No 771153/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·04	—	—	—	·24	—	·01	—	·62	·02	·12		1
2	—	—	—	·02	—	—	·10	—	—	·23	·04	·23		2
3	—	—	—	—	·15	—	·01	—	—	·50	·26	—		3
4	—	—	—	—	·03	·02	·13	1·46	·02	·09	·01	·11		4
5	—	—	—	—	—	·01	·05	—	—	·28	—	—		5
6	·07	—	—	—	—	·09	·32	—	·10	·07	·05	·16		6
7	·09	—	—	—	—	·09	·40	—	·06	·09	·06	·08		7
8	·30	·01	—	—	—	·18	·06	·04	·01	·32	·01	·02		8
9	·13	·07	—	—	—	·02	—	—	—	—	—	·67		9
10	·12	—	—	—	—	—	·08	—	—	—	—	·35		10
11	·11	—	—	—	—	—	·02	—	—	—	·31	·53		11
12	·46	—	—	—	·16	—	·02	—	—	·24	·07	·01		12
13	·30	—	—	—	·04	—	·01	—	—	·03	·30	·60		13
14	·55	—	—	—	·08	—	1·03	—	—	—	·01	—		14
15	·10	—	—	—	·07	—	·31	·03	—	·26	·06	·45		15
16	·26	—	·02	—	·05	—	—	·02	—	·10	·34	·02		16
17	—	·14	·04	—	·04	—	—	—	·07	·15	·05	—		17
18	·15	—	—	—	·16	—	—	—	·29	·03	·26	—		18
19	—	—	—	—	—	·10	—	·05	·48	—	·65	—		19
20	—	—	—	—	—	—	—	·08	—	—	·42	—		20
21	—	—	—	—	—	—	—	·07	~~·05~~	—	·35	·12		21
22	·05	—	—	·03	—	·04	—	·57	—	—	·52	·13		22
23	·01	—	—	·03	—	—	—	·01	·04	—	·05	—		23
24	—	—	·14	—	—	—	—	—	·09	—	·29	—		24
25	·08	·41	·01	—	·23	—	·68	—	—	·02	1·34	—		25
26	·44	·33	—	—	·34	—	·03	—	—	·16	—	·34		26
27	·07	·01	—	—	·06	·20	·73	·34	—	·18	·41	—		27
28	·09	·10	·01	—	·21	·04	—	·66	·22	—	·01	·02		28
29	·15	x	—	—	·33	—	—	—	·42	·37	·39	·05		29
30	·07	✕	—	—	·04	·43	·04	—	·46	—	·11	·03		30
31	·28	✕	—	✕	·24	✕	—	—	✕	·39	✕	·37		31
TOTAL	3.88	1·11	·22	·08	2·23	1·46	4·02	3.34	2·31	4·13	6·39	4·41	Year's Total 33.58	✓
* Days with .01 in. or more.	21	8	5	3	16	12	17	12	13	19	26	20	172	✓
* Days with .04 in. or more.	20	6	2	0	15	9	12	8	11	16	21	15	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Everard T. Stoward

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

"REGISTER OF RAINFALL IN 1939

File No 77/153/27

Kept at Horn Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 82·82 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·05	—	·02	—	·07	·34	·22	—	·03	·05		1
2	—	—	—	·25	·02	—	—	·44	·56	—	·12	·13		2
3	·75	—	·07	·60	—	—	—	·14	—	—	·33	·43		3
4	·02	—	·35	·11	·22	—	·28	·12	—	·66	·15	·21		4
5	—	—	·05	·18	—	—	·13	·01	—	·24	·80	·01		5
6	·57	—	·09	·18	—	—	·43	·07	—	·07	·46	—		6
7	·03	1·00	—	—	—	—	·01	·12	—	—	·36	·58		7
8	·03	·32	·04	—	·11	—	·14	·10	—	1·47	·22	·12		8
9	·06	·01	·02	—	—	—	—	·08	—	·19	·10	·11		9
10	·17	—	—	—	—	·02	—	·32	—	·02	·08	·23		10
11	—	·02	·10	—	—	—	—	—	—	·39	·01	·01		11
12	·01	·01	—	—	—	—	—	—	—	—	·02	—		12
13	—	—	—	·06	—	·01	·30	—	·18	1·38	·04	—		13
14	·71	—	—	·04	—	·09	·31	—	·01	·10	·35	—		14
15	·34	—	·02	·01	·19	1·40	·15	—	—	·05	·61	·05		15
16	·28	—	—	·09	·03	—	·31	—	—	—	·19	—		16
17	·37	·06	—	—	·02	—	·37	—	—	·05	·02	—		17
18	·02	—	—	—	—	·35	·44	—	—	—	·56	·06		18
19	·40	—	—	—	—	—	·02	—	—	—	—	·10		19
20	·47	—	—	—	—	·30	·09	·43	—	—	—	·01		20
21	·06	·18	·03	—	—	·11	·10	·02	—	—	—	—		21
22	·51	·27	·17	—	—	·59	·15	—	—	—	·77	—		22
23	—	—	—	·21	—	—	·04	—	—	—	1·31	—		23
24	·62	—	·04	·05	—	·56	·15	—	—	—	—	—		24
25	1·31	·09	—	·07	—	—	·12	·10	—	·09	·30	—		25
26	·13	·06	—	·04	—	—	—	·12	—	·22	·28	—		26
27	—	·12	·02	·01	—	—	—	·13	—	·01	·18	—		27
28	—	·08	—	·10	—	·09	·67	—	—	—	·61	·16		28
29	—	X	·09	·05	—	—	·12	—	—	·20	·03	—		29
30	—	✕	·01	·25	—	·09	—	·18	—	·19	·06	—		30
31	—	✕	—	✕	—	✕	—	·07	✕	·93	✕	·02		31
TOTAL	6·89	2·22	1·15	2·30	·61	3·61	4·40	2·79	·97	6·26	7·99	2·28	Year's Total 41·47	
* Days with .01 in. or more.	21	12	15	17	7	11	21	17	4	17	26	16	184	
* Days with .04 in. or more.	15	9	10	15	3	9	19	15	3	15	21	12	146	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Everard T. Steward

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

"REGISTER OF RAINFALL IN 1940

File No 771153/27

Kept at "Horn Lyme Regis"
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 82 : 82 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.06	—	—	.01	—	—	—	—	—	.11	—		1
2	—	.10	—	.23	—	—	.01	—	—	—	.58	—		2
3	.05	.56	—	—	—	—	—	—	—	.10	.87	.40		3
4	—	.22	—	—	—	—	.09	—	—	.28	.14	—		4
5	—	.01	—	—	—	—	—	—	—	.06	.49	.12		5
6	.24	.78	—	—	—	—	.01	—	—	.21	.06	.17		6
7	.15	.01	—	—	—	—	—	—	—	.05	—	.10		7
8	.01	—	—	—	—	—	.19	—	—	.38	.20	.24		8
9	—	—	—	—	—	—	.31	.06	—	.08	.49	.14		9
10	—	—	—	—	—	—	.63	—	—	.06	.13	.17		10
11	—	—	—	.01	—	—	.21	—	—	—	1.20	.08		11
12	—	—	.03	—	—	.12	.26	—	.57	—	.13	—		12
13	—	—	.23	—	—	—	.05	—	.02	.25	1.71	.09		13
14	—	—	.43	.02	1.65	—	.02	—	.11	.33	—	.84		14
15	—	.01	.15	.05	.20	—	.16	—	.33	.13	.81	.01		15
16	—	.94	.59	.08	—	.01	.08	—	.05	1.01	.38	.06		16
17	—	.05	.40	—	—	—	.01	—	—	—	.46	—		17
18	.09	.34	.28	.96	—	—	.13	—	—	.07	—	.02		18
19	—	.03	.07	.13	—	—	.07	—	.63	.01	.17	—		19
20	—	—	.02	.03	—	—	—	.03	.01	.09	.02	—		20
21	—	—	—	—	.28	—	—	—	—	—	.83	—		21
22	—	—	.08	—	—	.47	—	—	.08	—	—	—		22
23	—	.04	.33	.16	—	.01	—	—	—	.08	.01	—		23
24	—	—	.01	—	—	—	.34	—	—	—	—	—		24
25	.20	—	.13	.08	—	.01	—	—	—	—	—	—		25
26	1.15	.58	—	.02	.28	—	.01	—	—	—	—	—		26
27	.27	.12	—	—	.38	—	—	—	—	—	—	—		27
28	.34	.09	—	—	.01	—	—	—	—	—	—	—		28
29	—	.21	.20	.69	—	.05	—	—	—	.07	—	.25		29
30	.03	✕	.02	.07	—	—	—	—	—	.44	—	.13		30
31	.29	✕	.05	✕	—	✕	—	—	✕	.60	✕	.46		31
TOTAL	2.82	4.15	3.02	2.53	2.81	.67	2.58	.09	1.80	4.30	8.79	3.28	Year's Total 36.84	
* Days with .01 in. or more.	11	17	16	13	7	6	17	2	8	19	19	16	151	
* Days with .04 in. or more.	9	13	12	9	5	3	12	1	6	18	17	14	119	

† Spare column, no entries required.

(*Signed*) Everett T. Steward [P.T.O.

* See Instruction 3 (f) on other side.

BRIDPORT (ALLIN

1591/5

BRIDPORT

ALLINGTON PARK

1936 — 39

780304

Section **A** for the entry
AIR MINIST

Station No. 1591/5

NFALL ORGANIZATION.

FORM 1090.

REG 936.

Kept at Allington Pa

in the County of ....

740086/27

Diameter of Funnel of Gauge....

Height of top of Gauge above G

,, Ground ,, Sea Level ......40......ft.

estimated
by surrounding
stations CR.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				0.28	—	0.54	0.30	0.01	tr	—	0.04	0.03		1
2				0.05	—	0.02	0.30	0.05	—	—	0.06	—		2
3				0.62	—	0.03	0.15	0.04	0.50	—	0.47	—		3
4				—	—	0.11	0.03	—	0.40	—	0.08	0.03		4
5				—	—	—	—	0.08	0.25	—	—	0.07		5
6				—	—	0.06	0.05	0.03	0.16	—	0.50	—		6
7				—	—	—	0.31	—	—	—	0.11	0.08		7
8				—	—	—	0.23	—	—	—	0.20	0.01		8
9				—	—	—	0.31	—	0.15	—	0.03	—		9
10				—	—	—	0.04	—	—	—	0.04	—		10
11				—	—	0.03	0.03	—	0.24	—	1.03	—		11
12				—	—	0.22	0.73	—	0.29	—	0.07	} 0.80		12
13				—	—	—	0.13	—	—	0.04	0.24			13
14				—	—	0.02	0.47	—	0.10	—	0.01	0.49		14
15				—	0.20	—	0.03	—	0.48	—	0.11	0.22		15
16			(2.75)	0.13	0.25	—	0.22	—	0.03	—	0.09	0.21		16
17				—	0.09	—	0.26	—	—	0.03	0.05	0.43		17
18				—	—	0.87	} 0.48	—	—	0.01	—	0.24		18
19				0.08	—	0.30		0.04	—	—	—	—		19
20				0.14	—	—	0.05	—	0.26	—	—	—		20
21				0.36	—	0.07	—	—	0.01	—	—	—		21
22				—	—	—	0.21	—	—	—	—	0.02		22
23				0.15	} 0.14	—	0.14	—	—	0.08	—	—		23
24			0.05	—		—	—	—	0.11	0.22	—	—		24
25			0.30	0.18	—	—	0.02	—	0.12	0.38	—	—		25
26			0.16	—	—	—	0.02	—	0.07	0.08	—	—		26
27			0.18	—	—	—	0.64	—	0.05	0.23	—	—		27
28			0.67	—	—	—	0.22	—	—	0.01	—	0.23		28
29			0.07	—	—	0.02	0.05	—	—	0.27	0.08	0.05		29
30		×	—	—	} 0.14	0.07	—	—	—	0.18	—	—		30
31		×	0.62	×		×	0.13	—	×	0.27	×	0.50		31
TOTAL	(5.50)	(2.50)	~~1.84~~ (4.74)	1.99	0.82	2.36	5.58	0.25	3.16	1.80	3.21	3.41	Year's Total (35.32)	
* Days with .01 in. or more.	(25)	(16)	(19)	9	7	13	27	6	16	12	17	16	(183)	
* Days with .04 in. or more.	(24)	(14)	(15)	9	7	8	23	4	13	9	15	12	(153)	

1.94

Part-totals [illegible]

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) ......A.M. Wilkins........ [P.T.O.

~~THE SECRETARY~~

BRIDPORT (ALLIN

Section **A** for the entry of Daily Observations. Station No. 1591/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Allington Park Bridport

in the County of Dorset /3

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" Ground " Sea Level 45 ft.

v/Dorset/3 740086/27

Jan-Mar estimated by surrounding stations C.R.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

1.94

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				0.28	—	0.54	0.30	0.01	tr	—	0.04	0.03		1
2				0.05	—	0.02	0.30	0.05	—	—	0.06	—		2
3				0.62	—	0.03	0.15	0.04	0.50	—	0.47	—		3
4				—	—	0.11	0.03	—	0.40	—	0.08	0.03		4
5				—	—	—	—	0.08	0.25	—	—	0.07		5
6				—	—	0.06	0.05	0.03	0.16	—	0.50	—		6
7				—	—	—	0.31	—	—	—	0.11	0.08		7
8				—	—	—	0.23	—	—	—	0.20	0.01		8
9				—	—	—	0.31	—	0.15	—	0.03	—		9
10				—	—	—	0.04	—	—	—	0.04	—		10
11				—	—	0.03	0.03	—	0.24	—	1.03	—		11
12				—	—	0.22	0.73	—	0.29	—	0.07	}0.80		12
13				—	—	—	0.13	—	—	0.04	0.24			13
14				—	—	0.02	0.47	—	0.10	—	0.01	0.49		14
15				—	0.20	—	0.03	—	0.48	—	0.11	0.22		15
16			(2.75)	0.13	0.25	—	0.22	—	0.03	—	0.09	0.21		16
17				—	0.09	—	0.26	—	—	0.03	0.05	0.43		17
18				—	—	0.87	}0.48	—	—	0.01	—	0.24		18
19				0.08	—	0.30		0.04	—	—	—	—		19
20				0.14	—	—	0.05	—	0.26	—	—	—		20
21				0.36	—	0.07	—	—	0.01	—	—	—		21
22				—	—	—	0.21	—	—	—	—	0.02		22
23				0.15	}0.14	—	0.14	—	—	0.08	—	—		23
24			0.05	—		—	—	—	0.11	0.22	—	—		24
25			0.30	0.18	—	—	0.02	—	0.12	0.38	—	—		25
26			0.16	—	—	—	0.02	—	0.01	0.08	—	—		26
27			0.18	—	—	—	0.64	—	0.05	0.23	—	—		27
28			0.67	—	—	—	0.22	—	—	0.01	—	0.23		28
29			0.01	—	—	0.02	0.05	—	—	0.27	0.08	0.05		29
30		✕	—	—	}0.14	0.07	—	—	—	0.18	—	—		30
31		✕	0.62	✕		✕	0.13	—	✕	0.27	✕	0.50		31
TOTAL	(5.50)	(2.50)	~~4.74~~ ~~4.89~~	1.99	0.82	2.36	5.58	0.25	3.16	1.80	3.21	3.41	Year's Total (35.32)	
* Days with .01 in. or more.	(25)	(16)	(19)	9	7	13	27	6	16	12	17	16	(183)	
* Days with .04 in. or more.	(24)	(14)	(15)	9	7	8	23	4	13	9	15	12	(153)	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. M. Wilkins [P.T.O.

N

THE SECRETARY

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1591/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ~~Corley~~ Allington Park Bridport

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 50 ft.

c/mp 1936 —

740086/27

Acc —

Letter sent 28-2.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.12	0.03	0.01	0.20	—	—	—	—	0.07	0.01	0.17	1.27		1
2	0.01	0.50	0.03	0.26	—	—	—	—	0.14	—	—	0.20		2
3	0.05	0.19	0.24	0.03	—	—	⊛ ✓	—	—	—	—	—		3
4	0.11	0.42	—	—	—	—	—	0.02	—	—	—	—		4
5	0.09	—	—	—	—	—	0.89	—	—	—	—	0.32		5
6	0.13	0.42	0.30	0.23	0.05	—		—	—	0.05	—	·		6
7	—	0.54	—	0.03	0.16	—	—	—	—	—	—	0.16		7
8	—	—	—	—	0.48	—	0.07	—	—	—	0.17	0.17		8
9	—	—	0.06	0.12	0.15	—	0.23	—	0.69	0.01	—	—		9
10	0.44	—	0.61	0.15	0.09	0.37	—	—	—	·	—	0.37		10
11	0.05	—	0.45	0.14	0.63	—	0.58	·	—	—	—	—		11
12	0.67	0.31	0.08	0.10	—	0.40	0.06	0.52	0.22	—	—	0.31		12
13	0.05	0.08	0.92	0.15	—	—	—	0.49	0.16	—	—	0.07		13
14	—	0.03	0.24	0.01	—	—	—	0.05	0.07	—	—	0.03		14
15	0.28	0.22	0.10	0.51	—	—	1.81	—	0.12	—	—	0.19		15
16	0.08	0.03	0.45	0.30	—	0.03	0.08	0.25	1.25	—	—	—		16
17	0.58	0.14	0.55	—	—	—	0.06	—	0.90	—	0.41	—		17
18	0.05	0.09	~~0.04~~	~~0.11~~	~~0.08~~	0.08	~~0~~	—	0.02	—	0.13	0.45		18
19	0.07	0.09	0.04	0.21	0.08	—	0.08	—	—	—	0.01			19
20	0.17	0.08	0.04	0.28	0.18	0.21	0.06	—	—	—	—	1.01		20
21	0.63	0.41	0.18	0.07	0.27	—	0.05	—	0.11	—	0.57	0.07		21
22	0.20	0.01	0.23	—	0.20	—	0.24	—	0.19	1.54	0.45	0.07		22
23	0.35	0.27	—	—	0.50	—	—	—	—	0.89	0.13	0.03		23
24	0.22	0.81	—	—	—	—	—	—	0.05		—	0.10		24
25	0.24	0.53	0.37	—	0.48	—	—	—	0.04	0.34	—			25
26	0.01	0.39	0.04	—	0.51	—	—	—	—	0.23	—			26
27	0.01	0.24	—	0.02	—	—	—	—	—	0.27	—	—		27
28	0.24	0.01	—	—	—	—	—	—	—	0.22	0.02	—		28
29	0.10	>	—	—	—	⊛	—	—	—	1.45	0.22	—		29
30	0.67	✕	—	—	—	⊛	—	—	—	0.45	0.30	—		30 n/p
31	0.18	✕	—	✕	—	✕	—	—	✕		✕	—		31 high
TOTAL	5.80	6.14	5.00	2.81	3.78	1.09	4.21	1.33	4.03	5.44	2.90	4.82	Year's Total 47.~~4~~35	
* Days with .01 in. or more.	27	23	20	17	13	4	~~13~~ 14	5	~~4~~ 14	13	11	~~18~~ 19	~~182~~	183
* Days with .04 in. or more.	24	18	18	13	13	4	13	4	13	~~11~~ 10	9	15	~~155~~	154

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

⊛ Slight rain fell on these days but the gauge was not ready until 4th July.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1591/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Allington Park Bridport

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 50 ft.

rr 1937

740086/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	----	0.08	----	----	----	0.18	----	----	----	0.50	----	0.04		1
2	----	tr	----	----	----	----	0.04	----	----	0.27	0.05	0.16		2
3	----	----	----	0.02	0.10	----	0.03	----	----	0.72	0.27	----		3
4	0.02	----	----	----	----	0.02	0.15	0.66	----	0.12	----	0.15		4
5	----	----	----	----	----	----	0.17	----	----	0.26	0.03	----		5
6	----	----	----	----	----	0.03	0.29	----	0.08	0.07	0.09	0.01		6
7	0.20	----	----	----	----	0.14	0.48	----	0.08	0.07	0.06	0.11		7
8	) ✗)0.35	0.04	----	----	----	0.13	0.04	0.06	----	0.31	0.01	----		8
9	) ✗	0.13	----	----	----	~~0.01~~	----	----	----	0.02	----	0.96		9
10	0.15	0.02	----	----	----	----	0.07	----	----	----	----	0.38		10
11	0.13	0.01	----	----	----	----	0.03	----	----	----	0.45	0.54		11
12	0.47	----	----	----	0.13	----	0.03	----	----	0.33	0.15	0.01		12
13	0.29	----	----	----	0.02	----	0.02	----	----	0.07	0.18	0.40		13
14	0.61	----	----	----	0.03	~~0.55~~	~~0.85~~	----	----	----	----	----		14
15	0.26	0.01	----	----	0.04	----	0.41	0.02	----	0.44	0.03	0.69		15
16	0.16	----	0.02	----	0.02	----	----	0.08	----	0.01	0.12	0.02		16
17	----	0.14	0.02	----	0.09	----	----	----	0.24	0.20	0.08	----		17
18	0.19	----	----	----	0.48	0.09	----	----	0.22	0.03	0.35	----		18
19	0.01	----	----	----	----	----	----	0.10	0.40	----	0.76	----		19
20	----	----	----	----	----	----	----	0.01	0.03	----	0.25	----		20
21	0.02	----	----	0.01	----	----	----	0.20	0.03	----	0.51	0.27		21
22	0.02	----	----	0.10	----	0.06	----	0.68	0.01	----	0.51	0.17		22
23	----	----	----	0.02	----	----	----	----	0.04	0.04	0.04	----		23
24	----	----	0.20	----	0.03	----	----	0.01	0.15	----	0.66	----		24
25	0.14	0.33	0.06	~~0.00~~	0.25	----	0.46	----	----	0.04	1.67	----		25
26	0.43	0.34	----	----	4 0.66	----	0.16	----	----	0.10	0.05	0.35		26
27	0.09	----	----	----	0.04	0.26	0.66	0.40	----	----	0.47	----		27
28	0.12	0.13	----	----	0.10	0.05	----	0.69	0.15	----	----	----		28
29	) ✗)0.19	xxxx	----	----	0.43	----	----	0.01	0.55	))0.37	0.42	0.04		29
30	) ✗	✗	----	----	0.04	0.19	0.05	----	0.48	)	0.14	0.04		30
31	0.26	✗	----	✗	0.21	✗	0.01	----	✗	0.38	✗	0.22		31
TOTAL	4.11	1.23	0.30	0.15	2.47	1.16	3.95	2.92	2.46	4.35	7.35	4.56	Year's Total 35.01	rr
* Days with .01 in. or more.	22	10	4	4	16	11	18	12	13	210	24	18	172	Light GB
* Days with .04 in. or more.	178	7	2	1	12	8	13	8	10	187	21	14	131	13/3/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE

1591/5

Section **A** for the entry of Daily Observations

Station No. ~~1694~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ALLINGTON PARK, BRIDPORT.

in the County of DORSET (WEST)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 50 ft.

rp 1938

f. 740086/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·01	–	0·05	0·02	0·03	–	0·14	0·77	0·21	–	0·03	0·03		1
2	–	–	–	0·35	0·01	–	0·01	0·50	1·05	–	0·26	0·12		2
3	0·75	–	0·12	0·60	–	–	–	0·12	–	–	0·17	0·28		3
4	–	–	0·43	0·09	0·34	–	0·25	0·04	0·36	0·75	0·10	0·17		4
5	–	–	0·07	0·19	0·02	–	0·27	0·11	–	0·50	1·03	0·01		5
6	0·68	–	0·09	0·03	–	–	0·50	0·13	–	–	0·57	–		6
7	–	1·12	–	–	–	–	0·04	0·06	–	–	0·51	0·67		7
8	0·04	0·23	0·07	–	0·06	–	0·15	0·05	–	1·10	0·33	0·15		8
9	0·06	0·01	0·05	–	–	–	–	0·06	–	0·29	0·21	0·11		9
10	0·21	0·02	–	–	–	0·03	–	0·30	0·05	0·12	–	0·17		10
11	–	0·06	0·13	–	–	–	–	–	–	0·33	0·02	0·04		11
12	–	–	–	–	–	–	–	–	–	0·12	–	–		12
13	–	–	–	0·06	–	0·06	–	–	0·15	1·40	0·06	–		13
14	0·71	–	0·01	0·06	0·02	0·09	0·30	–	0·01	0·25	0·33	0·02		14
15	0·35	–	–	0·03	0·14	0·59	0·35	–	–	0·23	0·66	0·06		15
16	0·27	–	–	0·13	0·04	–	0·03	–	–	–	0·22	–		16
17	0·38	0·08	–	–	0·12	0·18	0·35	–	–	–	0·05	–		17
18	0·04	–	0·05	–	–	0·10	0·49	–	–	–	0·64	–		18
19	0·46	0·01	–	–	–	–	0·02	0·03	–	–	–	0·03		19
20	0·53	–	–	–	–	0·07	0·20	0·63	–	–	–	0·03		20
21	0·13	0·27	0·03	–	–	0·12	0·24	0·03	–	–	–	–		21
22	0·46	0·25	0·17	–	–	0·30	0·18	–	–	–	0·88	–		22
23	–	–	–	–	–	–	0·05	–	–	–	1·47	–		23
24	0·63	–	0·18	0·25	–	0·47	0·70	–	–	0·01	–	–		24
25	1·26	0·07	0·03	0·08	–	–	0·04	0·09	–	0·15	0·28	–		25
26	0·08	0·10	–	0·08	–	–	–	0·07	–	0·18	0·30	–		26
27	–	0·30	0·06	0·01	–	0·01	0·02	0·07	–	–	0·18	0·20		27
28	–	0·17	0·09	–	–	0·06	0·79	–	–	–	0·52	–		28
29	–	×	–	0·13	–	0·02	0·19	–	–	0·12	0·08	–		29
30	–	✕	–	0·25	–	0·12	–	0·11	–	0·19	0·02	–		30
31	–	✕	–	✕	–	✕	–	0·15	✕	0·59	✕	–		31
TOTAL	7·05	2·69	1·63	2·36	0·78	3·22	5·31	3·32	0·83	6·33	8·92	2·09	Year's Total 44·53	
* Days with .01 in. or more.	18	13	16	16	9	14	22	18	6	16	24	15	187	
* Days with .04 in. or more.	17	10	13	12	5	11	18	16	5	15	21	10	153	

rp higher

WH.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

P.T.O.

771154/

1592

Section **A** for the entry of Dail

AIR MINISTRY.—M

FORM 1090. **REGISTE**

Kept at Rotherfield ; Lyme

in the County of Dorset

Diameter of Funnel of Gauge five

Height of top of Gauge above Ground

,, Ground ,, Sea Level

1592
LYME REGIS
ROTHERFIELD
1931 —— 40
780304

PY FOR OFFICIAL USE.

ORGANIZATION.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·06	—	·43	·01	·02	·03	—	·31	·01	—	—	1
2	·23	·04	—	·62	—	—	—	—	·57	·01	·01	·11	2
3	·06	—	·82	—	—	—	tr	—	·17	— a.t.	1·47	·03	3
4	·06	—	·10	—	·10	·09	·38	·20	·06	·04	·02	—	4
5	—	·33	·02	·09	—	·65	·02	·16	—	—	·06	·23	5
6	—	·09	—	·03	·05	·21	—	tr	·04	·24	·21	·54	6
7	—	·01	—	—	·32	·28	tr	·33	—	·05	·54	·15	7
8	·02	·31	—	·21	·01	·47	—	·06	—	—	·13	·07	8
9	—	·77	·01^{5}	—	—	·06	·02	—	—	—	·46	tr	9
10	·01	·03	—	·01	·04	·10	·02	·08	·45	tr	·67	—	10
11	·16	·59	—	—	·01	·20	·01	—	·04	—	·42	—	11
12	·01	·02	—	—	—	—	·12	—	·07	·01	—	—	12
13	—	·01	·03	—	·03	tr	·19	·02	—	—	—	—	13
14	·01	·02	·01	—	·07	·15	·61	·17	·04	—	·11	—	14
15	—	·06	—	·03	·15	—	tr	·13	—	—	·01	·02	15
16	—	·07	—	·03	·09	·67	—	·08	·13	—	—	—	16
17	·04	·14	—	·05	·02	·10	·46	—	·09	—	·01	—	17
18	·01	—	·01	·07 st.	—	·27	·02	1·77	—	—	·28	—	18
19	·05	·02	·02	·07	—	·02	·06	·08	—	—	·27	—	19
20	—	·18	·21	·01	—	—	—	·47	—	—	·05	—	20
21	·29	—	·04	—	·22	—	—	—	—	—	·03	—	21
22	·35	·01	·01	·25	·19	—	—	—	—	tr	tr	—	22
23	·38	·04	—	·03	·95	—	·01	—	—	—	·40	·01	23
24	·12	—	—	·54	·18	—	·73	·59	—	—	·03	—	24
25	·09	·03	—	·32	·02	—	·11	—	—	—	·26	—	25
26	—	·04	—	·06	—	—	·33	—	—	—	·61	tr	26
27	·32	·42	—	tr	·49	—	·30	—	—	—	·02	—	27
28	·09	·25^{5}	·05	—	·06	—	—	·02	—	—	—	·11	28
29	·03	✕	·14	—	·06	—	·08	·17	—	·02	·13	·09	29
30	·01	✕	·01	—	·03	—	tr	·01	·02	·01	—	—	30
31	·49	✕	·01	✕	·04	✕	·02	—	✕	tr	✕	·45	31
TOTAL	2·83	2·94	1·49	2·85	3·14	3·29	3·52	4·34	1·99	·44	6·20	1·81	YEAR'S TOTAL 34·84
*Days with ·01 in. or more.	21	23	15	17	22	14	19	16	12	8	23	11	201
*Days with ·04 in. or more.	14	15	6	11	15	12	11	13	11	3	16	8	135

40-9999

(Signed) E. J. Synge

P.T.O.

*See Instruction 2 (*f*) on other side.

771154/ 1592

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Rotherfield ; Lyme Regis
in the County of Dorset
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. — in.
,, Ground ,, Sea Level 145 ft.

Total [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·06	—	·43	·01	·02	·03	—	·31	·01	—	—	1
2	·23	·04	—	·62	—	—	—	—	·57	·01	·01	·11	2
3	·06	—	·82	—	—	—	tr	—	·17	— 4T.	1·47	·03	3
4	·06	—	·10	—	·10	·09	·38	·20	·06	·04	·02	—	4
5	—	·33	·02	·09	—	·65	·02	·16	—	—	·06	·23	5
6	—	·09	—	·03	·05	·21	—	tr	·04	·24	·21	·54	6
7	—	·01	—	—	·32	·28	tr	·33	—	·05	·54	·15	7
8	·02	·31	—	·21	·01	·47	—	·06	—	—	·13	·07	8
9	—	·17	·01^{5}	—	—	·06	·02	—	—	—	·46	tr	9
10	·01	·03	—	·01	·04	·10	·02	·08	·45	tr	·67	—	10
11	·16	·59	—	—	·01	·20	·01	—	·04	—	·42	—	11
12	·01	·02	—	—	—	—	·12	—	·07	·01	—	—	12
13	—	·01	·03	—	·03	tr	·19	·02	—	—	—	—	13
14	·01	·02	·01	—	·07	·15	·61	·17	·04	—	·11	—	14
15	—	·06	—	·03	·15	—	tr	·13	—	—	·01	·02	15
16	—	·07	—	·03	·09	·67	—	·08	·13	—	—	—	16
17	·04	·14	—	·05	·02	·10	·46	—	·09	—	·01	—	17
18	·01	—	·01	·07 st.	—	·27	·02	1·77	—	—	·28	—	18
19	·05	·02	·02	·07	—	·02	·06	·08	—	—	·27	—	19
20	—	·18	·21	·01	—	—	—	·47	—	—	·05	—	20
21	·29	—	·04	—	·22	—	—	—	—	—	·03	—	21
22	·35	·01	·01	·25	·19	—	—	—	—	tr	tr	—	22
23	·38	·04	—	·03	·95	—	·01	—	—	—	·40	·01	23
24	·12	—	—	·54	·18	—	·73	·59	—	—	·03	—	24
25	·09	·03	—	·32	·02	—	·11	—	—	—	·26	—	25
26	—	·04	—	·06	—	—	·33	—	—	—	·61	tr	26
27	·32	·42	—	tr	·49	—	·30	—	—	—	·02	—	27
28	·09	·25^{8}	·05	—	·06	—	—	·02	—	—	—	·11	28
29	·03	×	·14	—	·06	—	·08	·17	—	·02	·13	·09	29
30	·01	×	·01	—	·03	—	tr	·01	·02	·01	—	—	30
31	·49	×	·01	×	·04	×	·02	—	×	tr	×	·45	31
TOTAL	2·83	2·94	1·49	2·85	3·14	3·29	3·52	4·34	1·99	·44	6·20	1·81	YEAR'S TOTAL 34·84
*Days with ·01 in. or more.	21	23	15	17	22	14	19	16	12	8	23	11	201
*Days with ·04 in. or more.	14	15	6	11	15	12	11	13	11	3	16	8	135

40-9999

(Signed) E. J. Synge

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Rotherfield; Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one foot — in.

,, Ground ,, Sea Level 145 — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	·18	·03	·03	·01	·15	tr	tr	·17	tr	1
2	·02	—	—	·14	·05	—	—	·05	·04	·01	·02	·39	2
3	·01	—	—	—	·01	·84	·02	—	·42	·07	·03	·04	3
4	·02	—	—	—	—	·21	·01	·06	—	—	·19	—	4
5	·17	—	—	—	—	—	—	—	·29	—	—	—	5
6	·50	—	·02	·26	—	—	·01	—	·50	·01	—	—	6
7	·04	—	·02	·07	·05	—	—	—	·46	1·18	—	—	7
8	·01	—	·64	·07	·17	—	—	—	·24	·10	—	—	8
9	·78	·02$^{S.}$	—	·23	·01	—	—	·01	—	·07	—	—	9
10	·34	·01^{S}	—	·36	·04	—	—	—	·01	·13	—	—	10
11	·04	—	—	·13	·05	—	tr	·01	·02	·12	—	·06	11
12	·61	·01^{S}	—	tr	·36	—	—	—	·02	·20	—	·08	12
13	·11	—	—	·12	·02	—	·26	·06	—	·74	—	·11	13
14	·23	—	—	·26	·14	—	—	—	—	·04	·12	tr	14
15	·02		—	·10	·24	—	·14	—	—	·04	·18	·06	15
16	·14	—	—	·08$_{ST.}$	—	—	·29	—	—	—		·01	16
17	·04	—	—	·02	—	—	·01	—	·03	·06	—	—	17
18	·02	—	—	—	·35	—	—	—	·05	—	·21	tr	18
19	—	—	—	·01	·29	—	—	—	·04	·49	tr	tr	19
20	—	—	·01	·02	1·60	—	·01	·15	·01	·80	·20	·05	20
21	·05	—	·13	·13	·01	—	—	·04	·27	·32	·08	·13	21
22	—	—	·02	—	tr	—	·04	·03	·81	·53	·23	·01	22
23	·01	tr	—	—	·07	·11	·41	—	·02	·90	·01	·07	23
24	—	—	—	—	·02	—	·59	—	·17	·09	·04	·02	24
25	—	—	·35	·02	tr	—	~~·21~~ ·03	—	·21	~~·13~~ ·25	·08	·02 ~~tr~~	25
26	—	—	·15	·03	—	—	·21	—	·01	·13	·06	tr	26
27	—	—	·33	·44	·19	—	·21	—	—	·39	·01	·23	27
28	—	—	·02	·10	·09	—	·22	·01	—	—	tr	·10	28
29	—	—	·49	·08	·39	·48	—	·92	·49	·49	·16	·32	29
30	—	×	·02	·01	—	1·30	·57	·02	·98	·02	·83	·14	30
31	—	×	·02	×	·02	×	·03	—	×	·02	×	·48	31
TOTAL	3·17	—·04	2·22	2·86	4·20	2·97	3·07	1·51	5·09	7·20	2·57	2·32	YEAR'S TOTAL 37·22
*Days with ·01 in. or more.	20	3	13	22	22	6	18	12	21	25	17	18	197
*Days with .04 in. or more.	12	—	6	16	15	5	10	7	14	21	11	14	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. J. Synge

P.T.O.

1592

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No ~~1592~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rotherfield, Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

" Ground " Sea Level 145 — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in	in.	in.	in.	in	in	in.	in.	in.	in.	
1	·52	·59	·08	—	·02	—	—	—	—	—	·11	·28	1
2	·35	—	·93	—	·33	·02	—	—	tr	—	·02	·01	2
3	·04	·18	·19	—	·05	—	—	—	—	—	·01	—	3
4	·21	·03	·08	—	·14	—	—	—	—	—	—	—	4
5	·04	·02	·22	—	·01	—	—	—	—	—	·03	—	5
6	·01	·43	tr	—	·17	—	·09	—	—	·12	·01	—	6
7	·01	·20	·01	—	·21	—	·04	—	—	·27 GT	—	tr	7
8	tr	tr	·01	—	·04	—	·12	—	—	tr	—	—	8
9	—	·04	—	— ST	·50	—	·32	·01	—	·15	·03	—	9
10	—	·51	—	—	·01	—	·12	·01	—	·36	·02	—	10
11	·10	—	—	tr	—	·01	·08	1·10	—	·01	—	—	11
12	·01	—	—	·10	·02	—	·21	—	·51	·03	—	·01 s	12
13	tr	—	—	—	·06	·06	·13	·42	—	·10	·02	—	13
14	·01	—	—	—	—	—	·24	·45	—	·38	·34	—	14
15	·51	—	·22	—	—	—	·21	—	—	·06	·03	·02	15
16	—	—	·89	—	—	·04	—	·01	·04	·08	—	—	16
17	—	·14 s	·26	—	—	·04	—	—	·14	—	—	—	17
18	·04	—	·17	—	—	·10	·01	—	—	—	·02	—	18
19	·06	—	·20	—	—	·03	—	·01	·06	—	·33	·01	19
20	—	·02	·01	·01	—	·12	—	·02	·02	—	tr	·01	20
21	—	·03	—	—	·04	·12	—	·06	·01	·06	·01	—	21
22	—	—	—	·08	·08	·07	—	·42	·37	·06	tr	—	22
23	—	·57	—	·63	—	·21	—	—	·23	·21	—	—	23
24	—	1·08	—	·39	—	tr	—	—	·03	·01	—	—	24
25	—	1·02	—	·35	·04	·36	—	—	·21	·01	—	·17	25
26	—	·35	—	·22	·24	·03	—	—	—	·02	—	·01	26
27	—	·03	—	tr	·08	—	·02	—	·02	·35	tr	·34	27
28	—	—	—	·35	·05	—	·44	—	—	·33	—	·06	28
29	·30	×	—	·01	·07	—	·02	—	tr	—	—	·05	29
30	·02	×	·13	—	—	—	·02	—	·20	—	—	·10	30
31	·15	×	·22	×	—	×	—	—	×	·02	×	—	31
TOTAL	2·38	5·24	3·62	2·14	2·16	1·21	2·07	2·51	1·84	2·63	·98	1·07	YEAR'S TOTAL 27·85
*Days with ·01 in. or more.	16	16	15	9	19	13 ~~18~~	15	10	12	19	13	12	169
*Days with .04 in. or more.	11	11	12	7	15	9	11	5	8	13	3	6	111

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "Rotherfield", Lyme Regis
in the County of Dorset

Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft — in.
,, Ground ,, Sea Level 145 — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	—	—	—	—	·01	—	·77	·03	·01	·06	1·07		1
2	·30	—	·06	—	—	—	—	—	1·13	·02	·05	·29		2
3	·08	·01	—	—	—	—	—	—	—	·35	—	·15		3
4	·07	—	·37	·10	·18	—	—	—	·03	·06	—	·22		4
5	·01	—	·10	—	·05	—	—	1·11	—	·10	tr	·45		5
6	·06	tr	·30	·05	·27	—	—	·01	·01	·65 st	·03	·59		6
7	·03	—	—	—	—	—	—	·08	—	·24	·02	·54		7
8	~~·01~~	—	—	—	·27	—	—	·01	—	—	·73	·17		8
9	·06	—	·24	tr	—	—	—	—	·02	—	·29	·21		9
10	·22	·01	·10	·29	—	—	—	·10	—	—	·10	·17		10
11	·43	—	·05	·22	—	—	·03	·03	—	—	—	·45		11
12	·05	·01	—	·01	—	—	·01	·37	—	—	·01	·18		12
13	·28	—	—	·31	—	—	—	—	—	tr	·04	·23		13
14	·34	—	·35	·04	tr	—	—	—	—	·01	·01	·42		14
15	·05	tr	·09	·01	·11	—	—	—	—	·33	·16	·35		15
16	·16	—	·24	·03	tr	—	—	—	—	—	·01	·24		16
17	·11	—	—	·10	·17	—	—	—	·10	·10	—	·34		17
18	·05	tr	·22	·27	—	·01	—	—	—	·01	—	·21		18
19	—	~~tr~~	·11	·09	—	·08	—	·01	·10	—	—	·08		19
20	—	—	·05	·24	—	—	—	—	·04	·03	tr	tr		20
21	—	—	·05	·01	—	·28	—	·03	tr	·43	—	·16		21
22	·01	—	·06	·07 ST	—	·01	—	·34	·46	—	—	·83		22
23	·08	tr	·02	·45	—	·30	—	·06	·19	·08	—	·36		23
24	—	·11	·06	·07	—	·03	·04	·26	·30	·06	—	·03		24
25	·37	·02	·01	·22	—	tr	tr	—	—	·12	—	·91		25
26	·01	tr s	·06	·45	—	·28	—	—	·12	—	·03	·08		26
27	—	—	—	—	—	·09	—	·01	tr	·03	—	·34		27
28	—	tr s	—	·25	—	—	—	·64	·13	·01	tr	·70		28
29	—	×	—	·01	—	—	—	·11	·12	·03	·01	·03		29
30	·02	×	—	—	—	—	·01	tr	·18	·04	—	·40		30
31	tr	×	—	×	—	×	tr	·18	×	·01	×	·02		31
TOTAL	2·82	·16	2·54	3·29	1·05	1·09	·09	4·12	2·96	2·72	1·56	10·22	Year's Total. 32·61 ✓	
* Days with .01 in. or more.	22	5	19	21	6	9	4	17	15	21	14	30	183	
* Days with .04 in. or more.	16	1	17	16	6	5	1	11	11	12	7	27	130	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Edward J. Synge

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Rotherfield", Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 145 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·02	·57	·01	—	·27	·04	—	·10	·10	·14	·19		1
2	—	·02	·01	—	—	·06	tr	—	·13	·37	·10	·03		2
3	—	·05	·11	—	·10	·29	—	—	·37	·18	·22	—		3
4	·01	·19	—	·08	·02	·19	—	—	·07	·22	·44	·46		4
5	·01	·24	·01	·05	—	·08	—	—	·33	·05$_{GT}$	—	—		5
6	—	·06	tr	·29	—	1·36	—	—	—	·02	·23	·16		6
7	—	—	—	·41	—	·12	—	—	—	·29	·12	·06		7
8	—	—	—	·42	—	—	—	—	·36	·03	·40	·01		8
9	·01	—	—	·42	—	·12	—	—	·01	·66	·62	—		9
10	·06	—	·35^{s}	·06	—	tr	—	—	—	—	—	·04		10
11	·30	·01	·02^{s}	tr	—	·40	—	—	·19	·05	·46	·02		11
12	·01	·06	—	—	—	·26	—	—	·06	—	·20	—		12
13	·07	·16	—	·60$_{st}$	—	·12	—	—	—	—	·17	—		13
14	tr	·07	—	·24	—	·01	—	—	·03	·02	·92	·51		14
15	—	·14	—	·76	·04	·06	—	—	·15	—	·23	·09		15
16	—	·05	·02	·13	—	·22	tr	—	·33	·01	1·14	—		16
17	—	·01	—	·04	·83	·32	—	·23	·05	—	·03	—		17
18	—	·05	—	·30	·01	·03	·10	·03	·42	·02	—	·09		18
19	—	·13	—	·02	·37	·08	·17	—	·17	·12	·44	—		19
20	—	·24	—	·15	·02	·03	·01	—	—	—	·23	—		20
21	—	·53	·02	·14	—	·02	·02	—	·07	·03	·01	·01^{5}		21
22	—	·04	·08	·03	—	—	—	·08	·03	·03	—	—		22
23	—	—	·13	·01	·09	—	—	·28	·14	·48	—	·35		23
24	·06	·54	·03	—	·07	—	—	·68	·45	·04	—	·29		24
25	·32	·39^{s} snow	—	·04	—	·15	—	—	—	tr	—	·19		25
26	—	·42	—	—	·05	·02	—	·27	·08	tr	·02	·83		26
27	—	·15	·01	—	—	—	—	·01	·07	·04	·08	·52		27
28	tr	·05	—	—	·01	—	—	·07	·09	·01	·06	·05		28
29	—	×	—	—	·01	—	—	·02	·08	·02	·02	·41		29
30	·04	×	—	—	—	·01	—	1·04	·06	·25	·45	·62		30
31	—	×	—	×	·07	×	—	·02	×	·75	×	1·13		31
TOTAL	·92	3·62	1·36	4·20	1·69	4·22	·34	2·83	3·84	3·79	6·78	6·05	Year's Total. 39·59	
* Days with .01 in. or more.	11	23	12	20	13	22	5	11	24	23	23	21	208	
* Days with .04 in. or more.	6	19	5	16	8	16	3	7	21	14	19	17	133	

40-9999

† Spare column, no entries required.

(*Signed*) Edward J. Synge

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at "Rotherfield", Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 145 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·07	—	·24	—	·37	·32	—	—	—	·01	·05		1
2	tr	·01	—	·09	—	·04	·26	·08	·02	—	·08	·01		2
3	—	—	—	·88	—	·07	·21	·02	·53	— GMG	·32	—		3
4	·01	—	·35	·01	—	·24	·03	—	·35	—	·05	·09		4
5	·69	—	·02	—	—	—	·05	·04	·10	—	·02	·21		5
6	·18	—	·53	—	—	·06	·23	·02	·14	—	·61	·01		6
7	·15	—	·78	—	—	—	·40	—	—	—	·10	·05		7
8	·41	—	·33	—	—	—	·34	—	—	—	·24	·01		8
9	·56	tr	—	—	—	—	·27	—	·16	—	·04	—		9
10	·16	·12	—	—	—	—	·05	—	—	—	·15	—		10
11	·43	·04	—	—	—	·04	·02	tr	·18	—	1·05	·04		11
12	tr	—	—	·03	·02	·25	·67	·04	·25	—	·16	·02		12
13	·10	—	—	tr	—	—	·14	tr	·01	·03	·25	·63		13
14	—	·03	—	—	—	·02	·39	—	·18	·01	·01	·84		14
15	·02	·03	—	—	·09	—	·09	—	·08	—	·07	·21		15
16	·02⁵	·14	—	·20	·29	—	·33	—	—	—	·12	·14		16
17	·01	·84	—	—	·16	—	·49	—	—	·05	·07	·44		17
18	·07	·31	·02	— ST.	—	·52	·47	tr	—	·02	—	·18		18
19	·53	·02	·11	·23	—	·18	·03	·04	—	—	—	—		19
20	·10	·29	·15	·04	—	·03	·03	—	·20	tr	—	·01		20
21	—	·18	·04	·50	—	·05	·01	—	·01	—	—	—		21
22	·21 sowes	·30	·51	—	—	—	·18	—	·01	tr	—	·02		22
23	·09	·01	·09	·12	·05	—	·15	—	—	·06	—	·01		23
24	·32	·04	·06	—	·09	—	·01	—	·15	·34	—	tr		24
25	·07	—	·34	·20	—	—	·15	—	·11	·40	—	—		25
26	·35	·13	·23	—	—	·03	·06	—	·10	·03	—	—		26
27	·63	·45	·13	—	—	tr	·29	—	·02	·24	—	—		27
28	·90	—	·57	—	—	—	·18	—	tr	·02	·01	·27		28
29	·03	·04	·04	—	—	·03	tr	—	—	·22	·07	·09		29
30	·24	✕	—	—	—	·06	tr	—	—	·16	—	tr		30
31	·11	✕	·81	✕	·09	✕	·08	—	✕	·14	✕	·59	Year's Total	31
TOTAL	6·47	3·05	5·14	2·54	·79	1·99	5·93	·24	2·60	1·72	3·42	3·92	37·81	✓
* Days with .01 in. or more.	26	18	19	11	7	15	27	6	18	13	19	21	202	✓
* Days with .04 in. or more.	21	13	16	9	6	11	22	4	13	8	15	14	152	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. J. Sprague [P.T.O.

COPY FOR OFFICIAL USE

Station No. 1592

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Rotherfield ; Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 145 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	·03	—	·28	—	—	—	—	·08	·01	·07	1·02		1
2	·02 ✓	·46	—	·21	—	—	—	—	·19	amt	tr	·10		2
3	·02 ✓	·32	·12	·03	—	—	·02	—	·02	—	·01	tr		3
4	·13	·57	—	—	·01	—	tr	·01	—	—	—	·39		4
5	·20	—	·02	·04	—	—	·63	—	—	—	—	·04		5
6	·12	·45	·63	·18	·04	—	·53	—	—	·01	—	—		6
7	—	·81	·03	·04	·01	tr	—	—	·02	—	·01	·29 s		7
8	·01	·02	—	·01	·85	—	·04	—	—	—	·20	·03 s		8
9	—	—	·05 s	·15	·12	tr	·11	—	·83	—	—	·07 s		9
10	·40	·02	·55	·19	·14	·33	·01	·01	—	—	—	·21		10
11	·05	—	·25	·12	·34	·02	·39	·01	—	—	—	—		11
12	·62	·35	·01	·10	—	·38	·10	·68	·08	—	—	·37		12
13	tr	·07	·96 some s	·34	—	·03	—	·42	·04	—	—	·01		13
14	—	·02	·31 s	—	—	—	tr	·01	·04	—	—	·02		14
15	·29	·16	·18	·60	—	—	·29	—	·22	—	—	·35		15
16	·07	·08	·34	·03	—	·01	·07	·18	·93	—	·01	—		16
17	·54	·13	·51	—	—	—	—	tr	·30	—	·31	—		17
18	·03	·10	·11	—	— ST	·02	—	—	·05	—	·14	·28		18
19	·10	·09	·01	·26	·05	tr	—	—	·01	—	·02	·06		19
20	·24	·13	·04	·25	·08	—	—	—	·02	—	—	·59		20
21	·48	·44	·09 s	·07	·23	—	·04	—	·16	·01	·47	·05		21
22	·16	—	·08 s	—	·36	·42	·25	—	·16	·85	·67	·09		22
23	·28	·25	·02 s	—	·18	—	tr	—	·01	·13	·41	·04		23
24	·18	·69	·01	—	—	—	tr	tr	·02	·90	—	·02		24
25	—	·54	·47	—	·33	—	—	—	·02	·22	—	·03		25
26	—	·25	·03	—	·27	—	—	—	—	·04	—	·05		26
27	·01	·37 some s	—	·01	—	—	—	—	tr	·34	—	—		27
28	·30 s	·03 s	—	—	—	—	—	—	—	·19	·01	—		28
29	·07 s	X	—	—	—	·01	—	—	—	·68	·20	tr		29
30	·37	×	—	—	—	·03	—	—	·01	·02	·36	—		30
31	·20	×	—	×	—	×	—	—	×	·93	×	—		31
TOTAL	4·99	6·38	4·82	2·91	3·01	1·25	3·48	1·32	3·21	4·33	2·83	4·14	Year's Total 42·67	✓
* Days with .01 in. or more.	25	24	22	18	14	9	12	7	20	13	14	21	199	✓
* Days with .04 in. or more.	20	19	16	14	12	3	10	3	12	9	9	10	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. J. Synge [P.T.O.

COPY FOR OFFICIAL USE

Station No. 1592

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Rotherfield; Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 145 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·04	—	—	—	·24	—	·02	—	Gmf ·61	·03	·10		1
2	—	·01	—	·03	—	·01	·11	—	—	·21	·06	·24		2
3	—	tr	—	—	·13	·01	·03	—	—	·51	·26	·01		3
4	·01	—	—	—	·02	·03	·09	1·45	·03	·09	tr	·12		4
5	—	—	tr	—	—	·01	·05	·01	·01	·32	·01	—		5
6	·08	—	—	—	—	·09	·36	—	·10	·06	·05	·15		6
7	·10	—	—	—	—	·07	·43	—	·06	·09	·07	·08		7
8	·31	·01	—	—	—	·17	·07	·05	·04	·33	—	·02		8
9	·11	·07	—	— st.	—	·01	—	tr	—	·01	—	·71		9
10	·12	·01	—	—	—	·01	·09	—	—	—	tr	·37		10
11	·10	—	—	—	—	—	·02	·01	—	—	·33	·52		11
12	·42	tr	—	—	·14	—	·02	—	—	·25	·10	·01		12
13	·26	—	—	—	·04	—	·01	·01	—	·03	·26	·56		13
14	·54	—	—	—	·08	—	·99	—	—	—	·01	·01		14
15	·17	·01^5	—	—	·07	—	·30	·04	—	·28	·06	·49		15
16	·19	·01	·02	—	·01	—	—	·03	—	·05	·32	·01		16
17	—	·12^5	·04	—	·07	—	—	—	·07	·15	·05	—		17
18	·15	—	—	—	·14	·12	—	tr	·27	·03	·28	—		18
19	tr	—	—	—	—	—	—	·06	·51	—	·71	—		19
20	tr	—	—	—	—	—	—	·07	·01	—	·35	—		20
21	·01	—	—	—	—	—	—	·04	·05	—	·36	·30^5		21
22	·05	—	—	·03	—	·05	—	·58	tr	—	·57	·12^5		22
23	·02	—	—	·03	—	—	—	·01	·04	—	·05	—		23
24	tr	—	·16	—	·02	—	—	—	·09	—	·31	—		24
25	·09	·39	·02	—	·21	—	·67	—	—	·02	1·37	·04^5		25
26	·46	·32	—	—	·33	—	·06	—	—	·16	·01	·30		26
27	·07	·01	—	tr	·06	·22	·76	·37	·01	·17	·39	—		27
28	·11	·11	·01	—	·20	·04	tr	·68	·22	—	—	·02		28
29	·17	✕	·01	—	·38	—	—	—	·39	·34	·41	·06		29
30	·09	✕	—	—	·05	·54	·03	—	·41	—	·13	·04		30
31	·30	✕	—	✕	·24	✕	·01	—	✕	·39	✕	·36		31
TOTAL	3·93	1·11	–·26	·09	2·19	1·62	4·10	3·43	2·28	4·10	6·49	4·64	Year's Total 34·24	✓
* Days with .01 in. or more.	23	12	6	3	17	15	18	15	16	20	25	23	193	✓
* Days with .04 in. or more.	20	6	2	—	14	9	12	9	11	16	21	17	137	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Rotherfield", Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 145 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·04	tr	·02	—	·09	·44	·22	—	·02	·05		1
2	·01	—	tr	·26	·02	—	·01	·43	·54	—	·12	·13		2
3	·76	—	·06	·55	—	—	—	·15	—	—	·32	·45		3
4	·02	—	·35	·09	·23	—	·29	·12	—	·64	·15	·22		4
5	—	·01	·05	·17	·01	—	·13	·01	—	·23	·86	·01		5
6	·60	·01	·09	·18	—	—	·41	·09	—	·03	·39	—		6
7	·03	·99	—	tr	—	—	·02	·02	—	—	·39	·53		7
8	·03	·29	·04	—	·10	—	·16	·12	—	1·54	·26	·12		8
9	·06	·01	·02	—	—	—	—	·06	—	·22	·13	·10		9
10	·17	—	—	—	—	·03	—	·25	·01	·03	·07	·23		10
11	—	·02	·10	—	—	—	—	tr	—	·41	·02	·01		11
12	—	·01	—	·01	—	·01	—	—	tr	tr	·03	—		12
13	·01	—	—	·05	tr	·02	·32	—	·20	1·32	·04	—		13
14	·69	—	—	·05	—	·12	·33	—	·01	·10	·33	—		14
15	·34	—	·02	·02 BST	·21	1·30	·15	—	—	·03	·63	·06		15
16	·28	—	—	·11	·02	—	·33	—	—	·01	·19	—		16
17	·37	·07	—	—	·02	·10	·44	—	—	·04	·02 GMT	—		17
18	·02	tr	·01	—	—	·21	·39	—	—	—	·63	·07		18
19	·39	—	—	—	—	—	·02	—	—	—	·01	·08		19
20	·45	—	—	—	—	·27	·10	·32	—	—	—	·01		20
21	·05	·19	·03	—	·01	·10	·07	·01	—	—	—	—		21
22	·56	·28	·18	—	—	·49	·16	tr	·01	—	·77	—		22
23	—	—	tr	·23	—	·01	·05	·01	—	—	1·20	—		23
24	·59	tr	·04	·06	—	·52	·18	—	—	tr	tr	·01		24
25	1·23^s	·04	—	·10	—	—	·12	·12	—	·10	·32	—		25
26	·11^s	·04	—	·04	—	—	—	·07	—	·19	·28	—		26
27	—	·16	·03	·02	—	tr	·02	·03	—	·01	·18	—		27
28	—	·05	·01	·10	—	·14	·72	—	—	tr	·59	·16		28
29	—	×	·09	·04	—	·01	·12	—	—	·20	·04	—		29
30	—	×	·01	·24	—	·12	·01	·15	—	·18	·07	—		30
31	—	×	—	×	—	×	tr	·07	×	·85	×	·01		31
TOTAL	6·80	2·22	1·17	2·32	·64	3·45	4·63	2·47	·99	6·13	8·06	2·25	Year's Total 41·13	
* Days with .01 in. or more.	22	14	17	18	9	15	24	18	6	18	27	17	205	
* Days with .04 in. or more.	15	9	10	15	3	10	20	13	3	13	22	12	145	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. J. Synge

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Inc.

Kept at Rotherfield ; Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 145 ft.

Oct. ests from nearby stns.

Record terminated on death of observer. Values entered after 10 Oct. appear in some cases to be doubtful. 11th & 12th should be [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

18.11.

Please read the Notes and Instructions Overleaf 771154/27

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·01	—	·01	·01	—	—	—	—	—				1
2	—	·11	—	·25	—	—	·03	—	—	—				2
3	·05	·56	—	—	—	—	tr	tr	—	(·30)				3
4	·01	·19	—	—	—	—	·08	—	—	(·25)				4
5	·01	·02	—	—	—	—	—	—	—	(·05)				5
6	·23	·80	—	—	—	—	·02	—	—	(·22) 60				6
7	·16	·01	—	tr	—	—	—	—	tr	(·05) ~~20~~				7
8	·01	—	—	—	—	—	·17	—	—	(·44) 50				8
9	—	—	—	—	—	—	·32	·09	·01	(·08) ~~44~~				9
10	—	—	—	—	—	—	·62	·01	·01	(·06) ~~43~~				10
11	—	·01s	·04	·02	—	—	·28	—	—	~~·5~~				11
12	—	—	·22	—	—	·12	·31	—	·56	~~4~~				12
13	—	·01s	·47	·01	—	—	·05	—	·02	~~·08~~				13
14	—	·01s	·12s	·04	1·60	—	·03	—	·11	·26				14
15	·01	·11s	—	·05	·18	·01	·15	—	·32	·44				15
16	·01s	1·13	·63	·09	—	tr	·09	—	·05	·14				16
17	—	·08s	·42	—	—	—	·02	—	—	·97				17
18	·21s	·33	·22	1·02	—	—	·15	—	—	—				18
19	·01s	·04	·09	·13	—	—	·05	—	·65	·04				19
20	—	tr	·03	·03	—	—	·01	·03	·01	—				20
21	—	·01	·01	—	·22	—	—	—	·05	·07				21
22	—	tr	·08	·02	tr	·43	—	—	·03	—				22
23	—	·06	·32	·15	·02	—	·01	—	·01					23
24	·02	— st.	tr.	·01	—	·01	·34	—	—					24
25	·22	—	·12	·08	·01	·01	·01	—	—					25
26	1·08	·62	tr	·02	·28	—	·02	tr	—					26
27	·26	·12	—	tr	·38	—	·02	tr	—					27
28	·32	·07	—	tr	·01	tr	—	tr	—					28
29	·26s	·16	·21	·67	—	·08	—	—	—	✓				29
30	·06s	×	·02	·04	tr	—	—	—	—	(1·11) ✓				30
31	·01	×	·04	×	—	×	—	—	×	✓	×			31
TOTAL	2·94	4·46	3·04	2·64	2·71	-·66	2·78	-·13	1·83	(4·31)			Year's Total ..	HP
Days with 01 in. more.	18	21	16	17	9	6	21	3	12	17			..	imp.
ys with in. more.	10	14	13	10	5	3	12	1	6	17			..	WH

2·21

22

† Spare column, no entries required.

ee Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

1593

1593

Lyme Regis

1931 —— 40

780304

Section **A** for the entry of

AIR MINISTRY

ALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST

31.

Kept at Lym Reg

in the County of Dors

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.05	0.01	0.46	0.02	0.03	0.05	—	0.36	0.02	—	—	1
2	0.24	0.04	—	0.67	0.01	0.01	0.01	0.01	0.48	0.02	—	0.08	2
3	0.06	0.01	0.86	—	—	—	0.02	0.02	0.16	0.01	1.35	0.03	3
4	0.05	—	0.12	—	0.10	0.09	0.38	0.08	0.06	0.03	0.02	—	4
5	0.02	0.31	0.02	0.09	0.01	0.70	0.02	0.25	0.01	—	0.06	0.22	5
6	—	0.08	—	0.04	0.04	0.23	—	0.01	0.02	0.27	0.24	0.49	6
7	—	0.01	—	—	0.32	0.25	0.02	0.31	—	0.07	0.66	0.12	7
8	—	0.30	—	0.19	0.01	0.48	—	0.06	—	—	0.13	0.07	8
9	0.01	0.16	—	0.01	—	0.05	0.03	—	—	—	0.52	0.01	9
10	0.01	0.02	—	—	0.04	0.13	0.01	0.08	0.42	—	0.71	—	10
11	0.16	0.48	—	0.01	0.01	—	0.02	0.01	0.04	0.01	0.42	—	11
12	—	0.01	—	—	0.01	0.01	0.12	—	0.07	0.02	0.02	—	12
13	—	0.01	0.03	—	0.03	—	0.24	0.02	0.02	0.01	—	—	13
14	0.02	0.02	0.01	—	0.07	0.12	0.62	0.11	0.03	—	0.08	—	14
15	0.01	0.06	—	0.03	0.13	—	0.01	0.12	—	—	0.02	0.03	15
16	—	0.07	—	0.03	0.10	0.68	—	0.08	0.19	—	—	—	16
17	0.04	0.09	—	0.04	0.01	0.08	0.48	—	0.04	—	0.02	—	17
18	0.02	0.01	0.01	0.08	—	0.24	0.02	1.80	—	—	0.28	—	18
19	0.05	0.02	0.02	0.06	—	0.01	0.06	0.05	0.02	—	0.22	—	19
20	—	0.19	0.21	0.02	—	—	—	0.47	—	—	0.05	—	20
21	0.31	0.01	0.03	—	0.23	0.01	—	—	0.01	0.01	0.03	—	21
22	0.33	—	0.02	0.20	0.19	0.01	0.02	—	—	—	—	—	22
23	0.31	0.01	—	0.64	0.94	0.02	0.02	—	—	—	0.45	—	23
24	0.12	—	—	0.47	0.23	—	0.48	0.85	—	—	0.02	0.01	24
25	0.13	0.02	—	0.33	0.03	—	0.13	0.01	—	—	0.22	—	25
26	0.01	0.03	—	0.03	0.02	—	0.31	—	—	—	0.66	0.01	26
27	0.24	0.41	—	0.01	0.47	0.01	0.26	—	—	—	0.02	—	27
28	0.10	0.19	0.06	0.01	0.05	—	—	0.02	—	—	0.01	0.10	28
29	0.03	X	0.15	—	0.02	—	0.08	0.23	—	0.02	0.15	0.08	29
30	0.02	X	0.01	0.01	0.03	—	0.02	0.01	0.03	0.01	0.01	—	30
31	0.41	X	0.02	X	0.03	X	—	—	X	0.01	X	0.36	31
TOTAL	2.70	2.59	1.58	2.83	3.15	3.36	3.03	4.60	1.96	·51	6.38	1.61	YEAR'S TOTAL 34.30
*Days with ·01 in. or more.	23	25	15	21	26	20	24	21	16	13	25	13	242
*Days with ·04 in. or more.	14	13	5	11	13	12	12	13	9	2	16	7	127

40-9999

(Signed) C. Walker

P.T.O.

*See Instruction 2 (*f*) on other side.

1593

76B 289/27.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 1/4 in.

Height of top of Gauge above Ground 5 ft 10 ins

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.05	0.01	0.46	0.02	0.03	0.05	—	0.36	0.02	—	—	1
2	0.24	0.04	—	0.67	0.01	0.01	0.01	0.01	0.48	0.02	—	0.08	2
3	0.06	0.01	0.86	—	—	—	0.02	0.02	0.16	0.01	1.35	0.03	3
4	0.05	—	0.12	—	0.10	0.09	0.38	0.08	0.06	0.03	0.02	—	4
5	0.02	0.31	0.02	0.09	0.01	0.70	0.02	0.25	0.01	—	0.06	0.22	5
6	—	0.08	—	0.04	0.04	0.23	—	0.01	0.02	0.27	0.24	0.49	6
7	—	0.01	—	—	0.32	0.25	0.02	0.31	—	0.07	0.66	0.12	7
8	—	0.30	—	0.19	0.01	0.48	—	0.06	—	—	0.13	0.07	8
9	0.01	0.16	—	0.01	—	0.05	0.03	—	—	—	0.52	0.01	9
10	0.01	0.02	—	—	0.04	0.13	0.01	0.08	0.42	—	0.71	—	10
11	0.16	0.48	—	0.01	0.01	—	0.02	0.01	0.04	0.01	0.42	—	11
12	—	0.01	—	—	0.01	0.01	0.12	—	0.07	0.02	0.02	—	12
13	—	0.01	0.03	—	0.03	—	0.24	0.02	0.02	0.01	—	—	13
14	0.02	0.02	0.01	—	0.07	0.12	0.62	0.11	0.03	—	0.08	—	14
15	0.01	0.06	—	0.03	0.13	—	0.01	0.12	—	—	0.02	0.03	15
16	—	0.07	—	0.03	0.10	0.68	—	0.08	0.19	—	—	—	16
17	0.04	0.09	—	0.04	0.01	0.08	0.48	—	0.04	—	0.02	—	17
18	0.02	0.01	0.01	0.08	—	0.24	0.02	1.80	—	—	0.28	—	18
19	0.05	0.02	0.02	0.06	—	0.01	0.06	0.05	0.02	—	0.22	—	19
20	—	0.19	0.21	0.02	—	—	—	0.47	—	—	0.05	—	20
21	0.31	0.01	0.03	—	0.23	0.01	—	—	0.01	0.01	0.03	—	21
22	0.33	—	0.02	0.20	0.19	0.01	0.02	—	—	—	—	—	22
23	0.31	0.01	—	0.64	0.94	0.02	0.02	—	—	—	0.45	—	23
24	0.12	—	—	0.47	0.23	—	0.48	0.85	—	—	0.02	0.01	24
25	0.13	0.02	—	0.33	0.03	—	0.13	0.01	—	—	0.22	—	25
26	0.01	0.03	—	0.03	0.02	—	0.31	—	—	—	0.66	0.01	26
27	0.24	0.41	—	0.01	0.47	0.01	0.26	—	—	—	0.02	—	27
28	0.10	0.19	0.06	0.01	0.05	—	—	0.02	—	—	0.01	0.10	28
29	0.03	×	0.15	—	0.02	—	0.08	0.23	—	0.02	0.15	0.08	29
30	0.02	×	0.01	0.01	0.03	—	0.02	0.01	0.03	0.01	0.01	—	30
31	0.41	×	0.02	×	0.03	×	—	—	×	0.01	×	0.36	31
													YEAR'S TOTAL
TOTAL	2.70	2.59	1.58	2.83	3.15	3.36	3.03	4.60	1.96	·51	6.38	1.61	34.30
*Days with ·01 in. or more.	23	25	15	21	26	20	24	21	16	13	25	13	242
*Days with ·04 in. or more.	14	13	5	11	13	12	12	13	9	2	16	7	127

40-9999

(Signed) C. Wankyn

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lyme Regis
in the County of Dorset
Diameter of Funnel of Gauge 14 in.
Height of top of Gauge above Ground 1 ft 10 in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	–	–	14	04	04	02	14	–	03	16	02	1
2	02	–	–	13	05	–	02	04	19	02	03	32	2
3	02	–	–	02	01	·77	02	–	26	08	03	02	3
4	01	–	–	–	–	30	02	04	–	01	20	01	4
5	16	–	–	–	–	–	01	01	26	–	–	–	5
6	42	–	–	22	03	–	02	–	50	01	–	–	6
7	05	–	03	05	05	–	01	–	53	1·14	–	–	7
8	02	–	62	05	18	–	–	01	13	11	–	–	8
9	60	05	01	17	03	–	01	–	02	05	–	–	9
10	27	–	–	36	03	–	–	–	02	15	–	–	10
11	04	–	–	11	04	–	01	01	03	14	–	05	11
12	49	–	–	01	39	–	04	–	03	16	01	07	12
13	09	–	–	10	02	–	25	05	01	75	–	13	13
14	22	–	–	25	16	–	–	01	01	03	13	01	14
15	02	–	–	08	26	–	19	–	–	04	15	05	15
16	13	–	–	07	02	–	61	–	01	01	01	01	16
17	63	–	–	02	02	–	02	–	04	07	01	–	17
18	02	–	–	–	37	01	–	–	·10	02	23	–	18
19	01	–	–	–	31	–	01	–	04	43	–	–	19
20	01	–	01	02	1·60	–	02	15	02	80	17	05	20
21	05	–	15	13	·01	–	–	05	02	30	08	18	21
22	01	–	02	01	02	–	04	06	1·11	49	20	–	22
23	02	–	–	01	06	12	37	–	04	83	02	06	23
24	01	–	–	–	03	–	60	–	17	26	03	02	24
25	–	–	36	03	–	–	04	–	20	13	03	02	25
26	–	–	13	03	01	02	21	–	04	37	06	–	26
27	–	–	27	41	19	–	06	–	01	01	01	21	27
28	–	–	03	11	10	–	29	–	–	45	–	10	28
29	–	–	44	08	34	51	01	93	–	01	15	28	29
30	–	X	04	02	02	1·10	61	05	85	02	70	18	30
31	–	X	02	X	03	X	03	01	X	–	X	41	31
TOTAL	3·34	0·05	2·13	2·63	4·42	2·77	3·54	1·56	4·68	7·09	2·41	2·20	YEAR'S TOTAL 36·82
*Days with ·01 in. or more.	24	1	13	25	28	8	26	14	25	29	20	20	233
*Days with .04 in. or more.	12	1	7	16	15	6	12	9	15	19	11	12	135

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

+ 769289/27

Kept at Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge /4 in.

Height of top of Gauge above Ground – ft 10 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·50	·07	·02	·03	–	–	–	·02	·01	·10	·30	1
2	·23	·01	·92	–	·36	·03	–	–	–	–	·02	·03	2
3	·03	·18	·18	–	·05	·01	–	–	·01	–	·01	–	3
4	·18	·03	·05	–	·14	·01	–	–	–	–	–	–	4
5	·04	·02	·31	–	·01	–	–	–	–	·02	·03	–	5
6	–	·42	·01	·01	·17	–	·12	–	–	·12	·02	–	6
7	–	·13	·07	–	·21	–	·03	–	–	·28	–	–	7
8	·02	·01	·02	–	·05	·01	·13	–	–	·02	–	–	8
9	–	·04	·01	–	·49	·01	·35	·02	–	·15	·03	–	9
10	–	·26	–	·01	·01	–	·11	·01	–	·33	·03	–	10
11	·10	–	–	·02	–	·01	·05	1·23	–	·01	–	–	11
12	·01	–	–	·10	·04	–	·24	–	·48	·06	–	·02	12
13	–	–	–	–	·05	·04	·10	·41	·02	·05	·02	–	13
14	–	–	–	–	·02	–	·25	·63	–	·44	·31	–	14
15	·49	–	·19	–	–	·02	·20	·03	·01	·06	·02	·02	15
16	–	–	·85	·01	–	·02	·01	·02	·03	·06	–	–	16
17	–	·05	·23	–	–	·03	–	·02	·14	–	–	–	17
18	·04	·13	·15	–	·01	·06	·02	·01	–	–	·03	–	18
19	·05	–	·16	–	–	·01	–	·02	·06	–	·32	·02	19
20	·01	·02	·01	·01	·01	·09	–	·02	·02	–	·02	·02	20
21	–	·02	–	–	·09	·17	–	·08	·02	·07	·02	–	21
22	–	–	–	·08	·02	·11	–	·40	·42	·06	·02	–	22
23	–	·27	–	·69	–	·21	–	·01	·23	·26	–	–	23
24	–	·91	–	·45	–	·02	–	·01	·04	·02	–	–	24
25	–	1·02	–	·34	·05	·32	–	–	·23	·02	–	·19	25
26	–	·46	–	·23	·30	·04	–	–	·01	·03	–	·02	26
27	–	·02	–	·02	·05	·01	·03	·01	·03	·28	–	·28	27
28	–	–	–	·34	·04	–	·38	–	–	·31	–	·06	28
29	–	×	–	·02	·09	–	·02	–	·01	–	–	·06	29
30	·02	×	·11	·01	·01	–	·03	–	·20	–	–	·08	30
31	·16	×	·17	×	–	×	–	–	×	·02	×	·01	31
TOTAL	1·86	4·50	3·41	2·36	2·30	1·23	2·07	2·93	1·98	2·68	1·00	1·11	YEAR'S TOTAL 27·43
*Days with ·01 in. or more.	~~14~~	~~19~~	~~17~~	~~16~~	~~23~~	~~20~~	~~16~~	~~16~~	~~18~~	~~22~~	~~15~~	~~13~~	[illegible]
*Days with .04 in. or more.	9	12	13	6	15	8	10	5	8	14	3	6	109

40-9999

*See Instruction 2 (*f*) on other side,

D

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lyme Regis
in the County of Dorset

Diameter of Funnel of Gauge 4 in.
Height of top of Gauge above Ground – ft 10 in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	–	–	–	–	·59	·03	·02	·05	1·01		1
2	·31	–	·06	–	–	–	–	·01	1·12	·03	·04	·28		2
3	·08	·01	–	–	–	–	–	–	–	·39	–	·15		3
4	·07	–	·37	·16	·17	–	–	–	·03	·02	–	·21		4
5	·01	–	·07	–	·03	–	–	1·08	–	·09	–	·43		5
6	·05	–	·32	·04	·24	–	–	·02	·01	·62	·04	·55		6
7	·03	–	–	–	–	–	–	·08	–	·21	·01	·46		7
8	·01	–	–	–	·28	–	–	·02	–	·01	·78	·15		8
9	·05	–	·23	·01	–	–	–	–	·04	–	·34	·15		9
10	·18	·01	·10	·33	–	–	–	·08	–	–	·11	·18		10
11	·39	·02	·05	·23	–	–	·03	·03	–	·01	01	·38		11
12	·05	·01	–	·01	–	–	–	·57	–	–	·02	·19		12
13	·21	–	–	·33	–	–	–	·01	–	–	·06	·23		13
14	·31	–	·29	·05	–	–	–	–	–	–	·02	·40		14
15	·04	–	·06	·01	·13	–	–	–	–	·28	·16	·34		15
16	·17	–	·23	·04	·02	–	–	–	·02	–	·02	·27		16
17	·11	–	·01	·09	·12	–	–	–	·08	·11	·01	·30		17
18	·04	–	·16	·28	–	–	–	–	·02	–	–	·19		18
19	–	–	·12	·09	–	·04	–	·01	·07	–	–	·08		19
20	·01	–	·05	·23	–	–	–	–	·02	·04	–	–		20
21	–	–	·06	·02	–	·25	–	·03	·01	·40	–	·19		21
22	–	–	·05	·07	–	–	–	·25	·42	·01	·01	·91		22
23	·06	–	·03	·41	–	·32	–	·14	·35	·07	–	·27		23
24	–	·11	·06	·04	–	·02	·02	·26	·10	·06	–	·06		24
25	·35	·03	·01	·22	–	–	–	–	–	·11	–	·79		25
26	·01	–	·06	·48	–	·32	–	–	·11	–	·04	·04		26
27	–	–	–	·01	–	·03	–	·02	–	·05	·01	·35		27
28	–	–	–	·25	–	–	–	·60	·14	·01	–	·63		28
29	–	×	–	·01	–	–	–	·16	·11	·03	·02	·03		29
30	·02	×	–	–	–	–	·01	·02	·19	·03	–	·37		30
31	–	×	–	×	–	×	–	·13	×	·01	×	·02		31
TOTAL	2·59	0·19	2·39	3·41	0·99	0·98	0·06	4·11	2·87	2·61	1·75	9·61	Year's Total 31·56	
* Days with .01 in. or more.	23	6	20	23	7	6	3	20	18	22	18	31	197	
* Days with .04 in. or more.	16	1	17	17	5	4	0	11	11	12	9	28	131	131

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Chandler

[P.T.O.

2 - 1 - 36

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 ¼ in.

Height of top of Gauge above Ground — ft. 10 ins.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·06

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	02	52	-	-	27	05	-	10	11	13	15		1
2	-	02	01	02	-	06	-	-	19	32	10	02		2
3	-	03	11	-	11	28	-	-	38	20	24	-		3
4	01	19	-	-	-	19	-	-	09	26	41	41		4
5	02	19	01	11	-	09	-	-	33	04	-	-		5
6	-	05	-	32	-	1·26	-	-	-	02	26	16		6
7	-	-	-	37	-	09	-	-	-	26	13	06		7
8	-	-	-	41	-	02	-	-	34	02	33	01		8
9	01	-	-	38	-	13	-	-	01	72	61	-		9
10	07	-	08	05	-	-	-	-	-	01	-	04		10
11	27	-	29	-	-	44	-	-	14	07	40	02		11
12	02	07	-	-	-	25	-	-	07	-	20	-		12
13	07	13	-	47	01	13	-	-	-	-	16	-		13
14	-	06	-	25	-	-	-	-	02	02	92	53		14
15	-	12	-	68	03	06	-	-	14	-	23	08		15
16	-	03	02	12	-	18	01	-	26	01	1·17	-		16
17	-	-	-	05	76	32	-	20	04	-	03	-		17
18	-	03	-	26	02	02	09	01	40	02	-	11		18
19	-	14	-	04	30	07	17	-	17	12	39	-		19
20	-	20	-	14	03	03	02	-	-	-	23	-		20
21	-	44	03	14	-	01	02	-	06	02	01	01		21
22	-	03	08	01	-	-	-	07	03	04	01	-		22
23	-	-	11	01	08	-	-	27	12	44	-	35		23
24	65	46	02	-	07	-	-	65	41	05	-	27		24
25	23	28	-	05	01	11	-	-	-	-	-	20		25
26	-	36	-	-	06	02	-	30	07	-	02	79		26
27	-	18	01	-	-	-	-	02	07	03	08	60		27
28	-	05	-	-	01	-	-	10	08	01	02	05		28
29	-	X	-	-	02	01	-	11	06	01	01	36		29
30	04	X	-	01	-	02	-	99	02	21	41	59		30
31	-	X	-	X	04	X	-	02	X	70	X	1·02		31
													Year's Total.	
TOTAL	·82	3·08	1·29	3·89	1·55	4·06	0·36	2·74	3·60	3·71	6·50	5·83	37·43	
* Days with .01 in. or more.	11	21	12	20	14	23	6	11	24	24	24	21	211	
* Days with .04 in. or more.	6	15	6	16	7	16	3	8	20	14	18	17	146	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) C. WANKLYN

file number 69389/27

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 1/4 in. 5

Height of top of Gauge above Ground — ft. 10 in. 5

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	06	07	-	23	-	33	30	-	-	-	01	04		1
2	-	01	-	09	-	05	21	05	02	-	07	-		2
3	-	-	-	1.00	-	02	19	03	52	-	35	01		3
4	01	-	30	.02	-	18	03	-	33	-	03	07		4
5	58	-	02	-	-	-	06	05	13	-	02	12		5
6	18	-	-	-	-	06	25	02	07	-	49	01		6
7	12	-	64	-	-	-	39	-	-	-	08	04		7
8	39	01	76	-	-	-	39	-	-	-	21	02		8
9	39	-	35	-	-	-	15	-	16	-	04	-		9
10	14	07	-	-	-	05	04	-	-	-	13	-		10
11	41	11	-	-	-	-	02	05	21	-	90	03		11
12	02	-	-	-	05	22	74	-	22	-	10	02		12
13	15	-	-	-	-	01	10	01	02	03	25	47		13
14	-	02	-	-	-	02	44	-	16	01	03	73		14
15	02	03	-	-	11	01	08	-	09	01	06	17		15
16	-	15	-	30	30	-	36	-	-	-	13	15		16
17	01	74	-	-	15	-	45	-	-	02	05	38		17
18	08	31	02	-	01	68	43	-	-	01	-	16		18
19	45	05	10	25	01	24	02	03	-	-	-	-		19
20	07	30	17	06	01	03	03	-	26	-	-	-		20
21	-	16	03	46	-	06	-	-	01	-	-	-		21
22	18	42	52	-	-	02	15	-	01	-	-	02		22
23	11	01	10	12	08	01	12	-	-	05	-	-		23
24	33	05	04	01	07	-	01	-	14	35	-	-		24
25	10	-	41	20	01	-	16	-	12	40	-	-		25
26	29	16	21	01	-	04	05	-	10	04	-	-		26
27	63	41	13	-	-	-	33	-	02	24	-	-		27
28	96	01	57	01	-	-	11	-	-	02	-	23		28
29	06	04	03	-	-	05	01	-	-	07	-	-		29
30	27	✕	01	-	-	05	01	-	-	07	-	-		30
31	10	✕	84	✕	06	✕	07	-	✕	14	✕	60		31
													Year's Total	
TOTAL	6.12	3.13	5.25	2.76	0.86	2.13	5.70	0.24	2.59	1.59	3.00	3.35	36.72	✓
* Days with .01 in. or more.	26	20	19	13	11	19	30	7	18	14	18	19	214	✓
* Days with .04 in. or more.	22	14	15	9	7	12	23	3	13	8	14	13	153	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Lym Regis

in the County of Dorset

Diameter of Funnel of Gauge 1/4 in.

Height of top of Gauge above Ground — ft. 10 in.

" Ground " Sea Level 400 ft.

Est. Avg.

K Jones.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
—

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	11	04	-	28	-	-	01		16	02	06	1.01		1
2	02	41	-	23	-	-	-		11	-	02	13		2
3	02	27	12	03	-	-	-		-	-	01	-		3
4	15	49	-	-	01	-	-	✓	-	-	-	37		4
5	17	-	02	03	-	01	69		-	-	-	02		5
6	12	47	28	17	04	-	44		-	02	-	-		6
7	-	84	04	03	01	02	02		02	-	02	10		7
8	-	01	-	-	83	-	10		-	-	23	11		8
9	01	-	05	14	12	-	06		79	-	-	04		9
10	47	03	49	19	25	32	05	✓	~~02~~	-	-	24		10
11	08	-	20	13	28	03	38	✓	-	-	-	-		11
12	56	34	01	16	01	42	07	✗	09	-	-	32		12
13	-	12	70	35	-	05	-	✗	06	-	-	02		13
14	02	03	07	01	-	01	-	✓	04	-	-	03		14
15	25	16	09	48	-	-	1.21		26	-	-	30		15
16	05	10	35	11	-	03	08	✗	97	-	02	-		16
17	40	12	48	01	-	-	01		27	-	32	-		17
18	02	09	08	-	-	03	-		04	-	16	25		18
19	10	07	02	25	08	-	-		02	-	03	07		19
20	18	09	04	22	05	-	-		03	-	-	55		20
21	38	48	07	05	23	39	04		18	02	46	07		21
22	15	-	05	-	33	01	22		12	80	81	08		22
23	26	22	02	-	22	-	-		-	12	40	05		23
24	15	24	01	-	-	-	-		03	87	02	03		24
25	-	47	38	-	43	-	-		02	15	-	05		25
26	01	26	01	-	22	-	-		01	05	-	05		26
27	-	14	-	01	-	-	-		-	37	01	-		27
28	47	07	-	-	-	-	-		-	22	02	01		28
29	12	—	-	-	-	01	-		-	65	18	-		29
30	39	▨	-	-	-	03	-		02	06	28	-		30
31	24	▨	-	▨	-	▨	-		▨	1.01	▨	-		31
													Year's Total	
TOTAL	4.90	6.05	3.68	2.87	3.10	3 1.36	3.38	1.32	3.26	4.36	3.05	3.90	41.24	3 ✓
* Days with .01 in. or more.	26	24	22	19	15	13	14	7	20	13	17	22	~~205~~	212 ✓
* Days with .04 in. or more.	20	21	16	13	12	4	11	3	12	10	9	17	~~145~~	148 ✓

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 1/4 in.

Height of top of Gauge above Ground - ft. 10 in.s

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·03

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·04	-	-	-	·23	-	·01	-	·55	·02	·12		1
2	-	·01	-	·02	-	·02	·15	-	-	·20	·04	·22		2
3	-	-	-	-	0.15	·01	·02	-	-	·46	·24	-		3
4	·01	-	-	-	0.02	·03	·13	1·16	·01	·08	-	·09		4
5	~~01~~	-	-	-	-	-	·03	·01	·01	·30	·07	-		5
6	·08	-	-	-	-	·09	·36	-	·08	·06	·06	·14		6
7	·08	-	-	-	-	·11	·36	-	·06	·08	·06	·08		7
8	·25	·02	-	-	-	·18	·09	·45	·01	·32	·02	·03		8
9	·10	·06	-	-	-	·02	-	-	-	·02	-	·60		9
10	·12	-	-	-	-	·01	·07	-	-	-	-	·35		10
11	·12	-	-	-	-	-	·02	-	-	-	·31	·54		11
12	·44	-	-	-	·16	-	·02	-	-	·22	·08	·02		12
13	·31	-	-	-	·05	-	·02	·01	-	·04	·30	·52		13
14	·46	-	-	-	·08	-	·95	-	-	-	-	·01		14
15	·10	-	-	-	·08	-	·34	·03	-	·29	·06	·40		15
16	·23	·01	·01	-	·03	-	·01	·04	-	·08	·05	·02		16
17	-	·11	·03	-	·06	-	-	-	·07	·14	·04	·01		17
18	·15	-	-	-	·17	·10	-	-	·29	·03	·25	-		18
19	-	-	-	-	·01	-	-	·05	·42	-	·72	-		19
20	-	-	-	-	-	-	-	·06	·01	-	·29	-		20
21	·01	-	-	-	-	-	-	·04	·05	-	·37	-		21
22	·04	-	-	·03	-	·05	-	·54	-	·01	·49	·11		22
23	·02	-	-	·04	-	-	-	·02	·04	-	·04	-		23
24	-	-	·14	·01	·02	-	-	-	·08	-	·28	-		24
25	·08	·35	·02	-	·22	-	·65	-	-	·02	1·27	-		25
26	·05	·28	-	-	·31	-	·02	-	-	·12	·02	·33		26
27	·10	·01	-	-	·07	·18	·67	·32	-	·18	·37	-		27
28	·05	·11	·02	-	·20	·03	·01	·65	·23	-	-	·02		28
29	·08		·01	-	·32	-	-	·01	·40	·35	·37	·05		29
30	·07	✕	-	-	·04	·41	·03	-	·40	-	·11	·04		30
31	·24	✕	-	✕	·24	✕	·01	-	✕	·33	✕	·34		31
TOTAL	3.19	1.03	0.23	0·10	2·23	1·47	3·90	3.00	2·16	3·88	5·87	4·04	Year's Total 31·10	
* Days with .01 in. or more.	23	10	6	4	18	14	20	15	15	21	25	21	192	
* Days with .04 in. or more.	20	6	1	1	14	8	9	9	11	17	21	15	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 14 in.

Height of top of Gauge above Ground – ft. 10 in.

" Ground " Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	03	–	04	–	02	–	03	28	24	–	03	05		1
2	02	–	–	23	02	–	02	41	56	–	16	10		2
3	73	–	06	57	–	–	–	15	02	–	39	41		3
4	02	–	33	08	22	–	29	02	01	66	11	17		4
5	02	01	05	18	–	–	12	14	–	23	77	01		5
6	43	01	08	18	–	–	38	02	–	03	45	–		6
7	02	95	–	–	–	–	02	09	–	–	35	52		7
8	04	29	04	–	13	–	13	04	–	1·47	22	10		8
9	06	03	02	–	–	–	01	11	–	69	11	09		9
10	17	–	–	–	–	03	–	06	02	02	08	25		10
11	–	02	10	–	–	–	–	23	–	33	02	02		11
12	02	03	–	02	–	01	–	01	–	06	04	–		12
13	–	–	–	05	01	03	30	–	15	1·44	04	–		13
14	60	–	–	03	01	09	31	–	09	11	32	–		14
15	28	–	–	02	21	1·28	13	–	–	04	58	06		15
16	27	–	–	11	04	02	35	–	–	01	16	–		16
17	31	06	–	–	03	08	36	–	–	04	02	01		17
18	02	–	–	–	–	25	40	–	–	–	54	06		18
19	27	–	–	–	–	–	03	–	–	–	02	10		19
20	44	–	–	–	–	28	09	41	–	–	–	02		20
21	06	16	04	–	01	14	09	01	–	–	–	–		21
22	44	23	12	–	–	56	16	02	02	–	71	–		22
23	–	–	–	26	–	01	04	01	–	–	1·25	–		23
24	47	–	06	02	–	57	19	–	–	01	02	02		24
25	53	09	–	11	–	–	10	11	–	10	28	–		25
26	08	06	–	03	–	–	–	06	–	20	27	–		26
27	–	11	02	02	–	–	02	05	–	–	18	–		27
28	–	07	01	13	–	10	63	–	–	–	55	17		28
29	–		12	04	–	01	14	–	–	19	03	–		29
30	–	✕	–	24	–	06	01	30	–	17	06	01		30
31	–	✕	–	✕	–	✕	01	07	✕	1·06	✕	01		31
													Year's Total	
TOTAL	5·43	2·01	1·04	2·32	0·70	3·46	4·36	2·62	1·03	6·16	7·76	2·18	39·07	
* Days with .01 in. or more.	23	14	14	18	10	16	26	21	8	19	28	19	216	
* Days with .04 in. or more.	16	9	10	12	3	10	18	15	3	15	28	12	145	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1573

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Lyme Regis

in the County of Dorset

Diameter of Funnel of Gauge 5~~4~~ in.

Height of top of Gauge above Ground - ft. 10 in.s

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: -

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	02	-	-	01	-	-	-	-	-	11	-		1
2	-	10	-	22	-	-	02	-	-	-	55	02		2
3	06	55	-	-	-	-	01	-	-	12	92 ✓	40		3
4	-	22	-	-	-	-	10	-	-	35	14	02		4
5	01	02	-	-	-	-	01	-	-	05	47	10		5
6	23	81	-	-	-	-	02	-	-	21	05	16		6
7	14	01	-	-	01	-	-	-	-	04	01	06		7
8	01	-	-	-	-	-	17	-	-	41	21	22		8
9	-	-	-	-	-	-	33	06	02	09	45	14		9
10	-	02	-	-	-	-	63	02	01	07	11 ✓	16		10
11	-	02	01	02	-	-	23	-	-	01	1·04	06		11
12	-	-	23	-	-	12	24	-	63	-	13	-		12
13	-	-	43	01	-	-	04	-	04	25	1·45	11		13
14	-	01	02	03	1·46 ×	-	06	-	13	37	02	78		14
15	01	13	-	04	20	-	18	-	31	12	75	02		15
16	-	54	54	08	01	02	09	-	06	98	40	06		16
17	-	08	37	-	-	-	03	-	01	10	45	01		17
18	11	27	25	70	-	-	16	-	-	-	01	02		18
19	-	02	06	15	-	-	07	-	73	-	15	-		19
20	-	01	03	05	-	-	01	03	04	08	02	-		20
21	-	05	01	01	22	-	02	-	04	01	75	-		21
22	-	01	08	-	-	48	-	-	04	-	01	-		22
23	-	04	32	16	02	-	01	-	02	09	02	-		23
24	-	01	01	-	-	-	94	-	01	01	01	-		24
25	16	-	14	09	02	03	01	-	-	-	01	-		25
26	1·10	54	-	03	-	-	01	-	-	-	01	-		26
27	26	10	-	01	28	-	02	-	-	-	-	-		27
28	32	08	-	01	39	-	-	-	-	-	-	-		28
29	04	16	20	60	03	06	-	-	-	08	-	24		29
30	05	✕	03	08	-	-	-	-	-	40	-	14		30
31	15	✕	04	✕	-	✕	-	-	✕	63	✕	32		31
													Year's Total	
TOTAL	2.65	3.82	2.77	2.$\overset{2}{\cancel{7}}$9	2.65	0.71	2.88	0.11	2.09	4.37	8.25	3.04	35.$\overset{6}{\cancel{7}}$3	
* Days with .01 in. or more.	14	24	17	17	11	5	24	3	14	21	26	19	195	
* Days with .04 in. or more.	11	13	11	10	5	3	13	1	9	18	17	14	125	

* See Instruction 3 (f) on other side.

× heavy thunderstorm at night

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

1593/5
CHIDEOCK MANOR
BRIDPORT
1937 — 39

7 803.04

Section **A** for the entry
AIR MINIST

Station No. 1593/5
INFALL ORGANIZATION

FORM 1090

REG 937

Kept at CHIDEOCK MA
in the County of Do
Diameter of Funnel of Gauge
Height of top of Gauge above
,, Ground ,, Sea Level ...280... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						–	~~0.02~~	–	0.12	–	.10.		1.10	1
2						–	–	–	0.08	–	–		0.10	2
3						–	0.02	–	–	–	–			3
4						–	– –	0.02	– –	–	–		0.25	4
5						–	.61	–	–	–	–		–	5
6						–	.44	–	–	–	–		–	6
7						–	–	–	0.02	0.01	.		0.11	7
8						–	–	–	–	–	.15		0.17	8
9						–	0.20	–	1.60	–	–		0.03	9
10						.42	0.20	–	–	–	–		0.27	10
11						–	0.50	–	–	–	–			11
12						.34	0.04	.55	.17	–	–		0.30	12
13						.02	–	.47	0.08	–	–			13
14						–	–	– –	0.05	–	–		0.05	14
15						–	1.46	– –	0.17	–	–		0.20	15
16						.01	0.09	0.21	.98	–	–			16
17						–	–	–	.30	–	.30			17
18						.05	–	–	0.05	–	.16		0. ~~37~~ 32	18
19					0.05	–	–	–	–	–	.02		0.08	19
20					0.12	–	–	–	–	–	–		0.85	20
21					0.23	–	0.11	–	.15	–	.49		0.05	21
22					0.47	.19	0.20	–	.11	1.43	.76		0.05	22
23					0.13	–	–	–	–	0.20	.14		0.04	23
24					0 –	–	–	–	0.03	0.70	–		0.02	24
25					0.50	–	–	–	0.02	0.30	–		0.02	25
26					0.32	–	–	–	–	0.22	–		0.05	26
27					–	–	–	–	–	0.20	.02		–	27
28					.	–	–	–	–	0.18	.01		–	28
29					.	.	–	–	–	1.16	.25		–	29
30		✕			–	.	–	–	–	0.06	.20		–	30
31		✕		✕	–	✕	–	–	✕	0.36.	✕		–	31
TOTAL	Register began				~~1.82~~	1.03	3.87	1.25	2.93	4.82	2.60	~~4.06~~	~~Year's Total~~ 4.06	
* Days with .01 in. or more.	on May 19. 1939.													
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Blacker

[P.T.O.

N

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1593/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at CHIDEOCK MANOR BRIDPORT

in the County of DORSET

Diameter of Funnel of Gauge 5⅛ in.

Height of top of Gauge above Ground ft. 8 in.

,, Ground ,, Sea Level 200 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						-	~~0.02~~	-	0.12	-	.10.		1.10	1
2						-	-	-	0.08	-	-		0.10	2
3						-	0.02	-	-	-	-			3
4						-	-	0.02	-	-	-		0.25	4
5						-	.61	-	-	-	-		-	5
6						-	.44	-	-	-	-		-	6
7						-	-	-	0.02	0.01	-		0.11	7
8						-	-	-	-	-	.15		0.17	8
9						-	0.20	-	1.60	-	-		0.03	9
10						.42	0.20	-	-	-	-		0.27	10
11						-	0.50	-	-	-	-			11
12						.34	0.04	.55	.17	-	-		0.30	12
13						.02	-	.47	0.08	-	-			13
14						-	-	-	0.05	-	-		0.05	14
15						-	1.46	-	0.17	-	-		0.20	15
16						.01	0.09	0.21	.98	-	-			16
17						-	-	-	.30	-	.30			17
18						.05	-	-	0.05	-	.16		0.~~37~~ 32	18
19					0.05	-	-	-	-	-	.02		0.08	19
20					0.12	-	-	-	-	-	-		0.35	20
21					0.23	-	0.11	-	.15	-	.49		0.05	21
22					0.47	.19	0.20	-	.11	1.43	.76		0.05	22
23					0.13	-	-	-	-	0.20	.14		0.04	23
24					0 -	-	-	-	0.03	0.70	-		0.02	24
25					0.50	-	-	-	0.02	0.30	-		0.02	25
26					0.32	-	-	-	-	0.22	-		0.05	26
27					-	-	-	-	-	0.20	.02		-	27
28					-	-	-	-	-	0.18	.01		-	28
29					-	-	-	-	-	1.16	.25		-	29
30		✕			-	-	-	-	-	0.06	.20		-	30
31		✕		✕	-	✕	-	-	✕	0.36	✕		-	31
TOTAL	Register began				~~1.82~~	1.03	3.87	1.25	2.93	4.82	2.60	~~4.06~~	Year's Total 4.06	
* Days with .01 in. or more.	on May 19. 1937.													
* Days with .04 in. or more.														

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

N

* See Instruction 3 (f) on other side.

BRIDPORT (CHIDEOCK MANOR)

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 15793/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File no. 230592/38

Kept at Chideock Manor
in the County of Dorset /3
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 8½ in.
,, Ground ,, Sea Level ft.

~~Exp. imp 1937~~

Days

SB

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.10	–	–	–	.15	–	–	–	.55	–	.02		1
2	–	–	–	–	–	–	.09	–	–	.17	.06	.16		2
3	–	–	–	–	.14	–	.09	–	–	.59	.25	–		3
4	–	–	–	–	–	.01	.06	.90	–	.10	.01	.12		4
5	–	–	–	–	–	.02	.07	–	.02	.26	.07	–		5
6	.73	–	–	–	–	.05	.34	–	.08	.50	.03	.02		6
7	.20	–	–	–	–	.10	.31	–	.64	.10	–	.10		7
8	.18	.10	–	–	–	.12	.02	.04	–	.26	–	–		8
9	.14	.08	–	–	–	.02	–	–	–	–	–	.84		9
10	.10	–	–	–	–		.05	–	–	–	.40	.31		10
11	.10	–	–	–	–		.02	–	–	–	.08	.50		11
12	.38	–	–	–	.11		.03	–	–	.24	.21	–		12
13	.24	–	–	–	.03		–	–	–	.20	.02	.37		13
14	.51	–	–	–	.05		1.08	–	–	–	.04	–		14
15	.13	–	–	–	.04		.28	.07	–	.32	.20	.56		15
16	.17	–	–	–	.03		–	–	–	.30	.04	–		16
17	–	.12	.02	–	.10		–	–	–	.14	.27	–		17
18	.17	–	–	–	.20	.09	–	.01	.20	.10	.42	–		18
19	–	–	–	–	–		–	–	.53	–	.51	–		19
20	–	–	–	–	–		–	–	.05	–	.37	–		20
21	–	–	–	–	–		–	.14	–	–	.46	–		21
22	.03	–	–	.03	–	.07	–	.56	.02	–	.03	.14	Snow	22
23	.02	–	–	–	–		–	–	.03	–	.36	–		23
24	.07	–	.16	–	.01		–	–	.10	–	1.40	–		24
25	.05	.32	.02	–	.25		.46	–	–	.02	–	–		25
26	.32	.33	–	–	.37		.13	–	–	.10	.35	.28		26
27	.07	–	–	–	.05	.21	.71	–	–	.16	–	–		27
28	.13	.13	.01	–	.10	.04	–	1.13	–	–	.38	.03		28
29	.07		–	–	.33	–	–	–	.36	.31	.16	.05		29
30	.10	✕	–	–	.02	.20	.04	–	.85	–	–	.04		30
31	.25	✕	–	✕	.20	✕		–	✕	.33	✕	.30		31
TOTAL	3.57	1.18	.21	.03	2.03	1.08	3.78	~~4.45~~	2.30 ~~6.12~~	4.75	6.12	3.84	Year's Total 31.74 31.74	
* Days with .01 in. or more.	23	7	4	1	16	12	16	7 2.85	11 ~~7~~	19	23	16	155	
* Days with .04 in. or more.	20	7	1	0	12	9	13	6	8	18	19	13	126	

Pmt
GB 17/8/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Eva Blacker [P.T.O.

MRS S.W. BLACKER

Section **A** for the entry of Daily Observations

Station No. 1503/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Chideock Manor Bridport
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 8½ in.
,, Ground ,, Sea Level 200 ft.

up to May 24. 1939. The Hyde. Bridport. till
Nov. 24. 1939 - Then EAST Hill House
Charminster
Dorchester
Dorset

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Regard as Continuation record after 24 May. new station from 24 Nov. Total move of 4 miles i.e. Year book

Jan. 1, following: up to 24 Nov. 1939

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June The Hyde Bridport	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	-	.05	.28	.03	-	.10	.52	.24	-	.09	.15		1
2	-	-	-	.48	.02	-	-	.42	.48	-	.22	.11		2
3	.70	-	.11	.08	-	-	-	.09	-	.70	.06	.22		3
4	-	-	.32	.13	.24	-	.20	.04	.08	.36	1.15	.20		4
5	-	-	.02	.52	-	-	.21	.05	-	-	.02	.03		5
6	.55	-	.07	-	-	-	.45	.09	-	-	.45	-		6
7	.01	1.11	-	-	.05	-	.02	.04	-	1.11	.25	1.80		7
8	.03	.22	.06	-	-	-	.13	.07	-	.15	.25	.07		8
9	.08	.02	.02	-	-	-	-	.23	-	.06	.05	.38		9
10	.16	.02	-	-	-	.02	-	.09	.02	.44	-	.12		10
11	-	.08	.13	-	-	-	-	-	-	.07	.05	.02		11
12	-	-	-	-	-	.01	-	-	.13	1.35	-	-		12
13	-	-	-	.06	-	.03	.24	-	-	.10	.03	.30		13
14	.88	-	-	.05	.04	.06	.22	-	-	-	.30	.13		14
15	.41	-	-	.03	.18	1.36	.25	-	-	-	.69	.05		15
16	.20	.06	-	.13	.04	.10	.02	-	-	-	.10	-		16
17	.36	.02	-		.09	-	.48	-	-	-	.05	-		17
18	-	-	-	-	-	.11	.32	.25	-	-	.58	-		18
19	.40	-	-	-	-	-	.01	.70	-	-	-	.08		19
20	.57	.26	-	-	-	.06	.15	-	-	-	-	.02		20
21	.05	.25	.06	-	-	.10	.12	-	-	-	-	-		21
22	.46	-	.12	.25	-	.26	.14	-	-	-	1.02	-		22
23	-	-	-	.08	-	-	.06	4	-	-	1.04	-		23
24	.65	.07	.17	.07	-	.38	.46	.66	-	-	East Hill	-		24
25	.91	.12	.02	-	-	-	-	.21	-	.16	.78	-		25
26	.07	.26	-	-	-	-	-	.03	-	.16	.30	-		26
27	-	.02	-	.48	-	-	.03	-	-	.03	.13	-		27
28	-	-	.06	.08	-	.06	.62	-	-	-	.42	-		28
29	-		-	.21	-	.07	.18	.07	-	.10	.04	-		29
30	-	✕	-	-	-	.10	-	-	-	.37	.03	-		30
31	-	✕	-	✕	-	✕	-		✕	.20	✕	-		31
TOTAL	6.57	2.51	1.21	2.93	0.69	2.72	4.42	2.96	1.29	5.59	~~8.49~~ 8.39	5.68	Year's Total ~~40.08~~ 40.38	
* Days with .01 in. or more.	18	13	13	15	8	14	21	16	5	15	24	15	~~177~~	
* Days with .04 in. or more.	15	9	10	14	6	11	17	15	4	14	21	12	~~148~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. Blacker

P.T.O.

1594

Section **A** for the entry of

AIR MINISTR

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGIS

31.

1594

CONEYGAR BRIDPORT

1931 —— 40

780304

Kept at Coneygar, Bridp

in the County of Dors

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

" Ground " Sea L

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	--	0.02	--	0.16	--	0.01	0.01	--	0.12	0.01	--	--	1
2	0.30	0.03	--	0.60	--	0.01	--	0.01	0.56	--	0.02	0.11	2
3	0.20	--	0.63	--	--	--	0.02	--	0.22	--	1.14	0.04	3
4		--	0.06	--	0.02	--	0.41	0.13	0.13	0.03	0.11	--	4
5	--	0.29	--	0.14	--	0.65	--	0.23	--	--	0.28	0.45	5
6	--	0.09	--		0.03	0.40	--	0.01	--	0.37	0.27		6
7	--	--	--	--	0.23		0.11	0.33	--	0.05	0.60	0.11	7
8	--	0.25	--	0.17	--	0.45	--	0.14	--	0.02		0.07	8
9	--	0.15	--	--	--	0.05	0.02	0.04	--	--	0.40	--	9
10	--	--	--	--	0.03	0.11	0.02	--	0.51	--	0.33	--	10
11	0.19	0.33	--	--	--	0.19	--	--	--	--	0.20	--	11
12	--	0.03	--	--	--	--	0.11	--	0.14	0.02	--	--	12
13	--	--	0.05	--	--	--	0.28	0.06	--	--	--	--	13
14	0.01	0.11	--	--	0.03	0.22	0.76	0.07	0.10	--	0.06	--	14
15	--		--	0.02	0.20	--	--	0.23	0.01	--	--	--	15
16	--	0.12	--	0.02	0.09	0.50	0.01		0.10	--	--	--	16
17	--	0.15	--	0.15	--	0.18	0.50	--	0.16	--	--	--	17
18	0.03	0.02	0.02	0.10	--	0.13	0.04	1.75	--	--	0.37	--	18
19	0.10	--	0.03		--	0.03		0.04	0.19	--	0.10	--	19
20	--	0.19	0.25	0.03	--	--	--	0.32	--	--	--	0.01	20
21	0.20	--	0.01	--	0.20	--	--	--	--	--	0.02	--	21
22	0.47	0.02	0.02	0.14	0.07	--	--	0.01	--	--	--	--	22
23	0.28	--	--	0.03	1.05	--	--	--	--	--	0.36	--	23
24	0.24	--	--	0.66		0.01	0.56	0.43	--	--	0.02	--	24
25		0.02	--	0.34	--	--	0.45	--	--	--	0.22	--	25
26	--	0.01	--		--	--		--	--	--	0.48	--	26
27	0.30	0.36	--	--	0.90	--	0.20	--	--	--	0.01	--	27
28	0.04	0.03	0.20	--	0.16	--	--	0.05	--	--	0.10	0.03	28
29	0.03	--		--	0.05	--	0.04	0.17	--	--		0.02	29
30	0.01	X	0.02	--	0.08	--	0.01		0.11	--	--	--	30
31	0.46	X	--	X		X	0.01	0.01	X	--	X	0.27	31
TOTAL	2.86	2.22	1.29	2.56	3.14	2.94	3.56	4.03	2.35	0.50	5.09	1.11	YEAR'S TOTAL 31.65
*Days with ·01 in. or more.	17	19	11	16	16	15	19 ~~20~~	20	12	6	21	10	183
*Days with ·04 in. or more.	13	10	6	12	11	11	12	15	11	2	16	7	126

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Albert W. S. Wilkins. P.T.O.

1594

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Coneygar, Bridport

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 110 ft.

days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	--	0.02	--	0.16	--	0.01	0.01	--	0.12	0.01	--	--	1
2	0.30	0.03	--	0.60	--	0.01	--	0.01	0.56	--	0.02	0.11	2
3	0.20	--	0.63	--	--	--	0.02	--	0.22	--	1.14	0.04	3
4		--	0.06	--	0.02	--	0.41	0.13	0.13	0.03	0.11	--	4
5	--	0.29	--	0.14	--	0.65	--	0.23	--	--	0.28	0.45	5
6	--	0.09	--		0.03	0.40	--	0.01	--	0.37	0.27		6
7	--	--	--	--	0.23		0.11	0.33	--	0.05	0.60	0.11	7
8	--	0.25	--	0.17	--	0.45	--	0.14	--	0.02		0.07	8
9	--	0.15	--	--	--	0.05	0.02	0.04	--	--	0.40	--	9
10	--	--	--	--	0.03	0.11	0.02	--	0.51	--	0.33	--	10
11	0.19	0.33	--	--	--	0.19	--	--	--	--	0.20	--	11
12	--	0.03	--	--	--	--	0.11	--	0.14	0.02	--	--	12
13	--	--	0.05	--	--	--	0.28	0.06	--	--	--	--	13
14	0.01	0.11	--	--	0.03	0.22	0.76	0.07	0.10	--	0.06	--	14
15	--		--	0.02	0.20	--	--	0.23	0.01	--	--	--	15
16	--	0.12	--	0.02	0.09	0.50	0.01		0.10	--	--	--	16
17	--	0.15	--	0.15	--	0.18	0.50	--	0.16	--	--	--	17
18	0.03	0.02	0.02	0.10	--	0.13	0.04	1.75	--	--	0.37	--	18
19	0.10	--	0.03		--	0.03		0.04	0.19	--	0.10	--	19
20	--	0.19	0.25	0.03	--	--	--	0.32	--	--	--	0.01	20
21	0.20	--	0.01	--	0.20	--	--	--	--	--	0.02	--	21
22	0.47	0.02	0.02	0.14	0.07	--	--	0.01	--	--	--	--	22
23	0.28	--	--	0.03	1.05	--	--	--	--	--	0.36	--	23
24	0.24	--	--	0.66		0.01	0.56	0.43	--	--	0.02	--	24
25		0.02	--	0.34	--	--	0.45	--	--	--	0.22	--	25
26	--	0.01	--		--	--		--	--	--	0.48	--	26
27	0.30	0.36	--	--	0.90	--	0.20	--	--	--	0.01	--	27
28	0.04	0.03	0.20	--	0.16	--	--	0.05	--	--	0.10	0.03	28
29	0.03	--		--	0.05	--	0.04	0.17	--	--		0.02	29
30	0.01	X	0.02	--	0.08	--	0.01		0.11	--	--	--	30
31	0.46	X	--	X		X	0.01	0.01	X	--	X	0.27	31
TOTAL	2.86	2.22	1.29	2.56	3.14	2.94	3.56	4.03	2.35	0.50	5.09	1.11	YEAR'S TOTAL 31.65
*Days with ·01 in. or more.	17	19	11	16	16	15	19 ~~20~~	20	12	6	21	10	183
*Days with ·04 in. or more.	13	10	6	12	11	11	12	15	11	2	16	7	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Albert W. S. Wilkins.

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Coneygar, Bridport
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 110 ft.

days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06	--	--	--	0.05	0.02	0.03	0.18	--	0.05	0.01	--	1
2	--	--	--	0.14	0.06	--	--	--	0.50	✓	0.03	0.28	2
3	0.02	--	--	--	0.02	0.59	--	0.15	✓	0.08	0.01	0.03	3
4	--	--	--	--	--	0.38	--	0.07	--	--	0.20	--	4
5	0.18	--	--	--	--	--	--	--	0.27	--	--	--	5
6	0.37	--	0.01	0.15	--	--	--	--	0.33	0.03	--	--	6
7	0.03	--	0.01	0.12	0.04	--	--	--	0.27	0.94	--	--	7
8	--	--	0.67	--	0.10	--	--	--	0.29	0.15	--	--	8
9	0.69	--	--	0.70	0.07	--	--	--	--	✓	--	--	9
10	✓	--	--	✓	0.04	--	--	--	--	0.10	0.01	--	10
11	0.02	--	--	0.05	0.03	--	0.02	--	0.04	0.12	--	0.07	11
12	0.50	--	--	--	0.26	--	--	--	0.03	0.14	--	0.03	12
13	0.03	--	--	0.08	0.02	--	0.30	0.03	--	0 .70	--	0.09	13
14	0.16	--	--	0.14	0.32	--	--	–	--	0.01	0.20	0.01	14
15	0.02	--	--	0.12	✓	--	0.05	--	--	0.05	0.15	0.02	15
16	0.27	--	--	0.12	--	--	--	--	--	✓	--	--	16
17	✓	--	--	✓	--	--	--	--	--	0.07	--	--	17
18	0.02	--	--	--	0.30	--	--	--	0.10	--	0.19	--	18
19	0.01	--	--	--	0.18	--	--	--	0.06	0.32	--	--	19
20	--	--	--	0.03	1.78	--	--	0.38	--	0.74	0.20	0.03	20
21	--	--	0.14	0.17	--	--	--		0.06	0.27	0.02	0.08	21
22	--	--	0.06	--	0.02	--	0.08	0.10	0.89	0.89	0.20	--	22
23	0.05	--	--	--	0.11	--	0.92	--	--	✓	0.03	0.06	23
24	✓	--	--	--	0.02	--	✓	--	0.26	0.06	--	--	24
25	--	--	0.25	0.05	--	--	0.08	--	✓	0.22	0.03	--	25
26	--	--	0.31	0.07	--	--	0.20	--	--	0.12	0.03	--	26
27	--	--	✓	0.46	0.24	--	0.09	--	--	0.29	--	0.05	27
28	--	--	0.05	0.13	0.70	--	0.31	--	--	0.02	--	0.06	28
29	--	--	0.48	0.07	✓	0.39	--	0.61	0.45	0.40	0.15	0.22	29
30	--	×	0.02	0.05	--	1.10	0.20	0.03	0.57	✓	0.48	0.16	30
31	--	×	0.03	×	0.02	×		--	×	0.07	×	0.26	31
TOTAL	2.43	Nil	2.03	2.65	4.38	2.48	2.28	1.55	4.12	5.84	1.94	1.45	YEAR'S TOTAL 31.15
*Days with ·01 in. or more.	18	-	12	19	22	5	12	~~10~~ 8	16	28	16	15	~~174~~ 171
*Days with .04 in. or more.	9	-	8	17	16	4	10	6	15	21	8	10	124

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) a w s wilkins

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Coneygar, Bridport

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·64	0·56	0·06	—	—	—	—	—	0·01	—	0·07	0·15		1
2	0·38	0·01	0·77	—	0·21	—	—	—	0·02	—	—	—		2
3	0·12	0·12	0·28	—	0·01	—	—	—	—	—	—	—		3
4	0·15	—	0·25	—	0·28	—	—	—	—	—	—	—		4
5	0·08	0·03	x	—	—	—	—	—	—	—	0·02	0·02		5
6	—	0·38	0·01	—	0·34	—	0·01	—	—	0·14	0·01	—		6
7	0·01	0·07	0·01	—	x	—	—	—	—	0·74	—	0·02		7
8	0·01	—	0·02	—	0·03	—	0·61	—	—	x	—	—		8
9	—	0·03	—	—	0·33	—	x	0·03	—	0·10	0·03	—		9
10	—	0·32	—	—	—	0·09	0·05	0·02	—	0·23	0·04	—		10
11	0·10	—	—	—	—	x	0·04	0·20	—	—	—	—		11
12	0·01	—	—	0·08	0·02	—	0·15	—	0·82	—	—	—		12
13	0·01	—	—	—	0·08	—	0·18	0·11	—	0·08	0·05	—		13
14		—	—	—	—	—	0·05	0·05	—	0·23	0·50	—		14
15	0·43	—	0·16	—	—	—	0·09	0·03	—	x	—	—		15
16	—	—	0·90	—	—	0·05	—	—	0·12	0·10	—	—		16
17	—	0·09	0·40	—	—	0·24	—	0·08	x	—	—	—		17
18	0·05	0·10	0·22	—	—	✓	—	—	—	—	—	—		18
19	0·05	—	x	—	—	—	—	—	0·28	—	0·21	0·04		19
20	—	0·03	—	—	—	0·09	—	0·02	0·12	—	—	—		20
21	—	0·03	—	—	0·07	—	—	0·11	0·01	0·13	0·01	—		21
22	—	—	—	0·61	0·05	0·17	—	0·81	0·36	x	—	—		22
23	—	Snow & rain 0·45	—	x	—	0·26	—	—	0·14	0·14	—	—		23
24	—	Snow & rain 1·08	—	0·32	—	0·17	—	—	x	0·03	—	—		24
25	—	Snow & rain 1·29	—	0·35	—	x	—	—	0·28	0·02	—	0·12		25
26	—	x	—	0·18	0·17	0·01	—	—	0·06	0·03	—	✓		26
27	—	0·01	—	—	0·39	—	0·04	—	0·03	0·27	—	0·34		27
28	—	—	—	0·27	0·02	—	0·52	—	—	0·16	—	0·03		28
29	0·10	X	—	—	0·28	—	0·04	—	0·02	—	—	0·04		29
30	0·01	X	0·09	—	—	—	—	—	0·10	—	—	0·04		30
31	0·20	X	0·13	X	0·01	X	—	—	X	0·05	X	—		31
													Year's Total	
TOTAL	2·35	4·60	3·30	1·81	2·29	1·08	1·78	1·46	2·37	2·45	0·94	0·80	25·23	
~~*Days with ·01 in. or more.~~	2·35	6·95	10·25	12·06	14·35	15·43	17·21	18·67	21·04	23·49	24·43	25·23	25.23	
*Days with ·01 in. or more.	16	17	15	7	16	11	12	10	16	17	9	10	156	
·04 ~~40·9999~~ or more	11	11	11	7	11	10	11	6	11	4	5	7	115	

† Spare column, no entries required.

(Signed) A. W. Wilkins.

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Coneygar, Bridport

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 110 ft.

Est days

all

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·06	–	–	–	–	–	–	0·67	0·05	–	0·10	x		1
2	0·31	–	0·09	–	–	–	–	–	0·90	0·05	0·02	1·15 x		2
3	0·06	–	–	–	–	–	–	–	–	0·72	–	0·14		3
4	0·10	–	0·24	0·38	0·20	–	–	1·05	0·03	0·03	–	0·17		4
5	–	–	0·02	–	x 0·25	–	–	x	–	0·02	0·02	0·42		5
6	–	–	0·32	0·04	x	–	–	0·01	–	x 0·86	0·13	0·67		6
7	–	–	–	–	–	–	–	0·08	–	x	0·03	0·49		7
8	–	–	–	–	0·32	–	–	0·01	–	0·07	0·51	x 0·22		8
9	0·02	–	0·20	0·01	–	–	–	–	x 0·07	0·03	0·35	x		9
10	0·17	0·02	x	0·21	–	–	–	0·04		–	x 0·07	0·09		10
11	0·32	–	0·26 x	0·20	–	–	0·04	0·32	–	–		0·53		11
12	0·05	–	–	–	–	–	–	–	–	–	0·02	0·30		12
13	x	–	–	0·28	–	–	–	–	–	m 0·03	0·07	0·33		13
14	0·47 x	–	0·21	0·03	–	–	–	–	–	✓	0·13	0·31		14
15	0·04	–	0·03		0·12	–	–	–	✓ 0·02	–	0·15	x 0·63		15
16	0·15	–	0·21	0·01	0·11	–	–	–		0·15	–	x		16
17	0·09	–		0·03	0·23	–	–	–	0·20	0·06	–	0·36		17
18	0·05	–	0·21 x	0·13	–	0·03	–	–	0·19	–	–	0·14		18
19	–	–	0·07	0·09	–	0·04	–	–	0·12	–	–	0·12		19
20	–	–	0·08	0·22	–	–	–	–	–	✓ 0·28	0·02	–		20
21	–	–	0·02	0·03	–	0·26	–	0·03	–	x	–	0·13		21
22	–	–	0·05	–	–	–	–	0·25	x 0·41	–	–	x 0·83		22
23	0·02	–	0·05	0·20	–	x 0·23	–	–	x	0·04	–	x		23
24	–	x 0·06	–	0·08	–	x	0·02	0·22	0·24	0·05	–	–		24
25	0·38	✓	–	0·20	–	–	–	–	–	0·12	–	1·02		25
26	0·01	–	–	0·20	–	0·33	–	–	0·11	–	0·05	0·06		26
27	–	–	–	0·02	–	0·10	–	–	–	✓ 0·03	–	0·56		27
28	–	–	–	–	–	–	–	0·60	0·09		–	0·54		28
29	–	x	–	–	–	–	–	0·27	x 0·43	0·02	–	✓ 0·27		29
30	0·02	x	–	–	–	–	0·02	–	x	0·01	–	x		30
31	–	x	–	x	–	x	–	–	x	–	x	0·01		31
TOTAL	2·32	0·08	2·06	2·36	1·23	0·99	0·08	3·55	2·86	2·57	1·67	9·49	Year's Total 29·26 ✓	
*Days with ·01 in. or more.	18	2	~~17~~ 16	~~19~~ 18	7	7	3	~~13~~ 12	~~17~~ 15	~~21~~ 19	~~15~~ 14	29	~~168~~ 160 ✓	160
*Days with ·04 in. or more.	14	1	~~14~~ 13	12	7	6	1	~~10~~ 9	~~14~~ 13	11	~~10~~ 9	~~28~~ 27	~~128~~ 123	123

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. W. Wilkins.

P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Coneygar Bridport

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 110 ft.

acf

dap

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	—	0·48	–	–	0·36	0·20	—	0·16	0·12	0·10	0·15		1
2	–	–	–	–	–		–	–	–	0·37	0·37	0·08		2
3	–	–	0·07	–	0·06	0·20	–	–	0·13	0·25		–		3
4	–	0·20	–	0·05	0·03	0·19	–	–	0·08	0·17	0·08	0·53		4
5	0·02	0·28	–	0·02	—	0·07	–	–	0·27	0·10	–	0·02		5
6	–	0·06	–	0·65	–	1·06	–	–	–		0·21	0·13		6
7	–	–	–		–	0·05	–	–	–	0·20	0·12	0·06		7
8	–	–	–	0·38	–	0·18	–	–	0·14	0·12	0·36			8
9	0·02	–	0·17	0·38	–		–	–	–	0·66	0·74	–		9
10	0·01	–		0·04	–	0·04	–	–	–	–		0·03		10
11	0·28	0·01	0·21	–	–	0·27	–	–	0·03	–	0·48	0·01		11
12	0·16	0·02	–	–	–	0·24	–	–	0·04	–	0·23	–		12
13		0·17	–	0·72	–	0·13	–	–	–	–	0·10	–		13
14	–	0·03	–		0·05	–	–	–	0·21	0·03	0·80	0·58		14
15	–	0·11	–	0·70	0·06	0·18	–	–		–	0·38			15
16	–	0·03	–	0·11	–		–	–	0·22	–	1·40	–		16
17	–	–	–	0·03	0·74	0·28	–	0·17	0·05	–		–		17
18	–	–	–	0·23	0·23	0·03	0·05	–	0·37	0·02	–	0·10		18
19	–	0·08	–	0·04		0·11	0·15	–	0·12	0·21	0·34	–		19
20	–	0·20	–	0·17	0·04	0·05	0·09	–	–		0·28	–		20
21	–	0·35	0·09		–	—		–	0·11	–	0·01	–		21
22	–	0·06	0·06	0·03	–	–	–	0·12	–	–	–	–		22
23	–	0·33	0·20	0·26	–	–	–	0·16	0·07	0·50	–	0·28		23
24	0·04			–	0·10	–	–	0·65	0·40	0·13	–	1·16		24
25	0·26	0·16	–	0·06	–	0·02	–	–	–	–	–			25
26	–	0·50	–	–	–	–	–	0·16	0·06	–	0·01			26
27	–	0·15	–	–	–	–	–	0·06	–	–	0·15	0·55		27
28	–	0·05	–	–	0·04	–	–	0·09	0·28	–	0·01	0·44		28
29	–	×	–	–	0·08	–	–	0·04		0·02	0·01			29
30	0·04	✕	–	–	0·09	–	–	0·93	0·05	0·50	0·30	0·47		30
31	–	✕	–	✕	–	✕	–	0·10	✕	0·94	✕	0·46		31
TOTAL	0·82	2·79	1·28	3·87	1·42	3·46	0·49	2·48	2·79	4·34	6·48	5·05	Year's Total 35·27 ✓	
* Days with .01 in. or more.	9	19	9	19	12	20	5	10	20	18	24	21	~~186~~	– d.
* Days with .04 in. or more.	6	15	9	16	11	18	5	10	19	15	20	18	~~162~~	·· N

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. W. Wilkins

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

a/c

Kept at Coneygar, Bridport

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.12	0.08	--	0.23	---	0.52	0.28	✓	---	---	0.05	0.02		1
2	---	---	---	0.05	---	0.03	0.25	0.07 ✓	---	---	0.04	---		2
3	---	---	---	0.48	---	0.02	0.14	✓	0.40	---	0.44	---		3
4	---	---	0.30	---	---	0.09	0.02	---	0.41	---	0.04	0.02		4
5	0.36	---	0.04	---	---	---	---	0.06	✓	---	0.01			5
6	0.14	---	0.01	---	---	0.06	0.03	0.02	0.36 ✓	---	0.28	0.08		6
7	0.10	---	✓	---	---	---	0.27	---	0.02	---	✓	0.06		7
8	0.48	---	0.92	---	---	---	0.18	---	---	---	0.26 ✓	0.02		8
9	0.29	---	✓ 0.48	---	---	---	0.28	---	0.10	---	0.03	---		9
10	0.25	0.15	0.01	---	---	---	0.06	---	---	---	0.05	---		10
11	0.32	0.09	---	---	---	0.03	✓ 0.66	---	0.17	---	0.80	---		11
12	---	---	---	---	---	0.20	✓	---	0.23	---	0.08	0.67		12
13	0.03	---	---	0.01	---	---	0.10	---	---	0.03	0.19	✓		13
14	---	0.03	---	---	---	0.03	0.40	---	0.10	---	✓ 0.09	0.40		14
15	0.03	0.17	---	---	0.20	---	0.03	---	0.31	---	✓	0.12		15
16	0.02	✓	---	0.14	✓ 0.33	---	0.17	---	0.04	---	0.08	0.15		16
17	0.02	0.83	---	---	✓	---	0.20	---	---	✓ 0.03 ✓	0.05	0.26		17
18	✓ 0.42	0.10	0.02	----	---	0.50	✓ 0.39	---	---		---	0.17		18
19	✓	0.08	0.04	0.07	---	0.30	✓	0.03	---	---	---	---		19
20	0.20	0.25	0.15	0.12	---	---	0.05	---	0.20	---	---	---		20
21	---	0.10	✓ 0.60	0.31	---	0.06	---	---	---	---	---	---		21
22	0.22	✓ 0.34	✓	~~0.21~~	---	---	0.18	---	---	---	---	0.02		22
23	0.12	✓	0.17	0.13	✓ 0.12	---	0.10	---	---	0.07	---	---		23
24	0.15	0.04	0.03	---	✓	---	~~0.10~~	---	0.07	✓ 0.56	---	---		24
25	✓ 0.37	---	0.25	0.15	---	---	✓ 0.05	---	0.13	✓	---	---		25
26	✓	0.14	0.15	---	---	---	✓	---	✓ 0.05	0.07	---	---		26
27	0.46	0.22	0.13	---	---	---	0.40	---	✓	0.20	---	---		27
28	0.92	---	✓	---	---	---	0.20	---	---	0.01	---	0.20		28
29	0.05	✓ 0.07	0.51 ✓	---	---	0.02	tr	---	---	0.22	0.07	0.05		29
30	0.22	✕	---	---		0.06	---	---	---	0.16	---	---		30
31	0.10	✕	0.44	✕	0.14 ✓	✕	0.13	---	✕	0.28	✕	0.39	"d"	31
TOTAL	5.39	2.69	4.25	1.69	0.79	1.92	4.57	0.18	2.59	1.63	2.56	2.63	Year's Total 30.89 ✓	
* Days with .01 in. or more.	24 ~~25~~	16 ~~17~~	20 ✓	10	~~7~~ 6	13 ✓	26 ✓	6 ✓	16 ✓	12 ✓	18 ✓	15 ~~17~~	~~187~~	(182)
* Days with .04 in. or more.	20 ~~21~~	15 ~~16~~	14 ~~15~~	9	~~7~~ 6	8 ✓	~~22~~ 21	~~4~~ 2	14 ✓	8 ✓	14 ~~15~~	11 ~~12~~	~~151~~	(142)

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Coneygar Bridport

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 110 ft.

Acc ✓ RJ

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.12	0.02	0.01	0.15	--	--	--	--	0.06	0.01	0.14	1.03		1
2	) ✓	0.35	0.04	0.24	--	--	--	--	0.12	--	--	0.16		2
3	)0.03 ✓)	0.12	0.20	0.02	--	--	0.02	--	--	--	--	--		3
4	0.09	0.55	--	--	--	--	--	0.02	--	--	--	--		4
5	0.16	--	--	--	--	--	0.44	--	--	--	--	0.27		5
6	0.08	) ✗	) ✗	0.16	0.04	--	0.31	--	--	0.03	--	--		6
7	--	)0.80 ✓	)0.25 ✓	0.05	0.13	--	--	--	--	--	--	0.14		7
8	--	--	--	--	) ✗	--	0.06	--	--	--	0.13	0.15		8
9	--	--	0.04	0.08	)0.54 ✓	--	0.18	--	0.59	0.01	--	--		9
10	0.30	--	0.49	) ✓	0.08	0.30	--	--	--	--	--	0.36		10
11	0.05	--	0.22	)0.23 ✗	0.52	--	0.49	--	--	--	--	--		11
12	0.50	0.23	0.05	0.06	--	0.31	0.04	0.42	0.16	--	--	0.26		12
13	0.08	) ✓	) ✓	0.15	--	--	--	0.38	0.12	--	--	0.05		13
14	--	)0.08 ✓	)0.95 ✗	0.01	--	--	--	0.08	0.05	--	--	0.03		14
15	0.25	0.16	0.08	0.39	--	--	1.46	~~0.08~~	0.09	--	--	0.15		15
16	) ✓	0.03	0.31	0.32	--	0.02	0.09	0.20	0.99	--	--	--		16
17	)0.48 ✓	0.12	0.53	--	--	--	0.05	~~00~~	0.74	--	0.32	--		17
18	0.05	0.07	0.05	--	--	0.08	--	--	0.01	--	0.12	) ✓		18
19	0.09	0.07	0.03	0.16	0.07	--	0.06	--	--	--	0.01	)0.39 ✓		19
20	0.11	) ✓	) ✓	0.21	0.14	--	0.05	--	--	--	--	0.87		20
21	0.44	)0.40 ✓	)0.17 ✓	0.04	0.27	--	0.22	--	0.08	--	0.54	0.06		21
22	0.15	0.01	0.21	--	)0.47 ✓	)0.19	0.05	~~0.05~~	0.15	1.28	0.69	0.05		22
23	)0.51 ✓	0.20	--	--	) ✗	)0.47 --	--	--	--	)0.78 ✓	0.12	0.02		23
24	) ✗	0.65	--	--	--	--	--	--	0.05	) ✓	--	) ✓		24
25	0.18	0.39	0.30	--	0.45	--	--	--	0.08	0.26	--	)0.08 ✓		25
26	--	0.32	0.03	--	0.47	--	--	--	--	0.16	--	) ✗		26
27	0.01	)0.15 ✓	--	0.02	--	--	--	--	--	0.25	--	--		27
28	0.18	) ✓	--	--	--	--	--	--	--	0.20	0.02	--		28
29	0.11	xx	--	--	--	0.01	--	--	--	1.15	0.17	-		29
30	)0.78 ✗	☒	--	--	--	0.07	--	--	--	)0.40 ✓	0.27	--		30
31	) ✓	☒	--	☒	--	☒	--	--	☒	) ✓	☒	--		31 d
TOTAL	4.75	4.72	3.96	2.29	3.18	0.98	3.52	1.10	3.24	4.53	2.53	4.07	Year's Total 38.87	✓
* Days with .01 in. or more.	26	23	21	27	13	7	14	5	14	13	11	18	(1~~8~~2) 9	✓
* Days with .04 in. or more.	24	20	18	14	43	5	13	4	12	10	9	14	(156)	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Coneygar Bridport

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	----	0.06	----	----	----	0.15	----	----	----	0.40	----	0.03		1
2	----	tr	----	----	----	----	0.04	----	----	0.14	0.04	0.12		2
3	----	----	----	0.02	0.09	----	0.03	----	----	0.48	0.17	----		3
4	0.01	----	----	----	----	0.02	0.13	0.48	----	0.12	----	0.09		4
5	----	----	----	----	----	----	0.12	----	----	0.24	0.02	----		5
6	----	----	----	----	----	0.03	0.30	----	0.08	0.04	0.06	0.01		6
7	0.21	----	----	----	----	0.13	0.36	----	0.08	0.05	0.04	0.09		7
8	0.30	0.04	----	----	----	0.11	0.03	0.04	----	0.26	----	----		8
9		0.09	----	----	----	tr	~~0.~~----	----	----	0.01	----	0.66		9
10	0.11	0.02	----	----	----	----	0.05	----	----	----	----	0.31		10
11	0.09	0.01	----	----	----	----	0.03	----	----	----	0.38	0.46		11
12	0.33	----	----	----	0.12	----	0.01	----	----	0.24	0.10	0.01		12
13	0.27	----	----	----	0.01	----	0.01	----	----	0.05	0.12	0.29		13
14	0.45	----	----	----	0.03	----	0.74	----	----	----	----	----		14
15	0.26	0.01	----	----	0.03	----	0.39	0.02	----	0.37	0.02	0.44		15
16		----	0.01	----	0.02	----	----	0.06	----	0.01	0.09	0.02		16
17	----	0.13	0.01	----	0.08	----	----	----	0.24	0.18	0.07	----		17
18	0.15	----	----	----	0.43	0.08	----	----	0.20	0.03	0.25	----		18
19	0.01	----	----	----	----	----	----	0.07	0.38	----	0.59	----		19
20	----	----	----	----	----	----	----	0.01	0.03	----	0.19	----		20
21	0.02	----	----	0.01	----	----	----	0.18	0.03	----	0.42	0.25		21
22	0.02	----	----	0.10	----	0.06	----	0.56	----	----	0.41	0.15		22
23	----	----	----	0.01	----	----	----	----	0.03	0.03	0.03	----		23
24	----	----	0.16	----	0.03	----	----	0.01	0.15	----	0.54	----		24
25	0.12	0.24	0.04	----	0.22	----	0.39	----	----	0.03	1.25	----		25
26	0.37	0.25	----	----	0.40	----	0.16	----	----	0.09	0.04	0.30		26
27	0.07	----	----	----	0.05	0.21	0.47	0.33	----	----	0.35	----		27
28	0.08	0.12	----	----	0.35	0.03	----	0.57	0.10	----	----	----		28
29	0.12	XXXX	----	----		----	----	----	0.52	0.27	0.24	0.03		29
30		✕	----	----	0.03	0.20	0.04	----	0.47		0.11	0.05		30
31	0.15	✕	----	✕	0.16	✕	0.01	----	✕	0.26	✕	0.20		31
TOTAL	3.14	0.97	0.22	0.14	2.05	1.02	3.31	2.33	2.31	3.30	5.53	3.51	Year's Total 27.83 ✓	
* Days with .01 in. or more.	23 ~~19~~	10	4	4	16	10	18	11	12	20	23	18	16~~5~~9 ✓	
* Days with .04 in. or more.	19	7	2	1	10 ~~8~~	7	12	8	9	15	20	13	1~~29~~23 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) a w swilkins

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Conevgar

in the County of Dorset (West.)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 110 ft.

Days ✓

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·01	–	0·03	0·02	0·02	–	0·11	0·66	0·19	–	0·05	0·02		1
2	–	–	–	0·30	0·01	–	0·01	0·45	0·90	–	0·22	0·10		2
3	0·60	–	0·09	0·51	–	–	–	0·10	–	–	–	0·25		3
4	–	–	0·29	0·04	0·32	–	0·22	0·04	0·18	0·71	0·14	0·14		4
5	–	–	0·05	0·15	0·01	–	0·25	0·03	–	0·50	1·05	0·01		5
6	0·48	–	0·07	0·02	–	–	0·47	0·13	–	–	0·50	–		6
7	–	0·85	–	–	–	–	0·04	0·05	–	–	0·44	0·57		7
8	0·03	0·15	0·07	–	0·04	–	0·13	0·05	–	1·00	0·30	0·14		8
9	0·04	0·01	0·04	–	–	–	–	0·05	–	0·20	0·21	0·06		9
10	0·20	0·01	–	–	–	0·03	–	0·28	0·05	0·07	–	0·11		10
11	–	0·05	0·10	–	–	–	–	–	–	0·28	–	0·05		11
12	–	–	–	–	–	–	–	–	–	0·10	0·02	–		12
13	–	–	–	0·05	–	0·05	–	–	0·15	1·35	0·04	–		13
14	0·56	–	0·01	0·05	0·04	0·08	0·27	–	0·01	0·20	0·28	0·05		14
15	0·30	–	–	0·02	0·14	1·40	0·32	–	–	0·19	0·55	0·05		15
16	0·19	–	–	0·11	0·04	–	0·02	–	–	–	0·21	–		16
17	0·28	0·05	–	–	0·09	0·16	0·34	–	–	–	0·05	–		17
18	0·04	–	0·04	–	–	0·09	0·45	–	–	–	0·58	–		18
19	0·37	0·02	–	–	–	–	0·02	0·04	–	–	–	–		19
20	0·43	–	–	–	–	0·07	0·16	0·65	–	–	–	0·02		20
21	0·09	0·18	0·02	–	–	0·12	0·18	0·03	–	–	–	–		21
22	0·30	0·17	0·13	–	–	0·29	0·14	–	–	–	0·70	–		22
23	–	–	–	0·24	–	–	0·04	–	–	–	1·25	–		23
24	0·57	–	0·13	0·07	–	0·44	0·70	–	–	0·01	–	–		24
25	0·95	0·06	0·02	0·07	–	–	0·02	0·07	–	0·14	0·25	–		25
26	0·07	0·09	–	0·02	–	–	–	0·06	–	0·20	0·25	–		26
27	–	0·25	0·05	0·01	–	–	0·02	0·06	–	–	0·16	0·15		27
28	–	0·14	0·04	–	–	0·06	0·73	–	–	–	0·47	–		28
29	–	X	–	0·12	–	0·02	0·19	–	–	0·16	0·05	–		29
30	–	X	–	0·23	–	0·12	–	0·09	–	0·16	0·01	–		30
31	–	X	–	X	–	X	–	0·11	X	0·59	X	–		31
													Year's Total	
TOTAL	5·51	2·03	1·18	2·03	0·71	2·93	4·83	2·95	1·48	5·86	7·78	1·72	39·01	✓
* Days with .01 in. or more.	18	13	16	17	9	13	22	18	6	16	23	14	185	✓
* Days with .04 in. or more.	16	10	12	12	6	11	17	16	5	15	21	11	152	^

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Conygar, Bridport

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 110 ft.

Rfs ✓ Totals ✓ Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	-	-	-	-	-	0.13	-		1
2	-	0.07		0.22	-	-	-	-	-	-	x	0.08		2
3	0.09	0.63	-	-	-	-	-	-	-	0.18	x 1.34	0.20		3
4	-	0.06	-	-	-	-	-	-	-	0.34	0.16	0.15		4
5	-	0.02	-	-	-	-	-	-	-	0.05	0.70	0.11		5
6	0.30	0.64	-	-	-	-	-	-	-	0.20	0.04	0.02		6
7	0.18	-	-	-	-	-	-	-	-	0.01	-	0.21		7
8	-	-	-	-	-	-	0.03	-	-	0.58	0.18	0.20		8
9	-	-	-	-	-	-	-	0.02	0.01	0.09	x			9
10	-	-	-	-	-	-	1.03	-	0.02	0.01	0.58 x			10
11	-	0.01	-	0.01	-	-	0.69	-	-	-	0.97	x		11
12	-	-	0.20	-	-		0.23	0.02	0.53	0.20	0.05	0.17		12
13	-	-	0.67	-	-	-	0.06	-	0.03	0.33	1.50	x		13
14	-	-	0.14	0.04	0.83	-	-	-	0.11	0.07	-	0.74		14
15	-	0.03	-	0.02	0.29	-	0.13	-	0.28	0.95	0.75	0.02		15
16	-	x	0.56	0.16	-	-	0.10	-	0.07	-	0.62	0.07		16
17	-	x	0.41	-	-	-	0.05	-	-	-	0.38	0.01		17
18	0.03	x 1.45	0.27	0.72	-	-	0.07	-	-	0.02	0.03	0.02		18
19	-	0.02	0.05	0.16	-	-	0.05	-	0.80	-	0.20			19
20	-	-	0.01		-	-	-	-	-	0.11	0.01			20
21	-	-	0.01	-	0.17	-	-	-	0.03	-	0.45			21
22	-	-	0.08	-	-	0.41	-	-	0.06	-	0.01			22
23	-	-	0.20	0.17	-	-	-	-	-	-	-	-		23
24	-	-	-	-	-	-	0.33	-	-	-	-	-		24
25	x	-	0.08	0.03	-	0.05	0.01	-	-	-	-	-		25
26	1.28	0.52	0.03	0.04	0.17	-	0.02	-	-	-	-	-		26
27	0.26	0.15	-	-	0.33	-	0.02	-	-	-	-	-		27
28	0.21	0.11	-	0.04	-	-	-	-	-	-	-			28
29	x	0.19	0.18	0.43	-	-	-	-	-	0.08	-	0.23		29
30	0.27	✕	0.04	0.03	-	-	-	-	-	0.40	-	0.17		30
31	-	✕	0.06	✕	-	✕	-	-	✕	0.58	✕	0.32	Year's Total	31
TOTAL	2.62	3.90	2.99	2.07	1.79	0.46	2.82	0.04	1.94	4.20	8.10	2.72	33.65	
* Days with .01 in. or more.	10	15 ~~14~~	16 ~~3~~	13 ~~14~~	5	2	14	2	10 ~~4~~	17 ~~8~~	20 ~~8~~	17 ~~4~~	141	
* Days with .04 in. or more.	9	11	13	9	5	2	10	–	6	14	17	13	109	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Section **A** for the entry
AIR MINIS

Station No. 1594/5
INFALL ORGANIZATION

FORM 1090

REG

1594/5

CHARMOUTH NEWLANDS 93

1940

780304

719/40

Kept at Newlands

in the County of Dorset

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,,

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											0.10	nil		1
2											0.57	.04		2
3											0.76	.26		3
4											.23	Tr		4
5											.55	.15		5
6											.06	.24		6
7											Tr	.05		7
8											.32	.24		8
9											.29	.10		9
10											.15	.15		10
11											1.05	.06		11
12											.16	Tr		12
13											1.53	.30		13
14											Tr	.60		14
15											.50	Tr		15
16											.40	.06		16
17											.5	nil		17
18											.01	nil		18
19											.15	.01		19
20											.026	nil		20
21											.57	nil		21
22											Tr	"		22
23											.007	"		23
24											Tr	"		24
25											nil	"		25
26											nil	"		26
27											nil	"		27
28											nil	"		28
29											nil	.215		29
30		✕									nil	.18		30
31		✕		✕		✕			✕		✕	.40		31
													Year's Total	
TOTAL											7.93	3.06	"	wp imp
* Days with .01 in. or more.											19	16	"	WH.
* Days with .04 in. or more.											17	15	"	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N

(*Signed*) .... [P.T.O.

~~COPY FOR OFFICIAL USE~~

Section **A** **for the entry of Daily Observations**

Station No. 1594/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Newlands Charmouth

in the County of Dorset

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 3 ft. 6 in.

,, Ground ,, Sea Level 1ay 40 ft.

200719/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											0.10	nil		1
2											0.57	.04		2
3											0.76	.26		3
4											.23	Tr		4
5											.55	.15		5
6											.06	.24		6
7											Tr	.05		7
8											.32	.24		8
9											.29	.10		9
10											.15	.15		10
11											1.05	.06		11
12											.16	Tr		12
13											1.53	.30		13
14											Tr	.60		14
15											.50	Tr		15
16											.40	.06		16
17											.5	nil		17
18											.01	nil		18
19											.15	.01		19
20											.025	nil		20
21											.57	nil		21
22											Tr	"		22
23											.007	"		23
24											Tr	"		24
25											nil	"		25
26											nil	"		26
27											nil	"		27
28											nil	"		28
29											nil	.215		29
30		✕									nil	.18		30
31		✕		✕		✕			✕		✕	.40		31
TOTAL											7.98	3.06	Year's Total "	wp imp
* Days with .01 in. or more.											19	16	"	WH.
* Days with .04 in. or more.											17	15	"	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N

(*Signed*) .... [P.T.O.

1595

Section **A** for the entry o

AIR MINISTR

FALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIS

93/ .

1595

BRIDPORT (SYMONDSBURY)

1931 —— 40

780~~3~~04

Kept at Symondsb

in the County of Dor

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

Aug. 1st. Suggested ·07.

entry.

/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in. ·03	in.	in.	in.	in.	
1		·07		·19			·02	~~1·37~~	·38	·01			1
2	·26	·03		·71					·34			·10	2
3	·10		·72				·01		·13		1·30	·03	3
4			·06		·03		·46	·11	·13	·05	·09		4
5		·25		·10		·76		·12			·23	·10	5
6		·38		·02	·03	·22				·36	·22	·38	6
7					·23	·28	·01	·28		·06	·41	·11	7
8		·27		·08		·48		·08			·08	·07	8
9		·06				·03	·04				·36	·01	9
10	·08	·10			·02	·10		·02	·57		·40		10
11	·15	·51				·18			·07		·27		11
12	·01	·03		·01			·17		·09		·01		12
13			·03				·35				·07		13
14		·03			·03	·11	·86	·05	·08				14
15		·06		·02	·19			·11			·02	·03	15
16		·09		·02	·09	·52			·10				16
17	·01	·15		·11		·21	·52		·15				17
18	·02	·01	·03	·05		·17	·03	1·79			·35		18
19	·05		·03	·05		·01	·02		·08		·07		19
20		·18		·02				·25			·01		20
21	·27		·24		·14			·12					21
22	·44	·01	·01	·10	·06						·01		22
23	·29			·04	·94	·01		·01			·39		23
24	·07			·57	·14		·59	·32					24
25	·20	·01		·21			·27				·21		25
26				·05			·30				·54	·01	26
27	·39	·41			1·56		·17						27
28	·05	·07	·05		·04			·04				·04	28
29	·04		·14		·04		·06	·17		·01	·09	·03	29
30	·03	×			·03				·08		·01		30
31	·49	×		×	·06	×			×		×	·30	31 32·46
TOTAL	2·98	2·72	1·31	2·35	3·63	3·08	3·88	3.47 ~~4·81~~	2·20	·49	5·14	1·21	YEAR'S TOTAL ~~33·80~~
*Days with ·01 in. or more.	18	19	9	17	16	13	16	15	12	5	21	12	173
*Days with ·04 in. or more.	14	13	5	12	11	10	11	13	12	3	16	7	127

40-9999

*See Instruction 2 (f) on other side.

(Signed) F. G. Fry

P.T.O.

905542/29. 1595

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Symondsbury
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level ~~83~~ ft.

{906 sent 14/3/32 querying Aug. 1st. Suggested ·07. J. Stuch.
Observer says error in entry should be ·00 7/3/32. J. Stuch

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in. ·00	in.	in.	in.	in.	
1		·07		·19			·02	~~1·37~~	·38	·01			1
2	·26	·03		·71					·34			·10	2
3	·10		·72				·01		·13		1·30	·03	3
4			·06		·03		·46	·11	·13	·05	·09		4
5		·25		·10		·76		·12			·23	·10	5
6		·38		·02	·03	·22				·36	·22	·38	6
7					·23	·28	·01	·28		·06	·41	·11	7
8		·27		·08		·48		·08			·08	·07	8
9		·06				·03	·04				·36	·01	9
10	·08	·10			·02	·10		·02	·57		·40		10
11	·15	·51				·18			·07		·27		11
12	·01	·03		·01			·17		·09		·01		12
13			·03				·35				·07		13
14		·03			·03	·11	·86	·05	·08				14
15		·06		·02	·19			·11			·02	·03	15
16		·09		·02	·09	·52			·10				16
17	·01	·15		·11		·21	·52		·15				17
18	·02	·01	·03	·05		·17	·03	1·74			·35		18
19	·05		·03	·05		·01	·02		·08		·07		19
20		·18		·02				·25			·01		20
21	·27		·24		·14			·12					21
22	·44	·01	·01	·10	·06						·01		22
23	·29			·04	·94	·01		·01			·39		23
24	·07			·57	·14		·59	·32-					24
25	·20	·01		·21			·27				·21		25
26				·05			·30				·54	·01	26
27	·39	·41			1·56		·17						27
28	·05	·07	·05		·04			·04				·04	28
29	·04		·14		·04		·06	·17		·01	·09	·03	29
30	·03	×			·03				·08		·01		30
31	·49	×		×	·06	×			×		×	·30	31 32·46
TOTAL	2·98	2·72	1·31	2·35	3·63	3·08	3·88	3·47 ~~4·84~~	2·20	·49	5·14	1·21	YEAR'S TOTAL ~~33·83~~
*Days with ·01 in. or more.	18	19	9	17	16	13	16	15	12	5	21	12	173
*Days with ·04 in. or more.	14	13	5	12	11	10	11	13	12	3	16	7	127

40-9999

*See Instruction 2 (γ) on other side.

(Signed) J. G. Fry

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Symondsbury

in the County of DORSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 83 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·11	·07	·03	·02	·05		·03	·14	·01	1
2	·02			·13	·03			·14	·24	·05	·03	·32	2
3						·58			·27		·02		3
4	·01					·29		·04			·27		4
5	·13								·26				5
6	·47			·20					·35	·02		·01	6
7	·02			·15					·45	·89			7
8			·68						·15	·11			8
9	·65			·30	·03					·04			9
10	·13			·37	·04					·09	·01		10
11	·05			·05	·03				·04	·07		·03	11
12	·52				·25		·01		·03	·13		·04	12
13	·06			·08	·02		·32	·02		·63		·19	13
14	·25	·01		·16	·13					·03	·25	·02	14
15	·01			·12	·21					·04	·14	·02	15
16	·23			·07						·07			16
17	·05			·02									17
18	·02								·09		·22	·01	18
19					·31				·04	·37		·01	19
20				·03	·15			·28		·74	·25	·02	20
21	·06		·14	·15	1·66				·23	·28	·04	·08	21
22			·04		·01			·02	·62	·38	·24		22
23					·05		·35	·11	·03	·72	·05		23
24	·01						·55		·11	·08	·02	·07	24
25			·23	·08			·04		·25	·24	·01	·01	25
26			·13	·04			·19			·09	·03		26
27			·25	·48	·19		·22			·50		·06	27
28			·01	·12	·04		·46					·08	28
29			·56	·06	·68	·56	·02	·63	·42	·39	·15	·31	29
30		×	·01	·06	·02	1·19		·01	·73	·07	·62	·10	30
31		×	·02	×	·02	×			×	·02	×	·53	31
													YEAR'S TOTAL
TOTAL	2·69	·01	2·07	2·78	3·96	2·65	2·18	1·30	4·31	6·08	2·49	1·92	32·44
*Days with ·01 in. or more.	17	1	10	20	19	5	10	9	17	25	17	19	169
*Days with .04 in. or more.	11	–	7	18	12	4	7	6	15	21	11	10	122

40-9999

*See Instruction 2 (*f*) on other side,

M

(*Signed*) J. G. Fry

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Symondsbury.

in the County of DORSET.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 1 in.

„ Ground „ Sea Level 83 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44	·52	·08		·01						·06	·15	1
2	·40		·74	·01	·23								2
3	·06	·15	·23		·02								3
4	·13	·01	·09		·33								4
5	·06	·02	·20								·02		5
6		·32			·21		·06			·10			6
7		·07			·14					·45			7
8	·01	·04	·01	·08	·02		·23						8
9					·32		·34	·03		·10	·03		9
10						·04	·03			·28	·03		10
11	·09	·28				·02	·05	·27					11
12	·01				·04		·23		·74				12
13					·06		·13	·19		·05	·04		13
14							·03	·06		·16	·44		14
15	·45		·17				·16	·02		·08	·02		15
16			·83						·02	·13	·01		16
17	·01		·28			·06		·05	·14				17
18	·06		·15			·20	·01				·01		18
19	·04	16	·18					·03	·30		·19	·03	19
20		·03				·13		·02			·01	·01	20
21		·02			·09	·01		·11	·01	·11			21
22						·05		·50	·36	·02			22
23		·40		·61		·33			·09	·16	·01		23
24				·44		·32			·05	·03	·02		24
25		1·08		·24		·03			·25			·15	25
26		·75		·20	·18	·01				·03			26
27		·43			·37				·03	·20		·33	27
28		·01		·28	·01		·41			·16		·01	28
29	·08				·35		·02			·01		·05	29
30	·01	×	·10				·02		·10			·06	30
31	·23	×	·26	×		×			×	·03	×		31
TOTAL	2·08	4·29	3·32	1·86	2·38	1·20	1·72	1·28	2·09	2·10	·89	·79	YEAR'S TOTAL 24·00
*Days with ·01 in. or more.	15	16	13	7	15	11	13	10	11	17	13	8	149
*Days with .04 in. or more.	11	11	12	6	11	7	8	6	8	12	4	5	101

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) P. G. Fry

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Symondsbury

in the County of Dorser.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 83. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06					·02		·76	·02		·06	1·02		1
2	·29		·08						1·11	·03	·01	·29		2
3	·05									·38		·17		3
4	·08		·24	·27	·22					·02		·25		4
5			·03		·05			1·21		·05	·02	·45		5
6	·05		·30	·03	·21			·01		·66	·11	·67		6
7	·02							·07		·25	·02	·55		7
8					·31				·05	·05	·50	·16		8
9	·04		·21						·03	·02	·39	·12		9
10	·19	·01	·15	·24				·05			·05	·17		10
11	·38		·11	·21			·03	·03				·49		11
12	·03							·38			·04	·40		12
13	·31			·24							·08	·40		13
14	·28		·25	·05							·07	·31		14
15	·05		·04	·01	·14				·03	·12	·12	·35		15
16	·18		·21	·02	·05							·24		16
17	·09			·04	·17				·24	·05	·01	·35		17
18	·05		·20	·15		·02			·23			·11		18
19			·10	·08		·04			·09			·13		19
20			·04	·24						·02				20
21	·01		·02	·03		·27				·32	·01	·15		21
22			·05	·20				·31	·37			·70		22
23			·03	·10		·17	·01	·01	·26	·06		·06		23
24	·03	·06	·05	·22		·04	·02	·18	·05	·09		·12		24
25	·46	·01		·24		·01						·96		25
26			·02			·35			·13		·03	·05		26
27				·02		·06				·02	·02	·46		27
28	·01					·10		·67	·24			·61		28
29								·31	·12		·01	·03		29
30	·01	×							·17			·27		30
31		×		×		×		·07	×	·01	×	·02		31
													Year's Total.	
TOTAL	2·67	·08	2·13	2·39	1·15	1·08	·06	4·06	3·14	2·15	1·55	10·06	30·52	✓
* Days with .01 in. or more.	21	3	18	18	7	10	3	13	15	16	17	30	171	
* Days with .04 in. or more.	15	1	14	13	7	7	0	10	12	10	9	28	126	

40-9999

M

† Spare column, no entries required.

(*Signed*) S. G. Fry.

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Symondsbury

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 83 ft.

Acc

5 days Nov Dec

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·47	·02		·26	·07		·28	·23	·16	·16		1
2						·08			·01	·47	·010	·07		2
3		·01	·08		·07	·28			·15	·27	·25			3
4		·18		·04		·33			·06	·21	·14	·71		4
5		·31	·03	·02		·09			·26	·02		·01		5
6		·08 4		·25		1·17				·10	·23	·09		6
7				·40		·05				·30	·06	·04		7
8				·40					·15	·07	·35	·02		8
9	·02			·38		·21			·01	·72	·74			9
10	·03		·20	·05		·01					·01	·02		10
11	·28		·16			·42			·05	·03	·47			11
12	·08	·05				·22			·05		·25			12
13	·06	·16		·56	·01	·11					x			13
14		·07		·23	·02				·05	·03	x 1·05	·50		14
15		·10		·72	·06	·08			·18		·38	·12		15
16		·06	·01	·11		·10			·38		1·20	·01		16
17				·03	·07	·31		·17	·04		·07			17
18				·28	·69	·01	·04		·40			·05		18
19		·03		·04	·27	·13	·13		·13	·16	·36			19
20		·20		·12	·01	·03	·02				·25			20
21		·38	·03	·12			·06		·05					21
22			·07					·11	·04					22
23		·06	·14	·05	·03			·17	·09	·50		·26		23
24	·08	·31	·04	·04	·06			·55	·40	·09		x		24
25	·35	·36									·01	x ·51		25
26		·43			·01			·21	·07			·80		26
27		·14						·04	·18	·04	·15	·47		27
28		·05			·08			·20	·08		·03	·06		28
29		-			·05			·05	·14	·03	·01	·38		29
30	·03	×			·03			·98	·06	·47	·41	·52		30
31	·01	×		×		×		·01	×	·80	×	·41		31
TOTAL	·96	2·94	1·23	3·86	1·46	3·89	·32	2·49	3·31	4·54	6·68	5·21	Year's Total 36·89	
* Days with .01 in. or more.	10	18	10	19	14	18	5	10	24	18	23	21	190	
* Days with .04 in. or more.	5	16	7	16	8	15	4	9	22	14	19	17	15~~0~~2	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) P. G. Fry [P.T.O.

M

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 390.

REGISTER OF RAINFALL IN 1936.

Kept at Bridport, Symondsbury

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 82 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·09	·01	·25	-	·42	·30	—	-	—	·03	·03		1
2	—	—	-	·07	-	·03	·25	·04	-	—	·06	-		2
3	—	-	-	·58	-	·07	·13	·01	·45	—	·37	-		3
4	·06	·01	·32	-	-	·07	·03	-	·39	—	05	·05		4
5	·49	-	·05	-	-	—	·01	·06	·22	—	—	·06		5
6	·12	-	·01	-	-	·02	·04	·02	·11	—	·47	-		6
7	·06	-	·30	-	-	-	·30	-	-	—	·10	·06		7
8	·46	-	·74	-	-	-	·22	-	·14	—	·20	·02		8
9	·28	-	·43	-	-	-	·24	-	-	—	·03	-		9
10	·30	·05	—	-	-	-	·05	-	-	—	·04	-		10
11	·33	·06	-	-	-	·04	·03	-	·32	—	·89	·02		11
12	—	—	-	-	-	·22	·65	-	·04	—	·07	-		12
13	·06	-	-	-	-	—	·09	·01	-	·03	·20	·65		13
14	—	·01	-	-	-	·01	·40	-	·09	·01	—	·38		14
15	·02	—	-	-	·12	-	·03	-	·70	—	·11	·19		15
16	~~·03~~ —	·14	-	·09	·22	-	·24	-	·02	—	·08	·18		16
17	·03	·74	-	-	·05	-	·30	-	-	·02	·05	·28		17
18	·05	·17	·01	-	-	·81	·44	-	-	—	—	·18		18
19	·45	·06	·06	·17	-	·19	·05	·02	-	—	—	-		19
20	·20	·16	·09	·04	-	·02	·02	—	·21	—	—	-		20
21	—	·27	·09	·35	-	·01	-	-	·01	—	—	-		21
22	·25	·17	·49	—	-	-	·20	-	-	—	—	·01		22
23	·05	·01	·09	·14	·04	-	·10	-	-	·07	—	-		23
24	·14	·05	·05	-	·05	-	-	-	·08	·22	—	-		24
25	·09	—	·25	·14	-	-	·08	-	·11	·28	—	-		25
26	·27	·06	·15	·01	-	-	·02	-	-	·07	—	-		26
27	·43	·19	·16	-	-	-	·01	-	·02	·20	—	-		27
28	·85	—	·60	-	-	-	·15	-	-	—	—	·23		28
29	·05	·05	·02	-	-	·06	-	-	-	·19	·07	-		29
30	·20	✕	—	-	-	·03	-	-	-	·20	—	-		30
31	·09	✕	·51	✕	·10	✕	-	-	✕	·19	✕	·40		31
													Year's Total	
TOTAL	5·46	2·29	4·43	1·84	·58	2·10	5·08	·16	2·91	1·48	2·82	2·74	31·89	✓✓
* Days with .01 in. or more.	25	17	20	10	6	14	26	6	15	11	16	15	181 ✓	✓ ✓
* Days with .04 in. or more.	23	14	16	9	6	8	20	2	12	8	14	11	143 ✓	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required. ✓

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Bridport, Symondsbury

in the County of Dorsetshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·01	·02	·13	–	–	–	–	·10	–	·09	1·15		1
2	·01	·34	·02	·21	–	–	–	–	·04	–	·01	·17		2
3	·03	·14	·15	·02	–	–	–	–	–	–	–	–		3
4	·12	·57	–	–	–	–	–	01	–	–	–	·24		4
5	·16	–	–	–	–	–	·52	–	–	–	–	–		5
6	·10	·34	·24	·18	·05	–	·33	–	–	·03	–	–		6
7	–	·44	–	·04	·05	–	–	–	–	–	–	·14		7
8	–	–	–	–	·46	–	·12	–	–	–	·13	·08		8
9	–	–	·01	·12	·09	–	–	–	·54	–	–	–		9
10	·36	–	·48	·11	·23	·29	·10	–	–	–	–	·64		10
11	·04	–	·30	·13	·24	–	·45	–	–	–	–	–		11
12	·54	·26	–	·10	–	·25	·04	·45	·16	–	–	·25		12
13	·05	·06	·75	·12	–	·02	–	·37	·11	–	–	–		13
14	–	·03	·17	·01	–	–	–	·10	·05	–	–	·05		14
15	·25	·15	·06	·40	–	–	1·36	–	·11	–	–	·15		15
16	·05	·03	·31	·27	–	·01	·12	·20	1·39	–	–	–		16
17	·51	·10	·40	–	–	–	·07	–	·41	–	·13	–		17
18	·04	·08	·04	–	–	·05	–	–	–	–	·12	·27		18
19	·06	·07	·02	·17	·06	–	·06	–	–	–	–	·05		19
20	·15	·08	–	·22	·10	–	–	–	–	–	–	1·00		20
21	·62	·38	·20	·05	·12	–	·05	–	·25	–	·57	·11		21
22	·17	–	·25	–	·52	·18	·19	–	·06	1·01	·40	·05		22
23	·33	·21	·05	–	·17	–	–	–	–	·15	·18	–		23
24	·22	·70	–	–	–	–	–	–	·03	·80	–	–		24
25	·06	·46	·35	–	·49	–	–	–	·01	·16	–	·03		25
26	–	·33	·05	–	·30	–	–	–	–	·06	–	·05		26
27	·01	·25	–	·02	–	–	–	–	–	·31	–	–		27
28	–	·05	–	–	–	–	–	–	–	·17	–	–		28
29	·04	–	–	–	–	·01	–	–	–	·84	·14	–		29
30	·62	✕	–	–	–	·06	–	–	–	·18	·34	–		30
31	·24	✕	–	✕	–	✕	–	–	✕	·28	✕	–		31
TOTAL	4·86	5·08	3·87	2·30	2·88	·87	3·41	1·13	3·26	3·99	2·11	4·43	Year's Total 38·19	✓ ✓
* Days with .01 in. or more.	25	22	19	17	13	8	12	5	13	11	10	16	171	✓ ✓
* Days with .04 in. or more.	~~23~~ 22	19	15	14	13	5	12	4	11	10	9	15	149	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bridport, Symondsbury

in the County of Dorsetshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 83 ft.

Dec days est for snow 8

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07				14	—	—	—	·53	—	·03		1
2				02			·06	—	—	·16	·04	·14		2
3					·10		·09	—	—	·62	·22	—		3
4							·09	1·10	—	·15	—	·12		4
5							·14	·02	—	·27	—	—		5
6	·05					·05	·35	—	·09	·05	·09	·02		6
7	·13					·09	·33	—	·03	·07	·03	·07		7
8	·23	·08				·10	·01	·02	—	·27	·01	·02		8
9	·10	·07					—	—	—	·01	—	·75		9
10	·13						·05	·04	—	—	—	·32		10
11	·10						·01	—	—	—	·39	·46		11
12	·40						·03	—	—	·23	·06	—		12
13	·19				·14		—	—	—	·04	·24	·35		13
14	·54				03		·98	—	—	—	—	·01		14
15	·13				·10		·37	·06	—	·31	·05	·54		15
16	·16				·02		—	—	—	·02	·11	—		16
17		·10			·06		—	—	·10	·18	·06	—		17
18	·15				·19	·07	—	—	·26	·03	·22	—		18
19							—	·03	·34	—	·60	—		19
20							—	·04	·02	—	·24	—		20
21							—	—	·03	—	·40	+		21
22	·02			·03		·07	—	·75	—	—	·45	+		22
23	·01						—	·02	·03	—	·03	-		23
24			·13		·07		—	·02	·11	—	·44	·50		24
25	·10	·32	·02		·18		·40	—	—	·02	1·44	+		25
26	·35	·30			·46		·25	—	—	·07	—	+		26
27	·06				·14	·23	·58	·35	—	·18	·30	—		27
28	·11	·11			·04	·03	—	·66	·04	—	—	—		28
29	·07				·32		—	—	·53	·34	·35	·04		29
30	·08	✕			·03	·15	·03	—	·27	—	·16	—		30
31	·25	✕		✕	·18	✕	·01	—	✕	·30	✕	·33		31
													Year's Total	
TOTAL	3·36	1·05	·15	·05	2·06	·93	3·78	3·11	1·85	3·85	5·93	3·70	29·82	
* Days with .01 in. or more.	21	7	2	2	15	9	17	12	12	20	22	~~15~~18	157	
* Days with .04 in. or more.	19	7	1	0	12	8	12	7	8	16	19	~~11~~14	123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) P. G. Fry

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Copy by B.R.O.

Kept at Bridport, Symondsbury

in the County of Dorsetshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 83 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	·05		02	-	·05	·57	·13	-	·10	·02		1
2	-	-	—	·30	·01	-	·01	·51	1·03	—	·27	·10		2
3	·71	-	·07	·50	—	-	-	·09	-	—	·18	·21		3
4	-	-	·35	·09	·23	-	·21	·05	·14	·53	·12	·15		4
5	-	-	·04	·13	—	-	·14	·09	-	·34	·99	·02		5
6	·53	-	·06	·06	—	-	·51	·11	-	—	·42	-		6
7	-	·93	—	-	—	-	·03	·04	-	—	·55	·57		7
8	·03	·20	·03	-	·05	-	·14	·05	-	1·14	·27	·11		8
9	·09	-	·01	-	—	-	-	·16	-	·15	·18	·08		9
10	·16	-	—	-	—	·01	-	·20	·04	·12	—	·18		10
11	-	·02	·12	-	—	-	-	—	-	·32	·02	·05		11
12	—	·07	—	-	—	-	-	—	-	·09	·03	-		12
13	—	-	—	·04	—	·05	·29	—	·13	1·18	·06	-		13
14	·64	-	—	04	·01	·08	·20	—	·01	·22	·29	·02		14
15	·32	-	—	·03	·13	1·43	·20	—	-	·11	·68	·05		15
16	·20	-	—	·12	·04	-	·02	—	-	·01	·04	-		16
17	·30	·04	—	-	·15	·10	·45	—	-	—	·07	-		17
18	·07	-	—	-	—	·21	·38	—	-	—	·55	-		18
19	·41	-	—	-	—	-	·02	·04	-	—	-	·03		19
20	·44	-	—	-	—	·07	·18	·53	-	—	-	·02		20
21	·05	·09	·03	-	—	·09	·23	—	-	—	-	-		21
22	·45	·23	·12	-	—	28	·13	—	-	—	·66	-		22
23	-	-	—	·22	—	-	·04	—	-	—	1·15	-		23
24	·50	-	·12	·05	—	·45	·73	—	-	·01	-	-		24
25	·84	·06	·01	·05	—	-	·03	·10	-	·13	·22	-		25
26	·31	·09	—	-	—	-	-	·09	-	·14	·27	-		26
27	-	·20	·03	-	—	-	·01	·02	-	—	·17	-		27
28	-	·09	·03	·22	—	·09	·96	—	-	—	·44	17		28
29	·01		—	08	—	·02	·17	—	-	·14	·07	-		29
30	·01	×	—	·21	—	·08	-	·03	-	·15	·02	-		30
31	-	×	—	×	—	×	-	·16	×	·58	×	-		31
TOTAL	6·07	2·02	1·07	2·14	·64	2·94	5·13	2·84	1·48	5·36	4·87	1·78	Year's Total 39·34	✓
* Days with .01 in. or more.	19	11	14	15	8	13	23	17	6	17	25	15	183	✓
* Days with .04 in. or more.	16	10	8	14	5	11	17	15	5	15	22	10	148	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Sept corr' for arith.

Kept at Bridport Symondsbury
in the County of Dorsetshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 83 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	·13	-		1
2	-	·12	-	23	-	-	-	-	-	-	·53	·04		2
3	-	·63	-	-	-	-	-	-	-	·12	·74	·02		3
4	·02	·08	-	-	-	-	·08	-	-	29	·13	·01		4
5	·03	·03	-	-	-	-	-	-	-	·06	·85	·15		5
6	·42	·77	-	-	-	-	-	-	-	·18	·05	·16		6
7	·17	-	-	·01	-	-	-	-	-	04	-	·04		7
8	·01	-	-	-	-	-	·05	-	-	·68	·20	·26		8
9	-	-	-	-	-	-	·31	-	·03	·11	·38	·18		9
10	-	-	-	-	-	-	·74	·02	·03	·03	·33	·12		10
11	-	·02	·06	-	-	-	·54	·03	-	-	·95	·06		11
12	-	-	·12	-	-	-	·26	-	·53	-	·10	-		12
13	-	-	·65	-	-	03	·04	-	·04	30	1·45	·23		13
14	-	-	·14	·05	·52	-	·02	-	·16	·21	·01	·54		14
15	-	-	-	·03	·24	-	·14	-	·38	·11	·60	·02		15
16	-	1·12	64	·17	-	-	·10	-	·05	·93	·48	·06		16
17	-	·03	·47	-	-	-	·04	-	-	·01	·32	·01		17
18	-	·51	·20	79	-	-	·20	-	·05	04	·04	·02		18
19	-	·04	·06	·17	-	-	·06	-	·70	-	·21	-		19
20	-	-	·02	·01	-	-	-	-	·03	·10	·02	-		20
21	-	-	·03	-	·16	-	-	-	·10	-	·47	-		21
22	-	-	·08	-	-	36	-	-	·03	-	·02	-		22
23	-	·04	·20	·15	-	-	-	-	-	-	-	-		23
24	-	-	-	-	-	-	·29	-	-	-	·02	-		24
25	·17	-	·11	03	-	-	-	-	-	-	-	-		25
26	1·11	·45	-	·01	·15	-	-	-	-	-	-	-		26
27	27	·07	-	-	·35	-	·08	·03	-	-	-	-		27
28	·26	·15	-	01	-	-	-	-	-	-	-	·02		28
29	-	·14	21	·43	-	·04	-	-	-	·11	-	·20		29
30	·17	✕	-	·03	-	-	-	-	-	·44	-	·21		30
31	·15	✕	07	✕	-	✕	-	-	✕	·54	✕	·29		31
TOTAL	2·78	4·20	3·06	2·12	1·42	·43	2·95	·08	2·13	4·30	8·03	2·64	Year's Total 34·14	
* Days with .01 in. or more.	11	15	15	14	5	3	15	3	12	18	22	20	153	
* Days with .04 in. or more.	8	12	13	7	5	2	14	-	8	16	18	14	117	

2·13
21

† Spare column, no entries required

(*Signed*) P. G. Fry

* See Instruction 3 (f) on other side.

[P.T.O.

Bridport (Symondsbury. West Rd.)

1595/1

Section A for the entr

AIR MINI

FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REG 1931.

Dorset/3

1595/1

SYMONDSBURY (WEST RD)

1931

780304

Kept at Woodbury We

ged on morning

in the County of D

Diameter of Funnel of Gauge

ing gauge first

Height of top of Gauge above G

,, Ground ,, S

15 9. a.m

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	·05	✓ }	tr	—	—	—	·17	—	—	—	1
2	·30	—	—	x ·96 }	—	—	—	tr	·48	—	·01	·14	2
3	·16	—	·79	—	—	—	—	tr	·12	·01	1·18	—	3
4	·04	—	·04	—	·01	·01	·43	·16	·14	·03	0·10	—	4
5	—	·29	—	·09	—	·74	tr	·20	—	—	·25	·12	5
6	—	·07	—	·02	·01	·25	—	—	·01	·36	·25	·32	6
7	—	—	—	—	·21	·29	tr	·27	—	·04	·47	·11	7
8	—	·46	—	—	—	·47		·08	—	—	·10	·03	8
9	—	·32	tr. sn	·10	—	·11	·04	—	—	—	·36	—	9
10	—	—	—	—	—	·03	—	·02	·51	—	·40	—	10
11	·17	·60	—	—	tr	·11	—	—	·03	—	·24	—	11
12	—	—	—	—	—	—	·13	—	·11	·01	—	—	12
13	—	—	—	—	tr	tr	·27	·05	·09	—	—	—	13
14	—	—	·01	—	—	·15	·87	tr	—	—	·06	—	14
15	·01	·08	—	·03	·18	—	—	·02	—	—	—	·01	15
16	—	—	—	·01	·04	·67	—	·12	—	—	—	—	16
17	—	·25 sn	—	·10	—	·24	·44	—	·24	—	·02	—	17
18	·01	tr sn	·02	·04	—	·16	·02	1·64	—	—	·36	—	18
19	·08	—	—	·03	—	—	·01	— }	·01	—	·04	—	19
20	—	·27	·25	·01	—	—	—	0·32 }	—	—	—	—	20
21	·39	—	tr	—	·12	—	—	—	—	—	—	—	21
22	·79	·01	—	·06	·03	—	—	—	—	—	—	—	22
23	·44	tr	—	·01	·96	—	—	—	—	—	·43	—	23
24	·04	—	—	·64	·21	—	·55	0·33	—	—	—	—	24
25	·12	—	—	·25	—	—	·19	—	—	—	·24	—	25
26	—	·02	—	·04	·01	—	·28	—	—	—	·47	·01	26
27	·36	·48	—	—	1·27	—	·19	—	—	—	—	—	27
28	·03	—	·02	—	·19	—	—	·04	—	—	—	·04	28
29	·01	—	·10	—	·02	—	·04	·17	—	·01	·10	·03	29
30	·01	✕	—	—	·01	—	—	—	·08	—	—	—	30
31	·42	✕	—	✕	·02	✕	tr	—	✕	—	✕	·30	31
TOTAL	3·38	2·86	1·28	2·39	3·29	3·23	3·43	3·42	1·99	0·46	5·08	1·11	YEAR'S TOTAL 31·92
*Days with ·01 in. or more.	17	12	8	16	15	12	13	14	12	6	18	10	153
*Days with ·04 in. or more.	12	9	5	10	8	10	10	~~11~~ 12	9	3	~~14~~ 16	6	~~105~~ 110

40-9999

(Signed) Capt M. G. Sumner.

P.T.O.

*See Instruction 2 (*f*) on other side.

Bridport (Symondsbury, West Rd.)

X 3/76/30.

15951

Dorset/3

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Woodbury West Rd. Symondsbury

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ~~0~~ in.

,, Ground ,, Sea Level 184·4 ft.

Funnel changed on morning of July 8.

New measuring guage first used July 15 9. a. m

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	·05	}	tr	—	—	—	·17	—	—	—	1
2	·30	—	—	·96	—	—	—	tr	·48	—	·01	·14	2
3	·16	—	·79	—	—	—	—	tr	·12	·01	1·18	—	3
4	·04	—	·04	—	·01	·01	·43	·16	·14	·03	0·10	—	4
5	—	·29	—	·09	—	·74	tr	·20	—	—	·25	·12	5
6	—	·07	—	·02	·01	·25	—	—	·01	·36	·25	·32	6
7	—	—	—	—	·21	·29	tr	·27	—	·04	·47	·11	7
8	—	·46	—	—	—	·47		·08	—	—	·10	·03	8
9	—	·32	tr. sn	·10	—	·11	·04	—	—	—	·36	—	9
10	—	—	—	—	—	·03	—	·02	·51	—	·40	—	10
11	·17	·60	—	—	tr	·11	—	—	·03	—	·24	—	11
12	—	—	—	—	—	—	·13	—	·11	·01	—	—	12
13	—	—	—	—	tr	tr	·27	·05	·09	—	—	—	13
14	—	—	·01	—	—	·15	·87	tr	—	—	·06	—	14
15	·01	·08	—	·03	·18	—	—	·02	—	—	—	·01	15
16	—	—	—	·01	·04	·67	—	·12	—	—	—	—	16
17	—	·25 sn	—	·10	—	·24	·44	—	·24	—	·02	—	17
18	·01	tr sn	·02	·04	—	·16	·02	1·64	—	—	·36	—	18
19	·08	—	—	·03	—	—	·01	— }	·01	—	·04	—	19
20	—	·27	·25	·01	—	—	—	0·32 }	—	—	—	—	20
21	·39	—	tr	—	·12	—	—	—	—	—	—	—	21
22	·79	·01	—	·06	·03	—	—	—	—	—	—	—	22
23	·44	tr	—	·01	·96	—	—	—	—	—	·43	—	23
24	·04	—	—	·64	·21	—	·55	0·33	—	—	—	—	24
25	·12	—	—	·25	—	—	·19	—	—	—	·24	—	25
26	—	·02	—	·04	·01	—	·28	—	—	—	·47	·01	26
27	·36	·48	—	—	1·27	—	·19	—	—	—	—	—	27
28	·03	—	·02	—	·19	—	—	·04	—	—	—	·04	28
29	·01	—	·10	—	·02	—	·04	·17	—	·01	·10	·03	29
30	·01	×	—	—	·01	—	—	—	·08	—	—	—	30
31	·42	×	—	×	·02	×	tr	—	×	—	×	·30	31
TOTAL	3·38	2·86	1·28	2·39	3·29	3·23	3·43	3·42	1·99	0·46	5·08	1·11	YEAR'S TOTAL 31·92
*Days with ·01 in. or more.	17	12	8	16	15	12	13	14	12	6	18	10	153
*Days with ·04 in. or more.	12	9	5	10	8	10	10	~~11~~ 12	9	3	~~14~~ 16	6	~~[illegible]~~ 110

40-9999

(Signed) Capt M. G. Sumner.

P.T.O.

*See Instruction 2 (*f*) on other side.

X BRIDPORT (RYALL) X

1595/5
BRIDPORT (RYALL)
1932 — 40
780304

Section **A** for the entry of
AIR MINISTRY
FORM 1090.

REGIST

Station No. 1595/5
Dorset/3
ALL ORGANIZATION.

32. Last Quarter

Kept at ~~ST. CHRIS~~
in the County of RYALL

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										0.01	0.22	—	1
2										Tr	0.02	0.40	2
3										0.08	0.05	Tr	3
4										~~0.00~~	0.28	~~0.~~	4
5										~~0.00~~	~~0.00~~	—	5
6										0.04	~~0.00~~	—	6
7										1.11	—	—	7
8										0.14	—	—	8
9										0.01	—	—	9
10										0.10	Tr	—	10
11										0.09	—	0.05	11
12										0.46	0.05	0.09	12
13										0.65	—	0.08	13
14										0.02	0.18	Tr	14
15										0.03	0.14	0.04	15
16										~~0.00~~	—	0.01	16
17										0.07	—	Tr	17
18										0.44	0.26	—	18
19											Tr	—	19
20											0.19	0.02	20
21											0.05	0.10	21
22											0.27	Tr	22
23										3.81 }	0.03	0.06	23
24											0.02	—	24
25											0.02	0.02	25
26											0.03	—	26
27											Tr	0.13	27
28										~~0.00~~	—	0.12	28
29										0.47	0.15	0.34	29
30		×								0.04	0.84	0.15	30
31		×		×		×			×	0.01	×	0.64	31
TOTAL										7.58	2.80	2.25	YEAR'S TOTAL imp with
*Days with ·01 in. or more.										—	17	15	
*Days with .04 in. or more.										7	11	11	

40-9999
*See Instruction 2 (*f*) on other side.

File no 16589/32 N

(Signed) W. T. Bridges
X W. T. BRIDGES, ESQ. X

P.T.O.

X BRIDPORT (RYALL) X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. f 165894/32

Station No 1595/5 Dorset/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932. Last Quarter

Kept at ST. CHRISTOPHERS,

in the County of RYALL NR BRIDPORT, DORSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

" Ground " Sea Level 460 ft.

C 1932

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										0.01	0.22	—	1
2										Tr	0.02	0.40	2
3										0.08	0.05	Tr	3
4										~~0.00~~	0.28	~~0.~~	4
5										~~0.00~~	~~0.00~~	—	5
6										0.04	~~0.00~~	—	6
7										1.11	—	—	7
8										0.14	—	—	8
9										0.01	—	—	9
10										0.10	Tr	—	10
11										0.09	—	0.05	11
12										0.46	0.05	0.09	12
13										0.65	—	0.08	13
14										0.02	0.18	Tr	14
15										0.03	0.14	0.04	15
16										~~0.00~~	—	0.01	16
17										0.07	—	Tr	17
18										0.44	0.26	*—	18
19											Tr	—	19
20											0.19	0.02	20
21											0.05	0.10	21
22											0.27	Tr	22
23										3.81 }	0.03	0.06	23
24											0.02	—	24
25											0.02	0.02	25
26											0.03	—	26
27											Tr	0.13	27
28										~~0.00~~	—	0.12	28
29										0.47	0.15	0.34	29
30		X								0.04	0.84	0.15	30
31		X		X		X			X	0.01	X	0.64	31
TOTAL										7.58	2.80	2.25	YEAR'S TOTAL imp [illegible]
*Days with ·01 in. or more.										—	17	15	
*Days with .04 in. or more.										7	11	11	

40-9999

*See Instruction 2 (f) on other side.

File no 165894/32 N

(Signed) W. T. Bridges

X W.T.BRIDGES, ESQ. X

P.T.O.

X BRIDPORT (RYALL) X

1595/5

Dorset/3

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ryall, ~~Whitchurch~~ Canonicorum

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 460 ft.

Station No 1595/5 cf 1590-5

File - 165894/32

Comp 1932

W. T. BRIDGES,
ST. CHRISTOPHERS,
RYALL. NR BRIDPORT,
DORSET.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.62	0.59	0.05	Tr	0.01	—	—		—	Tr	0.04	0.21	1
2	0.47	Tr	0.98	—	0.21	Tr	—		—	—	Tr	0.01	2
3	0.12	0.15	0.25	—	0.03	—	—		—	—	—	—	3
4	0.31	0.03	0.06	—	0.34	—	—		—	—	—	—	4
5	0.04	0.02	0.31	Tr	Tr	—	—		—	Tr	0.02	Tr	5
6	—	0.46	Tr	—	0.23	—	0.04		—	0.07	Tr	—	6
7	Tr	0.07	~~0.00~~	—	0.14	—	Tr	0.95	—	0.36	—	0.01	7
8	Tr	Tr	0.01	—	0.02	—	0.23	thunder storms	—	—	—	~~0.00~~	8
9	—	0.03	—	—	0.41	0.01	0.37	13th & 14th	—	0.16	Tr	—	9
10	—	0.18	—	—	—	0.04	0.08		—	0.31	0.02	—	10
11	0.09	—	—	Tr	Tr	0.16	0.08	✗	—	—	Tr	—	11
12	Tr	—	—	0.10	0.01	—	0.15		0.74	Tr	—	Tr (snow)	12
13	Tr	—		—	0.08	0.11	0.25	✗	Tr	0.05	0.02	—	13
14	Tr	—		—	—	Tr	0.09	✗	—	0.36	0.46	—	14
15	0.46	—	✗	—	—	—	0.20	✓	—	0.09	Tr	—	15
16	—	—	1.72 ✗	—	—	0.05	—	Tr	0.03	0.19	—	—	16
17	Tr	0.16 snow	✗	—	—	0.04	—	0.03	0.17	Tr	—	—	17
18	0.03	—	✗	—	—	0.15	0.01	—	Tr	~~0~~ —	0.01	—	18
19	0.03	—	✗	Tr snow	—	—	—	0.02	0.11	—	0.26	0.01	19
20	—	Tr		— sleet	—	0.44	—	0.04	0.05	—	Tr	0.01	20
21	—	0.03	—	—	0.08	0.14	—	0.12	0.01	0.10	Tr		21
22	—	~~0.00~~	—	0.05	0.02	Tr	—	0.43	0.36	0.01	Tr		22
23	Tr snow	0.24 snow	—	0.76	—	0.24	—	Tr	0.23	0.25	—		23
24	—	1.26 rain	—	0.45	—	Tr	Tr	—	0.06	Tr	—	0.45	24
25	—	0.71 rain & sleet	—	0.39	Tr	0.54	—	—	0.24	—	Tr (sleet)	✗ mostly	25
26	—	0.46	—	0.23	0.17	0.01	—	—	Tr	0.03	—	26th & 27th	26
27	—	0.01	—	Tr	0.24	—	0.04	—	0.02	0.28	—	✗	27
28	Tr	~~0.00~~	Tr	0.35	0.01	—	0.50	Tr	Tr	0.18	—	0.02	28
29	0.09		—	—	0.03	—	0.01	—	Tr	Tr	—	0.04	29
30	Tr	×	0.11	—	Tr	—	0.02	—	0.11	0.00	—	0.07	30
31	0.38	×	0.25	×	Tr	×	—	—	×	0.01	×	Tr	31
TOTAL	2.64	4.40	3.74	2.33	2.03	1.93	2.07	1.59	2.13	2.45	0.83	0.83	YEAR'S TOTAL 26.97
*Days with ·01 in. or more.	11	15	13 incomplete	7	16	12	14	10 incomplete	12	15	7	10 incomplete	142
*Days with ·04 in. or more.	9	10	12 do	7	9	10	11	8 do	9	12	3	5 do	103

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) W. T. BRIDGES, ESQ. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1595/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. File No 165894/32

Kept at Ryall Whitchurch Canonicorum
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.05	—	~~0~~ —	—	—	0.01	—	0.82	0.02	Tr	0.05	1.45		1
2	0.34	—	0.11	—	—	—	—	—	1.15	0.04	0.01	0.36		2
3	0.10	Tr	—	—	—	—	—	—	0.08	0.36	—	0.18		3
4	0.09	—	0.37	—	0.24	—	—	—	—	0.01	—	0.21		4
5	Tr	—	0.03	0.17	0.05	—	—	1.35	—	0.01	Tr	0.55		5
6	0.08	Tr	0.35	0.01	0.30	—	—	0.01	—	0.87	0.09	0.76		6
7	0.04	—	Tr	—	—	—	—	0.07	—	0.30	Tr	0.79		7
8	—	—	~~0~~ —	—	0.31	—	—	—	—	0.03	0.57	0.16		8
9	0.06	—	0.20	0.03	—	—	—	—	—	Tr	0.36	0.07		9
10	0.22	Tr	0.12	0.24	—	—	—	0.04	—	—	0.06	0.25		10
11	0.60	Tr	0.05	0.20	—	—	0.03	0.03	—	Tr	—	0.53		11
12	0.05	Tr	Tr	—	—	—	0.05	0.25	—	—	0.05	0.38		12
13	0.35	Tr	—	0.23	—	—	—	—	—	—	0.09	0.27		13
14	0.30	—	0.35	0.04	—	—	—	—	—	—	0.07	0.34		14
15	0.05	—	0.05	0.01	0.13	—	—	—	—	0.13	0.11	0.33		15
16	0.32	—	0.28	0.04	0.06	—	—	—	—	Tr	Tr	0.24		16
17	0.14	—	—	0.06	0.15	—	Tr	—	0.50	0.07	Tr	0.52		17
18	0.09	—	0.15	0.22	Tr	0.01	—	—	0.13	—	—	0.22		18
19	—	—	0.12	0.07	Tr	0.05	—	0.01	0.08	—	—	0.14		19
20	—	—	0.10	0.29	—	—	—	—	Tr	Tr	Tr	—		20
21	—	—	0.04	0.02	Tr	0.31	—	0.02	0.03	042	—	0.19		21
22	Tr	—	0.02	Tr	—	Tr	—	0.38	0.44	Tr	—	0.90		22
23	0.02	Tr	0.03	0.31	—	0.20	—	0.23	0.11	0.10	—	0.09		23
24	Tr	0.09	0.06	0.04	—	0.03	0.02	0.38	0.35	0.09	—	0.14		24
25	0.39	0.01	Tr	0.27	—	0.01	Tr	Tr ~~0.01~~	Tr	0.15	—	1.07		25
26	Tr	Tr	0.03	0.28	—	0.30	Tr	Tr ~~0.76~~	0.17	—	0.02	0.09		26
27	—	—	—	Tr	—	0.07	—	0.09	Tr	0.02	0.01	0.49		27
28	—	—	—	0.01	—	0.02	—	0.76	0.13	—	Tr	0.83		28
29	—	×	—	—	—	—	Tr	0.09	0.20	Tr	0.01	0.04		29
30	Tr	×	—	—	—	—	Tr	Tr	0.20	Tr	—	0.48		30
31	—	×	—	×	—	×	Tr	0.13	×	Tr	×	0.01		31
TOTAL	3.29	0.10	2.46	2.54	1.24	1.01	0.10	4.38	3.59	2.60	1.50	12.08	Year's Total 34.89 ✓	
*Days with ·01 in. or more.	18	2	18	19	7	10	3	16	14	14	13	30	164	
*Days with .04 in. or more.	17	1	14	14	7	4	1	10	12	10	9	29	128	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Briggs

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1595/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Dors

Kept at Ryall, Whitechurch Canonicorum

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	Tr	0.57	Tr	—	0.30	0.08	—	0.28	0.26	0.19	0.19		1
2	~~0.00~~	0.02	0.01	—	—	0.02	Tr	—	0.06	0.45	0.11	0.05		2
3	—	0.02	0.08	—	0.04	0.22	—	—	0.23	0.12	0.29	—		3
4	Tr	0.17	Tr	0.07	0.03	0.41	—	—	0.04	0.23	0.28	0.37		4
5	—	0.25	0.01	0.02	Tr	0.08	—	—	0.27	0.03	—	Tr		5
6	—	0.03	—	0.30	—	1.69	—	—	~~0~~ —	0.20	0.35	0.09		6
7	—	—	—	0.45	—	0.06	—	—	—	0.32	0.06	0.04		7
8	—	—	—	0.47	—	~~0.00~~	—	—	0.27	0.06	0.42	Tr		8
9	0.01	Tr snow	—	0.58	—	0.25	—	—	0.02	0.76	0.93	—		9
10	0.03	—	0.25 snow	0.06	—	0.02	—	—	Tr	—	—	0.02		10
11	0.34	Tr	—	Tr	—	0.41	—	—	0.09	0.08	0.58	0.01		11
12	0.05	0.10	—	—	—	0.23	—	Tr	0.08	—	0.22	—		12
13	0.06	0.17	—	0.61	Tr	0.14	—	—	Tr	Tr	0.10	—		13
14	—	0.04	—	0.28	Tr	—	—	—	0.04	0.01	0.82	0.61		14
15	—	0.13	—	0.80	0.05	0.09	—	Tr	0.19	Tr	0.23	0.09		15
16	—	0.05	0.03	0.16	—	0.10	—	—	0.68	0.01	1.30	—		16
17	—	Tr	—	0.06	0.72	0.35	—	0.20	0.03	—	0.05	—		17
18	—	0.02	—	0.33	0.05	Tr	0.11	Tr	0.51	0.02	~~0~~ —	0.09		18
19	—	0.07	—	0.03	0.24	0.08	0.16	—	0.18	0.16	0.48	—		19
20	—	0.33	—	0.12	0.06	0.03	0.06	—	Tr	Tr	0.23	—		20
21	—	0.55	0.03	0.27	Tr	Tr	0.03	—	0.04	0.01	Tr	—		21
22	—	0.03	0.14	0.01	—	—	—	0.12	0.03	0.01	Tr	—		22
23	—	0.02	0.13	Tr	0.03	—	—	0.20	0.14	0.68	Tr	0.34		23
24	0.06	0.33	0.03	~~0.00~~	0.06	—	—	0.70	0.54	0.06	Tr	0.30		24
25	0.34	0.32	—	0.03	Tr	0.03	—	Tr	Tr	Tr	Tr	0.28		25
26	—	0.37	—	—	Tr	0.02	—	0.27	0.10	—	Tr	0.86		26
27	—	0.17	—	—	—	—	—	Tr	0.18	0.03	0.18	0.68		27
28	Tr snow	0.04	—	—	0.06	—	—	0.04	0.09	—	0.03	0.04		28
29	—	×	—	—	0.05	—	—	0.14	0.10	0.02	0.02	0.41		29
30	0.03	×	—	—	Tr	Tr	—	1.06	0.02	0.36	0.50	0.67		30
31	Tr	×	—	×	0.02	×	—	0.01	×	0.86	×	0.47		31
TOTAL	0.96	3.23	1.28	4.65	1.41	4.52	0.44	2.74	4.21	4.74	7.37	5.61	Year's Total 41.16	
*Days with ·01 in. or more.	9	21	10	18	12	19	5	9	24	22	21	19	189	✓
*Days with .04 in. or more.	6	15	5	15	9	14	4	8	21	14	19	17	147	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. T. Briggs

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1595/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ryall

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 460 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.15	0.04	0.01	0.38	—	0.34	0.25	tr	—	tr	0.03	0.02		1
2	tr	tr	—	0.06	—	0.03	0.26	0.04	0.02	—	0.06	—		2
3	tr	—	—	0.80	—	0.05	0.15	tr	0.48	tr	0.44	tr		3
4	tr	—	0.34	tr	—	0.19	0.03	—	0.28	tr	0.04	0.03		4
5	0.48	—	0.02	—	—	—	tr	0.08	0.19	—	—	0.09		5
6	0.13	—	0.02	—	—	0.04	0.17	0.02	0.16	tr	0.64	tr		6
7	0.15	—	0.46	—	—	—	0.40	tr	tr	tr	0.14	0.08		7
8	0.61	—	0.76	—	—	tr	0.17	tr		tr	0.22	0.01		8
9	0.53	tr	0.40	—	—	—	0.30	—	0.15	tr	0.06	tr		9
10	0.28	0.17	—	—	—	—	0.10	—	tr	tr	0.05	—		10
11	0.33	0.02	—	—	—	0.03	0.01	tr	0.10	tr	1.05	—		11
12	tr	—	—	tr	tr	0.25	0.74	tr	0.41	tr	0.15	0.05		12
13	0.09	tr	—	tr	—	tr	0.05	tr	0.01	0.03	0.28	0.66		13
14	tr	0.03	—	—	—	0.02	0.44	—	0.10	tr	0.01	0.52		14
15	0.02	0.04	—	—	0.08	—	0.05	tr	0.20	tr	0.09	0.29		15
16	tr	0.17	—	0.05	0.22	—	0.26	—	tr	—	0.10	0.17		16
17	—	0.87	—	—	0.10	—	0.42	—	—	0.03	0.04	0.50		17
18	0.06	0.19	tr	—	tr	0.67	0.51	—	—	—	—	0.20		18
19	0.52	0.12	0.06	0.12	—	0.80	0.01	0.02	tr	tr	—	tr		19
20	0.10	0.22	0.10	0.15	—	0.01	0.02	—	0.26	tr	—	tr		20
21	tr	0.13	0.01	0.42	—	0.04	—	—	0.01	tr	—	—		21
22	0.17	0.39	0.56	—	—	tr	0.26	—	tr	tr	—	tr		22
23	0.05	tr	0.13	0.14	0.05	—	0.15	—	tr	0.07	tr	tr		23
24	0.26	0.04	0.08	tr	0.04	—	tr	—	0.04	0.38	tr	tr		24
25	0.10	—	0.25	0.21	—	—	0.06	—	0.18	0.34	tr	—		25
26	0.34	0.14	0.30	0.01	—	tr	0.02	—	0.02	0.09	tr	—		26
27	0.69	0.26	0.17	—	—	—	0.54	—	0.01	0.25	tr	—		27
28	0.99	tr	0.65	—	—	—	0.21	—	tr	tr	tr	0.29		28
29	0.05	0.03	0.03	—	—	0.01	tr	—	tr	0.23	0.06	0.04		29
30	0.24	✕	tr	—	tr	0.06	—	—	—	0.11	tr	—		30
31	0.12	✕	0.63	✕	0.08	✕	0.08	—	✕	0.27	✕	0.56	Year's Total	31
TOTAL	6.46	2.86	4.98	2.34	0.57	2.54	5.66	0.16	2.62	1.80	3.46	3.51	36.96	✓
*Days with ·01 in. or more.	23	16	19	10	6	14	26	4	17	10	17	15	177	✓
*Days with .04 in. or more.	22	13	14	9	6	9	21	2	12	8	15	12	143	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Briggs

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1595/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

W. T. B[illegible]
ST. CHRISTOPHERS,
BYALL [illegible] PORT,
DORSET.

Kept at ....

in the County of ....

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.10	—	—	0.20	—	—	—	—	0.08	0.02	0.12	1.14		1
2	0.01	0.63	—	0.38	—	—	—	—	0.23	—	tr	0.12		2
3	0.03	0.19	0.19 tr snow	0.01	—	—	0.01	—	0.05	—	tr	tr		3
4	0.10	0.67	—	tr	tr	—	—	0.01	—	—	—	0.30		4
5	0.17	—	tr	—	—	—	0.40	—	—	—	—	—		5
6	0.10	0.37	0.28 snow	0.20	0.04	—	0.68	—	—	0.01	—	—		6
7	—	0.90	0.01 snow	0.09	0.01	tr	—	—	0.01	tr	—	0.26 snow		7
8	—	0.01	—	tr	0.53	—	0.14	—	—	—	0.13	—		8
9	—	—	0.03 snow	0.12	0.30	tr	0.01	—	0.60	—	—	tr snow		9
10	0.52	0.01	0.53	0.27	—	0.40	—	0.01	—	—	—	0.28		10
11	0.08	—	0.30	0.13	0.41	0.01	0.50	tr	—	—	—	—		11
12	0.73	0.36	tr	0.08	tr	0.36	0.04	0.51	0.13	—	—	0.30		12
13	0.02	0.06	0.66 [illegible] snow	0.12	—	0.03	—	0.41	0.03	—	—	0.01		13
14	—	0.02	0.22	0.02	—	tr	—	0.09	0.06	—	—	0.02		14
15	0.42	0.18	0.05	0.50	—	—	1.74	—	0.21	—	—	0.15		15
16	0.05	0.07	0.35	tr	—	0.03	0.10	0.23	0.91	—	—	—		16
17	0.58	0.11	0.41	—	—	—	0.02	0.01	0.44	tr	0.35	—		17
18	0.05	0.09	0.18	—	—	0.04	—	—	0.02	0.01	—	0.34		18
19	0.05	0.09	tr	0.25	0.06	—	tr	—	—	—	—	0.05		19
20	0.23	0.07	0.07	0.26	0.09	tr	—	—	—	tr	0.12	1.03		20
21	0.63	0.46	0.15 snow	0.05	0.22	—	0.07	—	0.20	—	—	0.16		21
22	0.16	tr	0.13 snow	—	0.49	0.18	0.24	—	0.25	1.31	—	0.09		22
23	0.34	0.24	~~[illegible]~~	—	0.16	tr	0.01	—	—	0.25	0.53	0.04		23
24	0.34	0.75	—	—	tr	—	—	tr	0.03	0.87	0.76	tr		24
25	—	0.51	0.32 snow	—	0.39	—	—	—	0.02	0.21	0.33	0.06		25
26	tr	0.28	tr	—	0.40	—	—	—	—	0.04	—	0.04		26
27	tr	0.28	—	tr	—	—	—	—	—	0.38	—	—		27
28	0.30 snow	tr snow	—	—	—	—	—	—	—	0.17	0.01	—		28
29	0.03	×	—	—	—	tr	—	—	—	1.27	0.15	—		29
30	0.46	×	—	—	—	0.05	—	—	tr	0.04	0.36	—		30
31	0.20	×	—	×	—	×	—	—	×	0.38	×	—		31
TOTAL	5.70	6.35	3.88	2.68	3.10	1.10	3.96	1.27	3.27	4.96	2.86	4.39	Year's Total 43.52	✓
* Days with .01 in. or more.	24	22	16	15	12	8	13	7	16	13	10	17	173	✓
* Days with .04 in. or more.	19	19	14	13	11	5	9	4	11	10	9	15	139	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. T. Briggs

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1595/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at W. T. BRIDGES,

ST. CHRISTOPHERS,

in the County of RYALL, NR BRIDPORT, DORSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 460 ft.

Totals ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	0.07	—	—	—	0.19	—	tr	—	0.67	—	0.02		1
2	—	—	—	0.03	—	—	0.13	—	—	0.19	0.05	0.10		2
3	—	—	—	—	0.17	tr	—	—	—	0.67	0.31	—		3
4	0.01	—	—	—	—	0.02	0.14	0.90	—	0.09	—	0.16		4
5	—	—	—	—	—	0.01	—	—	—	0.32	0.01	—		5
6	0.04	—	—	—	—	0.05	0.30	—	0.06	0.05	0.07	0.06		6
7	0.13	—	—	—	—	0.14	0.50	—	—	0.09	0.05	0.09		7
8	0.31	0.02	—	—	—	0.15	0.01	0.04	—	0.33	0.01	0.02		8
9	0.10	0.07	—	—	—	0.02	—	—	—	0.01	—	1.03		9
10	0.12	—	—	—	—	tr	0.03	—	—	—	—	0.39		10
11	0.11	—	—	—	—	—	0.01	0.01	—	—	0.38	0.54		11
12	0.55	—	—	—	0.18	—	0.07	—	—	0.27	0.05	—		12
13	0.23	—	—	—	0.04	—	0.01	0.01	—	0.04	0.41	0.42		13
14	0.60	—	tr mist	—	0.06	—	1.17	—	—	—	0.01	—		14
15	0.09	tr snow	—	—	0.07	—	0.33	0.01	—	0.27	0.05	0.58		15
16	0.29	—	0.02	—	0.02	—	—	0.07	~~0.00~~	0.12	0.25	—		16
17	—	0.09	0.04	—	0.11	—	—	—	0.10	0.15	0.04	—		17
18	0.19	—	—	—	0.17	0.09	—	tr	0.20	0.04	0.30	—		18
19	—	—	—	—	—	—	—	0.07	0.54	—	0.42	—		19
20	—	—	—	—	—	—	—	0.02	0.01	—	0.43	—		20
21	—	—	—	tr	—	—	—	0.08	0.05	—	0.35	0.12 snow		21
22	0.05	—	—	0.05	—	0.08	—	0.59	—	0.01	0.54	—		22
23	0.02	—	—	0.02	—	—	—	0.01	0.06	—	0.04	—		23
24	—	—	0.15	—	—	—	—	—	0.11	—	0.30	—		24
25	0.11	0.38	—	—	0.27	—	0.61	—	tr	0.02	1.32	—		25
26	0.36	0.36	—	—	0.42	—	—	—	—	0.07	0.01	0.16 snow rain		26
27	0.08	0.01	—	—	0.05	0.24	0.89	0.38	0.02	0.18	0.46	—		27
28	0.13	0.11	0.01	—	0.14	0.03	—	0.77	0.12	—	—	0.02		28
29	0.09	×	—	—	0.39	—	—	—	0.44	0.40	0.47	0.04		29
30	0.09	✕	—	—	0.03	0.33	0.05	—	0.55	—	0.14	0.04		30
31	0.28	✕	—	✕	0.22	✕	tr	—	✕	0.38	✕	0.43		31
													Year's Total	
TOTAL	3.98	1.11	0.22	0.10	2.34	1.35	4.25	2.96	2.26	4.37	6.47	4.22	33.63	✓
* Days with .01 in. or more.	22	8	4	3	15	12	14	13	12	21	25	17	166	✓
* Days with .04 in. or more.	20	6	2	2	13	8	10	8	10	18	21	14	132	✓

† Spare column, no entries required.

(*Signed*) W. T. Bridges

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1595/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at Ryall nr Bridport
in the County of Dorset
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.03	—	0.06	—	0.02	—	0.09	0.31	0.11	—	0.04	0.07		1
2	—	—	—	0.27	0.01	—	0.02	0.40	1.38	—	0.17	0.13		2
3	0.84	—	—	0.54	—	—	—	0.14	—	—	0.20	0.31		3
4	0.01	—	0.47	0.11	0.27	—	0.23	0.10	—	0.64	0.08	0.16		4
5	—	—	0.04	0.15	—	—	0.13	0.08	—	0.16	0.92	0.01		5
6	0.60	—	0.04	0.16	—	—	0.50	0.08	—	0.02	0.50	—		6
7	0.03	1.21	—	—	—	—	0.01	0.04	—	—	0.58	0.75		7
8	0.04	0.36	0.03	—	0.07	—	0.13	0.08	—	1.37	0.56	0.14		8
9	0.06	0.02	0.03	—	—	—	—	0.12	—	0.22	0.07	0.13		9
10	0.16	—	—	—	—	0.04	—	—	0.02	0.04	0.13	0.20		10
11	—	0.03	0.12	—	—	—	—	0.28	—	0.64	0.01	0.02		11
12	—	0.07	—	—	—	—	—	—	—	0.03	0.05	—		12
13	—	—	—	0.04	—	0.03	0.36	—	0.14	1.18	0.05	—		13
14	0.75	—	—	0.07	0.02	0.05	0.25	—	0.02	0.16	0.36	—		14
15	0.31	—	—	0.02	0.24	1.54	0.31	—	—	0.07	0.49	0.06		15
16	0.23	—	—	0.13	0.07	0.01	0.04	—	—	—	0.38	—		16
17	0.40	0.04	—	0.02	0.07	—	0.39	—	—	0.02	0.03	—		17
18	0.05	—	0.02	—	—	0.32	0.61	—	—	—	0.61	0.03		18
19	0.45	—	—	—	—	—	0.03	—	—	—	—	0.07		19
20	0.57	—	—	—	—	0.17	0.10	—	—	—	—	0.01		20
21	0.08	0.28	0.04	—	—	0.07	0.13	0.50	—	—	—	—		21
22	0.56	0.29	0.13	—	—	0.38	0.13	0.05	0.01	—	0.81	0.01		22
23	—	—	—	0.27	—	—	0.05	—	—	—	1.59	—		23
24	Snow	—	0.16	0.08	—	0.48	0.33	—	—	0.01	—	0.01		24
25	1.55	0.08	—	0.01	—	—	0.16	—	—	0.07	0.29	—		25
26	Snow 0.05	0.12	—	—	—	—	—	0.06	—	0.18	0.39	—		26
27	—	0.25	0.02	—	—	—	0.03	0.18	—	—	0.23	—		27
28	—	0.22	0.03	0.34	—	0.10	0.64	0.03	—	—	0.53	0.15		28
29	—	×	—	0.05	—	—	0.15	—	—	0.13	0.07	—		29
30	—	×	—	0.20	—	0.09	—	0.13	—	0.10	0.07	—		30
31	—	×	—	×	—	×	0.01	0.12	×	0.59	×	0.01		31
TOTAL	6.77	2.97	1.19	2.46	0.77	3.28	4.83	2.70	1.68	5.63	9.21	2.27	Year's Total 43.76	
*Days with ·01 in. or more.	20	12	13	16	8	12	23	17	6	18	26	18	189	
*Days with ·04 in. or more.	17	10	8	13	5	10	19	16	3	14	24	11	150	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.
(*Signed*) W. J. Briggs

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1595/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

W. T. BRIDGES

Kept at ST. CHRISTOPHERS,

in the County of RYALL, NR BRIDPORT, DORSET.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 460 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	—	—	—	0·11	—		1
2	—	0·08	—	0·32	—	—	Tr	—	—	—	0·62	0·08		2
3	0·06	0·58	—	—	—	—	—	—	—	0·16	0·90	0·28		3
4	0·05	0·11	—	—	—	—	0·13	—	—	0·29	0·16	0·01		4
5	0·01	0·02	—	—	—	—	—	—	—	0·05	0·63	0·18		5
6	0·37	0·85	—	—	—	—	0·43	—	—	0·24	0·06	0·16		6
7	0·16	—	—	0·01	—	—	—	—	—	0·03	—	0·03		7
8	0·01	—	—	—	—	—	0·04	—	—	0·81	0·23	0·24		8
9	—	—	—	—	—	—	0·29	0·07	0·02	0·29	0·45	0·17		9
10	—	—	—	—	—	—	0·98	0·02	0·04	0·03	0·15	0·20		10
11	—	—	0·05	0·02	—	—	0·37	—	—	—	1·40	0·09		11
12	—	0·03 snow	0·20	Tr	—	0·07	0·25	—	0·50	—	0·12	—		12
13	—	—	0·53	—	—	—	0·10	—	0·06	0·05	1·38	0·06		13
14	—	—	0·15 snow	0·06	1·02	—	0·02	—	0·12	0·56	—	0·91		14
15	—	0·10 snow	~~0·00~~	0·03	0·22	Tr	0·21	—	0·25	0·09	0·57	—		15
16	Tr snow	0·04 do	0·58	0·08	—	—	0·11	—	0·08	1·05	0·45	0·08		16
17	—	0·10 snow	0·45	—	—	—	—	—	Tr	—	0·41	—		17
18	0·08 snow	0·92 do	0·28	0·67	—	—	0·13	—	~~0·10~~	0·12	0·04	—		18
19	—	0·43 do	0·07	0·16	—	—	0·05	—	0·74	—	0·25	0·04		19
20	—	0·04	0·03	0·01	—	—	—	—	0·02	0·09	0·03	—		20
21	—	0·01	0·06	—	0·15	—	0·01	—	—	—	0·60	—		21
22	—	—	0·07	—	—	0·43	—	—	0·12	—	—	—		22
23	—	0·01	0·33	0·16	Tr	—	Tr	—	—	—	0·04	—		23
24	—	0·04	—	—	—	—	0·32	—	—	—	—	—		24
25	0·20	—	0·09	0·07	—	—	0·01	—	—	—	—	—		25
26	1·18	—	—	0·02	0·21	—	0·01	—	—	—	—	—		26
27	0·32	0·71	—	—	0·35	—	0·03	0·04	—	—	—	—		27
28	0·27	0·05	—	—	0·02	—	—	—	—	—	—	—		28
29	0·21	0·15 sleet	0·28	0·41	—	0·07	Tr	—	—	0·14	—	0·~~17~~ 25		29
30	0·10	✕	0·06	0·06	—	—	—	—	—	0·76	—	0·17		30
31	—	✕	0·08	✕	0·02	✕	—	—	✕	0·71	✕	0·42	Rain Sleet & Snow	31
TOTAL	3.02	4.27	3.31	2.08	1.99	0.57	3.49	0.13	1.95	5.47	8.60	3.37	Year's Total 38.25 ✓	
* Days with .01 in. or more.	13	17	16	14	7	3	18	3	10	17	20	17	155 ✓	
* Days with .04 in. or more.	11	14	15	9	5	3	14	2	8	15	19	15	130 ✓	

† Spare column, no entries required.

(*Signed*) W. T. Bridges

* See Instruction 3 (f) on other side.

[P.T.O.

1596.

1596

TOLPUDDLE VICARAGE

1931 — 40

780304

Section **A** for the entry of D… COPY FOR OFFICIAL USE.
AIR MINISTRY. …LL ORGANIZATION.

FORM 1090.

REGIST… .

Kept at Tolpuddle

in the County of Dorset

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev…

[illegible] plus
concurs } f672259/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	x	·09	x	·27	x	x	x	·03	·20	·03	x	·01	1
2	·27	·03	x	·32	x	x	x	·01	·52	·02	·01	·33	2
3	·07	x	·30	x	x	x	·03	·02	·16	x	1·27	·23	3
4	·02	x	x	x	·10	·02	5 ·04	·02	·24	·04	·21	x	4
5	x	·15	x	·10	x	·48	·02	2·31	x	·01	·40	·16	5
6	x	·14	x	·15	·06	·10	x	x	x	·28	·13	·27	6
7	x	x	x	x	·16	·14	x	·55	x	·01	·23	·08	7
8	snow ·02	·20	x	·16	x	·38	x	·04	x	·01	·29	·19	8
9	x	·30	x	x	x	·12	·05	x	x	x	75	x	9
10	x	x	x	·01	·01	·15	x	·07	·22	x	·50	x	10
11	·11	·49	x	x	·01	·06	·01	x	·02	x	·24	x	11
12	x	·04	x	x	·02	x	·06	x	·12	·08	·01	x	12
13	x	·01	x	x	x	x	·11	·19	x	x	x	x	13
14	x	·12	·01	x	·01	·26	1·15 ~~·65~~ ?	·05	·02	x	·04	x	14
15	x	·07	x	·03	·15 ?	x	·01	·20	tr	x	x	·04	15
16	x	·12	x	·06	·14	·42	·38	·07	·08	x	x	x	16
17	·03	·25	x	·15	x	·02	·06	x	·25	x	x	x	17
18	·06	x	·04	·15	x	·16	·11	1·23	x	x	·51	x	18
19	·10	x	x	·02	x	·01	x	·07	·01	x	·02	x	19
20	·01	·14	·33	x	x	x	x	·29	x	·01	·02	·01	20
21	·14	x	·04	x	·31	x	x	x	x	x	·02	x	21
22	·53	·03	·05	·02	x	x	x	·02	x	x	x	x	22
23	·43	x	x	·10	·75	·02	x	x	x	x	·54	x	23
24	·07	x	x	·27	·18	·21	·49	·56	x	x	x	x	24
25	·10	x	x	·10	·06	x	·44	x	x	x	·29	x	25
26	x	x	x	·02	x	x	·43	x	x	x	·28	x	26
27	·19	·44	x	x	1·82	x	·13	x	x	·02	·04	x	27
28	·05	·06	·04	·01	·07	x	x	x	x	x	·01	·11	28
29	·04	x	} ·08	x	·02	x	·09	·05	x	·01	·07	x	29
30	x	x	}	x	x	x	x	·14	·01	x	x	x	30
31	·50	x	x	x	·13	x	·02	x	x	x	x	12	34·64 31
TOTAL	2·74	2·68	·89	1·94	4·00	2·55	4·13 ~~3·13~~	5·91	1·85	·52	5·88	1·55	YEAR'S TOTAL ~~33·64~~
*Days with ·01 in. or more.	18	17	9	17	17	15	18	19	12	11	22	11	186
*Days with ·04 in. or more.	14	14	8	11	12	11	13	14	8	3	16	9	133

40-9999

(Signed) Harold R Long

P.T.O.

*See Instruction 2 (*f*) on other side.

1596.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Tolpuddle 1596

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level 100 ft.

[illegible] obst. concurs } f672259/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	x	·09	x	·27	x	x	x	·03	·20	·03	x	·01	1
2	·27	·03	x	·32	x	x	x	·01	·52	·02	·01	·33	2
3	·07	x	·30	x	x	x	·03	·02	·16	x	1·27	·23	3
4	·02	x	x	x	·10	·02	5 ·04	·02	·24	·04	·21	x	4
5	x	·15	x	·10	x	·48	·02	2·31	x	·01	·40	·16	5
6	x	·14	x	·15	·06	·10	x	x	x	·28	·13	·27	6
7	x	x	x	x	·16	·14	x	·55	x	·01	·23	·08	7
8	snow ·02	·20	x	·16	x	·38	x	·04	x	·01	·29	·19	8
9	x	·30	x	x	x	·12	·05	x	x	x	·75	x	9
10	x	x	x	·01	·01	·15	x	·07	·22	x	·50	x	10
11	·11	·49	x	x	·01	·06	·01	x	·02	x	·24	x	11
12	x	·04	x	x	·02	x	·06	x	·12	·08	·01	x	12
13	x	·01	x	x	x	x	·11	·19	x	x	x	x	13
14	x	·12	·01	x	·01	·26	1·15 ·65?	·05	·02	x	·04	x	14
15	x	·07	x	·03	·15?	x	·01	·20	tr	x	x	·04	15
16	x	·12	x	·06	·14	·42	·38	·07	·08	x	x	x	16
17	·03	·25	x	·15	x	·02	·06	x	·25	x	x	x	17
18	·06	x	·04	·15	x	·16	·11	1·23	x	x	·51	x	18
19	·10	x	x	·02	x	·01	x	·07	·01	x	·02	x	19
20	·01	·14	·33	x	x	x	x	·29	x	·01	·02	·01	20
21	·14	x	·04	x	·31	x	x	x	x	x	·02	x	21
22	·53	·03	·05	·02	x	x	x	·02	x	x	x	x	22
23	·43	x	x	·10	·75	·02	x	x	x	x	·54	x	23
24	·07	x	x	·27	·18	·21	·49	·55	x	x	x	x	24
25	·10	x	x	·10	·06	x	·44	x	x	x	·29	x	25
26	x	x	x	·02	x	x	·43	x	x	x	·28	x	26
27	·19	·44	x	x	1·82	x	·13	x	x	·02	·04	x	27
28	·05	·06	·04	·01	·07	x	x	x	x	x	·01	·11	28
29	·04	x	·08	x	·02	x	·09	·05	x	·01	·07	x	29
30	x	X		x	x	x	x	·14	·01	x	x	x	30 34·64
31	·50	X	x	X	·13	X	·02	x	X	x	X	12	31
TOTAL	2·74	2·68	·89	1·94	4·00	2·55	4·13 ~~3·13~~	5·91	1·85	·52	5·88	1·55	YEAR'S TOTAL ~~33·64~~
*Days with ·01 in. or more.	18	17	9	17	17	15	18	19	12	11	22	11	186
*Days with ·04 in. or more.	14	14	8	11	12	11	13	14	8	3	16	9	133

40-9999

(*Signed*) Harold R Long

P.T.O.

*See Instruction 2 (*f*) on other side.

1596

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.**

Station No 1596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Tolpuddle

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 7 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	x	x	·14	·22	x	x	·05	x	·01	·02	x	1
2	x	x	x	·12	·16	·17	x	·02	·09	t	t	·47	2
3	x	x	x	·04	x	·46	t	x	·59	·09	x	x	3
4	·02	x	x	x	x	·40	t	·01	x	x	·09	x	4
5	·54	x	·01	x	x	x	t	x	·19	x	x	x	5
6	·49	x	t	·22	x	x	t	x	·32	x	x	t	6
7	·01	x	·03	·09	x	x	x	x	·37	·53	x	t	7
8	x	x	·61	·05	15	x	x	x	·46	·33	x	x	8
9	·40	Snow ·03	t	·21	·09	x	x	x	·02	t	·08	x	9
10	35	x	t	·42	·04	·04	·01	x	t	·16	·02	·06	10
11	·07	t	x	·03	·02	·01	·15	x	·02	·14	x	t	11
12	·90	x	x	·03	·32	x	t	t	·01	·15	·01	·09	12
13	·05	x	x	·19	·14	x	·10	x	x	·75	x	·01	13
14	·12	x	x	·06	·08	x	x	x	x	t	·45	t	14
15	·11	x	t	·03	·32	x	·01	x	x	·05	·02	·03	15
16	·19	x	x	·14	·14	t	·01	x	x	x	x	·01	16
17	·04	x	x	·05	x	x	t	x	·02	04	x	x	17
18	·05	x	x	x	·26	x	x	x	·03	x	·11	x	18
19	x	x	x	x	·01	x	x	x	·04	·53	x	x	19
20	t	x	·01	·01	·46	x	·05	x	x	1·12	·29	x	20
21	·03	x	·20	·09	·07	x	x	·20	·08	·41	·02	·16	21
22	·01	t	·03	·01	·09	t	·04	·02	·52	·26	·45	x	22
23	x	t	·01	·05	·01	x	·28	·11	·04	·70	·17	·08	23
24	x	·01	t	x	·12	x	·59	x	·11	·10	t	·01	24
25	x	x	x	·01	x	x	·08	x	·03	·35	·04	x	25
26	x	x	·19	·08	x	x	·20	x	x	·19	·02	x	26
27	x	x	·48	·60	·21	·04	·10	x	x	·48	x	·09	27
28	x	x	·05	·13	·01	x	·09	x	x	x	x	·04	28
29	x	x	·48	·01	·30	·50	·01	·62	·72	·47	·30	·11	29
30	·01	x	·10	·19	t	1·35	·12	x	·38	·02	·80	·23	30
31	x	x	·04	x	·01	x	·06	x	x	·01	x	·37	31
TOTAL	3·49	·04	2·24	3·00	3·23	2·91	1·90	1·03	4·04	6·91	2·89	1·76	YEAR'S TOTAL 33·44
*Days with ·01 in. or more.	18	2	13	25	22	8	16	7	19	22	16	14	182
*Days with .04 in. or more.	13	-	8	18	17	7	12	4	13	19	10	10	131

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Harold R Long

P.T.O.

1596

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at the Vicarage Tolpuddle

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 7 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.03

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.33	.70	.05	–	–	–	.01	–	–	–	.04	.27		1
2	.68	–	.82	–	.23	–	–	–	–	–	–	–		2
3	.07	.09	.32	–	.01	–	–	–	–	–	–	–		3
4	.15	.06	.07	–	.19	–	–	–	–	–	–	–		4
5	.16	tr	.52	–	.13	–	–	–	–	–	–	–		5
6	–	.30	tr	–	.34	–	–	–	–	.24	.02	–		6
7	.08	.02	.02	–	.19	–	.04	–	–	.25	–	.02		7
8	.01	tr	.03	–	.02	–	.50	–	–	.01	–	–		8
9	–	.01	–	–	.23	–	.50	.01	–	.07	–	–		9
10	–	.08	–	–	tr	–	.14	–	–	.37	.02	–		10
11	.22	–	–	.08	–	.08	.01	.10	–	.02	–	–		11
12	–	–	–	–	.02	–	.07	–	.96	–	–	–		12
13	.02	–	–	–	.01	–	.52	.11	–	.14	.04	–		13
14	.01	–	–	–	–	–	.05	.05	–	.20	.49	–		14
15	.59	–	.38	–	–	–	.14	.14	–	.13 ~~.15~~	.05	–		15
16	–	–	1.08	–	–	.06	–	–	.08	.09	–	–		16
17	–	Snow .14	.45	–	–	.08	–	.08	.17	–	–	–		17
18	.13	–	.19	–	–	.08	–	–	–	–	–	–		18
19	.01	.01	.12	Snow .08	–	–	–	.05	.32	–	.23	.08		19
20	–	.04	tr	–	–	.03	–	–	.08	–	.01	–		20
21	–	.01	–	–	.04	–	–	.11	.01	.06	.01	–		21
22	–	–	–	tr	–	.06	–	.24	.19	.03	–	–		22
23	–	.10	–	.50	–	.20	–	–	.26	.17	–	–		23
24	–	Snow 1.48	–	.27	–	.05	.01	–	.06	.02	–	–		24
25	–	.48	–	.34	–	tr	–	–	.12	–	–	.20		25
26	–	.35	–	.15	.14	–	–	–	–	.07	–	.01		26
27	–	–	–	–	.17	–	.05	–	.02 .02	.26	–	.61		27
28	–	–	–	.32	–	–	.58	–	–	–	–	–		28
29	.10	×	–	–	–	–	–	–	.02	–	–	.02		29
30	.01	×	.10	–	–	–	.06	–	.12	–	–	.11		30
31	.32	×	.07	×	–	×	–	–	×	.02	×	–		31
TOTAL	2.89	4.37	4.22	1.74 ~~1.66~~	1.72	.64 ~~.74~~	2.68	.89	2.46	2.17 ~~2.04~~	.91	1.32	Year's Total 25.92 6	
*Days with ·01 in. or more.	16	15	14	7	13	8	14	9	13	17	9	8	143	
*Days with .04 in. or more.	11	11	12	7	9	7	11	8	10	11	5	5	107	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required

(*Signed*) Evelyn Radcliffe.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Vicarage Tolpuddle

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 7 in.

,, Ground ,, Sea Level 160 ft.

Sent Circ. F. 23.5.'35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	·48 in.	in.	in.	in.	in.		
1	·03	—	—	—	—	—	—	—	—	·02	·17	1.09		1
2	·40	—	·13	—	—	—	—	·05	1.32	·08	·07	·32		2
3	·07	·01	—	—	—	—	—	·95	T	·48	—	·40		3
4	·12	—	·19	—	·28	—	—	—	—	·08	—	·30		4
5	—	—	·01	—	·01	—	—	—	—	·08	·01	·54		5
6	·10	—	·36	—	·19	—	—		—	·49	·18	·66		6
7	·06	—	—	·08	—	—	—	·12	—	·12	·89	·69		7
8	—	—	—	·01	·28	—	—	—	·10	—	·46	·13		8
9	·07	—	·16	—	—	—	—	—	—	—	·10	·16		9
10	·26	—	·32	—	—	—	—	·04	—	—	—	·15		10
11	·63	—	·68	·37	—	—	·05	·33	—	—	—	·50		11
12	·09	—	·02	·18	—	—	·08	·18	—	—	·11	·14		12
13	·44	—	·05	—	—	—	—	—	—	—	·02	·46		13
14	·12	—	·33	·19	—	—	—	—	—	·02	·13	·61		14
15	·03	—	·01	·02	·15	—	—	—	T	·15	—	·40		15
16	·28	—	·51	·01	·02	—	—	—	—	—	—	·18		16
17	·14	—	—	—	·05	—	—	—	·10	·05	—	·45		17
18	·06	—	·21	·19	—	—	—	—	·04	—	—	·49		18
19	—	—	·16	·07	—	·09	—	·06	·10	—	—	·22		19
20	—	—	·06	·03	—		—	—	—	·01	—	—		20
21	—	—	·03	·14	—	—	—	—	·02	·34	—	·20		21
22	—	—	·03	·06	—	·19	·03	·20	·37	—	—	·22		22
23	—	·04	·01	·32	—	—	—	—	·04	·06	—	·07		23
24	—	·04	·05	·03	—	·45	·02	·01	·30	·01	—	·04		24
25	·38	—	—	·14	—	—	—	—	·20	·15	—	1.03		25
26	·01	—	—	·08	—	—	—	—	—	—	·08	·22		26
27	—	—	—	—	—	·22	—	·62	—	—	—	·47		27
28	—	—	—	—	—	·04	—	·08	·06	·02	—	·64		28
29	—	—	—	—	—	·58	—	—	·55	—	—	·05		29
30	·02	×	—	—	—	—	—	—	·27	—	—	·33		30
31	—	×	—	×	—	×	—	—	×	—	×	—		31
TOTAL	3.31	·09	3.32	1.92	·98	1.57	·18	3.12	3.47	2.16	2.17	11.13	Year's Total 33·42	
* Days with .01 in. or more.	19	3	19	16	7	6	4	12	13	16	11	29	155	
* Days with .04 in. or more.	15	2	13 (13)	11	5	6	2	11	12	11	8	29	126	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Evelyn Radcliffe [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Tolpuddle

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft 7 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·43	–	–	·25	·27	–	·32	·32	·18	·30		1
2	–	–	–	–	–	·12	–	–	·01	·64	·06	·04		2
3	–	–	·13	–	·02	·09	–	–	·07	1·23	·37	·09		3
4	·03	·18	–	·14	·04	·02	–	–	·26	·10	·38	·01		4
5	–	·47	·05	·08	–	·07	–	–	·21	·01	·04	·04		5
6	–	–	–	·29	–	1·73	–	–	–	–	·19	·02		6
7	–	–	–	·39	–	·02	–	–	–	·55	·23	·11		7
8	–	–	–	·35	–	–	–	–	·09	·13	·42	·10		8
9	·05	–	–	·80	–	·21	–	–	–	·95	·68	–		9
10	·04	–	Snow ·16	·02	–	·07	–	–	–	–	·01	·02		10
11	·22	–	·23	–	–	·43	–	–	·02	–	·73	–		11
12	·09	·06	–	–	–	·33	–	·02	·16	–	·62	–		12
13	·13	·14	–	·25	·01	·25	–	–	·02	·01	·16	–		13
14	–	·01	–	·38	·05	·10	–	–	·11	·01	·70	·34		14
15	–	·06	–	·68	·25	·05	–	–	·29	–	·53	·18		15
16	–	·05	·08	·05	–	·07	–	–	·36	–	1·33	–		16
17	–	–	–	·03	·65	·35	–	·11	·02	–	·12	–		17
18	–	·03	–	·40	–	·07	·01	–	·60	·05	–	–		18
19	–	–	–	·04	·26	·03	·21	–	·23	·06	·32	–		19
20	–	·59	–	·12	·20	·01	–	–	·03	·01	·33	–		20
21	–	·79	–	·14	–	–	·03	–	·02	–	–	–		21
22	–	·08	·03	–	–	–	–	·10	·07	–	–	–		22
23	–	–	·12	·13	·03	–	–	·23	·01	·34	–	·31		23
24	·03	·58	–	–	·09	–	–	·34	·60	·10	–	·37		24
25	·18	·13	–	·07	·02	·03	–	–	–	–	–	·66		25
26	–	·41	–	–	–	·04	–	·19	·09	–	–	·93		26
27	–	·34	–	–	–	–	–	·06	·19	·02	·12	·84		27
28	–	·05	–	–	–	–	–	·04	·03	·06	–	·12		28
29	–	×	–	–	·07	–	–	·07	·19	–	·01	·74		29
30	–	×	–	·03	·02	–	–	1·23	·04	·02	·57	·79		30
31	–	×	–	×	–	×	–	·06	×	1·25	×	·34		31
													Year's Total.	
TOTAL	·77	3·97	1·23	4·39	1·71	4·29	·52	2·95	4·04	5·86	8·20	6·35	44·28	
* Days with .01 in. or more.	8	16	8	19	13	21	4	11	25	19	22	20	186	
* Days with .04 in. or more.	6	14	7	16	8	17	2	10	19	13	20	17	149	

40-9999

† Spare column, no entries required

(Signed) Evelyn Radcliffe.

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1596.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Tolpuddle

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·04	·03	·35	–	·17	·11	–	·01	–	·04	–		1
2	·02	·02	–	·05	–	·03	·47	·04	–	–	·03	–		2
3	–	–	–	·45	–	–	·06	–	·45	–	·48	–		3
4	–	–	·22	–	–	·09	·01	–	·34	–	·08	·05		4
5	·37	–	·04	–	·06	–	–	·05	·31	–	–	·07		5
6	·11	–	·01	–	–	·01	·04	·04	·29	–	·85	–		6
7	·09	–	·27	–	–	–	·31	–	–	–	·27	·03		7
8	·54	–	·54	–	–	–	·25	–	–	–	·42	·04		8
9	·40	–	·40	–	–	–	·49	–	·27	–	·05	–		9
10	·32	snow ·07	–	–	–	–	·14	–	–	–	·04	–		10
11	·33	snow fr ·14	–	snow ·19	–	·06	·07	–	·08	–	1·21	–		11
12	snow ·02	–	–	– m	–	·33	·34	·02	·12	–	·16	·02		12
13	·05	–	–	·03	–	·02	·24	–	–	·02	·11	·92		13
14	–	·06	–	–	–	·03	·41	–	·04	·01	·01	·91		14
15	–	·04	–	–	–	–	·01	–	·04	–	·08	·54		15
16	snow. ·	·21	–	·01	·14	–	·15	–	–	–	·15	·21		16
17	–	1·07	–	–	·04	–	·18	–	–	·01	·05	·73		17
18	·09	·17	–	–	–	·52	·42	–	–	–	–	·29		18
19	·43	·07	·03	·06	–	·18	·03	·08	–	–	–	–		19
20	·14	·21	·17	·14	–	·18	·03	–	·57	–	–	·01		20
21	–	·26	·18	·36	–	·05	·21	–	–	–	–	–		21
22	·18	·35	·68	–	–	–	·28	–	–	·03	–	·02		22
23	·05	·01	·08	·21	·10	–	·24	–	–	·09	–	–		23
24	·23	·05	·05	·02	·04	–	–	–	·15	·39	–	–		24
25	·02	–	·33	·19	–	–	–	–	·04	·30	–	–		25
26	·19	·20	·23	–	–	·04	–	–	·05	·10	–	–		26
27	·38	·48	·18	–	–	–	·15	–	·10	·17	–	–		27
28	·95	–	·73	–	–	–	·52	–	–	–	–	·29		28
29	·84	·06	·05	–	–	·11	–	–	–	·08	·06	·05		29
30	·22	×	–	–	·07	·05	–	–	–	·22	·01	–		30
31	·13	×	·55	×	–	×	·19	–	×	·53	×	·66		31
													Year's Total	
TOTAL	5·27	3·51	4·77	2·06	·45	1·87	5·35	·23	2·86	1·95	4·07	4·04	37·~~00~~ 23	
* Days with .01 in. or more.	25	18	19	12	6	15	25	5	15	12	18	16	186	✓
* Days with .04 in. or more.	22	16	16	9	6	11	21	4	14	8	15	12	154	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Evelyn Radcliffe [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Tolpuddle

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 1 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	.08	—	.23	—	—	—	—	.04	—	.17	1.06		1
2	.02	1.22	.01	.07	—	—	—	—	.14	—	—	.34		2
3	.03	.43	.06	.02	—	—	.01	—	—	—	—	—		3
4	.16	.77	—	—	—	—	—	.01	—	—	—	.26		4
5	.20	—	.03	—	—	—	.23	—	—	—	—	—		5
6	.15	.29	snow .25	.23	.06	—	.18	—	—	.05	—	—		6
7	—	.86	.01	.03	—	—	—	—	—	.01	—	snow .35		7
8	—	—	—	—	.46	.02	—	—	—	—	.40	snow. .05		8
9	—	.01	—	.17	.19	.09	.12	—	.52	—	—	snow .06		9
10	.13	—	.96	.10	.34	.30	.01	—	—	—	—	.55		10
11	.07	—	.18	.07	.51	—	.41	—	—	—	—	—		11
12	.70	.29	.06	.11	.02	.18	.05	—	.26	—	—	.32		12
13	.08	.01	.72	.26	—	.02	—	.50	.19	—	—	.06		13
14	.15	.01	.25	.01	—	—	—	.35	.07	—	—	.04		14
15	.26	.27	.07	.49	—	—	.78	—	.16	—	—	.07		15
16	.04	.06	.67	.18	—	—	.13	.37	1.54	—	—	—		16
17	.70	.06	.69	—	—	.02	.04	—	.70	—	.34	—		17
18	.21	.04	—	—	—	—	—	—	.02	—	.14	.20		18
19	.16	.07	.03	.27	.03	.14	—	—	—	—	—	.08		19
20	.43	—	.21	.22	—	—	—	—	—	—	—	.33		20
21	.61	.33	.16	.09	.21	—	.04	—	.01	—	.52	.14		21
22	.32	—	.06	—	.34	.02	.16	—	.05	1.11	.38	.15		22
23	.20	.26	—	—	.19	—	.07	—	—	.40	.07	.04		23
24	.30	.70	—	—	—	—	—	—	.03	.95	—	—		24
25	.75	.45	.35	—	.45	—	—	—	.04	.20	—	—		25
26	.01	.35	snow. .04	—	.52	—	—	—	—	.07	—	.09		26
27	.03	.14	—	.09	—	—	—	—	—	.47	—	—		27
28	snow .43	snow .25	—	—	—	—	—	—	—	.17	.03	—		28
29	snow .01	X	—	—	—	.02	—	—	—	.70	.01	—		29
30	.53	✕	—	—	—	.01	—	—	—	.05	.13	—		30
31	.42	✕	—	✕	—	✕	—	—	✕	.29	✕	—		31
TOTAL	7.23	6.95	4.01	2.52	3.32	.76	2.23	1.23	3.77	4.47	2.20	4.17	Year's Total 43.69	✓
* Days with .01 in. or more.	28	22	19	17	12	10	13	4	14	12	10	18	179	✓
* Days with .04 in. or more.	22	19	15	12	10	3	11	3	11	11	8	18	143	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Evelyn Radcliffe [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *The Vicarage Tolpuddle*
in the County of *Dorset*
Diameter of Funnel of Gauge 5 ins
Height of top of Gauge above Ground ft. 7 ins
,, Ground ,, Sea Level ft.

Ttals. of Rain & wet Days corr. for Arith. ok

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .04

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.01	—	—	—	.15	.23	—	.01	.57	—	.09		1
2	.03	—	—	—	Tr.	—	—	—	—	.16	.03	.07		2
3	—	—	—	—	.11	Tr.	—	—	—	1.03	.35	—		3
4	.01	—	—	—	.02	.02	.15	.59	—	.26	—	.29		4
5	.01	—	—	—	—	Tr	.15	.02	—	.15	.02	—		5
6	.08	—	—	—	—	.04	.23	—	.06	.18	.06	.12		6
7	.19	—	—	—	—	.09	.44	—	.14	.09	.01	.10		7
8	.19	—	—	—	—	.01	.04	.05	—	.44	—	.02		8
9	.12	.04	—	—	—	—	—	—	—	.02	—	.85		9
10	.06	—	—	—	—	.13	.02	—	—	.03	.02	.35		10
11	.14	—	—	—	—	—	—	—	—	.01	.30	.30		11
12	.62	—	—	—	.23	—	—	—	—	.25	.04	.02		12
13	.28	—	—	—	.01	—	—	—	—	.17	.84	.49		13
14	.51	—	—	—	.05	—	.38	—	—	—	—	.01		14
15	.33	—	—	—	.08	—	.38	—	—	.36	.04	.36		15
16	.32	—	.06	—	—	—	—	.03	—	.06	.06	.15		16
17	—	Snow .16	.04	—	.19	—	—	—	.34	.13	.04	—		17
18	.19	—	—	—	.12	.06	—	.09	.47	.02	.43	—		18
19	—	—	—	—	—	—	—	.21	.36	—	.72	—		19
20	—	—	—	—	—	—	—	—	—	—	.68	—		20
21	.05	—	—	—	—	—	—	.02	.08	—	.12	Snow		21
22	.02	—	—	.03	—	—	—	.31	—	.06	.60	Snow .21		22
23	—	—	—	—	—	—	—	—	.11	—	.06	—		23
24	—	—	.14	—	—	—	—	.04	.11	.06	.29	—		24
25	.26	.25	.04	—	.22	—	.10	.03	—	—	1.03	—		25
26	.40	.38	—	—	.31	.02	—	—	—	.08	—	Snow .28		26
27	.14	—	—	—	.07	.28	.59	.14	—	—	.52	—		27
28	.06	.12	—	—	.08	.09	—	.59	.11	—	.03	.06		28
29	—	—	—	—	.34	—	—	—	.31	.18	.40	.05		29
30	.04	✕	—	—	.07	.01	.08	—	.56	.04	.10	.03		30
31	.25	✕	—	✕	.28	✕	Tr.	—	✕	.31	✕	.34		31
TOTAL	4.30	.96	.28	.03	2.18	.90	2.79	2.12	2.66	4.66	6.29	4.19	Year's Total 31.36	✓
* Days with .01 in. or more.	28	6	4	1	15	13	12	12	12	23	24	20	~~145~~	165 ✓
* Days with .04 in. or more.	19	5	4	0	13	7	11	8	11	19	19	16	~~122~~	132 ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Evelyn Radcliffe

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Tolpuddle

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the **Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	—	.11	.08	.08	—	.02	.08	.05	—	TR	.08		1
2	—	—	.02	.28	—	—	—	.62	.70	—	.20	.07		2
3	.83	—	—	.56	—	—	—	.13	—	—	.11	.32		3
4	—	—	.53	.04	.32	—	.37	.14	—	.48	.06	.09		4
5	—	—	.03	.19	.24	—	.52	.09	—	.43	.76	.04		5
6	.57	—	.04	—	—	—	1.12	.03	—	TR	.72	—		6
7	.02	.50	—	—	—	—	.03	—	—	.03	.54	.82		7
8	.04	.22	.08	—	—	—	.07	.01	—	.68	.49	.29		8
9	.08	—	.04	—	—	—	—	.17	—	.25	.12	.31		9
10	.36	—	.02	—	—	TR	—	.31	.13	.23	.03	.03		10
11	—	.03	.19	—	—	TR	—	—	—	.47	TR	.02		11
12	—	—	—	—	—	.05	—	—	—	.04	.03	—		12
13	—	—	—	.12	—	.03	.34	—	.03	2.00	.02	.04		13
14	.81	—	—	TR	.04	.01	.15	—	T.R.	.24	.50	.09		14
15	.31	—	—	—	.10	1.17	.15	—	—	.23	.37	.03		15
16	.32	—	T.R.	.10	.04	.02	.33	—	—	.03	.20	—		16
17	.33	.07	—	—	.08	.03	.41	—	—	.10	.07	—		17
18	.08	.01	.02	—	T.R.	.09	.60	—	—	—	.58	.03		18
19	.50	—	—	—	—	—	.03	.13	—	—	—	.08		19
20	.42	—	—	—	—	.20	.19	.78	—	—	—	—		20
21	.02	.40	.06	—	—	.19	.18	—	—	—	—	—		21
22	.46	.39	.10	—	—	.45	.32	—	—	—	.42	—		22
23	—	—	—	.20	—	.02	.06	—	—	.01	1.38	—		23
24	.58	—	—	—	—	.44	.17	.02	—	T.R.	—	—		24
25	.85	.13	T.R.	.06	—	—	.08	—	—	.08	.51	—		25
26	—	.04	—	.06	—	T.R.	—	.08	—	.10	.44	T.R.		26
27	—	.30	—	T.R.	—	T.R	.04	—	—	.03	.11	Snow		27
28	—	.28	.04	—	—	.10	.48	—	—	—	.36	.28		28
29	—	≫	.03	.04	—	.12	.28	—	—	.14	.04	—		29
30	—	✕	—	.37	—	.03	—	.12	—	.29	.05	—		30
31	—	✕	—	✕	—	✕	—	.11	✕	.54	✕	—		31
TOTAL	6.62	2.9~~2~~7	431	2.15	.90	2.95	5.74	2.~~9~~82	.91	6.40	8.11	2.~~44~~62	Year's Total 43.10	
* Days with .01 in. or more.	18	11	14	12	7	15	22	19	4	20	24	16	178	
* Days with .04 in. or more.	~~18~~ 16	9	9	12	7	9	19	13	3	~~15~~ 16	21	12	146	

n/p late

Ow
10.7.40

† Spare column, no entries required.

(Signed) Evelyn Radcliffe

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

on **A** for the entry of Daily Observations

Station No. 1596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

ORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Tolpuddle

in the County of DORSET

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft. 7 ......in.

,, Ground ,, Sea Level .... 100 ....ft.

Letter written [illegible] re 1939 values from Jan – Sept

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·08	–	·23	–	–	–	–	·04	–	TR	·08		1
2	·02	1.22	·01	·07	–	–	–	–	·14	–	·20	·07		2
3	·03	·43	·06	·02	–	–	·01	–	–	–	·11	·32		3
4	·16	·77	–	–	–	–	–	·01	–	·48	·06	·09		4
5	·20	–	·03	–	–	–	·23	–	–	·43	·76	·04		5
6	·15	·29	snow ·25	·23	·06	–	·18	–	–	T.R.	·72	–		6
7	–	·86	snow ·01	·03	–	–	–	–	–	·03	·54	·82		7
8	–	–	–	–	·46	·02	–	–	–	·68	·49	·29		8
9	–	·01	–	·17	·19	·03	·12	–	·52	·25	·12	·31		9
10	·13	–	snow ·96	·10	·34	·30	·01	–		·23	·03	·03		10
11	·07	–	·18	·07	·51	–	·41	–	–	·47	TR	·02		11
12	·70	·29	·06	·11	·02	·18	·05	–	–	·04	·03	–		12
13	·08	·01	·72	·26	–	·02	–	·50	·26	2.00	·02	·04		13
14	·15	·01	·25	·01	–	–	–	·36	·19	·24	·50	·09		14
15	·26	·27	·07	·49	–	–	·78	–	·07	·23	·37	·03		15
16	·04	·06	·67	·18	–	–	·03	·37	·16	·03	·20	–		16
17	·70	·06	·69	–	–	·02	·04	–	1·54	·10	·07	–		17
18	·21	·04	–	–	–	–	–	–	·70	–	·58	·03		18
19	·16	·07	·03	·27	·03	·14	–	–	·02	–	–	·08		19
20	·43	–	·21	·22	–	–	–	–	–	–	–	–		20
21	·51	·33	·16	·03	·21	–	·04	–	–	–	–	–		21
22	·32	–	snow ·06	–	·34	·02	·16	–	·01	·01	·42	–		22
23	·20	·26	–	–	·19	–	·07	–	·05	TR	1·38	–		23
24	·30	·70	–	–	–	–	–	–	–	·08	–	–		24
25	·75	·45	·35	–	·45	–	–	–	·03	·70	·51	T.R.		25
26	·01	·35	snow ·04	–	·52	–	–	–	·04	·03	·44	–		26
27	·03	·14	–	·03	–	–	–	–	–	~~·47~~	·11	Snow		27
28	snow ·43	snow ·25	–	–	–	–	–	–	–	·14	·36	·20		28
29	snow ·01	–	–	–	–	·02	–	–	–	·29	·04	–		29
30	·53	✕	–	–	–	·01	–	–	–	·64	·05	–		30
31	·42	✕	–	✕	–	✕	–	–	✕	~~·07~~	✕	–		31
TOTAL	7·23	6·95	4.81	2.52	3.32	·76	2·13 ~~2·23~~	1.23	3.77	6.49	8.11	2.54	Year's Total ~~43.15~~	49.77
* Days with .01 in. or more.	28	22	19	17	12	10	13	4	14	20	24	18	172	
* Days with .04 in. or more.	25	19	15	12	10	3	10	3	11	16	21	13	158	

1937

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Evelyn Radcliffe

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Tolpuddle Parsonage
in the County of Dorset.
Diameter of Funnel of Gauge (2) in. 5
Height of top of Gauge above Ground ......ft. 7 ......in.
,, Ground ,, Sea Level 100 ft.

Jan + Feb adj. for snow

March 25 estd from nearby stations

Snow period – update 1939

Query sent re omissions 17/2/41

672259/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	·08	–	–	–	–	–	·13	·07		1
2	–	·28	–	·24	–	–	·04	–	–	–	·53	–		2
3	=	·65	–	–	–	–	–	–	–	·20	·79	·25		3
4	·06	·14	–	–	–	–	·06	–	–	·34	·19	·05		4
5	–	·02	–	–	–	–	·01	–	–	·05	·68	·39		5
6	·41	·51	–	–	–	–	Tr	–	–	·38	·08	·18		6
7	·11	·04	–	Tr.	–	–	–	–	–	·11	–	·02		7
8	–	–	–	·01	–	–	·11	–	–	·44	·22	·32		8
9	–	–	–	–	–	–	·18	·05	Tr	·12	·66	·20		9
10	–	Snow	–	–	–	–	1·13	·04	Tr	·14	·11	·12		10
11	–	–	–	–	–	–	·11	–	–	–	1·13	·04		11
12	–	–	·20	Tr	–	–	·25	–	·44	Tr.	·05	–		12
13	–	–	·66	–	–	–	·02	–	·02	·18	1·66	T.R		13
14	–	Snow	·19	·06	·05	–	·12	–	·26	·62	–	1·07		14
15	–	– (·20)	–	·02	·66	Tr	·25	–	·13	·38	·65	·01		15
16	–	Snow	·39	·17	–	·06	·04	–	·08	·91	·84	·05		16
17	Snow	Snow	·57	·06	–	Tr	–	–	·02	·07	1·06	–		17
18	(·10)	1·11	·35	·28	–	–	·02	–	·07	–	·03	·07		18
19	–	·06	·07	·18	–	–	·08	–	1·04	–	·50	–		19
20	–	TR	–	–	–	–	–	–	–	·43	·07	–		20
21	–	TR.	–	–	·31	–	–	–	·11	·02	·66	–		21
22	–	·02	·13	·04	–	·30	–	–	·23	–	–	–		22
23	–	·02	·12	·07	Tr	–	–	–	–	Tr.	·07	–		23
24	–	–	–	–	Tr	–	·23	–	–	–	–	–		24
25	·01	·70	(·20)	–	–	–	–	–	–	–	Tr.	–		25
26	1·32	–	–	·04	·11	Tr	·05	–	–	–	·03	–		26
27	·37	·36	–	Tr.	·39	–	·04	–	–	–	–	–		27
28	·45	·5	–	·03	–	–	–	–	–	·04	–	–		28
29	4 Snow	·55	·21	·84	·03	–	–	–	–	·03	–	·23		29
30	– 4	✕	·02	·04	–	–	–	–	–	·48	–	·15		30
31	4 ·44	✕	–	✕	–	✕	–	–	✕	·78	✕	·25	Snow	31
TOTAL	3.37 ~~2.77~~	4.71 ~~4.51~~	3.16 ~~2.96~~	2·08	1·63	·36	2·75	·09	2·40	5·72	10·08	3·47	Year's Total ~~39·32~~	39·82
* Days with .01 in. or more.	~~8~~ 11	~~14~~ 17	11	14	7	2	17	2	9	19	~~22~~ 21	17	~~150~~	155
* Days with .04 in. or more.	~~8~~ 11	14.	N10	11	6	2	14	2	7	17	18	15	~~133~~	135

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

MRS ASHTON RADCLIFFE

(*Signed*) Evelyn Radcliffe

[P.T.O.

[illegible] WH

1597

Section A for the entry o

AIR MINISTR

FORM 1090.

REGIS

1597

PUDDLETOWN VICARAGE

1931 — 40

780304

931.

FOR OFFICIAL USE.

FALL ORGANIZATION.

Letter sent re low total 11/5/32

Long. 2·21 W

Kept at Puddletown

in the County of Dors

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·10	-	·35	-	-	-	·04	·19	-	-	-	1
2	·10	-	-	·43	-	-	-		·65	-	-	·38	2
3	-	-	·64	-	·05	-	·05		·21	-	1·30	·24	3
4	·04	-	·05	-	·05	-	·64		·60	·12	·48	-	4
5	-	·20	-	·35	·20	·49	-	2·60	-	-	·58	·13	5
6	-	·15	-	·34	-	·09	-		-	·30	·18	·12	6
7	-	-	-	·18	-	·19	·15	·53	-	-	·31	·10	7
8	-	·26	-	-	-	·40	-	·03	-	·03	·22	·18	8
9	-	·35	-	-	-	·14	·05	·02	-	-	·90	-	9
10	-	·01	-	-	-	·21	·06	·08	·12	-	·53		10
11	·17	·48	-	-	·02	·09	·03	-	·01	·10	·36		11
12	-	-	-	-	·01	-	·36	-	·11	-	-		12
13	-	-	-	-	-	-	·24	-	-	-	-		13
14	-	·12	-	-	·04	·75	1·01	·07	-	-	·05		14
15	-	·05	-	-	·15	-	-	·31	-	-	-		15
16	-	·16	-	·12	·25	·54	-	·02	·08	-	-		16
17	-	·15	-	·08	-	·05	·42	-	·20	-	-		17
18	·07	-	·02	·13	-	·24	·09	1·31	-	-	·61		18
19	-	-	·03	·04	-	·28	-	·05	-	-	·05		19
20	·12	·16	·35	-	-	-	-	·31	-	·02	·03		20
21	·21	-	·05	-	·30	-	-	-	-	-	·03		21
22	·63	·05	·08	-	-	-	-	-	-	-	·68		22
23	·58	-	-	·14	·75	-		-	-	-	-		23
24	·08	-	-	·74	·18	·14	·58	·51	-	-	·03		24
25	·14	-	-	·19	-	-	·22	-	-	-	·37		25
26	-	·05	-	·20	·05	-	·58	-	-	-	·32		26
27	·25	·47	-		-	-	·15	-	-	-	·02		27
28	·04	-	·03		1·68	-	-	-	-	-	-	·07	28
29	·04	·10	·10		·08	-	·12	·05	·03	·02	·08		29
30	·63	×	·05		·02	-		·14	·03	-			30
31	·04	×	-	×		×	·03		×	-	×	·20	31
TOTAL	3·39	2·86	1·40	3·29	3·83	3·61	4·78	6·07	2·23	·59	7·13	1·42	YEAR'S TOTAL 40·60
*Days with ·01 in. or more.	16	16	10	13	15	13	14	15	11	6	20	8	160
*Days with ·04 in. or more.	16	15	7	13	12	13	15	13	8	3	16	8	139

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Arthur Helps [P.T.O.

1597

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Letter sent re low total 11/8/32

Kept at Puddletown Vicarage
in the County of Dorset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft 6 in.
,, Ground ,, Sea Level 200 ft.

Lat. 50·45 N. Long. 2·21 W

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·10	-	·35	-	-	-	·04	·19	-	-	-	1
2	·10	-	-	·43	-	-	-		·65	-	-	·38	2
3	-	-	·64	-	·05	-	·05		·21	-	1·30	·24	3
4	·04	-	·05	-	·05	-	·64		·60	·12	·48	-	4
5	-	·20	-	·35	·20	·49	-	2·60	-	-	·58	·13	5
6	-	·15	-	·34	-	·09	-		-	·30	·18	·12	6
7	-	-	-	·18	-	·19	·15	·53	-	-	·31	·10	7
8	-	·26	-	-	-	·40	-	·03	-	·03	·22	·18	8
9	-	·35	-	-	-	·14	·05	·02	-	-	·90	-	9
10	-	·01	-	-	-	·21	·06	·08	·12	-	·53		10
11	·17	·48	-	-	·02	·09	·03	-	·01	·10	·36		11
12	-	-	-	-	·01	-	·36	-	·11	-	-		12
13	-	-	-	-	-	-	·24	-	-	-	-		13
14	-	·12	-	-	·04	·75	1·01	·07	-	-	·05		14
15	-	·05	-	-	·15	-	-	·31	-	-	-		15
16	-	·16	-	·12	·25	·54	-	·02	·08	-	-		16
17	-	·15	-	·08	-	·05	·42	-	·20	-	-		17
18	·07	-	·02	·13	-	·24	·09	1·31	-	-	·61		18
19	-	-	·03	·04	-	·28	-	·05		-	·05		19
20	·12	·16	·35	-	-	-	-	·31	-	·02	·03		20
21	·21	-	·05	-	·30	-	-	-	-	-	·03		21
22	·63	·05	·08	-	-	-	-	-		-	·68		22
23	·58	-	-	·14	·75	-		-	-	-	-		23
24	·08	-	-	·74	·18	·14	·58	·51	-	-	·03		24
25	·14	-	-	·19	-	-	·22	-	-	-	·37		25
26	-	·05	-	·20	·05	-	·58	-	-	-	·32		26
27	·25	·47	-		-	-	·15	-	-	-	·02		27
28	·04	-	·03		1·68	-	-	-		-	-	·07	28
29	·04	·10	·10		·08	-	·12	·05	·03	·02	·08		29
30	·63	×	·05		·02	-		·14	·03	-			30
31	·04	×	-	×		×	·03		×	-	×	·20	31
TOTAL	3·39	2·86	1·40	3·29	3·83	3·61	4·78	6·07	2·23	·59	4·13	1·42	YEAR'S TOTAL 40·60
*Days with ·01 in. or more.	16	16	10	13	15	13	14	15	11	6	20	8	160
*Days with ·04 in. or more.	16	15	7	13	12	13	15	13	8	3	16	8	139

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Arthur Helps

[P.T.O.

1597

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Puddletown Vicarage
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft 6 in.
,, Ground ,, Sea Level 200 ft.

Lat: 50·45 North
Longitude ~~2·3~~ 2·21 West

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	-	-	·16	·12	-	-	·08		·02	·03	-	1
2	-	-	-	·13	·19	·08	-	·04	·12	-	-	·47	2
3	-	-	-	·02	-	·32	-	-	·65	·08	-	·03	3
4	·03	-	-	-	-	·39	-	-	-	-	·17	-	4
5	·56	-	·02	-	-	-	-	-	·19	-	-	-	5
6	·58	-	-	·21	-	-	-	-	·37	-	-	-	6
7	-	-	·07	·10	-	-	-	-	·29	·65	-	-	7
8	-	-	·63	·04	·14	-	-	-	·54	·46	-	-	8
9	·53	-	-	·24	·09	-	-	-	-	·15	·11	-	9
10	·33	-	-	·44	·05	·13	-	-	-	·14	·03	-	10
11	·03	-	-	·09	·03	·02	·15	-	·03	·14	-	-	11
12	1·09	-	-	·09	·41	-	-	-	·04	·74	-	·05	12
13	·10	-	-	·29	·08	-	-	-	-	-	-	-	13
14	·13	-	-	·17	·08	-	·14	-	-	-	·43	·03	14
15	·12	-	-	·04	·32	-	-	-	-	·04	·03	·05	15
16	·22	-	-	·08	·16	-	-	-	-	·02	-	-	16
17	·07	-	-	·04	-	-	-	-	·04	·05	-	-	17
18	-	-	-	-	·31	-	-	-	·03	-	·07	-	18
19	-	-	-	-	·03	-	·02	-	-	·62	-	-	19
20	-	-	-	-	·66	-	-	·21	-	1·25	·26	·05	20
21	·05	-	·17	-	·11	-	-	·06	·03	·45	·04	·13	21
22	-	-	·06	·09	·05	-	·06	-	·70	·32	·57	-	22
23	-	-	-	·04	·03	-	·32	-	·06	·82	·14	·10	23
24	-	·02	-	-	·11	-	·53	-	·14	·17	-	-	24
25		-	-	·02	-	-	·16	-	·04	·40	·06	-	25
26	-	-	·20	·09	-	-	·47	-	-	·11	·03	-	26
27	-	-	·52	·81	·23	·04	·23	-	-	·57	-	·09	27
28	-	-	·05	·15	·02	-	·03	-	-	~~·56~~	-	·04	28
29	-	-	·57	·03	·20	·64	·15	·52	·65	·56	·30	·15	29
30		×	·08	·20		1·78	·03		·40	·05	·90	·25	30
31		×	·08	×		×	·05		×	·02	×	·45	31
TOTAL	3·91	·02	2·45	3·54	3·42	3·40	2·04	·91	4·32	4·83	3·17	1·89	YEAR'S TOTAL 36·93
*Days with ·01 in. or more.	14	1	11	23	21	8	13	5	17	23	15	13	164
*Days with ·04 in. or more.	12	-	10	20	17	7	10	5	14	19	11	11	136

~~40-9999~~

(Signed) C. L. Helps

P.T.O.

*See Instruction 2 (*f*) on other side.

[illegible]

1597

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~1597~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Arith checked.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Puddletown Vicarage

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 6 in.

,, Ground ,, Sea Level 200 ft.

Lat: 50·45 north

Long: 2·21 west

Oct period whilst g. was at M.O. for test estimated by surrounding stations. Observer informed 6/3/34. Observer answered 8/3/34. J. Stuck.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. I conform to the Rule.

Jan. 1, following: —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	·80	-	·01	-	·03	-	-	-	-	·04	·24	1
2	·86	-	·94	-	·12	-	-	-	-	-	-	-	2
3	-	·10	·37	-	-	-	-	-	-	-	-	-	3
4	·14	·08	·07	-	·12	-	-	-	-	-	-	-	4
5	-	·01	·65	-	·06	-	-	-	-	-	-	-	5
6	·08	·38	-	-	·29	-	-	-	-	·21	·03	-	6
7	·01	·04	·02	-	·20	-	·04	-	-	·26	-	-	7
8	-	·02	·02	-	·03	-	·58	-	-	·01	-	-	8
9	-	·02	-	-	·31	-	·58	·03	-		-	-	9
10	-	·10	-	-	-	-	·20	-	-		·02	-	10
11	·18	-	-	-	-	·10	-	·02	-		-	-	11
12	-	-	-	·10	-	-	·08	-	·97		-	·06 (snow)	12
13	·03	-	-	-	·03	-	·58	·05	-		·04	-	13
14	·01	-	-	-	-	-	·10	·06	-		·50	-	14
15	·74	-	·36	-	-	-	·15	·15	-		·12	-	15
16	-	-	1·09	-	-	-	-	-	·08		-	-	16
17	-	·10	·41	-	-	·13	-	·10	·21		-	-	17
18	·10	-	·22	-	-	·08	-	-	-		-	-	18
19	·01	-	·13	-	-	-	-	·19	·39		·18	·03	19
20	-	-	-	·04	-	-	-	-	·08		·01	-	20
21	-	-	-	-	·06	-	-	·09	·02		-	-	21
22	-	-	-	·01	-	·05	-	·32	·24		-	-	22
23	-	·21	-	·62	-	·20	-	-	·25		-	-	23
24	-	2·17	-	·50	-	·05	-	-	·02		-	-	24
25	-	·45	-	·37	-	·05	-	-	·12		·01	·27	25
26	-	·48	-	·17	-	-	-	-	-	(140)	-	-	26
27	-	·05	-	-	·34	-	·05	-	·02	·26	-	·65	27
28	-	-	-	·45	-	-	·67	-	-	-	-	-	28
29	·10	-	-		-	-	-	-	-	-	-	·02	29
30	·01	×	·08		-	-	·09	-	·12	-	-	·06	30
31	·40	×	·06	×	-	×	-	-	×	-	×	-	31
TOTAL	3·12	5·01	4·42	2·27	1·56	·69	3·12	1·01	2·52	(2·14) ~~·74~~	·95	1·33	YEAR'S TOTAL ~~26·74~~ 28.14
*Days with ·01 in. or more.	14	15	13	9	10	8	11	9	12	16 ~~15~~	9	7	133
*Days with .04 in. or more.	9	12	11	7	8	7	11	7	9	12 ~~8~~	5	5	103

Gauge at Meteorological Office for adjustment or repair. Rainfall in that period not known.

40-9999.

*See Instruction 2 (*f*) on other side,

(Signed) A. L. Helps.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Puddletown Vicarage

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 6 in.

,, Ground ,, Sea Level 200 ft.

Lat. 50·45 north

Long 2·21 west.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·	·	·	·	·	·	·60	·	·01	·19	1·20		1
2	·41	·	·14	·	·	·	·	·	1·38	·06	·07	·38		2
3	·09	·	·	·	·	·	·	·	·	·68	·	·42		3
4	·13	·	·27	·02	·32	·	·	·07	·	·07	·	·35		4
5	·	·	·35	·	·02	·	·	·85	·	·09	·	·60		5
6	·14	·	·	·08	·18	·	·	·	·	·55	·18	·77		6
7	·08	·	·	·	·	·	·	·10	·	·15	·	·71		7
8	·	·	·	·	·25	·	·	·01	·05	·	·82	·13		8
9	·06	·	·15	·	·	·	·	·	·	·	·51	·11		9
10	·30	·	·28	·33	·	·	·	·01	·	·	·08	·05		10
11	·70	·	·47	·23	·	·	·04	·24	·	·	·	·54		11
12	·10	·01	·01	·	·	·	·13	·17	·	·	·	·20		12
13	·50	·	·06	·23	·	·	·	·	·	·	·11	·75		13
14	·18	·	·37	·04	·	·	·	·	·	·02	·	·54		14
15	·04	·	·01	·15	·	·	·	·	·	·16	·12	·51		15
16	·34	·	·51	·	·	·	·	·	·	·	·	·16		16
17	·16	·	·	·21	·08	·	·	·	·08	·06	·	·50		17
18	·10	·	·27	·12	·	·	·	·	·06	·	·	·44		18
19	·	·	·21	·04	·	·05	·	·05	·11	·	·	·24		19
20	·	·	·05	·16	·	·	·01	·	·	·02	·	·		20
21	·	·	·04	·06	·	·20	·	·03	·	·34	·	·15		21
22	·	·	·04	·	·	·	·	·20	·30	·	·	·27		22
23	·	·02	·06	·35	·	·38	·	·	·07	·06	·	·10		23
24	·	·04	·	·02	·	·03	·04	·	·27	·	·	·05		24
25	·35	·	·	·21	·	·	·	·	·	·20	·	1·10		25
26	·	·	·	·10	·	·19	·	·	·22	·	·04	·26		26
27	·01	·	·	·	·	·04	·	·	·	·01	·	·62		27
28	·	·	·	·	·	·11	·	·67	·05	·	·	·80		28
29	·	·	·	·	·	·	·	·07	·48	·	·01	·05		29
30	·01	×	·	·	·	·	·	·	·29	·	·01	·45		30
31	·	×	·	×	·	×	·	·02	×	·02	×	·01		31
TOTAL	3·75	·07	3·29	2·35 ~~2·21~~	·85 ~~1·00~~	1·00	·22	3·09	3·36	2·49 ~~2·[illegible]~~	2·14	12·46	Year's Total 35·08 7	
*Days with ·01 in. or more.	19	3	17	16	6	7	4	14	12	16	11	30	155	
*Days with ·04 in. or more.	17	1	15	14	5	6	3	10	12	11	9	29	132	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. L. Helps

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Puddletown Vicarage

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 6 in.

,, Ground ,, Sea Level 200 ft.

Lat 50·45 North
Long 2·21 West.

Corr for Arith
Obsr notified
25/2/36.

Observer agrees to correction

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	·41	-	-	·24	·23	-	·44	·30	·21	·24		1
2	-	-	-	-	-	·07	-	-	·01	·71	·04	·05		2
3	-	-	·12	-	·02	·23	-	-	·07	1·02	·31	-		3
4	·01	·18	-	·13	-	·04	-	-	·16	·06	·15	·12		4
5	-	·43	·04	·03	-	·11	-	-	·23	·01	·03	·02		5
6	-	-	-	·32	-	1·82	-	-	-	-	·35	·01		6
7	-	-	-	·44	-	-	-	-	-	·35	·22	·11		7
8	-	-	-	·38	-	-	-	-	·07	·31	·52	·07		8
9	·02	-	-	1·03	-	·21	-	-	-	1·03	·74	-		9
10	·03	-	Snow ·04	·02	-	·03	-	-	-	-	·02	·02		10
11	-	-	·02	-	-	·50	-	-	-	-	·79	-		11
12	·26	·05	-	-	-	·39	-	·01	·18	-	·67	-		12
13	·09	·17	-	·28	-	·28	-	-	·04	·01	·15	-		13
14	·12	·01	-	·25	·02	·12	-	-	·11	·02	·95	·36		14
15	-	·08	-	·74	·21	·06	-	-	·30	·01	·61	·17		15
16	-	·07	·08	·04	-	·10	-	-	·45	-	1·24	-		16
17	-	-	-	·02	·63	·28	-	·12	·02	-	·11	-		17
18	-	·04	-	·49	-	·03	-	-	·70	·05	-	·02		18
19	-	·05	-	·09	·24	·08	·29	-	·28	·07	·35	-		19
20	-	·58	-	·11	·29	·02	-	-	·05	-	·33	-		20
21	-	·87	-	·12	-	-	·03	-	·01	-	-	-		21
22	-	·05	·04	·07	-	-	-	·11	·09	-	-	-		22
23	-	·03	·14	·05	·04	-	-	·32	·01	·37	-	·25		23
24	·04	·63	-	-	·07	-	-	·83	·72	·12	-	·43		24
25	·21	·20	-	·07	·03	·01	-	-	-	-	-	·57		25
26	-	·46	-	-	·02	·05	-	·23	·10	-	·01	1·00		26
27	-	·33	-	-	-	-	-	·02	·22	·02	·12	·81		27
28	-	·05	-	-	-	-	-	·11	·12	-	-	·08		28
29	-	-	-	-	·08	-	-	·09	·21	·03	·01	·73		29
30	-	×	-	·02	-	-	-	1·33	·06	·33	·55	·95		30
31	-	×	-	×	-	×	-	·07	×	1·24	×	·48		31
TOTAL	·78	4·28	·89	4·70	1·65	4·67	·55	3·24	4·65	6·06	8·51	6·49	Year's Total ~~52·18~~ 46·47	
*Days with ·01 in. or more.	8	18	8	20	11	20	3	11	24	19	23	20	185	
*Days with ·04 in. or more.	5	16	7	16	7	16	2	9	20	13	19	16	146	

40-9099

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) C. L. Helps

[P.T.O.

1597

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Puddletown Vicarage.

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 6 in.

,, Ground ,, Sea Level 200 ft.

Lat. 50·45 North.

Long. 2·21 West.

afc

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·03	·08	·45	-	·26	·13	-	-	-	·05	·02		1
2	·01	·02	-	·04	-	·03	·62	·05	-	-	·04	-		2
3	-	-	-	·37	-	-	·09	-	·41	-	·47	-		3
4	-	-	·27	-	-	·09	-	-	·37	-	·08	·04		4
5	·39	-	·03	-	·01	-	-	·05	·76	-	-	·07		5
6	·08	-	·01	-	-	-	·05	·06		-	1·04	-		6
7	·04	-	·43	-	-	-	·48	-	-	-	·25	·04		7
8	·66	-	·71	-	-	-	·26	-	-	-	·51	-		8
9	·39	-	·43	-	-	-	·38	-	-	-	·05	·02		9
10	·24	SLEET ·79	-	-	-	-	·12	-	-	-	·06	-		10
11	SNOW ·28	-	-	-	-	·04	·09	-	·32	-	1·23	-		11
12	-	-	-	·13	-	·38	·45	-	-	-	·11	-		12
13	·03	-	-	-	-	·04	·18	-	·04	·02	·15	·95		13
14	-	·06	-	-	-	·04	·42	-	-	-	·01	1·05		14
15	-	·04	-	-	-	-	·01	-	·10	-	·11	·55		15
16	-	1·41	-	·07	·16	-	·17	-	·03	-	·20	·25		16
17	-		-	-	·01	-	·25	-	-	-	·06	·95		17
18	·08	·16	-	-	-	·35	·56	-	-	·02	-	·25		18
19	·57	·05	·04	·10	-	·17	·01	·10	-	-	-	-		19
20	·06	·21	·17	·20	-	·39	·04	-	·65	-	-	-		20
21	-	·29	·15	·32	-	·05	·03	-	-	-	-	-		21
22	·23	·35	·70	-	-	-	·33	-	-	·05	-	·02		22
23	·03	·01	·03	·23	·08	-	·35	-	-	·09	-	-		23
24	·21	·04	·05	·02	·02	-	-	-	·08	·48	-	-		24
25	·11	-	·36	·23	-	-	-	-	·06	·40	-	-		25
26	·27	·21	·25	·01	-	-	-	-	-	·13	-	-		26
27	·38	·48	·19	-	-	-	·14	-	·12	·18	-	-		27
28	·98	·02	·78	·01	-	-	·16	-	-	·10	-	·38		28
29	·02	·06	·08	-	-	·05	-	-	-	-	·04	·10		29
30	·26	×	-	-	-	·11	-	-		·15	-	-		30
31	·13	×	·65	×	-	×	·19		×	·61	×	·75		31
TOTAL	5·81	3·63	5·41	2·18	·28	2·00	5·51	·26	2·94	2·23	4·46	5·44	Year's Total. 40·15	
* Days with .01 in. or more.	23	18 ~~17~~	19	13	5	13	24	4	12 ~~11~~	11	17	15	~~172~~	174
* Days with .04 in. or more.	19	14 ~~13~~	16	10	2	12	21	4	11 ~~10~~	9	16	12	~~144~~	146

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. L. Helps

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Puddletown Vicarage

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

,, Ground ,, Sea Level 200 ft.

Lat. 50·45 North

Long. 2·21 West

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	·06	–	·20	–	–	–	–	·06	–	·10	1·02		1
2	·02	1·48	·01	·13	–	–	–	–	·14	–	–	·46		2
3	·04	·47	·06	·05	–	–	·02	–	–	–	–	–		3
4	·20	·86	–	–	–	–	–	–	–	–	–	·26		4
5	·21	–	·02	·02	–	–	·24	–	–	–	–	–		5
6	·16	·30	·21	·25	·10	–	·28	–	–	·07	–	–		6
7	–	·87	·01	·05	–	–	–	–	–	–	–	·28		7
8	–	–	–	–	·45	·02	–	–	–	–	·28	·04		8
9	–	–	Snow ·15	·18	·19	·01	·16	–	·55	–	–	·02		9
10	·11	–	·83	·18	·49	·23	–	–	–	–	–	·58		10
11	·08	–	·29	·06	·61	–	·42	–	–	–	–	–		11
12	·79	·30	·10	·08	·06	·31	·03	·50	·26	–	–	·37		12
13	·14	·03	·72	·21	–	·01	–	·21	·19	–	–	·06		13
14	·07	·02	·23	–	–	–	–	·02	·12	–	–	·05		14
15	·33	·30	·06	·51	–	–	2·95	–	·14	–	–	·08		15
16	·05	·11	·80	·19	–	–	·03	·48	1·64	–	·01	–		16
17	·94	·06	·91	–	–	·13	–	–	·32	–	·33	–		17
18	·16	·06	–	–	–	–	–	–	·03	–	·13	·15		18
19	·17	·06	·06	·38	·04	·06	–	–	–	–	–	·13		19
20	·52	·03	·15	·26	·02	–	–	–	–	–	–	·41		20
21	·45	·38	·09	·04	·20	–	·04	–	·01	–	·75	·18		21
22	·26	·01	·05	–	·47	·02	·23	–	·07	1·00	·72	·23		22
23	·22	·24	–	–	·14	–	·04	–	–	·32	·06	·03		23
24	·35	·78	–	–	–	–	–	–	·03	1·13	–	·04		24
25	·66	Snow ·40	·32	–	·44	–	–	–	·06	·18	–	·03		25
26	–	·40	·03	–	·69	–	–	–	–	·07	–	·03		26
27	·02	·44	–	·02	–	–	–	–	–	·45	–	–		27
28	Snow ·10	·07	–	–	–	–	–	–	–	·20	·02	–		28
29	·10	–	–	–	–	·01	–	–	–	·68	·02	–		29
30	·46	×	–	–	–	·02	–	–	–	·10	·20	–		30
31	·20	×	–	×	–	×	–	–	×	·28	×	–		31
TOTAL	7·07	7·73	5·10	2·81	3·90 3·90	·82	4·44	1·21	3·62	4·48	2·62	4·45 4·45	Year's Total 48·25	✓
* Days with .01 in. or more.	27	23	20	17	13	10	11	4	14	11	11	20	181	✓
* Days with .04 in. or more.	25	19	16	15	12	4	8	3	11	11	8	16	148	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. L. Helps [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations | Station No. 1597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Puddletown Vicarage

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 200 ft.

Lat 50·45 North

Long 2·21 West

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·02	-	-	·01	·14	1·11	-	-	·56	-	·08		1
2	·01	-	-	·01	-	-	-	-	-	·15	·06	·08		2
3	-	-	-	-	·11	-	-	-	-	1·18	·46	-		3
4	-	-	-	-	·01	-	·19	·78	-	·18	-	·39		4
5	-	-	-	-	-	-	·12	·01	-	·19	·01	-		5
6	·08	-	-	-	-	·05	·23	-	·09	·19	·09	·07		6
7	·17	-	-	-	-	·13	·45	·01	·04	·13	-	·08		7
8	·22	-	-	-	-	·04	·04	·04	·01	·56	·01	·03		8
9	·11	·05	-	-	-	-	-	·01	-	·01	-	·84		9
10	·07	-	-	-	-	·12	·02	-	-	-	-	·52		10
11	·16	-	-	-	-	-	-	-	-	-	·33	·30		11
12	·66	-	-	-	·27	-	·02	-	-	·30	·04	·01		12
13	·33	-	-	-	-	-	·01	-	-	·16	·40	·53		13
14	·61	-	-	-	·05	-	·39	-	-	-	-	·01		14
15	·34	-	-	-	·06	-	·30	-	-	·44	·02	·63		15
16	·49	-	·05	-	-	-	-	·05	-	·13	·04	·17		16
17	-	·14	·04	-	·30	-	-	-	·43	·16	·04	·01		17
18	·21	-	-	-	·08	·05	-	·12	·33	·03	·50	-		18
19	-	-	-	-	-	-	-	·25	·31	-	·60	-		19
20	-	-	-	-	-	-	-	-	·08	-	1·15	-		20
21	·05	-	-	-	-	-	-	·02	-	-	·13	Snow ·10		21
22	·03	-	-	·26	-	-	-	·34	-	·19	·63	·03		22
23	·01	-	-	-	-	-	-	-	·01	-	·05	-		23
24	-	-	·16	-	-	-	-	·09	·15	-	·35	-		24
25	·17	·29	·04	-	·29	-	·13	·07	-	·01	1·18	-		25
26	·40	·40	·01	-	·37	·03	·02	-	·01	·02	·69	·32		26
27	·14	-	-	-	·25	·32	·73	·13	-	·08	-	-		27
28	·07	·12	-	-	·09	·12	-	·74	·09	-	-	·05		28
29	-	—	-	-	·40	-	-	-	·66	·21	·42	·07		29
30	·03	✕	-	-	·08	·03	·10	-	·33	·03	·07	·03		30
31	·31	✕	-	✕	·24	✕	-	-	✕	·38	✕	·42		31
TOTAL	4·67	1·02	·30	·27	2·61	1·03	3·86	2·66	2·54	5·29	7·27	4·77	Year's Total 36·29	✓
* Days with .01 in. or more.	22	6	5	2	15	10	15	14	13	22	22	22	168	✓
* Days with .04 in. or more.	18	5	4	1	13	8	11	10	10	17	19	15	131	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. L. Helps

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 1597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Puddletown Vicarage

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

,, Ground ,, Sea Level 200 ft.

Lat. 50·45 North

Long. 2·21 West

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	·11	·03	·07	–	·04	·09	·05	–	·01	·15		1
2	–	–	·01	·34	–	–	–	·60	·73	–	·13	·06		2
3	·82	–	·01	·53	–	–	–	·11	–	–	·08	·38		3
4	·01	–	·60	·23	·38	–	·31	·34	–	·42	·07	·11		4
5	–	–	·04	·19	·21	–	·47	·03	–	·37	·92	·02		5
6	·51	–	·06	–	–	–	1·43	·14	–	–	·62	–		6
7	–	·53	–	–	–	–	·03	–	–	–	·58	1·02		7
8	·08	·28	·08	–	·01	–	–	·01	–	·75	·31	·36		8
9	·08	[illegible]	·06	–	–	–	–	·24	–	·25	·05	·43		9
10	·35	–	·02	–	–	–	–	·32	·13	·26	·04	·05		10
11	–	–	·17	–	–	–	–	–	–	·42	·01	·02		11
12	–	·04	–	·02	–	–	–	–	–	·04	·03	–		12
13	–	–	–	·12	–	·03	·41	–	·04	1·82	·02	·05		13
14	·90	–	–	–	·03	–	·20	–	–	·18	·58	·08		14
15	·31	–	–	–	·07	1·50	·27	–	–	·07	·42	·02		15
16	·25	–	–	·12	·03	·03	·24	–	–	·05	·23	–		16
17	·35	·07	–	–	·03	·01	·34	–	–	·12	·08	–		17
18	·10	–	·01	–	·03	·17	·55	–	–	–	·62	·01		18
19	·55	–	–	–	–	–	·01	·06	–	–	–	·05		19
20	·46	–	–	–	–	·13	·29	·61	–	–	–	·01		20
21	·02	·51	·09	–	–	·13	·17	–	–	–	–	–		21
22	·51	·36	·10	–	–	·40	·29	–	–	~~·56~~ –	·56	–		22
23	–	–	–	·22	–	·02	·06	–	–	·01	1·60	–		23
24	·59	–	–	·04	–	·42	·16	·02	–	–	–	–		24
25	·60	·12	–	·04	–	–	·07	·01	–	·05	·61	–		25
26	–	·05	–	·01	–	–	–	·05	–	·10	·57	·03		26
27	–	·32	·04	–	–	–	·07	–	–	·02	·14	–		27
28	–	·29	·03	–	–	·10	·41	–	–	–	·42	·18		28
29	–	–	–	·04	–	·01	·34	–	–	·21	·04	–		29
30	–	✕	–	·33	–	–	–	·05	–	·27	·04	–		30
31	–	✕	–	✕	–	✕	–	·09	✕	·49	✕	–		31
													Year's Total	
TOTAL	6·52	2·57	1·43	2·26	·86	2·95	6·16	2·77	·95	5·90	8·78	3·03	44·18	✓
* Days with .01 in. or more.	18	10	15	14	9	12	21	16	4	19	26	18	182	✓
* Days with .04 in. or more.	15	10	10	11	4	7	19	12	4	16	22	12	142	✓

† Spare column, no entries required.

(*Signed*) A. L. Helps
Canon.

P.T.O.

* See Instruction 3 (f) on other side.

Section **A** for the entry of Daily Observations

Station No. 1597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Puddletown Vicarage
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
,, Ground ,, Sea Level 200 ft.

Lat. 50·45 North
Long. 2·21 West
Snow Jan + Feb

T [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	·04	-	-	-	-	-	·12	-		1
2	-	·30	-	·31	-	-	·02	-	-	-	·54	·06		2
3	·01	·62	-	-	-	-	-	-	-	·18	·86	·25		3
4	·01	·27	-	-	-	-	·06	-	-	·41	·14	·03		4
5	-	·03	-	-	-	-	·01	-	-	·04	·77	·41		5
6	·44	·57	-	-	-	-	·02	-	-	·48	·02	·16		6
7	·13	·04	-	-	-	-	-	-	-	·13	-	·02		7
8	-	-	-	-	-	-	·12	-	-	·58	·21	·35		8
9	-	-	-	·02	-	-	·16	-	·01	·12	·75	·22		9
10	-	-	-	-	-	-	1·30	·07	-	·11	·10	·10		10
11	-	-	-	-	-	-	·19	-	-	-	1·29	·02		11
12	-	-	·32	-	-	-	·24	-	·51	-	·05	-		12
13	-	-	·64	-	-	-	·14	-	-	·20	1·46	·01		13
14	-	-	·15	·04	·10	-	·08	-	·25	·75	-	1·18		14
15	-	{ ·04 SNOW	-	·01	·60	-	·23	-	·15	·24	·92	·01		15
16	-	1·32	·46	·14	-	·05	·04	-	·09	·95	·91	·06		16
17	-	-	·69	-	-	-	·05	-	·01	-	·85	-		17
18	SNOW ·08	·44	·41	·26	-	-	·02	-	·11	·08	·02	·07		18
19	-	·05	·07	·24	-	-	·10	-	1·29	-	·61	-		19
20	-	-	·01	·02	-	-	-	-	-	·58	·06	-		20
21	-	-	-	-	·34	-	-	-	·02	·01	·69	-		21
22	-	·02	·07	·05	-	·31	-	-	·21	-	-	·01		22
23	-	-	·26	·07	-	-	-	-	-	-	·07	-		23
24	-	-	-	-	-	-	·22	-	-	-	-	-		24
25	{ +	-	·16	·03	-	-	-	-	-	-	-	-		25
26	1·45	·90	-	·01	·13	-	·03	-	-	-	-	-		26
27	·41	·37	-	-	·55	-	·05	-	-	-	-	-		27
28	·45		-	-	·01	-	-	-	-	·03	-	-		28
29	Rain+Snow ·24	·46	·25	1·23	-	·01	-	-	-	·03	-	·25		29
30	·15	×	·01	·07	-	-	-	-	-	·57	-	·09		30
31	·04	×	·02	×	-	×	-	-	×	·89	×	·27		31
TOTAL	3·41	5·43	3·52	2·50	1·47	·37	3·08	·07	2·65	6·38	10·47	3·57	Year's Total 43·22	/
* Days with .01 in. or more.	N12	14	14	14	7	3	19	1	10	19	20	19	152	/
* Days with .04 in. or more.	~~9~~ 10	12	11	9	6	2	14	1	7	16	18	13	122	/

† Spare column, no entries required.

(*Signed*) A. L. Helps. R.T. (Canon)

* See Instruction 3 (f) on other side.

1598

159~~8~~
BARROW HILL
BERE REGIS
1931 — 40
780304

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIST **31.**

Kept at Barrow H

in the County of Do

1598

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·21	—	·01	—	·05	·13	·02	—	·01	1
2	·26	·04	—	·38	—	—	—	·02	·62	—	—	·30	2
3	·10	—	·66	—	—	—	—	·01	·14	—	·88	·25	3
4	—	—	·02	—	·05	·12	·47	·02	·12	—	·53	—	4
5	—	·14	—	·13	—	·66	·02	1·13	—	—	·28	·08	5
6	—	·15	—	·17	·07	·17	—	·01	—	·37	·13	·31	6
7	—	—	—	—	·18	·15	·10	·47	—	—	·22	·06	7
8	Snow ·01	·18	—	·14	—	·37	—	·03	—	—	·19	·09	8
9	—	·23	—	—	—	·11	·04	·04	—	—	·89	—	9
10	—	—	—	—	—	·13	·04	—	·24	—	·46	—	10
11	·12	·30	—	—	—	·04	—	—	·02	—	·19	—	11
12	—	·02	—	—	—	—	·29	—	·07	·07	—	—	12
13	—	—	—	—	—	—	·05	·06	—	—	—	—	13
14	—	·09	—	—	·01	·46	·99	·06	·01	—	·03	—	14
15	—	·03	—	·02	·17	—	—	·04	—	—	—	·02	15
16	—	·01	—	·03	·16	·26	—	—	·08	—	—	—	16
17	—	Snow ·05	—	·02	—	—	·31	1·16	·19	—	—	—	17
18	·04	—	·03	·08	—	·09	·05	·01	—	—	·63	—	18
19	·11	—	—	·01	—	·26	·07	·11	·02	—	·03	—	19
20	—	·10	·26	—	—	—	—	·15	—	—	—	·01	20
21	·10	—	—	—	·31	—	—	—	—	—	—	—	21
22	·50	—	·08	·02	—	—	—	·19	—	—	—	—	22
23	·35	—	—	·13	·73	—	—	·02	—	—	·47	—	23
24	·04	—	—	·38	·19	·79	·46	·64	—	—	·01	—	24
25	·08	—	—	·30	·09	—	1·24	—	—	—	·28	—	25
26	—	—	—	·11	—	—	·35	—	—	—	·26	—	26
27	·15	·46	—	—	1·12	—	·06	—	—	·02	·02	—	27
28	·03	·06	·03	—	·07	—	—	—	—	—	—	·03	28
29	·05	✕	·07	—	·02	—	·05	·06	—	·02	·11	—	29
30	—	✕	·01	—	—	—	—	·22	·01	—	·01	—	30
31	·48	✕	—	✕	·11	✕	·02	—	✕	—	✕	·10	31
TOTAL	2·42	1·87	1·16	2·13	3·28	3·61	4·61	4·49	1·65	·50	5·62	1·26	YEAR'S TOTAL 32·60
*Days with ·01 in. or more.	15	15	8	15	14	14	17	21	12	5	19	11	166
*Days with ·04 in. or more.	13	11	4	10	12	13	15	14	8	2	14	7	123

40-9999

(Signed) A E Lucas

P.T.O.

*See Instruction 2 (*f*) on other side.

1598

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Barrow Hill, Bere Regis

in the County of Dorset

Station no. - 1598

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·21	—	·01	—	·05	·13	·02	—	·01	1
2	·26	·04	—	·38	—	—	—	·02	·62	—	—	·30	2
3	·10	—	·66	—	—	—	—	·01	·14	—	·88	·25	3
4	—	—	·02	—	·05	·12	·47	·02	·12	—	·53	—	4
5	—	·14	—	·13	—	·66	·02	1·13	—	—	·28	·08	5
6	—	·15	—	·17	·07	·17	—	·01	—	·37	·13	·31	6
7	—	—	—	—	·18	·15	·10	·47	—	—	·22	·06	7
8	Snow ·01	·18	—	·14	—	·37	—	·03	—	—	·19	·09	8
9	—	·23	—	—	—	·11	·04	·04	—	—	·89	—	9
10	—	—	—	—	—	·13	·04	—	·24	—	·46	—	10
11	·12	·30	—	—	—	·04	—	—	·02	—	·19	—	11
12	—	·02	—	—	—	—	·29	—	·07	·07	—	—	12
13	—	—	—	—	—	—	·05	·06	—	—	—	—	13
14	—	·09	—	—	·01	·46	·99	·06	·01	—	·03	—	14
15	—	·03	—	·02	·17	—	—	·04	—	—	—	·02	15
16	—	·01	—	·03	·16	·26	—	—	·08	—	—	—	16
17	—	Snow ·05	—	·02	—	—	·31	1·16	·19	—	—	—	17
18	·04	—	·03	·08	—	·09	·05	·01	—	—	·63	—	18
19	·11	—	—	·01	—	·26	·07	·11	·02	—	·03	—	19
20	—	·10	·26	—	—	—	—	·15	—	—	—	·01	20
21	·10	—	—	—	·31	—	—	—	—	—	—	—	21
22	·50	—	·08	·02	—	—	—	·19	—	—	—	—	22
23	·35	—	—	·13	·73	—	—	·02	—	—	·47	—	23
24	·04	—	—	·38	·19	·79	·46	·64	—	—	·01	—	24
25	·08	—	—	·30	·09	—	1·24	—	—	—	·28	—	25
26	—	—	—	·11	—	—	·35	—	—	—	·26	—	26
27	·15	·46	—	—	1·12	—	·06	—	—	·02	·02	—	27
28	·03	·06	·03	—	·07	—	—	—	—	—	—	·03	28
29	·05	✕	·07	—	·02	—	·05	·06	—	·02	·11	—	29
30	—	✕	·01	—	—	—	—	·22	·01	—	·01	—	30
31	·48	✕	—	✕	·11	✕	·02	—	✕	—	✕	·10	31
TOTAL	2·42	1·87	1·16	2·13	3·28	3·61	4·61	4·49	1·65	·50	5·62	1·26	YEAR'S TOTAL 32·60
*Days with ·01 in. or more.	15	15	8	15	14	14	17	21	12	5	19	11	166
*Days with ·04 in. or more.	13	11	4	10	12	13	15	14	8	2	14	7	123

40-9999

(Signed) A E Lucas

P.T.O.

*See Instruction 2 (*f*) on other side.

1598

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Barrow Hill, Bere Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	—	—	·13	·29	—	—	·02	—	—	·01	—	1
2	—	—	—	·10	·14	·04	—	·01	·01	—	—	·31	2
3	—	—	—	·03	—	·39	·01	—	·37	·04	—	·01	3
4	—	—	—	—	—	·42	—	·01	—	—	·07	—	4
5	·33	—	—	—	—	—	—	—	·08	—	—	—	5
6	·36	—	—	·11	—	—	—	—	·19	—	—	—	6
7	—	—	—	·08	—	—	—	—	·33	·43	—	—	7
8	—	—	·48	·02	·16	—	—	—	·41	·45	—	—	8
9	·37	snow ·01	—	·14	·09	—	—	—	·01	·10	·08	—	9
10	·26	—	—	·31	·03	·03	—	—		·16	·07	—	10
11	·08	—	—	—	—	—	·21	—	—	·16	—	·04	11
12	·81	—	—	—	·20	—	—	—	—	·06	—	·03	12
13	·03	—	—	·21	—	—	·08	—	—	·77	—	·06	13
14	·09	—	—	·03	·08	—	—	—	—	·03	·36	·04	14
15	·07	—	—	·02	·30	—	—	—	—	·01	·04	·01	15
16	·15	—	—	·15	·23	—	·40	—	—	—	—	·01	16
17	·01	—	—	·08	—	—	—	—	·01	—	—	—	17
18	·02	—	—	—	·26	—	—	—	·06	—	·13	—	18
19	—	—	—	—	—	—	—	—	—	·17	—	—	19
20	—	—	—	·01	·47	—	·04	·29	—	·76	·37	·04	20
21	·01	—	·18	·07	·16	—	—	·01	—	·19	·01	·15	21
22	·01	·03	·03	·03	·04	—	·02	·17	·59	·19	·32	—	22
23	—	—	—	·02	·02	—	·27	—	·04	·41	·10	·08	23
24	—	—	—	·02	·06	—	·50	—	·08	·13	—	—	24
25	—	—	—	·05	—	—	·22	—	·02	·22	—	·02	25
26	—	—	·15	·59	—	—	·13	—	—	·06	·02	—	26
27	—	—	·44	·12	·25	·04	·02	—	—	·28	—	·07	27
28	—	—	·03	·05	·01	—	·09	—	—	—	—	·05	28
29	—	—	·45	—	·30	·40	—	·38	·70	·20	·20	·13	29
30	—	×	·03	·25	·32	1·17	·09	—	·61	—	·72	·22	30
31	—	×	·01	×	·01	×	·04	—	×	—	×	·33	31
													YEAR'S TOTAL
TOTAL	2·69	·04	1·80	2·62	3·50	2·49	2·12	·89	3·51	4·79	2·50	1·60	28·55
*Days with ·01 in. or more.	15	2	9	23	22	7	14	7	15	20	13	17	164
*Days with .04 in. or more.	10	—	5	15	17	6	11	3	11	18	10	12	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. Lucas

P.T.O.

1598

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ~~1598~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Barrow Hill, Bere Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·40	·58	·10	—	—	—	—	—	—	—	·06	·18		1
2	·66	—	·76	—	·20	—	—	—	—	—	—	—		2
3	·10	·10	·36	—	·01	—	—	—	—	—	—	—		3
4	·15	·02	·11	—	·17	—	—	—	—	—	—	—		4
5	·15	—	·50	—	·05	—	—	—	—	—	—	—		5
6	—	·35	—	—	·26	—	·03	—	—	·25	·01	—		6
7	·07	·01	·05	·01	·16	—	·01	—	—	·33	—	·01		7
8	—	—	—	—	·03	—	·43	—	—	—	—	—		8
9	—	—	—	—	·08	—	·32	·01	—	—	·01	—		9
10	—	·09	—	—	—	—	·11	—	—	·09	·02	—		10
11	·21	—	—	—	—	·35	—	·16	—	—	—	—		11
12	—	—	—	·04	·01	—	·04	—	·95	—	—	snow ·04		12
13	·01	—	—	—	—	·01	·33	·05	—	·07	·05	—		13
14	—	—	—	—	—	—	·06	·03	—	·12	·37	—		14
15	·63	—	·35	—	—	—	·07	·11	—	·10	·01	—		15
16	—	—	1·20	—	—	·01	—	—	·07	·02	—	—		16
17	—	snow ·05	·43	—	—		—	·04	·06	—	—	—		17
18	·17	—	·17	—	—		—	—	—	—	—	—		18
19	·01	—	·06	—	—	·03	—	·07	·26	—	·13	·03		19
20	—	—	—	—	—	—	—	—	·06	—	—	—		20
21	—	·03	—	—	·02	—	—	—	—	·12	—	—		21
22	—	—	—	—	—	·31	—	·24	·18	·0.3	—	—		22
23	—	·10	—	·61	—	·25	—	—	·25	·13	—	—		23
24	—	2·13	—	·33	—	·04	—	—	·13	—	—	—		24
25	—	·38	—	·37	—	·01	—	—	·21	—	—	·17		25
26	—	·43	—	·11	·14	—	—	—	—	—	—	—		26
27	—	—	—	—	·26	—	·02	—	·02	·15	—	·54		27
28	—	—	—	·30	—	—	·51	—	—	—	—	—		28
29	·15	×	—	—	—	—	—	—	·01	—	—	—		29
30	·02	×	·09	—	—	—	—	—	·05	—	—	·10		30
31	·21	×	·06	×	—	×	—	—	×		×	—		31
TOTAL	2·94	4·27	4·23	1·77	1·39	1·16	1·93	·71	2·25	1·41	·65	1·07	Year's Total 23·78	
*Days with ·01 in. or more.	14	12	13	7	12	8	11	8	12	11	8	7	123	
*Days with .04 in. or more.	11	9	13	6	8	4	8	6	10	9	4	5	93	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) A. E. Lucas

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Barrow Hill, Bere Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date *	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	–	–	–	–	–	·44	–	·01	·08	·95		1
2	·38	–	·12	–	–	–	–	–	·89	·18	·03	·30		2
3	·03	–	–	–	–	–	–	–	–	·58	–	·30		3
4	·08	–	·15	·01	·21	–	–	–	–	·06	–	·35		4
5	·05	–	–	–	–	–	–	·85	–	·01	–	·55		5
6	·03	–	·36	–	·19	–	–	·01	–	·39	·21	·59		6
7	–	–	–	·04	–	–	–	·15	–	·10	–	·58		7
8	–	–	–	–	·27	–	–	–	·04	–	·75	·10		8
9	·03	–	·13	–	–	–	–	–	–	–	·56	·19		9
10	·20	–	·30	·30	–	–	–	–	–	–	·11	·02		10
11	·68	–	·60	·18	–	–	·09	·28	–	–	–	·51		11
12	·08	–	–	–	–	–	–	·16	–	–	·11	·16		12
13	·38	–	·03	·16	–	–	–	–	–	–	–	·36		13
14	·09	–	·34	·01	–	–	–	–	–	–	·02	·66		14
15	·02	–	–	–	·09	–	–	–	–	·02	·14	·49		15
16	·19	–	·45	–	–	–	–	–	–	–	–	·18		16
17	·10	–	–	·08	·04	–	·01	–	·11	·05	–	·38		17
18	·04	–	·29	·14	–	–	–	–	·01	–	–	·51		18
19	–	–	·21	·03	–	·02	–	·01	·06	–	–	·20		19
20	–	–	·04	·11	–	–	·02	–	–	–	–	–		20
21	–	–	·01	·08	–	·10	–	·04	·02	·29	–	·10		21
22	–	–	·02	–	–	–	·21	·17	·11	–	–	·20		22
23	–	·01	–	·20	–	·28	–	–	·06	·04	–	·02		23
24	–	·04	·04	–	–	·04	–	·06	·17	–	–	·04		24
25	·52	–	–	·11	–	–	–	–	–	·10	–	·91		25
26	–	–	–	·06	–	·22	–	–	·17	–	–	·45		26
27	–	–	–	–	–	·02	–	–	–	–	–	·49		27
28	–	–	–	–	–	·47	–	·44	·05	–	–	·54		28
29	–	–	–	–	–	–	–	·08	·55	–	·01	·02		29
30	·01	X	–	–	–	–	–	–	·20	–	·01	·28		30
31	–	X	–	X	–	X	–	·01	X	–	X	–		31
Total	2·92	·05	3·09	1·51	·80	1·15	·33	2·70	2·44	1·83	2·03	10·43	Year's Total. 29·28 ✓	
* Days with .01 in. or more.	18	2	15	14	5	7	4	13	13	12	11	29	143	
* Days with .04 in. or more.	12	1	12.	11	5	6	2	10	11	8	7	27	112.	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) A. E. Lucas

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bere Regis Barrow Hill

in the County of Dorset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Tots

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .27

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.36	—	.02	.19	.12	—	.24	.21	.22	.19		1
2	—	—	—	—	—	.12	—	—	.01	.66	.08	—		2
3	—	—	.17	—	.04	.11	—	—	.12	1.63	29	—		3
4	.01	.16	—	.07	.01	—	—	—	.19	.18	.25	.09		4
5	—	.30	.03	.02	—	.10	—	—	.21	.01	.02	.01		5
6	—	—	—	.33	—	1.64	—	—	—	—	.11	—		6
7	—	—	—	.39	—	.01	—	—	—	.21	.30	.14		7
8	—	—	—	.33	—	—	—	—	.07	.25	.49	.02		8
9	.05	—	—	.64	—	.31	—	—	.01	.62	.66	.02		9
10	.07	—	.14	.03	—	.03	—	—	—	—	.02	—		10
11	.15	—	snow .08	—	—	.36	—	—	—	.01	.78	—		11
12	.10	.02	—	—	—	.28	—	.02	.10	—	.55	—		12
13	11	.13	—	.31	—	.21	—	—	.02	—	.08	—		13
14	—	.01	—	.29	.06	.18	—	—	.05	.02	.89	.34		14
15	—	.05	—	.59	.22	.12	—	—	.23	—	.35	.07		15
16	—	.03	.12	.06	—	.04	—	—	.30	—	1.08	—		16
17	—	—	.03	.08	.20	.29	—	.10	—	—	.07	—		17
18	—	—	—	.35	.22	—	.04	—	.43	—	—	—		18
19	—	.03	—	.03	.17	.05	.16	—	.19	—	.30	—		19
20	—	58	—	.12	—	—	—	—	.04	.02	—	—		20
21	—	.66	—	.03	—	—	.02	—	—	—	—	—		21
22	—	.02	—	—	—	—	—	.11	.05	—	—	—		22
23	—	.04	.10	.30	.03	—	—	.34	.01	.38	—	.23		23
24	.02	.65	—	—	.10	—	—	.92	.48	.11	—	.31		24
25	.02	.09	—	.09	.02	.02	—	—	—	—	—	.54		25
26	—	.31	—	—	.02	.01	—	.17	.06	—	—	.86		26
27	—	.37	—	—	—	—	—	.02	.12	—	.09	.68		27
28	—	.01	—	—	—	—	—	.04	.07	—	—	.09		28
29	—	—	—	—	.06	—	—	.15	.16	—	—	.78		29
30	—	×	—	.06	.15	—	—	1.26	—	.18	.47	.58		30
31	—	×	—	×	—	×	—	.06	×	1.32	×	41		31
													Year's Total.	
TOTAL	.53	3.46	1.03	4.12	1.32	4.07	.34	3.19	3.16	5.81	7.10	5.36	39.49 ✓	
* Days with .01 in. or more.	8	17	8	19	14	18	4	11	22	15	20	19	175 ✓	
* Days with .04 in. or more.	5	11	6	15	9	14	3	9	18	11	18	14	133 ✓	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Totals

Kept at Barrow Hill. Bere Regis
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27	.08	.06	.32	—	.10	.11	—	—	—	.04	.01		1
2	.02	.01	—	.06	—	—	.28	.02	—	—	.04	—		2
3	—	—	—	.39	—	—	.04	—	.53	—	.49	—		3
4	—	—	.17	—	—	.09	—	—	.26	—	.09	02		4
5	.52	—	.04	—	.14	—	—	.02	.28	—	—	.02		5
6	—	—	.01	—	—	.01	.04	.02	.21	—	.76	—		6
7	.15	—	.24	—	—	—	.31	—	—	—	.25	03		7
8	.48	—	.26	—	—	—	.25	—	—	—	.30	03		8
9	.40	—	.32	—	—	—	.41	—	.30	—	.01	—		9
10	.35	snow .17	—	—	—	—	.18	—	.04	—	.01	—		10
11	.30	.12	—	—	—	.05	.03	—	.05	—	1.25	—		11
12	.02	—	—	snow 14	—	.36	.23	—	.12	—	.20	—		12
13	.02	—	—	—	—	—	.18	—	—	.01	.10	.87		13
14	—	.05	—	—	—	.02	.46	—	.01	—	—	.85		14
15	—	.01	—	—	—	—	—	—	.01	—	.04	.55		15
16	snow 02	.20	—	—	.08	—	.14	—	—	—	.08	.14		16
17	—	.93	—	—	—	.01	.10	—	—	—	.03	.66		17
18	.09	.16	—	—	—	.68	.34	—	—	—	—	.28		18
19	.39	.08	.02	—	—	.24	.03	.06	—	—	—	—		19
20	.09	.20	.14	.18	—	.21	+	—	.65	—	—	—		20
21	—	.26	.12	.35	—	.04	+ .13	—	.01	—	—	—		21
22	.15	.42	.69	—	—	—	.20	—	—	.02	—	—		22
23	.11	—	.16	.16	.04	—	.15	—	—	.08	—	—		23
24	.30	.04	.05	.01	.02	—	.02	—	03	.24	—	—		24
25	.07	—	.28	.18	—	.02	—	—	.03	.25	—	—		25
26	.14	.19	.23	—	—	.03	—	—	.01	—	—	—		26
27	.38	.24	.16	—	—	—	.17	—	.10	.14	—	—		27
28	.86	—	.65	.01	—	—	.18	—	—	—	—	.26		28
29	.02	—	.05	—	—	—	.05	—	—	.04	.02	.04		29
30	.17	✕	—	—	.02	08	—	—	—	.22	—	—		30
31	.10	✕	.58	✕	—	✕	.17	—	✕	.08	✕	70		31
													Year's Total	
TOTAL	5.42	3.16	4.23	1.80	.30	1.94	4.20	.12	2.64	1.08	3.71	4.46	33.06	✓
* Days with .01 in. or more.	24	16	19	10	5	14	25 ~~24~~	4	16	9	16	14	172	✓
* Days with .04 in. or more.	19	14	17	8	3	9	22 ~~21~~	1	10	7	12	9	131	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) A. E. Lucas

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Barrow Hill. Bere Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	.06	–	.20	–	–	–	–	.01	–	.09	1.08		1
2	–	1.10	–	.05	–	–	–	–	.14	–	–	.34		2
3	.03	.35	.02	.03	–	–	–	–	–	–	–	–		3
4	.06	.73	–	–	–	–	–	–	–	–	–	.21		4
5	.24	–	–	.02	–	–	.22	–	–	–	–	–		5
6	.06	.27	.18	.20	.01	–	.15 ~~.22~~	–	–	.07	–	–		6
7	–	1.00	–	.04	–	–	~~.15~~	–	–	.01	–	.26		7
8	–	–	–	.24	.57	–	–	–	–	–	.28	.02		8
9	–	–	.10	.05	.15	.02	.58	–	.55	–	–	–		9
10	.11	–	.77	–	.19	.28	–	–	–	–	–	.49		10
11	.03	–	.10	.06	.47	–	.32	–	–	–	–	–		11
12	.67	.33	.07	.11	–	.13	.02	.68	.25	–	–	.36		12
13	.12	.01	.67	.19	–	–	–	.30	.10	–	–	.06		13
14	.09	.01	.04	–	–	–	–	.05	.04	–	–	.03		14
15	.32	.17	.03	.40	–	–	.94	–	.07	–	–	.03		15
16	.02	.11	.57	.13	–	–	–	.41	1.39	–	.03	–		16
17	.81	.04	.64	–	–	–	–	–	.26	–	.28	–		17
18	.10	.06	–	–	–	–	.03	–	.19	–	.11	.18		18
19	.13	.05	.02	.25	–	.08	.01	–	–	–	–	.09		19
20	.48	–	.22	.21	.01	–	–	–	–	–	–	.25		20
21	.47	.30	.10	.02	.15	–	–	–	–	–	.32	.13		21
22	.32	–	.03	–	.31	.01	.12	–	03	1.11	.29	.14		22
23	.19	.19	–	–	.25	–	.01	–	–	.52	.06	.08		23
24	.42	.70	–	–	.01	–	–	–	.02	1.09	–	.02		24
25	.82	.29	.35	–	.63	–	–	–	.05	.31	–	.07		25
26	–	.31	.01	–	.44	–	–	–	–	.05	–	.03		26
27	.03	.16	–	.03	–	–	–	–	–	.50	–	–		27
28	.34	.11	–	–	–	–	–	–	–	.18	.01	–		28
29	.02	X	–	–	–	.01	–	–	–	1.40	.01	–		29
30	.47	X	–	–	–	–	–	–	–	–	.15	–		30
31	.17	X	–	X	–	X	–	–	X	.37	X	–		31
TOTAL	6.76	6.35	3.92	2.23	3.19	.53	1.90	1.44	3.10	5.61	1.63	3 62	Year's Total 40.46	✓
* Days with .01 in. or more.	26	21	17	17	12	6	10	4	13	11	11	19	167	✓
* Days with .04 in. or more.	21	19	12	13	9	3	6	4	10	10	8	13	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. E. Lucas

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Barrows Hill, Bere Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	·10	·19	–	–	·48	–	·08		1
2	–	–	–	–	–	–	–	–	–	·13	–	·04		2
3	–	–	–	–	·10	–	–	–	–	·78	·27	–		3
4	–	–	–	–	–	–	·15	·72	–	·21	–	·30		4
5	–	–	–	–	–	–	·15	·01	–	·19	–	–		5
6	·09	–	–	–	–	·01	·18	–	·05	·15	·04	·08		6
7	·10	–	–	–	–	·05	·45	–	·27	·06	–	·08		7
8	·17	–	–	–	–	–	·03	·03	–	·29	–	·83		8
9	·18	–	–	–	–	–	–	·04	–	–	–	–		9
10	·04	–	–	–	–	·11	·02	–	–	·03	·01	·34		10
11	·14	–	–	–	–	–	–	–	–	–	·33	·25		11
12	·63	·03	–	–	·20	–	–	–	–	·17	·04	·02		12
13	·29	–	–	–	·01	–	–	–	–	·13	·46	·52		13
14	·47	–	–	–	·04	–	·25	–	–	·31	–	–		14
15	·30	–	–	–	·04	–	·39	–	–	·05	·06	·40		15
16	·42	–	·03	–	·03	–	–	–	–	·08	·07	·13		16
17	–	·12	·02	–	·02	–	–	–	·21	·01	·04	–		17
18	·17	–	–	–	–	·02	–	·04	·63	–	·38	–		18
19	–	–	–	–	–	–	–	·08	·23	–	·61	–		19
20	–	–	–	–	–	–	–	·22	–	–	·90	–		20
21	·02	–	–	–	–	–	–	·17	·10	–	·09	Snow ·04		21
22	·02	–	–	–	–	–	–	·26	–	·04	·43	·02		22
23	–	–	–	–	–	–	–	–	·15	–	·02	–		23
24	–	–	·15	–	–	–	–	–	·17	–	·37	–		24
25	·11	·20	·01	–	·19	–	·10	·06	–	·02	1·07	·03		25
26	·31	·37	–	–	·83	–	–	–	–	·01	–	Snow ·23		26
27	·09	–	–	–	·05	·24	·42	·13	–	·02	·48	–		27
28	·03	·11	–	–	·09	·06	–	·65	·04	–	·02	·04		28
29	–	–	–	–	·29	–	–	–	·35	·17	·45	·03		29
30	·03	✕	–	–	·04	–	·03	–	·59	·03	·09	–		30
31	·14	✕	–	✕	·14	✕	–	–	✕	·24	✕	·34		31
													Year's Total	
TOTAL	3·75	·83	·21	–	1·57	·59	2·41	2·21	2·79	3·60	6·23	3·80	27·99	✓
* Days with .01 in. or more.	20	5	4	–	14	7	12	12	11	22	21	19	147	✓
* Days with .04 in. or more.	16	4	1	–	11	5	9	9	11	16	18	15	115	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. E. Lucas

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Barrow Hill BERE Regis

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.08	08	09		16		11		01	07		1
2				28				62	67		09	04		2
3	.98			77				08			24	19		3
4			.47	22	28		57	21	02	33	05	05		4
5			.04	18	41		45	52		27	76	01		5
6	.59		.05				88	04			31			6
7		.42					02			07	48	80		7
8	.03	.23	05				05			55	45	30		8
9			02					07		26	12	30		9
10	.42		01					20	15	27	02	02		10
11			16							41	01			11
12				02		12				02	07			12
13				09			28		02	2-12	02	01		13
14	.85				01	01	08			22	41	06		14
15	.41				10	1-02	15			17	29	02		15
16	.22			12	02	.03	08			02	24			16
17	.39	05	~~05~~		16	08	19			11	07			17
18	.09		01				54				47	01		18
19	.43						02	35				05		19
20	.43					30	08	1-25				01		20
21	.01	37	06			13	08							21
22	.42	.30	02			51	18				36			22
23				14		01	03				1-20			23
24	.62					42	10							24
25	.63	.13		01			08			08	50			25
26		.04					01	06		08	38			26
27		.19				01	47				10			27
28		.35	02			04	36				40	14		28
29				03		02				09	03			29
30		✕		37		12		12		19	01			30
31		✕		✕		✕		11	✕	57	✕			31
													Year's Total	
TOTAL	6-52	2-08	-99	2-31	1-07	2-82	4-86	3-63	-97	5.83	7-09	2.08	40.25	✓
* Days with .01 in. or more.	15	9	12	12	7	14	22	12	5	18	26	16	168	✓
* Days with .04 in. or more.	13	9	7	9	5	9	18	12	3	16	20	10	131	-

† Spare column, no entries required.

(*Signed*) A. E. Lucas [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at B[redacted] Hill Bere Regis
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 120 ft.

no file no

Aas letter sent 20/2/41

File No 201566/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.02						.06			1
2		.30		.18			.01				.20	.03		2
3		.33					.06			.15	.35	.23		3
4		.09								.15	.15	.03		4
5	.01	.01									.43	.10		5
6	.40						.01			.13	.01	.05		6
7	.10	.29								.05				7
8		.04		.03			.26			.30	.15	.27		8
9							.10	.05		.24	.44	.12		9
10							.89	.03	.01	.08	.68	.09		10
11			.03				.07					.02		11
12			.13				.13		.33	.11				12
13			.53	.03			.01			.07	.54			13
14			.04	.02	.24		.09		.22	.53	.03	.70		14
15		snow .06			.21		.28		.12	.43	.38			15
16		snow .77	.34	.08			.02		.04	.69	.85			16
17		.12	.47				.02			.03	.75			17
18	snow .06	.34	.44	.08							.01	.03		18
19		.04	.02	.16			.01				.23			19
20			.02							.24	.03			20
21		.01			.26				.04	.01	.30			21
22			.06	.02		.23			.33					22
23			.13	.07							.03			23
24							.21							24
25	.02	{ }	.05	.02	.02									25
26	1.30	.50			.17		.05							26
27	.43	.28			.31		.02							27
28	.50	.03			.03							.07		28
29	snow .15	.16	.20	.42										29
30	snow .07	✕		.06						.26		.09		30
31	.03	✕		✕		✕			✕	.33	✕	.36		31
TOTAL	3.07	3.37	2.46	1.17	1.26	.23	2.24	.08	1.09	3.80	5.62	2.19	Year's Total 26.58	
* Days with .01 in. or more.	11	16	13	12	8	1	17	2	7	17	20	14	138	
* Days with .04 in. or more.	8	13	10	7	5	1	10	1	6	15	15	10	101	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. E. Lucas [P.T.O.

1599

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGIST

3/1.

1599

BLOXWORTH HOUSE

WAREHAM

1931—39

780304

Kept at Bloxworth Hou

in the County of Dorset

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·15

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·04	-	·26	-	-	-	·02	·28	·01	-	·01	1
2	·38	·03	-	·43	-	-	-	·01	·58	·01	-	·35	2
3	-	-	·68	-	-	-	·02	·03	·16	-	·97	·25	3
4	-	-	·03	-	·03	·11	·41	-	·20	-	·16	-	4
5	-	·15	-	·14	-	·26	-	·22	-	-	·35	·10	5
6	-	·16	-	·16	·07	·22	-	-	-	·42	·14	·19	6
7	-	-	-	-	·17	·13	·09	·53	-	-	·30	·05	7
8	·04	·16	-	·16	·13	·38	-	·03	-	-	·13	·11	8
9	-	·26	-		-	·13	·04	-	-	-	1·07	-	9
10	-	·01	-		-	·15	·04	·05	·17	-	·32	-	10
11	·11	·43	-		-	·04	·01	-	·03	-	·26	-	11
12	·01	·04	-		-	-	·29	-	·07	·32	-	-	12
13	-	-	-		-	-	·05	·04	-	-	-	-	13
14	-	·10	-		·02	·35	1·06	·29	-	-	·01	-	14
15	-	·05	-	·02	·12	-	-	·07	-	-	-	·04	15
16	-	·06	-	·05	·14	·24	-	·03	-	-	-	-	16
17	-	·08	-	·06	-	-	·37	-	·08	-	·01	-	17
18	·06	-	·02	·07	-	·14	·07	1·18	·18	-	·60	-	18
19	·11	2	·01	·03	-	·11	·07	·05	-	-	·03	-	19
20	-	·11	·22	-	-	-	-	·27	-	-	·01	-	20
21	·12	-	-	-	·44	-	-	-	-	-	·04	-	21
22	·50	·02	·11	·01	-	-	-	·07	-	-	-	-	22
23	·26	-	-	·18	·71	-	-	·04	-	-	·39	-	23
24	·05	-	-	·46	·18	·55	·52	·65	-	-	-	-	24
25	·08	-	-	·26	·13	-	·58	-	-	-	·28	-	25
26	-	-	-	·13	-	-	·36	-	-	-	·24	-	26
27	·15	·44	-	-	1·30	-	·10	-	-	·03	·04	-	27
28	·03	·08	·03	-	·04	-	·07	-	-		-	·04	28
29	·07	-	·08	-	·04	-	-	·05	-	·02	·17	-	29
30	-	×	-	·02	·01	-	-	·10	·01	-	·03	-	30
31	·54	×	-	×	·11	×	·02		×	-	×	·15	31
TOTAL	2·51	2·22	1·18	2·44	3·64	2·81	4·17	3·73	1·76	·81	5·55	1·30	YEAR'S TOTAL 32·12
*Days with ·01 in. or more.	15	17	8	16	16	13	18	19	10	6	21	10	169
*Days with ·04 in. or more.	13	14	4	12	13	13	15	14	8	2	16	9	133

40-9999

(Signed) F.G.A Lane

[P.T.O.

*See Instruction 2 (*f*) on other side.

1599

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bloxworth House - Wareham

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 118 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .15

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.04	-	.26	-	-	-	.02	.28	.01	-	.01	1
2	.38	.03	-	.43	-	-	-	.01	.58	.01	-	.35	2
3	-	-	.68	-	-	-	.02	.03	.16	-	.97	.25	3
4	-	-	.03	-	.03	.11	.41	-	.20	-	.16	-	4
5	-	.15	-	.14	-	.26	-	.22	-	-	.35	.10	5
6	-	.16	-	.16	.07	.22	-	-	-	.42	.14	.19	6
7	-	-	-	-	.17	.13	.09	.53	-	-	.30	.05	7
8	.04	.16	-	.16	.13	.38	-	.03	-	-	.13	.11	8
9	-	.26	-		-	.13	.04	-	-	-	1.07	-	9
10	-	.01	-		-	.15	.04	.05	.17	-	.32	-	10
11	.11	.43	-		-	.04	.01	-	.03	-	.26	-	11
12	.01	.04	-		-	-	.29	-	.07	.32	-	-	12
13	-	-	-		-	-	.05	.04	-	-	-	-	13
14	-	.10	-		.02	.35	1.06	.29	-	-	.01	-	14
15	-	.05	-	.02	.12	-	-	.07	-	-	-	.04	15
16	-	.06	-	.05	.14	.24	-	.03	-	-	-	-	16
17	-	.08	-	.06	-	-	.37	-	.08	-	.01	-	17
18	.06	-	.02	.07	-	.14	.07	1.18	.18	-	.60	-	18
19	.11	Z	.01	.03	-	.11	.07	.05	-	-	.03	-	19
20	-	.11	.22	-	-	-	-	.27	-	-	.01	-	20
21	.12	-	-	-	.44	-	-	-	-	-	.04	-	21
22	.56	.02	.11	.01	-	-	-	.07	-	-	-	-	22
23	.26	-	-	.18	.71	-	-	.04	-	-	.39	-	23
24	.05	-	-	.46	.18	.55	.52	.65	-	-	-	-	24
25	.08	-	-	.26	.13	-	.58	-	-	-	.28	-	25
26	-	-	-	.13	-	-	.36	-	-	-	.24	-	26
27	.15	.44	-	-	1.30	-	.10	-	-	.03	.04	-	27
28	.03	.08	.03	-	.04	-	.07	-	-		-	.04	28
29	.07	-	.08	-	.04	-	-	.05	-	.02	.17	-	29
30	-	×	-	.02	.01	-	-	.10	.01	-	.03	-	30
31	.54	×	-	×	.11	×	.02		×	-	×	.15	31
TOTAL	2.51	2.22	1.18	2.44	3.64	2.81	4.17	3.73	1.76	.81	5.55	1.30	YEAR'S TOTAL 32.12
*Days with .01 in. or more.	15	17	8	16	16	13	18	19	10	6	21	10	169
*Days with .04 in. or more.	13	14	4	12	13	13	15	14	8	2	16	9	133

40-9999

(Signed) F. G. A. Lane [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bloxworth House - Wareham

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 118 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	-	-	·20	·31	-	-	·05	-	-	·02	-	1
2	-	-	-	·13	·13	·02	-	·02	-	-	-	·40	2
3	-	-	-	·02	-	·43	·04	-	·16	·13	-	-	3
4	-	-	-	-	-	·38	-	-	·46	-	·09	-	4
5	·48	-	-	-	-	-	-	-	·14	-	-	-	5
6	·40	-	-	·14	-	-	-	-	·32	-	-	-	6
7	-	-	-	·06	-	-	·02	-	·32	·43	-	-	7
8	-	-	·48	·04	·17	-	-	-	·40	·45	-	-	8
9	·35	·03	-	·18	·12	-	-	-	·01	·06	·10	-	9
10	·18	·02	-	·31	·06	·05	-	-	-	·19	·07	-	10
11	-	-	-	·04	-	-	·26	-	·02	·11	-	·08	11
12	·84	-	-	·02	·17	-	-	-	·02	·16	·02	·04	12
13	·04	-	-	·16	·09	-	·06	-	-	·82	-	-	13
14	·08	-	-	·03	·10	-	-	-	-	-	·19	·11	14
15	·09	-	-	·02	·30	-	-	-	-	·05	-	·03	15
16	·16	-	-	·17	·31	-	·14	-	-	-	-	·01	16
17	·04	-	-	·08	-	-	-	-	-	·05	-	-	17
18	·03	-	-	-	·22	-	-	-	·01	-	·17	-	18
19	-	-	-	-	-	-	-	-	·09	·41	-	-	19
20	-	-	·01	-	·49	-	·06	·33	-	1·10	·37	·03	20
21	·02	-	·19	·06	·22	-	-	-	-	·37	·04	-	21
22	·02	-	·02	02	·04	-	·02	·15	·65	·31	·46	-	22
23	-	-	-	·02	·01	-	·31	-	·05	·60	·13	·11	23
24	-	·02	-	-	·04	-	·72	-	·12	·10	·01	-	24
25	-	-	-	·00	-	-	·13	-	·04	·34	·03	-	25
26	-	-	·15	·06	-	-	·13	-	-	·09	-	-	26
27	-	-	·46	·59	·26	·09	·08	-	-	·30	-	·09	27
28	-	-	·04	·14	·02	-	·08	-	-	-	-	·06	28
29	-	-	·43	·04	·28	·42	-	·30	·63	·45	·28	·15	29
30	-	×	·02	·33	·39	1·27	·14	-	·47	-	·68	·22	30
31	-	×	·02	×	·02	×	·02	-	×	-	×	·29	31
TOTAL	2.76	·07	1.82	2.92	3.75	2.66	2.21	·85	3.91	6.52	2.66	1.62	YEAR'S TOTAL 31.75
*Days with ·01 in. or more.	14	3	10	24	21	7	15	5	17	20	15	13	164
*Days with .04 in. or more.	10	-	6	18	18	5	12	4	13	20	11	10	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F Galpine

P.T.O.

/19.

1599

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1599~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bloxworth House

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 118 ft.

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ~~-0-~~

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·39	·68	·12	·	-	-	02	-	·	-	·10	·20		1
2	·49	-	·80	-	·19	-	-	-	-	-	-	-		2
3	·03	·10	·36	-	-	-	-	-	-	-	-	-		3
4	·12	·04	09	-	·17	-	·	-	-	-	-	-		4
5	·13	-	·45	-	06	-	·	-	-	-	-	-		5
6	-	·34	·81	·	·19	-	-	-	-	·32	·03	-		6
7	·07	·01	·04	·	·12	-	·03	-	-	·26	-	·02		7
8	-	·02	03	-	·04	-	·38	·	-	·01	·	-		8
9	-	-	-	·	·08	·	40	·05	-	·10	·02	-		9
10	-	·06	-	-	-	-	·17	-	-	·16	·02	-		10
11	·23	-	·	·	-	·43	·03	78	-	-	-	-		11
12	-	-	·	·03	·02	-	·08	-	·92	·	-	·02		12
13	02	·	·	-	-	·03	·42	·12	-	·30	·08	-		13
14	-	·	·	-	-	-	·02	·07	-	·12	·55	-		14
15	58	-	·45	-	-	-	·03	·18	-	-	-	-		15
16	-	·01	1.00	-	-	·		·03	·10	·04	-	-		16
17	-	·14	·35	-	-	·12		·05	10	-	-	-		17
18	·18	-	19	-	-	·16		-	·	-	·01	-		18
19	-	-	·15	-	-	·01		·07	·50	-	·14	·03		19
20	-	06	-	-	-	·06		-	·05	-	-	-		20
21	·	-	-	-	·03	·07		·09	·	·08	·02	-		21
22	-	-	-	-	-	·80		26	·19	·05	-	-		22
23	-	·25	-	·53	-	·29		-	·22	·12	-	-		23
24	-	2.13	-	·25	-	·05		-	·12	-	·02	-		24
25	-	·47	-	·31	-	-		-	·21	-	-	·13		25
26	-	·35	-	·11	·16	-		-	·	-	-	·01		26
27	-	·01	-	-	·11	-	·04	-	·02	-	-	·51		27
28	·21	-	-	·37	-	-	55	-	-	-	-	·02		28
29	-	-	-	-	-	-	·01	-	·02	-	-	·01		29
30	·02	X	14	-	-	-	·04	-	·08	-	-	·13		30
31	·26	X	·07	X	-	X	·	-	X	-	X	-		31
TOTAL	2·73	4.67	5·05	1.60	1.17	2.02	2·22	1.10	2.53	1·56	·99	1.0~~9~~8	Year's Total 26·7~~8~~2	
*Days with ·01 in. or more.	13	15	15	6	11	10	14	10	12	11	10	10	137	
*Days with ·04 in. or more.	10	11	14	5	9	8	~~9~~8	9	10	10	4	4	10~~3~~2	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) F G Kane

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bloxworth House

in the County of Dorset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 118 ft.

24

T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following -

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	-	-	-	-	-	·49	.	-	·10	·91		1
2	·42	-	·12	-	-	-	-	-	·97	·12	·01	·25		2
3	·04	-	-	-	-	-	-	-	-	·31	-	·34		3
4	·10	-	·14	·02	·23	-	-	-	-	·09	-	·27		4
5	-	-	·06	-	-	-	-	·86	-	·02	·01	·54		5
6	·07	-	·35	·03	·19	-	-	·02	-	·39	·21	·57		6
7	-	-	-	sleet ·01	-	-	-	·16	-	·10	-	·59		7
8	-	-	-	-	·27	-	-	·02	·08	-	·69	·10		8
9	·03	-	·18	-	-	-	-	-	-	-	·38	·39		9
10	·21	-	·28	·32	-	-	-	·01	-	-	·11	·02		10
11	·63	-	·54	·25	-	.	·16	·26	-	-	-	·48		11
12	·09	-	-	-	-	-	·03	·15	-	-	-	·35		12
13	·42	-	·05	·19	-	-	-	-	-	-	·10	·42		13
14	·12	-	·37	-	-	-	-	-	-	-	·04	·53		14
15	-	-	·02	·02	·11	-	-	-	-	·09	·15	·55		15
16	·26	-	·41	-	·01	-	·01	-	-	-	-	·16		16
17	·12	-	-	·17	·01	-	-	-	·05	·04	-	·31		17
18	·06	-	·31	·12	-	·01	-	-	·04	-	-	·44		18
19	-	-	·15	·04	-	·02	-	·04	·09	-	-	·21		19
20	-	-	·08	·16	-	-	·02	-	-	-	-	-		20
21	-	-	·03	·06	-	·16	-	·11	·01	·23	-	·06		21
22	-	-	·02	-	-	-	·21	·31	·23	-	-	·23		22
23	-	·03	-	·26	-	·44	-	·01	·08	·04	-	·06		23
24	-	·04	·05	·02	-	·03	-	·22	·17	-	-	·02		24
25	·47	-	-	·09	-	-	-	-	-	·10	-	·87		25
26	·01	-	-	·07	-	Thunder ·29	-	-	·15	-	·01	·31		26
27	-	-	-	·01	-	·07	-	-	-	·01	-	·46		27
28	-	-	-	-	-	Thunder ·42	-	·58	·09	-	-	·53		28
29	-		-	-	-	-	-	·14	·42	-	-	·04		29
30	·04	×	-	-	-	-	-	-	·21	-	·03	·28		30
31	.	×	-	×	.	×	-	-	×	-	×	·01		31
TOTAL	3·10	·07	3·16	1·84	·82	1·44	·43	3·38	2·59	1·54	1·84	10·28	Year's Total. 30·49	✓
* Days with .01 in. or more.	17	2	17	17	6	8	5	15	13	12	12	30	154	
* Days with .04 in. or more.	14	1	14	11	4	5	2	11	12	10	8	27	119	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) F. G. A. Lane

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bloxworth House

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 118 ft.

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·16

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·36	-	-	·15	·15	-	·12	·26	·27	Hail ·38		1
2	-	-	-	-	-	·02	-	-	·12	·56	·09	-		2
3	-	-	·15	-	04 ·04	·06	-	-	-	1·46	·31	-		3
4	·02	·17	-	·18	·02	·07	-	-	·17	·23	·18	·19		4
5	-	·40	·03	·06	-	·05	-	-	·23	·04	·03	·02		5
6	-	-	-	·30	-	1·45	-	-	-	-	·12	·01		6
7	-	-	-	·41	-	-	-	-	-	·39	·42 ·42	15 ·15		7
8	-	-	-	·37	-	-	·01	-	·08	·09	·55	·05		8
9	·12	-	-	·45	-	·35	-	-	·03	·83	·74	-		9
10	·08	-	snow ·34	·06	-	·03	-	-	-	-	36 ·31	·03		10
11	·18	-	-	-	-	·40	-	-	·03	·03	·74	-		11
12	·10	·07	-	-	-	·12	-	·03	·11	-	·39	-		12
13	·11	·10	-	·40	-	·20	-	-	·02	·02	·14	-		13
14	-	·03	-	·28	·62	·17	-	-	·12	·05	·82	·33		14
15	-	·06	·03	64 ·66	·22	·15	-	-	·20	·03	·30	·08		15
16	-	·06	·15	·11	-	·06	-	-	·40	-	1·66	-		16
17	-	-	-	·08	·14	·30	-	·10	·02	-	·10	-		17
18	-	·03	-	·39	-	-	·03	-	·55	·02	-	·02		18
19	-	-	-	·04	·22	·06	·21	-	·25	·04	·36	-		19
20	-	·52	-	·15	·10	·01	·02	-	-	-	·35	Frost -		20
21	-	·57	-	·08	-	-	·03	-	·02	-	-	Frost -		21
22	-	·06	·05	·02	-	-	-	·21	·05	-	-	Frost -		22
23	-	·04	·09	·31	·03	-	-	·27	·01	·48	-	·30		23
24	·04	Thunder storm ·68	-	-	·12	-	-	1·02	·47	·14	-	·26		24
25	·15	·09	-	·10	·01	·02	-	-	-	-	·01	·51		25
26	-	·36	-	-	·01	·01	-	·19	·07	-	·01	·91		26
27	-	·36	-	-	-	-	-	·04	·11	-	·08	·69		27
28	-	·02	-	-	-	-	-	·04	·13	-	-	4 ·14		28
29	-	×	-	-	-	-	-	·20	·25	·02	·01	·80		29
30	·01	×	-	·10	·04	-	-	1·27	·01	·27	·48	·52		30
31	-	×	-	×	-	×	-	·04	×	1·45	×	·36		31
TOTAL	·81	3·62	1·20	4·53	·97	3·68	·45	3·41	3·57	6·41	8·52	5·75	Year's Total. 42·92 ✓	
* Days with .01 in. or more.	9	17	8	20	12	19	6	11	24	19	24	19	188 ✓	
* Days with .04 in. or more.	7	14	6	19	7	14	2	10	17	14	20	15	148	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bloxworth House

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 118 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·10	·10	·33	-	·07	·12	·02	-	-	·06	·02		1
2	-	-	-	·07	-	·16	·20	·02	-	-	·08	-		2
3	-	-	-	·43	-	-	·05	·01	·58	-	·49	·03		3
4	-	-	·17	-	-	-	-	-	·49	-	·12	·06		4
5	·55	-	·05	-	·07	-	-	·03	·13	-	-	sleet ·03		5
6	·15	-	·02	-	-	·02	·02	·04	·24	-	·48	-		6
7	·08	-	·20	-	-	-	·27	-	-	-	·32	·04		7
8	·45	-	·35	-	-	-	·33	-	-	-	·40	·04		8
9	·39	-	·20	-	-	-	·25	-	·31	-	·05	-		9
10	·35	hail & snow ·37	-	-	-	·05	·16	-	·06	-	·01	-		10
11	·31	-	-	-	-	·06	·11	-	·07	-	1·32	-		11
12	-	-	-	sleet ·15	·03	·34	·28	-	·20	-	·16	-		12
13	·03	-	-	-	-	·02	·17	-	-	·02	·11	·68		13
14	-	·10	-	-	-	·01	·55	-	·02	-	·01	·70		14
15	-	-	-	-	-	-	·01	-	·04	-	·07	·50		15
16	snow ·09	·24	-	-	·09	-	·11	-	-	-	·14	·20		16
17	·02	1·04	-	·01	·01	-	·10	-	-	·02	·04	·66		17
18	·10	·19	-	-	-	Thunder 1·21	·38	-	-	·07	-	·25		18
19	·48	·06	·03	·09	-	·21	·04	·07	-	-	-	-		19
20	·11	·20	·12	·10	-	·12	·04	-	·69	-	-	·01		20
21	-	·39	·03	·37	-	·04	·10	-	-	-	-	-		21
22	·16	·24	·64	-	·04	-	·19	-	·01	·01	-	-		22
23	·12	-	·16	·18	-	-	·18	-	-	·10	-	-		23
24	·31	·07	·06	·01	·02	-	-	-	·03	·33	-	-		24
25	·09	-	·30	·19	-	·21	-	-	·04	·29	-	-		25
26	·23	·18	·21	-	-	·21	-	-	-	·05	-	-		26
27	·28	·27	·17	-	-	-	·26	-	-	·15	-	-		27
28	·93	-	·63	·01	-	-	·07	-	·06	·05	-	·27		28
29	·03	·03	·03	-	-	·04	·06	-	-	·36	·03	·02		29
30	·18	✕	-	-	·06	·12	·02	-	-	-	-	·01		30
31	·08	✕	·56	✕	-	✕	·18	-	✕	·40	✕	·70		31
TOTAL	5·68	3·48	4·03	1·94	·32	2·89	4·25	·19	2·97	1·85	3·89	4·22	Year's Total 35·71	✓
* Days with .01 in. or more.	24	14	19	12	7	16	26	6	15	12	17	17	185	✓
* Days with .04 in. or more.	21	13	15	9	4	13	23	2	12	9	14	11	146	✓

40-9999.

† Spare column, no entries required.

(*Signed*) F. G. A. Lane

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Bloxworth House

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 118 ft.

T. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	·08	·01	·18	—	—	—	—	·05	·01	·18	1·10		1
2	·01	1·00	—	·06	—	—	—	—	·19	—	·01	·43		2
3	·04	·33	—	·05	—	—	—	—	·02	—	—	—		3
4	·09	·68	—	—	—	—	—	·01	—	—	—	·22		4
5	·24	·01	—	·02	—	—	·23	—	—	—	—	—		5
6	·05	·39	—	·22	·03	—	·13	—	—	·06	—	—		6
7	—	·88	·13	·03	—	—	—	—	—	·01	—	Snow ·51		7
8	—	—	—	·02	·70	—	·09	—	·02	—	·25	snow. ·03		8
9	—	·03	—	·22	·05	·05	·02	—	—	—	—	Snow ·02		9
10	·16	—	SNOW ·23	·06	·38	·28	—	—	·61	—	—	·44		10
11	·03	—	·74	·06	·32	—	·31	—	·29	—	—	—		11
12	·56	·36	·06	·20	·24	·05	·02	·57	—	—	—	·37		12
13	·17	·02	·05	·12	—	—	—	·53	·15	—	—	·05		13
14	·03	·01	·74	·01	—	—	—	·06	·08	—	—	·03		14
15	·33	·23	·10	·37	—	—	·88	—	·06	—	·05	·04		15
16	·02	—	·14	·13	—	—	—	·44	1·71	—	—	—		16
17	·94	·12	·53	—	—	—	·02	—	·08	—	·33	—		17
18	·05	·10	·51	—	—	—	—	—	·07	—	·10	·24		18
19	·14	·05	·01	·22	—	·03	—	—	·01	—	·02	·05		19
20	·46	·02	—	·22	—	—	—	—	—	—	—	·27		20
21	·42	·31	28	·03	·17	—	·03	—	—	—	·25	·13		21
22	·32	·01	·11	—	·22	·01	·15	—	·03	1·33	·41	·13		22
23	·21	·24	SNOW ·09	—	·38	—	·02	—	—	·60	·06	·05		23
24	·41	·62	—	—	·02	—	—	—	·03	1·04	—	·04		24
25	·77	·43	—	—	·68	—	—	—	—	·17	—	·11		25
26	—	·22	SNOW ·37	—	·26	—	—	—	·05	·10	—	·02		26
27	·03	·16	SNOW ·05	·01	—	—	—	—	—	·55	—	·01		27
28	SNOW ·36	·05	—	—	—	—	—	—	—	·18	—	—		28
29	—	✕	—	—	—	·02	—	—	—	1·10	·08	—		29
30	·44	✕	—	—	—	—	—	—	—	·03	·19	—		30
31	·17	✕	—	✕	—	✕	—	—	✕	·52	✕	—		31
TOTAL	6·71	6·35	4·25	2·23	3·45	·44	1·90	1·61	3·45	5·70	1·88	4·29	Year's Total 42·26	✓ ✓
* Days with .01 in. or more.	26	24	17	19	12	6	11	5	17	13	12	21	183	✓ ✓
* Days with .04 in. or more.	21	18	15	13	10	3	6	4	12	10	9	17	138	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. G. A. Lane

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bloxworth House

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 1.8 in.

,, Ground ,, Sea Level 118 ft.

~~Aug. and annual Totals corr for Arith~~

R · Obs. notified of arith corr. W.E.R. 2/39.

Obs. changes entry on Aug 8th W.E.R. 3/39.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	·09	·28	–	–	·49	–	·07		1
2	–	–	–	·01	–	–	–	–	–	·10	·06	·04		2
3	–	–	–	–	·08	·01	–	–	–	·95	·26	–		3
4	–	–	–	–	·01	–	·16	·75	–	·23	·01	·27		4
5	–	–	–	–	–	–	·20	·01	–	·31	–	–		5
6	·10	–	–	–	–	·01	·25	–	·06	·17	·04	·05		6
7	·17	–	–	–	–	·04	·35	–	·01	·11	–	·11		7
8	·16	–	–	–	–	·02	·04	·04 ~~44~~	–	·37	–	·03		8
9	·10	·03	–	–	–	–	–	–	–	·01	–	1·06		9
10	·03	–	–	–	–	·11	·05	–	–	–	–	·25		10
11	·16	–	–	–	–	–	·01	–	–	–	·42	·28		11
12	·57	–	–	–	·20	–	·01	–	–	·31	·01	–		12
13	·30	–	–	–	–	–	–	–	–	·17	·40	·48		13
14	·49	–	–	–	·04	–	·27	–	–	–	–	–		14
15	·22	–	–	–	·04	–	·45	–	–	·33	·06	·41		15
16	·43	·14	·04	–	–	–	–	–	–	·05	·02	·20		16
17	–	–	·03	–	·02	–	–	–	·27	·09	·04	–		17
18	·13	–	–	–	·08	·03	–	·06	·66	·02	·43	–		18
19	·01	–	–	–	–	–	–	·12	·23	–	·95	–		19
20	·04	–	–	–	–	–	–	–	–	–	·64	–		20
21	·04	–	–	–	–	–	–	·05	·10	–	·10	snow ·03		21
22	·01	·01	–	–	–	–	–	·26	–	–	·43	snow ·03		22
23	–	–	–	–	–	–	–	–	·13	–	·03	–		23
24	–	–	·16	–	–	–	–	–	·17	–	·31	–		24
25	·13	·18	·03	–	·18	–	·05	·06	–	·02	1·19	snow ·07		25
26	·37	·33	–	–	·29	·01	·01	–	·01	·03	–	·23		26
27	·09	–	–	–	·05	·25	·48	·10	–	·01	·40	–		27
28	·08	·11	–	–	·08	·09	–	·76	·16	–	·05	·04		28
29	–	–	–	–	·30	–	–	–	·25	·15	·40	·05		29
30	·03	×	–	–	·06	–	·03	–	·46	·02	·07	·01		30
31	·21	×	–	×	·18	×	–	–	×	·26	×	·33		31
TOTAL	3·87	·80	·26	·01	1·61	·66	2·64	stet 2·21	2·51	4·20	6·32	4·04	Year's Total ~~28·75~~	29·13
* Days with .01 in. or more.	22	6	4	1	14	10	15	10	12	21	22	20	157	
* Days with .04 in. or more.	18	4	2	0	12	5	11	9	10	15	18	16	120	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. G. A. Lane

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

accept 42·23 for T.L.

Kept at Bloxworth House

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 118 ft.

B.A

file 941900/29.

T.L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·07	·09	·11	—	—	·03	·11	—	·01	·08		1
2	—	—	—	·26	—	—	—	·57	1·25	—	·12	·07		2
3	·90	—	—	·61	—	—	—	·07	—	—	·19	·18		3
4	—	—	·49	·31	·26	—	·35	·22	—	·32	·09	·06		4
5	—	—	·04	·16	·34	—	·57	·12	—	·29	·81	·03		5
6	·93	—	·07	—	—	—	·85	·03	—	·01	·24	—		6
7	·02	·33	—	—	—	—	·01	—	—	—	·51	·61		7
8	·02	·17	·10	—	—	—	·06	·02	—	·62	·40	·25		8
9	·05	—	·03	—	—	—	—	·10	—	·21	·05	·29		9
10	·36	—	·01	—	—	·01	—	·23	·14	·32	·02	·01		10
11	—	·02	·21	—	—	—	—	·02	—	·29	—	—		11
12	—	—	—	—	—	·04	—	—	—	—	·07	—		12
13	—	—	—	·06	—	—	·28	—	·02	2·38	·02	·02		13
14	·87	—	—	—	—	·03	·10	—	—	·29	·40	·05		14
15	·32	—	—	—	·11	1·01	·21	—	—	·13	·44	·01		15
16	·24	—	—	·10	·02	·02	—	—	—	·02	·13	—		16
17	·40	·05	—	—	·25	·07	·16	—	—	·20	·06	·01		17
18	·06	—	—	—	·10	·07	·64	—	—	—	·45	·01		18
19	·39	—	·01	—	—	—	·02	—	—	—	—	·10		19
20	·47	—	—	—	—	·26	·07	3·32	—	—	—	·02		20
21	·07	·34	·10	·02	—	·11	·07	—	—	—	—	—		21
22	·32	·26	·06	—	—	·52	·15	—	—	—	·35	—		22
23	—	—	—	·16	—	·01	·04	—	—	—	1·14	—		23
24	·62	—	—	·02	—	·48	·07	·01	—	—	—	—		24
25	·68	·14	—	·10	—	—	·10	—	—	·10	·41	—		25
26	—	—	—	—	—	—	—	·03	—	·07	·39	·01		26
27	—	·19	·02	·02	—	—	·01	—	—	—	·11	—		27
28	—	·41	—	—	—	·02	·46	·09	—	—	·39	·16		28
29	—	×	—	·03	—	·02	·34	—	—	·10	·02	—		29
30	—	×	—	·42	—	·09	—	·13	—	·22	·01	—		30
31	—	×	—	×	—	×	—	·11	×	·52	×	—		31
TOTAL	6·72 ~~6·70~~	1·91 ✓	1·21 ✓	2·36 ✓	1·19 ✓	2·74 ✓	4·56 ✓	5·10 ✓	1·52 ✓	6·09 ✓	6·83 ~~6·88~~	1·97 ✓	Year's Total ~~42·25~~	4220 ~~4223~~
* Days with .01 in. or more.	17	9	12	14	7	15	20	16	4	17	25	18	166	
* Days with .04 in. or more.	15	8	8	10	6	9	17	10	3	15	20	10.	131	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. G. A. Lane ✓

[P.T.O.

LYCHETT MATRAVER

1599/T

LYCHETT MATRAVERS
(KIT ROBINS)
1937—40
780304

1599/7

Section **A** for the entry
AIR MINIS

Station No. 1606/1
INFALL ORGANIZATION

FORM 1090

REG

937

Kept at 'Kit Robins', Ly

from Dorset/4

in the County of .... Dorset

Diameter of Funnel of Gauge....

/3

Height of top of Gauge above G

21/1/38

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·08	-	·14	-	-	tr.	-	·03	·01	·24	1·05	1·86	1
2	·01	·93	·01	·09 }	-	-	-	-	·12	-	-	·32	1·48	2
3	·04	·30	-		-	-	·01	-	tr.	-	-	·22	·57	3
4	·07	·69	-	-	-	-	-	tr.	-	-	-	-	·76	4
5	·26	·02	·01	·01	-	-	·22	-	-	-	-	-	·52	5
6	·07	·83	·21	·15	·06	-	·11	-	-	·06	-	-	1·49	6
7	-	tr.	tr.	·05	tr.	-	-	-	tr.	·01	-	·65	·71	7
8	-	·02	-	tr.	·47	tr.	-	-	-	-	·17	·02	·68	8
9	-	·08	·08	·25	·15	·07	·07	-	·64	-	-	·04	1·88	9
10	·10	-	·74	·13	·15	·20	tr.	-	-	-	-	·43	1·75	10
11	·05	-	·07	·05	·36	tr.	·33	-	-	-	-	-	·96	11
12	·53	·33	·10	·12	1·70	·09	·02	·63	·30	-	-	·32	4·14	12
13	·12	·03	·73	·14	tr.	tr.	-	·33	·12	-	-	·12	1·59	13
14	·03	·01	·14	·02	-	-	-	·12	·06	-	-	·03	·41	14
15	·31	·18	·04	·39	-	-	·83	·54	·07	-	-	·04	2·40	15
16	·04	·13	·42	·16	-	tr.	tr.	tr.	1·97	-	·04	-	2·76	16
17	·71	·05	·37	-	-	-	·03	-	·21	-	·24	-	1·61	17
18	·12	·07	tr.	-	-	-	-	-	-	-	·09	·18	·46	18
19	·14	·07	·01	·20	tr.	·02	·16	-	tr.	-	·01	·12	·73	19
20	·33	·01	·16	·20	-	-	-	-	·01	-	-	·20	·91	20
21	·38	·33	·08	·02	·12	-	·01	-	tr.	·01	·16	·17	1·28	21
22	·30	tr	·05	-	·27	·01	·14	-	·01	1·65	·25	·12	2·80	22
23	·24	·14	·01	-	·37	-	·01	-	-	·30	·12	·03	1·32	23
24	·53	·77	-	-	·07	-	tr.	-	·03	·85	-	·04	2·29	24
25	·66	·28	·38	-	·95	-	-	-	·04	·22	-	·08	2·61	25
26	-	·21	·03	-	·24	-	-	-	-	·12	-	·02	·62	26
27	-	·18	-	·09	-	-	-	-	-	·66	-	-	·93	27
28	·32	·08	-	-	-	-	-	-	-	·18	-	tr.	·48	28
29	·08	-	-	-	-	·01	-	-	-	1·13	·01	tr.	1·23	29
30	·29		-	-	-	·01	-	-	-	·14	·18	tr	·52	30
31	·19		-		-		-	-		·86		tr.	·55	31
													Year's Total	
TOTAL	6·23	5·82	3·64	2·21	4·91	·41	1·94	1·62	3·61	5·70	1·51	4·20	41·80	✓
* Days with .01 in. or more.	26	24	19	18	12	7	12	4	13	14	11	20	180	✓
* Days with .04 in. or more.	24	19	14	15	12	3	7	4	9	11	9	16	143	✓

print

Print ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hamilton Blanchard. [P.T.O.

H. BLANCHARD ESQ

CHETT MATRAVER

COPY FOR OFFICIAL USE

1599/7

Section A for the entry of Daily Observations

Station No. 1696/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 'Kit Robins', Lytchett Matravers
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 300 ft.

Transferred from Dorset/4 to Dorset/3 21/1/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·08	-	·14	-	-	tr.	-	·03	·01	·24	1·05	1·86	1
2	·01	·93	·01	·09 }	-	-	-	-	·12	-	-	·32	1·48	2
3	·04	·30	-		-	-	·01	-	tr.	-	-	·22	·57	3
4	·07	·69	-	-	-	-	-	tr.	-	-	-	-	·76	4
5	·26	·02	·01	·01	-	-	·22	-	-	-	-	-	·52	5
6	·07	·83	·21	·15	·06	-	·11	-	-	·06	-	-	1·49	6
7	-	tr.	tr.	·05	tr.	-	-	-	tr.	·01	-	·65	·71	7
8	-	·02	-	tr.	·47	tr.	-	-	-	-	·17	·02	·68	8
9	-	·08	·08	·25	·15	·07	·07	-	·64	-	-	·04	1·88	9
10	·10	-	·74	·13	·15	·20	tr.	-	-	-	-	·43	1·75	10
11	·05	-	·07	·05	·36	tr.	·33	-	-	-	-	-	·96	11
12	·53	·33	·10	·12	1·70	·09	·02	·63	·30	-	-	·32	4·74	12
13	·12	·03	·73	·14	tr.	tr.	-	·33	·12	-	-	·12	1·59	13
14	·03	·01	·14	·02	-	-	-	·12	·06	-	-	·03	·41	14
15	·31	·18	·04	·39	-	-	·83	·54	·07	-	-	·04	2·40	15
16	·04	·13	·42	·16	-	tr.	tr.	tr.	1·97	-	·04	-	2·76	16
17	·71	·05	·37	-	-	-	·03	-	·21	-	·24	-	1·61	17
18	·12	·07	tr.	-	-	-	-	-	-	-	·09	·18	·46	18
19	·14	·07	·01	·20	tr.	·02	·16	-	tr.	-	·01	·12	·73	19
20	·33	·01	·16	·20	-	-	-	-	·01	-	-	·20	·91	20
21	·38	·33	·08	·02	·12	-	·01	-	tr.	·01	·16	·17	1·28	21
22	·30	tr.	·05	-	·27	·01	·14	-	·01	1·65	·25	·12	2·80	22
23	·24	·14	·01	-	·37	-	·01	-	-	·30	·12	·03	1·32	23
24	·53	·77	-	-	·07	-	tr.	-	·03	·85	-	·04	2·29	24
25	·66	·28	·38	-	·95	-	-	-	·04	·22	-	·08	2·61	25
26	-	·21	·08	-	·24	-	-	-	-	·12	-	·02	·62	26
27	-	·18	-	·09	-	-	-	-	-	·66	-	-	·93	27
28	·32	·08	-	-	-	-	-	-	-	·18	-	tr.	·48	28
29	·08	-	-	-	-	·01	-	-	-	1·13	·01	tr.	1·23	29
30	·29	✕	-	-	-	·01	-	-	-	·14	·18	tr.	·52	30 prnt
31	·19	✕	-	✕	-	✕	-	-	✕	·86	✕	tr.	·55	31
TOTAL	6·25	5·82	3·64	2·21	4·91	·41	1·94	1·62	3·61	5·70	1·51	4·20	Year's Total 41·80	✓ Print ✓
* Days with .01 in. or more.	26	24	19	18	12	7	12	4	13	14	11	20	180	✓
* Days with .04 in. or more.	24	19	14	15	12	3	7	4	9	11	9	16	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Hamilton Blanchard

P.T.O.

H. BLANCHARD ESQ

15·79/7

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1606/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 'Kit Robins', Lytchett Matravers
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	-	·02	·06	·50	-	tr.	·46	-	·07	1·12	**1**
2	tr.	-	-	-	tr.	-	-	-	-	·18	·09	·04	·31	**2**
3	-	-	-	-	·10	tr.	tr.	-	-	·95	·20	-	1·25	**3**
4	tr.	-	-	-	tr.	-	·10	·08	-	·22	tr.	·25	1·55	**4**
5	-	-	-	tr.	-	tr.	·22	·01	-	·50	tr.	tr.	·73	**5**
6	·11	-	-	-	-	tr.	·14	-	·09	·10	·06	·08	·58	**6**
7	·10	-	-	-	-	·03	·48	·29	·04	·13	tr.	·11	1·18	**7**
8	·14	-	-	-	-	·04	·03	·07	·01	·34	-	·04	·67	**8**
9	·09	·03	-	-	-	tr.	tr.	tr.	-	·01	-	1·18	1·31	**9**
10	·04	tr.	-	-	-	·35	·07	-	-	·01	·01	·36	·84	**10**
11	·18	tr.	-	-	-	-	·01	-	tr.	tr.	·28	·21	·68	**11**
12	·50	tr.	-	-	·17	-	·02	-	-	·20	·01	tr.	·90	**12**
13	·32	tr.	-	-	tr.	-	tr.	-	-	·21	·31	·64	1·48	**13**
14	·47	tr.	-	-	·08	-	·15	-	-	-	-	-	·70	**14**
15	·20	tr.	-	-	·04	-	·59	tr.	-	·31	·10	·36	1·60	**15**
16	·37	tr.	·05	-	tr.	-	-	·01	-	·06	·01	·05	·55	**16**
17	-	tr.	·02	-	·06	-	-	-	·24	·12	·04	tr.	·48	**17**
18	·13	·14	-	-	·11	·04	tr.	·04	·85	·01	·43	tr.	1·75	**18**
19	·01	-	-	-	-	-	-	·14	·20	tr.	·91	tr.	1·26	**19**
20	·01	-	-	-	-	-	-	tr.	tr.	-	·61	tr.	·62	**20**
21	·04	-	tr.	-	-	-	-	tr.	·11	-	·10	·05	·30	**21**
22	·05	-	-	tr.	-	tr.	-	·29	·66	-	·40	·03	1·43	**22**
23	tr.	-	-	tr.	tr.	-	-	-	-	-	·02	tr.	·02	**23**
24	tr.	-	·15	-	-	tr.	tr.	-	·22	-	·26	-	·63	**24**
25	·13	·19	·03	-	·21	tr.	·02	·02	tr.	-	1·32	·05	1·97	**25**
26	·33	·34	·01	-	·14	·01	·02	-	·01	·05	-	·26	1·17	**26**
27	·10	·01	-	tr.	·07	·25	·40	·06	·01	·01	·35	-	1·26	**27**
28	·10	·13	-	-	·15	·06	-	·77	·21	-	·06	·03	1·51	**28**
29	tr.	✓	-	-	·28	-	-	-	·27	·13	·33	·06	1·07	**29**
30	·02	✕	-	-	·05	-	·02	-	·54	·01	·13	·02	·79	**30**
31	·22	✕	-	✕	·18	✕	-	-	✕	·22	✕	·30	·92	**31**
TOTAL	3·66	·85	·26	-	1·66	·84	2·77	2·68	3·46	4·23	3 6·08	4·19	Year's Total 30·63	✓
* Days with .01 in. or more.	22	7	5	-	14	8	15	11	14	21	22	20	159	✓
* Days with .04 in. or more.	19	4	2	-	13	6	9	8	11	16	18	17	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Hamilton Blanchard. [P.T.O.

COPY FOR OFFICIAL USE

Station No. 1599/7

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Kit Robins", Lytchett Matravers

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr.	-	·08	·08	·09	-	·02	·02	·42	-	·01	·14	·86	1
2	-	-	tr.	·19	-	-	-	·64	1·04	-	·19	·07	2·13	2
3	·75	-	-	·48	-	-	tr.	·07	-	-	·18	·18	1·66	3
4	·02	-	·50	·30	·19	-	·40	·30	·01	·32	·04	·06	2·14	4
5	-	-	·04	·16	·47	-	·27	·05	-	·31	·63	·03	1·96	5
6	·65	-	·06	-	-	-	·71	·04	-	-	·33	-	1·79	6
7	·01	·31	-	-	-	-	·02	tr.	-	tr.	·48	·53	1·35	7
8	·01	·15	·09	-	tr.	-	·06	·01	-	·59	·25	·28	1·44	8
9	·05	·01	·03	-	-	-	-	·08	-	·19	·17	·25	·78	9
10	·37	-	tr.	-	-	tr.	-	·22	·13	·41	·01	tr.	1·14	10
11	-	·01	·21	-	-	tr.	-	-	-	·26	tr.	-	·48	11
12	tr.	tr.	tr.	tr.	-	·03	-	-	-	·02	·08	-	·13	12
13	-	-	tr.	·05	tr.	tr.	·35	-	·01	2·34	·01	·03	2·79	13
14	·81	-	tr.	tr.	·02	·01	·07	-	tr.	·21	·38	·08	1·58	14
15	·26	-	tr.	-	·13	1·03	·21	-	-	·26	·29	·01	2·19	15
16	·26	-	tr.	·09	·04	·06	·09	-	-	·21	·29	tr.	1·04	16
17	·34	·11	-	tr.	·34	·03	·06	-	-	-	·06	-	·94	17
18	·12	tr.	·01	-	·09	·07	·55	-	-	-	·44	·01	1·29	18
19	·89	-	-	-	-	-	·02	·14	-	-	tr.	·09	·64	19
20	·42	-	-	-	-	·03	·06	1·46	-	-	-	·01	1·98	20
21	·07	·26	·05	·01	tr.	·11	·12	tr.	-	-	-	-	·62	21
22	·36	·18	·09	tr.	-	·61	·11	-	tr.	-	·29	-	1·64	22
23	tr.	tr.	tr.	·15	-	·01	·04	-	tr.	-	1·10	tr.	1·30	23
24	·49	-	·01	·03	-	·49	·13	·01	-	-	-	-	1·16	24
25	·77	·15	·01	·33	-	-	·12	·05	-	·10	·50	-	2·03	25
26	·01	·03	tr.	tr.	-	·01	-	-	-	·06	·40	-	·51	26
27	-	·16	·02	·04	-	-	·01	tr.	-	tr.	·12	tr.	·35	27
28	-	·38	·02	-	-	·02	·86	-	-	-	·38	·14	1·30	28
29	-	-	-	·02	-	·02	·44	-	-	·09	·03	-	·60	29
30	-	✕	tr.	·45	-	·09	tr.	·48	-	·16	·02	-	1·20	30
31	-	✕	-	✕	-	✕	tr.	·23	✕	·76	✕	-	·99	31
													Year's Total	
TOTAL	6·16	1·75	1·22	2·38	1·37	2·62	4·22	3·80	1·61	6·29	6·68	1·91	40·01	
* Days with .01 in. or more.	19	11	14	14	8	15	22	15	5	16	25	15	179	
* Days with .04 in. or more.	15	8	8	11	7	7	18	12	3	15	20	10	134	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Hamilton Blanchard

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1599/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Kit Robins' Lytchett Matravers

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·02	–	–	·01	–	–	–	–	–	·13	–	·16	1
2	–	·24	–	·16	–	–	tr.	–	–	–	·47	·05	·92	2
3	·01	·53	–	tr.	–	–	–	–	–	·27	·77	✓·25	1·83	3
4	·04	·13	–	·01	–	–	·07	–	–	·29	·14	·02	·70	4
5	tr.	·04	–	–	–	–	·01	–	–	·01	·72	·26	1·04	5
6	·41	·55	–	–	–	–	·01	–	–	·34	–	·15	1·46	6
7	·06	·11	–	tr.	–	–	–	–	tr.	·13	·03	·01	·34	7
8	–	tr.	–	·03	–	–	·14	tr.	tr.	·47	·14	·33	1·11	8
9	–	–	–	·01	–	–	·07	–	·02	·21	·61	·18	1·10	9
10	–	–	–	–	–	–	1·08	·07	tr.	·12	·10	·17	1·54	10
11	–	tr.	tr.	–	–	–	·09	–	–	–	·88	·03	1·00	11
12	–	tr.	·20	·01	–	–	·21	–	·40	·10	·03	–	·95	12
13	–	tr.	·65	·03	–	–	·02	–	·01	tr.	1·35	tr.	2·06	13
14	–	–	·16	·05	·09	–	·09	tr.	·19	·63	·06	·80	2·07	14
15	–	·02	–	·03	·26	·01	·42	–	·13	·27	·42	·02	1·58	15
16	–	·58	·38	·18	–	·01	·01	–	·08	·73	·97	·09	3·03	16
17	–	·05	·64	–	–	–	·01	–	·02	–	·81	–	1·53	17
18	·03	·35	·39	·16	–	–	·04	–	·01	·13	·03	·07	1·21	18
19	–	·05	·03	·18	–	–	·03	tr.	·59	–	·44	–	1·32	19
20	–	tr.	·03	·02	–	–	–	–	–	·23	·06	·01	·35	20
21	tr.	–	tr.	–	·33	–	·01	–	tr.	·01	·46	–	·81	21
22	–	·03	·08	·02	–	·23	tr.	–	·21	tr.	–	–	·57	22
23	–	·03	·25	·08	tr.	–	tr.	–	–	tr.	·04	–	·40	23
24	–	–	–	tr.	–	–	·33	–	–	–	–	–	·33	24
25	·01	–	·25	·05	·01	–	–	–	–	–	–	–	·32	25
26	1·35	·49	·01	–	·12	tr.	·02	–	–	tr.	–	–	1·99	26
27	·48	·31	–	·21	·31	–	·03	–	–	–	·01	–	1·35	27
28	·59	·04	tr.	–	·07	–	–	tr.	–	·08	–	–	·78	28
29	·43	·51	·19	·16	–	tr.	–	–	–	·02	–	·24	1·55	29
30	·04	✕	·02	·08	–	–	tr.	–	–	·29	–	·12	·55	30
31	·08	✕	–	✕	tr.	✕	–	–	✕	·60	✕	·32	1·00	31
TOTAL	3·53	4·08	3·28	1·47	1·20	·25	2·69	·07	1·66	4·93	8·67	3·12	Year's Total 34·95	✓
* Days with .01 in. or more.	12	18	14	18	8	3	19	1	10	19	22	18	162	✓
* Days with .04 in. or more.	9	14	10	10	6	1	10	1	6	16	18	13	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Hamilton Blanchard [P.T.O.

1599/8

CORFE MULLION
THE PLANTATION
1938—40

780304

Section **A** for the entry of D
AIR MINISTRY

Station No. ~~1608~~ 1599/8
ALL ORGANIZATION

FORM 1090
REGIST
8
39

Lytchett Matravers
Kept at (Forest Hill)
in the County of Dorset
Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea L

Days
V wer R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·66	·19	·04		1
2							·03			·44	·10	·04		2
3	·14									·16	·18			3
4					·11			1·5		·10		·21		4
5	·11						·29			·16	·06	·09		5
6							·30			1·45		·13		6
7	·11						·25		·09	·12				7
8	·1					·05		·05	·04	·10		1·29		8
9	·1						·07	·08		·31		·33		9
10	·2					·02						·24		10
11						·30	·02				·29			11
12	·5									·28		·60		12
13	·6				·16		·30			·14	·35			13
14											·10	·43		14
15	·27				·08					·31	·04			15
16	·3				·05						·41			16
17	·31				·04		·26			·18	·96			17
18			·1		·09						·34	·04		18
19	·14							·17	·20		·10			19
20									·33		·41	·08		20
21								·33	·18					21
22									·11		·03			22
23	·09							·03			·24			23
24									·51			·30		24
25			·17						·19		1·12			25
26	·52	·2	·04		·18				·04	·08	·36			26
27	·11	·03			·10	·30	·42					·03		27
28		·12			·08	·08		·83	·16					28
29	·1				·13					·16	·38			29
30		✕			·26	·23			·20		·16			30
31	·26	✕		✕	·04	✕			✕		✕	·48	"d"	31
TOTAL	3·96	·35	·31		1·32	·98	1·94	2·99	2·05	4·65	5·82	4·33	Year's Total 28·70	
* Days with .01 in. or more.	~~17~~	~~34~~	~~3~~	~~—~~	~~12~~	~~6~~ x	~~9~~ x	~~7~~ x	~~11~~	~~15~~	~~19~~ x	x ~~15~~	~~117~~	
* Days with .04 in. or more.	17	2	3	—	12	5	7	6	11	15	18	14	110	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

1599/8

Station No. ~~1608~~

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Lytchett Matravers (Forest Hill) ~~Lodge, Corfe Mullen~~ Station renamed 4/39 & renumbered

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 3 ½ ft. in.

,, Ground ,, Sea Level 300 ft.

Days

Verr.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·66	·19	·04		1
2							·03			·44	·10	·04		2
3	·14									·16	·18			3
4					·11			1·5		·10		·21		4
5	·11						·29			·16	·06	·09		5
6							·30			1·45		·13		6
7	·11						·25		·09	·12				7
8	·1					·05		·05	·04	·10		1·27		8
9	·1						·07	·08		·31		·33		9
10	·2					·02						·24		10
11						·30	·02				·29			11
12	·5									·28		·60		12
13	·6				·16		·30			·14	·35			13
14											·10	·43		14
15	·27				·08					·31	·04			15
16	·3				·05						·41			16
17	·31				·04		·26			·18	·96			17
18			·1		·09						·34	·04		18
19	·14							·17	·20		·10			19
20									·33		·41	·08		20
21								·33	·18					21
22									·11		·03			22
23	·09							·03			·24			23
24									·51			·30		24
25			·17						·19		1·12			25
26	·52	·2	·04		·18				·04	·08	·36			26
27	·11	·03			·10	·30	·42					·03		27
28		·12			·08	·08		·83	·16					28
29	·1				·13					·16	·38			29
30		✕			·26	·23			·20		·16			30
31	·26	✕		✕	·04	✕			✕		✕	·48	"d"	31
													Year's Total	
TOTAL	3·96	·35	·31		1·32	·98	1·94	2·99	2·05	4·65	5·82	4·33	28·70	✓
* Days with .01 in. or more.	~~17~~	~~34~~	~~3~~	—	12	6 x	9 x	7 x	11	~~15~~	19 x	x 15	117	✓
* Days with .04 in. or more.	17	2	3	—	12	5	7	6	11	15	18	14	110	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1599/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

File No 815-241/28

Corrected copy.

Kept at Forest Hill, Corfe Mullen

in the County of Dorset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

"Days?" ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·09		·09				·48			·13	·79	1
2							·18		·58		·19	·11	1·06	2
3				·53				·65	1·48		·20	·11	2·97	3
4	·68		·40	·17			·59	·07			·04		1·95	4
5				·19	·28		·42	·16	·65	·58	·65		2·93	5
6	·72		·13		·35		·61	·			·29		~~2·15~~ 2·10	6
7			·06					·05			·48		·59	7
8			·11			·03	·06			·67	·31	·61	1·79	8
9	·06	·10				·04		·05		·20	·26	·22	·93	9
10	·47								·15	·23			~~·75~~ ·85	10
11						·95			2·17	·26			~~·88~~ 3·38	11
12		·20	·21	·05			·26		·26		·10		1·08	12
13					·04				·17				·21	13
14	·89										·70	·06	1·65	14
15					·15		·09				·07		·31	15
16	·25				·11		·07					·10	·53	16
17	·34			·09	·43	·06	·18				·23		1·33	17
18	·11	·11					·08						·30	18
19	·41						·57			·14	·43		1·55	19
20	·47					·04	·10	·30				·10	1·01	20
21	·13	·20					·11	1·55					1·99	21
22	·29						·11				·26		·66	22
23	·72		·10			·78	·05			·80			2·45	23
24	·55			·18		·02	·13				1·02		~~1·88~~ 1·90	24
25		·14		·14		·50	·07	·06					·91	25
26		·03	·05								·51		·59	26
27		·45		·05		·02					·37		·89	27
28											·17		·17	28
29		·06	·05				·34			·16	·39		1·00	29
30		✕		·47		1·06	·58			·20	·04		2·35	30
31		✕		✕		✕		·32	✕		✕		·32	31
TOTAL	6·09	1·29	1·29	1·37	1·45	3·60	4·60	3·21	5·94	3·24	6·71	1·44	Year's Total 40·64	
* Days with .01 in. or more.	~~14~~	~~8~~	~~9~~	~~9~~	~~7~~	~~10~~	~~19~~	~~9~~	~~8~~	~~9~~	~~20~~	~~8~~	~~130"~~	"α"
* Days with .04 in. or more.	14	7	9	9	7	7	19	9	8	9	20	8	126	

† Spare column, no entries required.

(Signed) Robin A. L. Belben

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1599/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Corfe Mullen The Plantation

in the County of Dorset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				Tr	·02	-	-	-	-	-	·16	-		1
2				·17	-	-	·02	-	-	-	·29	·05		2
3				Tr	-	-	-	-	-	·33	1·00	·24		3
4				·04	-	-	-	-	-	·34	·26	-		4
5				-	-	-	·08	-	-	·03	·49	·30		5
6				-	-	-	·05	-	-	·38	·07	·10		6
7				·01	-	-	-	-	-	·59	Tr	·01		7
8				·01	-	-	·10	-	-	-	·21	·42		8
9				·03	-	-	·08	·04	-	·29	·49	-		9
10				-	-	-	1·36	-	-	·09	·09	-		10
11				·01	-	-	·08	-	-	-	·59	-		11
12				-	-	-	·26	-	·48	·08	·32	·04		12
13				·02	-	-	·04	-	·02	·37	1·00	·01		13
14				·05	·03	-	·31	-	·17	·62	·04	·75		14
15				·03	·26	-	·47	-	·15	·32	·44	·07		15
16				·20	-	·03	·02	-	·07	-	·97			16
17				Tr	-	-	·02	-	·02	·75	·80	·01		17
18				·23	-	-	·07	-	·03	·12	·02	·07		18
19				·22	-	-	·06	-	·47	-	·06	-		19
20				·01	-	-	·03	-	-	·26	·50	-		20
21				-	-	-	-	-	-	-	·04	-		21
22				-	·22	·23	-	-	·26	-	-	-		22
23				·08	-	-	-		·05	-	·02	-		23
24				·01	-	-	-	-	-	-	·02	-		24
25				·14	·01	-	·33	-	-	-	-	·03		25
26				·04	·14	-	·02	-	-	-	-	·01		26
27				·08	·55	-	·23	-	-	-	·01	-		27
28				-	·03	-	-	-	-	·07	·01	-		28
29				·28	-	-	-	-	-	·03	Tr	·32		29
30		✕		·05	-	-	-	-	-	·31	-	·20		30
31		✕		✕	-	✕	-	-	✕	·65	✕	·26		31
													Year's Total	
TOTAL				1·71	1·26	·26	3·63	·04	1·72	5·63	7·90	2·89	..	
* Days with .01 in. or more.				20	8	2	19	1	10	18	24	17	..	
* Days with .04 in. or more.				12	4	1	14	1	7	16	19	12	..	

np. imp.

WH

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.